

Login Checklist

RQ- 2022-09-19-14

Login Station ID: #4

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/21 /2022 9:20

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
<u>21</u>				<u>4</u>		X			<u>5959 4729 2930</u>

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No _____

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes ✓ No _____

Caps on tight?

Yes ✓ No _____

Sufficient Sample Volume:

Yes ✓ No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No X Init: ✓

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0?

Yes ✓ No _____ NA _____ Init: ✓

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0?

Yes _____ No _____ NA X Init: ✓

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ✓

Date: 10/21 /2022 Event contains NCRs (Y/N)? N

EventID: Run 17 Pinellas North
SW-DIST-2022-10-21-01 (SMP)

— Date Received: 21-OCT-2022 11:55

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #4 Exp:10/17/2023
pH Test Strips 0 – 6	LOT# 223819AV Exp: AUG 30, 2023
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT# 207621 Exp: March 15, 2024
Chlorine Test Strips	LOT# 0070 Exp: Feb. 2023

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 10/20/2022 **Collected By:** Devin Mathias, Sarah Meyer
Customer: SW-DIST **Sampling Agency:** FDEP
RQ: RQ-2022-09-19-14 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Moccasin Creek Tidal	 G1SW0051
Stevenson Creek Tidal @ Overlea St.	 G5SW0164
Stevenson Creek Tidal @ Shuffleboard Club	 G5SW0165

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 10/20/2022
1700 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: *RE*

Rec'd/Inspected Date: 10-21-2022



RQ-2022-09-19-14

Customer: FDEP

Project ID: SMP

Collected By: Devin Mathias, Sarah Meyer

Field Report Prepared by: Devin Mathias, Sarah Meyer

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G1SW0051

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: Moccasin Creek Tidal

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
10/20/2022 1155	0.82	10.1	22	6.95	0.3	0.6	1	19074	13.36

Parameter Suite	Parameter Methods		Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP		Ice	H2SO4*	<2	
	Lot #	Exp:				
Metals (P-500ML)	W-ICPMS / W-ICP / W-HARD		Ice	HNO3*	<2	
	Lot #	Exp:				
Filtered Nutrients (P125ML)	W-PO4-F	Field Filtered 0.45 µm Filter	Ice			
	Filter Lot #	Syringe Lot #				
BOD (BP-1L)	OV-BODUNIN		Ice			
Chlorophyll (BP-1L)	CHLSUITE-W		Ice			
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-G-IC / W-COLOR / W-SO4-IC / W-TDS		Ice			
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY		Ice			
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #	Formalin			
Periphyton (PT-50ML)	ALGAE-ID		Ice			
Microbiology (Contract Lab Bottle)	E Coli	F Coli	X	Enterococci	x	Ice
	X	Contract Lab				
Molecular (QPCR-P-500ML)	PCR-HF1B3	PCR-BacR		PCR-DG3		Ice
	PCR-GULL2	PCR-GFD				
Tracers (BG-500ML)	W-E8321-DI / W-E8321-MS		Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS	W-PSNP-TQ			
	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)	W-CT-CL-R			
	W-TR-SQ-R	W-PCB-TQ-R				
Phytoplankton	DTY-QN-C	PKD-QN-BV	Ice			
DOC	W-DOC	Field Filtered 0.45 µm Filter	Ice	H2SO4*		
		Acid Preservative Expiration Date				
		Acid Preservative Lot Number				



RQ-2022-09-19-14

Customer: FDEP

Project ID: SMP

Collected By: Devin Mathias, Sarah Meyer

Field Report Prepared by: Devin Mathias, Sarah Meyer

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G5SW0164

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: Stevenson Creek Tidal @ Overlea St.

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)	
10/20/2022 1320	3.38	50	27.4	7.74	0.3	0.8	1.1	43674	28.1	
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	
		Lot #		SA2229010		Exp:		8/30/23		
Metals (P-500ML)		W-ICPMS		W-ICP		W-HARD		Ice	HNO3*	
		Lot #				Exp:		<2		
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 µm Filter		X	Ice		
		Filter Lot #	17232873		Syringe Lot #	1145497				
BOD (BP-1L)		OV-BODUNIN					Ice			
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			
Physical/Aggregate (Fresh) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS					Ice			
Physical/Aggregate (Marine) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY				X	Ice			
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin			
Periphyton (PT-50ML)		ALGAE-ID					Ice			
Microbiology (Contract Lab Bottle)		E Coli		F Coli		X	Enterococci			
	X	Contract Lab				X	Ice			
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3				
		PCR-GULL2		PCR-GFD						
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS				Ice		
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ			Ice	MCAA Exp.	MCAA Lot#
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R					
		W-TR-SQ-R	W-PCB-TQ-R							
Phytoplankton		DTY-QN-C		PKD-QN-BV				Ice		
DOC		W-DOC	Field Filtered 0.45 µm Filter				Ice		H2SO4*	
			Acid Preservative Expiration Date							
			Acid Preservative Lot Number							



RQ-2022-09-19-14

Customer: FDEP

Project ID: SMP

Collected By: Devin Mathias, Sarah Meyer

Field Report Prepared by: Devin Mathias, Sarah Meyer

Sampling Agency: FDEP

Comments: Microbiology sample(s) submitted to contract laboratory.

WIN ID/Field ID:



WIN ID/Field ID: G5SW0165

Location: Stevenson Creek Tidal @ Shuffleboard Club

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
10/20/2022 1345	8.19	102.8	20.9	7.98	0.3	0.6	0.8	31392	19.59

Parameter Suite	Parameter Methods		Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP		Ice	H2SO4*	<2	
	Lot #	Exp:				
Metals (P-500ML)	W-ICPMS	W-ICP	W-HARD	Ice	HNO3*	<2
	Lot #	Exp:				
Filtered Nutrients (P125ML)	W-PO4-F	Field Filtered 0.45 um Filter		Ice		
	Filter Lot #	Syringe Lot #				
BOD (BP-1L)	OV-BODUNIN		Ice			
Chlorophyll (BP-1L)	CHLSUITE-W		Ice			
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS		Ice			
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY		Ice			
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #	Formalin			
Periphyton (PT-50ML)	ALGAE-ID		Ice			
Microbiology (Contract Lab Bottle)	E Coli	F Coli	X	Enterococci	x	Ice
	X	Contract Lab				
Molecular (QPCR-P-500ML)	PCR-HF183	PCR-BacR	PCR-DG3	Ice		
	PCR-GULL2	PCR-GFD				
Tracers (BG-500ML)	W-E8321-DI	W-E8321-MS	Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS	W-P5NP-TQ	Ice	MCAA Exp.	MCAA Lot#
	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)	W-CT-CL-R			
	W-TR-SQ-R	W-PCB-TQ-R				
Phytoplankton	DTY-QN-C	PKD-QN-BV	Ice			
DOC	W-DOC	Field Filtered 0.45 um Filter	Ice	H2SO4*	<2	
		Acid Preservative Expiration Date				
		Acid Preservative Lot Number				

Date of Request: 16-JUN-2022
 Created By: PASWATER_B On: 16-JUN-2022
 Modified By: AYRES_J On: 22-SEP-2022
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Event Description: Run 17 Pinellas North

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater
 Cooler Ship EMail: benjamin.paswater@dep.state.fl.us

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 22-SEP-2022
 Biology Request Reviewed By: AYRES_J On: 22-SEP-2022
 Sampling Kit Required: NO Ship on:
 Sampling Kit Shipped: YES On: 15-SEP-2022
 Sampling Kit Packed By: KLUG_K
 Preservatives Needed: NO
 Date to Receive Samples: 19-SEP-2022
 Logged In By: SHAIK_A On: 22-SEP-2022

Send Final Report To:

13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater
 Report Notification EMail:
 benjamin.paswater@dep.state.fl.us;sarah.meyer@dep.state.fl.us
 ;Jacob.Yodzis@floridaDEP.gov

Comments: #####

Buffer Solution for W-CARB-AA Bottle Needed

 W-TR-SQ-R (sunscreens)

Wash your hands thoroughly and wear gloves. Refrain from using sunscreens on the day of sample collection.

#####

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SW-BEA-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 1	Preserved With: FILTER-ICE
W-PO ₄ -F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Group B (Water) With 2 Samples:

Bottle Type: P-250ML-WI-THI Number of Bottles: 2 Preserved With: ICE
 SW-BEA-ENQ Template: DEFAULT (Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto

Bottle Group C (Water) With 2 Samples:

Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: CH₂ClCOOH and Ice
 W-CAB-AA-R Template: DEFAULT (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS

Bottle Type: BG-500ML FILL TO Number of Bottles: 6 Preserved With: ICE
 W-CT-Cl-R Template: DEFAULT (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
 W-PCB-TQ-R Template: DEFAULT (EPA 8270E) PCBs in water matrices by GC/MS/MS
 W-PCL-TQ-R Template: (EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Type: BG-500ML Number of Bottles: 2 Preserved With: ICE
 W-E8321-DI Template: DEFAULT (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
 W-E8321-MS Template: SMP (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Type: P-500ML Number of Bottles: 2 Preserved With: ICE And H₂SO₄
 W-NH₃ Template: DEFAULT (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
 W-NO₂NO₃ Template: DEFAULT (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
 W-S-A-TP Template: DEFAULT (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
 W-TKN Template: DEFAULT (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
 W-TOC Template: DEFAULT (SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Type: P-125ML Number of Bottles: 2 Preserved With: FILTER-ICE
 W-PO₄-F Template: DEFAULT (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

Bottle Type: BG-1L Number of Bottles: 6 Preserved With: ICE
 W-PSNP-TQ Template: DEFAULT (EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
 W-TR-SQ-R Template: DEFAULT (EPA 8270E) Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM

Bottle Type: P-1L Number of Bottles: 2 Preserved With: ICE
 ALKALINITY Template: DEFAULT (SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO₃/L
 TURBIDITY Template: DEFAULT (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
 W-CL-IC Template: DEFAULT (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
 W-COLOR Template: DEFAULT (DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
 Color (true)
 W-F Template: DEFAULT (SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
 W-SO₄-IC Template: DEFAULT (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
 W-TDS Template: DEFAULT (SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
 W-TSS Template: DEFAULT (SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Type: BP-1L Number of Bottles: 2 Preserved With: ICE
 CHLSUITE-W Template: DEFAULT (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

Bottle Type: P-250ML-WI-THI Number of Bottles: 2 Preserved With: ICE
 SW-BEA-ECQ Template: DEFAULT (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by BEA in Palmetto

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.