

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

PO# B77880

Client Information: DEP: SW-DIST

Address: 13051 N. Telecom Parkway
Tampa FL 33604

Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2022- 04-11-08

Laboratory Submission # 22040640

Sample Name	Sample Type ¹ / Sample Matrix ²	Collection		Container			Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³			
G2SW0029	SW	04/11/2022	11:00	1	250mL	P	Plain (on Ice)	Enteroc. Enteroc.	1
G2SW0108	SW	04/11/2022	1130	1	250mL	P	Plain (on Ice)	Enteroc.	2
G3SW0104	SW	04/11/2022	1210	1	250mL	P	Plain (on Ice)	Enteroc.	3
	SW				250mL	P	Plain (on Ice)		
	SW				250mL	P	Plain (on Ice)		
	SW				250mL	P	Plain (on Ice)		
	SW				250mL	P	Plain (on Ice)		

1. "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SD/MN1), or sludge (SLDG).
3. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4. Sample must be refrigerated or stored in wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).
Under "Preservative," list any preservatives that were added to the sample container.

Instructions:
1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
Temperature: 1.1°C

1	Collected / Relinquished By: <u>Ben Paswater</u> <u>Jacob Vedzic</u>	Date: <u>04/11/2022</u>	Time:	Received By:	Date:	Time:
2	Relinquished By: <u>Jacob C. John</u>	Date: <u>04/11/2022</u>	Time: <u>1343</u>	Received By: <u>Nathan Handseil BEA</u>	Date: <u>4-11-22</u>	Time: <u>1343</u>