

Biological Analysis Report

SW-DIST-2022-05-20-03

Florida Department of Environmental Protection
Central Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Benchmark EnvironAnalytical, Inc.
1711 12th Street East
Palmetto, FL 34221
DOH Accreditation E84167

Event Description: **SMP:: Run 12**
Request ID: **RQ-2022-05-16-26**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Ben Paswater

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Administrator

Date Certified: 01-JUL-2022 11:28



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Sloman Branch @ Nichols Rd.

Collection Date/Time: 05/19/2022 09:00

Field ID: G2SW0123

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2328844	SM 10200 H (mod.)	Chlorophyll-a, Corrected	0.98	I	ug/L	P414586	
		Phaeophytin-a	0.98	U	ug/L	P414586	
		Chlorophyll-a, Uncorrected	0.80	I	ug/L	P414586	
2328855	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	1450		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Hurrah Creek @ Alifia River SP

Collection Date/Time: 05/19/2022 10:40

Field ID: G2SW0098

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2328851	SOP-PCR-1.0	HF183-qPCR**	1.1E+03	U	TSC/100 mL	P413929	
	SOP-PCR-1.2	GULL2-qPCR**	3.0E+05	U	TSC/100 mL	P413929	
	SOP-PCR-1.3	GFD-qPCR**	240	U	TSC/100 mL	P413929	
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P413929	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P413929	
2328856	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	84		MPN/100 mL		

Sample Location: Fishhawk Creek @ HA Site

Collection Date/Time: 05/19/2022 10:00

Field ID: G2SW0144

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2328852	SOP-PCR-1.0	HF183-qPCR**	1.1E+03	U	TSC/100 mL	P413929	
	SOP-PCR-1.2	GULL2-qPCR**	3.0E+05	U	TSC/100 mL	P413929	
	SOP-PCR-1.3	GFD-qPCR**	240	U	TSC/100 mL	P413929	
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P413929	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P413929	
2328857	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	882		MPN/100 mL		

Sample Location: Carlton Branch @ SR674

Collection Date/Time: 05/19/2022 11:10

Field ID: G2SW0099

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2328853	SOP-PCR-1.0	HF183-purified-qPCR**	280	UJ	TSC/100 mL	P415522	LCS, SUR
	SOP-PCR-1.2	GULL2-purified-qPCR**	300	UJ	TSC/100 mL	P415522	LCS, SUR
	SOP-PCR-1.3	GFD-purified-qPCR**	170	UJ	TSC/100 mL	P415522	LCS, SUR
	SOP-PCR-1.4	BacR-purified-qPCR**	250	UJ	TSC/100 mL	P415522	LCS, SUR
	SOP-PCR-1.5	DG3-purified-qPCR**	210	UJ	TSC/100 mL	P415522	LCS, SUR
2328858	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	4884		MPN/100 mL		

Ref. Method and Comment:

SOP-PCR-1.0: Precision data unavailable for HF183-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.2: Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.3: Precision data unavailable for GFD-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.4: Precision data unavailable for BacR-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.5: Precision data unavailable for DG3-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P414586

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P413929

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P415522

Component	Result	Code	Units
HF183-purified-qPCR	550	U	TSC/100 mL
HF183-purified-qPCR	550	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P413929

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P415522

Component	Result	Code	Units
GULL2-purified-qPCR	600	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P413929

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P415522

Component	Result	Code	Units
GFD-purified-qPCR	340	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P413929

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P415522

Component	Result	Code	Units
BacR-purified-qPCR	510	U	TSC/100 mL

Quality Assurance Report Method Blank Results

Reference Method: SOP-PCR-1.5
Batch ID: P413929

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P415522

Component	Result	Code	Units
DG3-purified-qPCR	430	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P414586

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	94.8		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P413929

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	87.9	78.4	P/P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P415522

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-purified-qPCR	11.8	71.6	F/P	50 - 175
HF183-purified-qPCR	11.8	71.6	F/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P413929

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	105	88.3	P/P	50 - 300

Reference Method: SOP-PCR-1.2
Batch ID: P415522

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-purified-qPCR	104	14.3	P/F	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P413929

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	100	70.2	P/P	50 - 175

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.3
Batch ID: P415522

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-purified-qPCR	90.3	16.9	P/F	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P413929

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	108	103	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P415522

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-purified-qPCR	105	5.58	P/F	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P413929

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	74.9	83.2	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P415522

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-purified-qPCR	97.3	5.91	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P413929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2327264	HF183-qPCR	82.0	81.1	P	50 - 175
2327265	HF183-qPCR	76.0		P	50 - 175
2327266	HF183-qPCR	87.0		P/P	50 - 175
2327563	HF183-qPCR	80.2		P	50 - 175
2328463	HF183-qPCR	77.8	81.1	P	50 - 175
2328754	HF183-qPCR	75.0		P	50 - 175
2328851	HF183-qPCR	81.5		P	50 - 175
2328852	HF183-qPCR	71.8		P	50 - 175
2328854	HF183-qPCR	77.1	81.1	P	50 - 175
2329745	HF183-qPCR	81.3		P	50 - 175
2330026	HF183-qPCR	77.0		P	50 - 175
2330027	HF183-qPCR	86.7		P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P415522

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2328853	HF183-purified-qPCR	66.9	66.9	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.2

Batch ID: P413929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2327265	GULL2-qPCR	95.8	93.3	P	50 - 300
2327266	GULL2-qPCR	75.9		P/P	50 - 300
2328463	GULL2-qPCR	91.7		P	50 - 300
2328754	GULL2-qPCR	74.6		P	50 - 300
2328851	GULL2-qPCR	88.2		P	50 - 300
2328852	GULL2-qPCR	92.2		P	50 - 300
2328854	GULL2-qPCR	79.9		P	50 - 300
2329745	GULL2-qPCR	82.9		P	50 - 300

Reference Method: SOP-PCR-1.2

Batch ID: P415522

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2328853	GULL2-purified-qPCR	101		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P413929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2327265	GFD-qPCR	94.7	94.1	P	50 - 175
2327266	GFD-qPCR	88.1		P/P	50 - 175
2327563	GFD-qPCR	98.9		P	50 - 175
2328463	GFD-qPCR	91.3		P	50 - 175
2328754	GFD-qPCR	83.0		P	50 - 175
2328851	GFD-qPCR	93.5		P	50 - 175
2328852	GFD-qPCR	87.1		P	50 - 175
2328854	GFD-qPCR	90.8		P	50 - 175
2329745	GFD-qPCR	84.6		P	50 - 175
2330026	GFD-qPCR	90.2		P	50 - 175
2330027	GFD-qPCR	92.4		P	50 - 175

Reference Method: SOP-PCR-1.3

Batch ID: P415522

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2328853	GFD-purified-qPCR	94.7		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P413929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2327264	BacR-qPCR	55.2	65.3	P	50 - 175
2327265	BacR-qPCR	49.4		F	50 - 175
2327266	BacR-qPCR	75.9		P/P	50 - 175
2327563	BacR-qPCR	62.1		P	50 - 175
2328463	BacR-qPCR	60.6		P	50 - 175
2328754	BacR-qPCR	88.0		P	50 - 175
2328851	BacR-qPCR	71.2		P	50 - 175
2328852	BacR-qPCR	88.4		P	50 - 175
2328854	BacR-qPCR	70.0		P	50 - 175
2329745	BacR-qPCR	105		P	50 - 175
2330026	BacR-qPCR	91.6		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
 Batch ID: P413929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2330027	BacR-qPCR	95.3		P	50 - 175

Reference Method: SOP-PCR-1.4
 Batch ID: P415522

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2328853	BacR-purified-qPCR	92.4		P	50 - 175

Reference Method: SOP-PCR-1.5
 Batch ID: P413929

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2327264	DG3-qPCR	82.2		P	50 - 175
2327265	DG3-qPCR	85.5		P	50 - 175
2327266	DG3-qPCR	83.7	79.0	P/P	50 - 175
2328463	DG3-qPCR	88.4		P	50 - 175
2328754	DG3-qPCR	78.3		P	50 - 175
2328851	DG3-qPCR	81.1		P	50 - 175
2328852	DG3-qPCR	81.8		P	50 - 175
2328854	DG3-qPCR	76.0		P	50 - 175
2329745	DG3-qPCR	78.6		P	50 - 175

Reference Method: SOP-PCR-1.5
 Batch ID: P415522

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2328853	DG3-purified-qPCR	87.3		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
 Batch ID: P414586

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2329256	Chlorophyll-a, Corrected	12.3	Sample	P	0 - 25
2329256	Chlorophyll-a, Uncorrected	12.5	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
 Batch ID: P413929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2327266	HF183-qPCR	7.05	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
 Batch ID: P413929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
-----------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.2
Batch ID: P413929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2327266	GULL2-qPCR	20.5	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3
Batch ID: P413929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2327266	GFD-qPCR	6.60	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P413929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2327266	BacR-qPCR	15.1	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P413929

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2327266	DG3-qPCR	5.77	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2328851
Field Sample ID: G2SW0098

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	118	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	108	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	117	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	94.6	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	90.6	P	50 - 300

Lab Sample ID: 2328852
Field Sample ID: G2SW0144

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	115	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	120	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	115	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	89.8	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	94.3	P	50 - 300

Quality Assurance Report Surrogates

Lab Sample ID: 2328853
Field Sample ID: G2SW0099

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	3.68	F	50 - 300
SOP-PCR-1.0	SKETA-qPCR	3.68	F	50 - 300
SOP-PCR-1.2	SKETA-qPCR	5.36	F	30 - 300
SOP-PCR-1.3	SKETA-qPCR	0.296	F	50 - 300
SOP-PCR-1.4	SKETA-qPCR	0.281	F	50 - 300
SOP-PCR-1.5	SKETA-qPCR	3.99	F	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery			MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	94.8							12.3	
	Chlorophyll-a, Uncorrected								12.5	
SOP-PCR-1.0	HF183-purified-qPCR	11.8	71.6	11.8	66.9	66.9				
		71.6								
	HF183-qPCR	78.4	87.9		82.0	76.0	87.0			7.05
					81.1					
SOP-PCR-1.2	GULL2-purified-qPCR	14.3	104		101					
	GULL2-qPCR	88.3	105		95.8	75.9	93.3			20.5
					91.7					
SOP-PCR-1.3	GFD-purified-qPCR	16.9	90.3		94.7					
	GFD-qPCR	70.2	100		94.7	88.1	94.1			6.60
					98.9					
SOP-PCR-1.4	BacR-purified-qPCR	5.58	105		92.4					
	BacR-qPCR	103	108		55.2	49.4	75.9			15.1
					65.3					
SOP-PCR-1.5	DG3-purified-qPCR	5.91	97.3		87.3					
	DG3-qPCR	83.2	74.9		82.2	85.5	83.7			5.77
					79.0					

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2328844
SM 9223 B Quanti-Tray	E. coli by Colilert/QT by BEA in Palmetto	2328855, 2328856, 2328857, 2328858
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2328851, 2328852
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2328853
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2328851, 2328852
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2328853
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2328853
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2328851, 2328852
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2328851, 2328852
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2328853

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2328851, 2328852
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2328853

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	05/20/2022	05/20/2022 13:00	Jillian G Hanley	05/31/2022 15:22	Jillian G Hanley	2328844
SM 9223 B Quanti-Tray	05/19/2022	05/19/2022 13:20		05/20/2022 13:30	Benchmark EnviroAnalytical - Palmetto	2328855, 2328856, 2328857, 2328858
SOP-PCR-1.0	05/20/2022	05/20/2022 14:20	Claudia Castro	06/15/2022 17:03	Jennifer Mihalic	2328851, 2328852
	05/20/2022	05/20/2022 14:20	Claudia Castro	06/23/2022 10:15	Roberta Tatti	2328853
SOP-PCR-1.2	05/20/2022	05/20/2022 14:20	Claudia Castro	06/22/2022 14:54	Jennifer Mihalic	2328851, 2328852
	05/20/2022	05/20/2022 14:20	Claudia Castro	06/24/2022 14:31	Roberta Tatti	2328853
SOP-PCR-1.3	05/20/2022	05/20/2022 14:20	Claudia Castro	06/22/2022 12:09	Jennifer Mihalic	2328851, 2328852
	05/20/2022	05/20/2022 14:20	Claudia Castro	06/24/2022 11:04	Roberta Tatti	2328853
SOP-PCR-1.4	05/20/2022	05/20/2022 14:20	Claudia Castro	06/20/2022 14:54	Jennifer Mihalic	2328851, 2328852
	05/20/2022	05/20/2022 14:20	Claudia Castro	06/24/2022 11:04	Roberta Tatti	2328853
SOP-PCR-1.5	05/20/2022	05/20/2022 14:20	Claudia Castro	06/17/2022 16:01	Jennifer Mihalic	2328851, 2328852
	05/20/2022	05/20/2022 14:20	Claudia Castro	06/23/2022 10:15	Roberta Tatti	2328853