

Chemical Analysis Report

SW-DIST-2022-09-01-02

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **Pinellas Continuous Monitoring**
Request ID: **RQ-2022-08-29-44**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Sarah Meyer

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Colin Wright, Program Administrator

Date Certified: 21-SEP-2022 08:44



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Cross Canal (North)

Collection Date/Time: 08/31/2022 11:00

Field ID: G5SW0187

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2353609	EPA 180.1 Rev. 2.0	Turbidity	6.2		NTU	P419015	
	SM 2320 B-2011	Total Alkalinity	117		mg CaCO3/L	P419276	
	SM 2540 D-2011	TSS	4	I	mg/L	P419323	RPD
	SM 4500-F- C-2011	Fluoride	0.44		mg F/L	P419280	
2353610	EPA 350.1 Rev. 2.0	Ammonia-N	0.098		mg N/L	P419155	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.88		mg N/L	P419099	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.027		mg N/L	P419328	
	EPA 365.1 Rev. 2.0	Total-P	0.19		mg P/L	P419247	
	SM 5310 B-2011	Organic Carbon	8.7		mg C/L	P419189	
2353611	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.11		mg P/L	P419025	

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P419015

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P419155

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P419099

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P419328

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P419247

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P419025

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P419276

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 D-2011
Batch ID: P419323

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P419280

Component	Result	Code	Units
Fluoride	0.035	U	mg F/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 5310 B-2011
Batch ID: P419189

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P419015

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	96.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P419155

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P419099

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P419328

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P419247

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	109		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P419025

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	97.8		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P419276

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	100		P	94 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P419280

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	102		P	94 - 104

Reference Method: SM 5310 B-2011
Batch ID: P419189

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	96.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P419155

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2353121	Ammonia-N	98.0	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P419099

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2353861	Kjeldahl Nitrogen	104	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P419328

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2353610	NO2NO3-N	100	102	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P419247

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2352653	Total-P	100	103	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P419025

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2353513	O-Phosphate-P	98.4	103	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P419280

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2353473	Fluoride	97.8	98.5	P/P	94 - 104

Reference Method: SM 5310 B-2011
Batch ID: P419189

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2353610	Organic Carbon	91.2	89.3	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P419015

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2353547	Turbidity	14.7	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P419155

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2353121	Ammonia-N	0.0	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P419099

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2353861	Kjeldahl Nitrogen	0.00665	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P419328

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2353610	NO2NO3-N	1.31	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P419247

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2352653	Total-P	2.51	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P419025

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2353513	O-Phosphate-P	4.47	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P419276

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2352587	Total Alkalinity	0.722	Sample	P	0 - 3.8

Reference Method: SM 2540 D-2011
Batch ID: P419323

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2352962	TSS	10.9	Sample	F	0 - 10

Quality Assurance Report Precision

Reference Method: SM 4500-F- C-2011
Batch ID: P419280

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2353473	Fluoride	0.470	Spike	P	0 - 1.6

Reference Method: SM 5310 B-2011
Batch ID: P419189

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2353610	Organic Carbon	1.65	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A114489

Included Lab Sample IDs: 2353609

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A114496

Included Lab Sample IDs: 2353611

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	97.2	97.2	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A114553

Included Lab Sample IDs: 2353610

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	97.9	100	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A114572

Included Lab Sample IDs: 2353610

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.6	90.2	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A114576

Included Lab Sample IDs: 2353610

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	101	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A114599

Included Lab Sample IDs: 2353609

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	102	95.6	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A114599

Included Lab Sample IDs: 2353609

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A114620

Included Lab Sample IDs: 2353610

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	102	103	P/P	90 - 110

Quality Assurance Report

Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A114641

Included Lab Sample IDs: 2353610

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	100	99.3	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity	96.4				14.7	
EPA 350.1 Rev. 2.0	Ammonia-N	97.8	98.0	98.0			0.0
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	104	104			0.0066
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	101	100	102			1.31
EPA 365.1 Rev. 2.0	Total-P	109	100	103			2.51
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	97.8	98.4	103			4.47
SM 2320 B-2011	Total Alkalinity	100				0.722	
SM 2540 D-2011	TSS					10.9	
SM 4500-F- C-2011	Fluoride	102	97.8	98.5			0.470
SM 5310 B-2011	Organic Carbon	96.6	91.2	89.3			1.65

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2353609
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2353610
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2353610
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2353610
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2353610
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2353611
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2353609
SM 2540 D-2011	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2353609
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2353609
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2353610

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	09/01/2022			09/01/2022 13:39	Chandler E Cox	2353609
EPA 350.1 Rev. 2.0	09/01/2022			09/06/2022 13:48	Judith K. Clark	2353610
EPA 351.2 Rev. 2.0	09/01/2022	09/06/2022 14:30	Alexandra J Mattheus	09/07/2022 12:28	Alexandra J Mattheus	2353610
EPA 353.2 Rev. 2.0	09/01/2022			09/08/2022 15:23	Touraj Touran	2353610
EPA 365.1 Rev. 2.0	09/01/2022	09/08/2022 16:33	Adam P Silver	09/09/2022 11:52	James L Waggeberby	2353610
EPA 365.1 Rev. 2.0 dissolved	09/01/2022			09/01/2022 16:34	Elise M. Gillis	2353611
SM 2320 B-2011	09/01/2022			09/08/2022 02:35	Adam P Silver	2353609
SM 2540 D-2011	09/01/2022			09/02/2022 16:08	Yijie Li	2353609
SM 4500-F- C-2011	09/01/2022			09/08/2022 00:10	Adam P Silver	2353609
SM 5310 B-2011	09/01/2022			09/07/2022 00:42	Khloe J Berg	2353610