

Login Checklist

RQ- 2022 - 10 - 03 - 07

Login Station ID: # 2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/19/2022 / 09:25

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
1.4C				<u>12</u>		X			5859 4729 3145

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes x No _____

Micro-Biology Overflow Chain of Custody/ FieldSheet(s) Included?

Yes _____ No x

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No _____ NA x Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes x No _____

Caps on tight? Yes x No _____

Sufficient Sample Volume: Yes x No _____

If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No x Init: ABS /

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: ABS /

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH< 2.0? Yes x No _____ NA _____ Init: ABS /

**W-1-4-DIOX (Green dot on container) preserved to pH< 4.0? Yes _____ No _____ NA x Init: ABS /

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS /

Date: 10/19/2022

Event contains NCRs(Y/N)? N

EventID:

SW - DIST - 2022 - 10 - 19 - 0

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG # 2 EXP:10/17/2023
pH Test Strips 0 – 6	LOT#223819AV EXP:8/30/23
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT#207621 EXP:3/15/2024
Chlorine Test Strips	0070 / 2023 / 02

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 10/18/2022 **Collected By:** Ben Paswater, Devin Mathias
Customer: SW-DIST **Sampling Agency:** FDEP
RQ: RQ-2022-10-03-07 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Lake Whistler @ Center	 G3SW0100
Lake Van @ Center	 G4SW0106
Lake Ida @ Center	 G3SW0043

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 10/18/2022

1700 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: A.SHAIK

Rec'd/Inspected 10/19/2022
Date:



RQ-2022-10-03-07	Collected By: Ben Paswater, Devin Mathias
Customer: FDEP	Field Report Prepared by: Ben Paswater, Devin Mathias
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G3SW0100	Comments:

Location: Lake Whistler @ Center

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
10/18/2022 1040	8.77	108.7	26.3	7.39	0.3	0.5	5	228.7	0.11
Parameter Suite		Parameter Methods			Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*
		Lot #		SA1308030	Exp:	12/1/22		X	<2
Metals (P-500ML)			W-ICPMS		W-ICP	W-HARD	Ice		HNO3*
		Lot #			Exp:				<2
Filtered Nutrients (P125ML)		X	W-PO4-F			X	Field Filtered 0.45 µm Filter		
		Filter Lot #	17232873	Syringe Lot #	1145497	X	Ice		1
BOD (BP-1L)		OV-BODUNIN					Ice		
Chlorophyll (BP-1L)		X	CHLSUITE-W			X	Ice		1
Physical/Aggregate (Fresh) (P-1L)		X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-C / W-COLOR / W-SO4-IC / W-TDS			X	Ice		1
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice		
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin		
Periphyton (PT-50ML)		ALGAE-ID					Ice		
Microbiology (Contract Lab Bottle)		E Coli		F Coli	Enterococci		Ice		
		Contract Lab							
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-DG3		Ice		
		PCR-GULL2		PCR-GFD					
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice		
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ		MCAA Exp.	MCAA Lot#
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R			
		W-TR-SQ-R		W-PCB-TQ-R					
Phytoplankton		DTY-QN-C		PKD-QN-BV		Ice			
DOC		W-DOC		Field Filtered 0.45 µm Filter		Ice	H2SO4*		
				Add Preservative Expiration Date					<2
				Add Preservative Lot Number					



RQ-2022-10-03-07	Collected By: Ben Paswater, Devin Mathias
Customer: FDEP	Field Report Prepared by: Ben Paswater, Devin Mathias
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G4SW0106	Comments:

Location: Lake Van @ Center

Matrix: Fresh (Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)			
10/18/2022 1120	7.16	88.6	26.1	7.35	0.3	0.4	5	163	0.08			
Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A
		Lot #		SA2145160	Exp:	6/2/23						
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD		Ice		HNO3*		<2	
		Lot #			Exp:							
Filtered Nutrients (P125ML)	X	W-PO4-F		X	Field Filtered 0.45 µm Filter		X	Ice			1	A
		Filter Lot #	17232873	Syringe Lot #	1145497							
BOD (BP-1L)		OV-BODUNIN					Ice					
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	A	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				X	Ice			1	A	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice					
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin					
Periphyton (PT-50ML)		ALGAE-ID					Ice					
Microbiology (Contract Lab Bottle)		E Coli		F Coli		Enterococci		Ice				
		Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR	PCR-DG3			Ice				
		PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice					
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ			Ice	MCAA Exp.	MCAA Lot#		
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R							
		W-TR-SQ-R	W-PCB-TQ-R									
Phytoplankton		DTY-QN-C		PKD-QN-BV			Ice					
DOC		W-DOC	Field Filtered 0.45 µm Filter				Ice		H2SO4*		<2	
	Acid Preservative Expiration Date											
	Acid Preservative Lot Number											



RQ-2022-10-03-07	Collected By: Ben Paswater, Devin Mathias
Customer: FDEP	Field Report Prepared by: Ben Paswater, Devin Mathias
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G3SW0043	Comments:

Location: Lake Ida @ Center

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
10/18/2022 1210	7.49	93.6	26.7	7.42	0.3	0.8	5	280.2	0.13

Parameter Suite	Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			Ice	X	H2SO4*	X	<2	1	A
		Lot #	SA1308030		Exp:	12/1/22					
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice	HNO3*		<2		
		Lot #			Exp:						
Filtered Nutrients (P125ML)	X	W-PO4-F	X	Field Filtered 0.45 um Filter		X	Ice			1	A
		Filter Lot #	17232873	Syringe Lot #	1145497						
BOD (BP-1L)		OV-BODUNIN					Ice				
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	A
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-C / W-COLOR / W-SO4-IC / W- TDS				X	Ice			1	A
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice				
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin				
Periphyton (PT-50ML)		ALGAE-ID					Ice				
Microbiology (Contract Lab Bottle)		E Coli	F Coli	Enterococci			Ice				
		Contract Lab									
Molecular (QPCR-P-500ML)		PCR-HF183	PCR-BacR	PCR-DG3			Ice				
		PCR-GULL2	PCR-GFD								
Tracers (BG-500ML)		W-E8321-DI	W-E8321-MS				Ice				
		W-E8321-DI	W-E8321-MS	W-PSNP-TQ				MCAA Exp.	MCAA Lot#		
Pesticides (BG-500ML) (BG-1L)		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R		Ice				
		W-TR-SQ-R	W-PCB-TQ-R								
Phytoplankton		DTY-QN-C	PKD-QN-BV				Ice				
DOC		W-DOC	Field Filtered 0.45 um Filter				Ice	H2SO4*		<2	
			Acid Preservative Expiration Date								
			Acid Preservative Lot Number								

Date of Request: 05-APR-2022
 Created By: PASWATER_B On: 05-APR-2022
 Modified By: AYRES_J On: 14-SEP-2022
 Customer: SW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southwest District
 Event Description: Run 13

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater
 Cooler Ship Email: benjamin.paswater@dep.state.fl.us

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 14-SEP-2022
 Biology Request Reviewed By: JASROTIA_P On: 30-AUG-2022
 Sampling Kit Required: YES Ship on: 23-SEP-2022
 Sampling Kit Shipped: YES On: 19-SEP-2022
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 03-OCT-2022
 Logged In By: SHAIK_A On: 19-OCT-2022

Send Final Report To:

13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater
 Report Notification Email:
 benjamin.paswater@dep.state.fl.us;sarah.meyer@dep.state.fl.us
 ;Jacob.Yodzis@FloridaDEP.gov

Comments:**Bottle Group A (Water) With 4 Samples:**

Bottle Type: P-1L	Number of Bottles: 4	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 4	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 4	Preserved With: ICE And H ₂ SO ₄
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-125ML	Number of Bottles: 4	Preserved With: FILTER-ICE
W-PO4-F	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L

