

Chemical Analysis Report

SW-DIST-2022-12-28-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **SCI**
Request ID: **RQ-2022-11-21-09**
Customer: **SW-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
13051 N. Telecom Parkway
Temple Terrace, FL 33637-0926
Attn: Ben Paswater

For additional information please contact
Colin Wright, Ph.D.
Liang-Tsair Lin, Ph.D.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Liang Lin, Environmental Administrator

Date Certified: 23-JAN-2023 10:29

A handwritten signature in black ink, appearing to read "Liang Lin", is shown on a light-colored background.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals, Nutrients and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Mustang Rch @ CR 39

Collection Date/Time: 12/27/2022 11:30

Field ID: G2SW0050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2377478	DEP SOP: NU-094-1	Color (true)	58		PCU	P423998	
	EPA 180.1 Rev. 2.0	Turbidity	2.2		NTU	P423995	
	EPA 300.0 Rev. 2.1	Chloride	17		mg Cl/L	P424207	
		Sulfate	36		mg SO4/L	P424210	
	SM 2320 B-2011	Total Alkalinity	44		mg CaCO3/L	P424167	
	SM 2540 C-2015	TDS	151		mg/L	P424308	
	SM 2540 D-2015	TSS	4	I	mg/L	P424147	
2377480	SM 4500-F- C-2011	Fluoride	0.36		mg F/L	P424515	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.028		mg N/L	P424559	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.58		mg N/L	P424063	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.73		mg N/L	P424288	
	EPA 365.1 Rev. 2.0	Total-P	0.70		mg P/L	P424137	
2377482	SM 5310 B-2011	Organic Carbon	9.8		mg C/L	P424183	
2377490	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.44		mg P/L	P423997	
	EPA 8321B	2,4-D	0.0020	U	ug/L	P423955	
		Acesulfame K	0.10	U	ug/L	P423967	
		2,4,5-T	0.0040	U	ug/L	P423955	
		AMPA	3.1		ug/L	P423967	
		Acetaminophen	0.0080	U	ug/L	P423955	
		Acetamiprid	0.029		ug/L	P423955	
		Endothall	0.25	UJ	ug/L	P423967	CCV
		Glufosinate	0.10	U	ug/L	P423967	
		Glyphosate	0.74		ug/L	P423967	
		Afidopyrophen	0.0020	U	ug/L	P423955	
		Bentazon	8.0E-04	U	ug/L	P423955	
		Sucralose	0.19		ug/L	P423967	
		Benzovindiflupyr	0.0020	U	ug/L	P423955	
		Carbamazepine	8.0E-04	U	ug/L	P423955	
		Clothianidin	0.018		ug/L	P423955	
		Dinotefuran	0.0073	I	ug/L	P423955	
		Diuron	0.0026	I	ug/L	P423955	
		Fenuron	0.032	U	ug/L	P423955	
		Fluridone	8.0E-04	U	ug/L	P423955	
		Imazapyr	0.028		ug/L	P423955	
		Hydrocodone	0.0020	U	ug/L	P423955	
		Ibuprofen	0.20	U	ug/L	P423955	
		Imidacloprid	0.022		ug/L	P423955	
		Linuron	0.0040	U	ug/L	P423955	
		Mandestrobin	0.0020	U	ug/L	P423955	
		MCP	0.0040	U	ug/L	P423955	
		Naproxen	0.0080	U	ug/L	P423955	
		Primidone	0.0040	U	ug/L	P423955	
		Pyraclostrobin	0.0020	U	ug/L	P423955	

Field ID: G2SW0050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2377490	EPA 8321B	Silvex	0.0040	U	ug/L	P423955	
		Thiamethoxam	0.14		ug/L	P423955	
		Tolfenpyrad	0.0020	U	ug/L	P423955	
		Triclopyr	0.0040	U	ug/L	P423955	
2377492	EPA 200.7 Rev. 4.4	Calcium	23.0		mg/L	P424053	
		Iron	150		ug/L	P424053	
		Magnesium	8.01		mg/L	P424053	
		Potassium	6.3		mg/L	P424053	
		Sodium	7.7		mg/L	P424053	
		Strontium	41.3		ug/L	P424053	
		Tin	3.0	U	ug/L	P424053	
		Titanium	1.7	I	ug/L	P424053	
		Vanadium	5.5	I	ug/L	P424053	
		Zinc	5.0	U	ug/L	P424053	
	EPA 200.8 Rev. 5.4	Aluminum	133		ug/L	P424053	
		Antimony	0.23		ug/L	P424053	
		Arsenic	1.11		ug/L	P424053	
		Barium	4.10		ug/L	P424053	
		Beryllium	0.020	I	ug/L	P424053	
		Boron	38.6		ug/L	P424053	
		Cadmium	0.154		ug/L	P424053	
		Chromium	0.70	I	ug/L	P424053	
		Cobalt	0.181		ug/L	P424053	
		Copper	2.05		ug/L	P424053	
		Lead	0.26	I	ug/L	P424053	
		Manganese	18.0		ug/L	P424053	
		Molybdenum	6.43		ug/L	P424053	
		Nickel	1.1	I	ug/L	P424053	
		Selenium	0.25	I	ug/L	P424053	
		Silver	0.010	U	ug/L	P424053	
		Thallium	0.10	U	ug/L	P424053	
		Hardness	90.3		mg/L	P424053	
2377494	SM 2340 B-2011	Oxybenzone**	10	U	ng/L	P424059	
	EPA 8270E	Acetochlor	0.25	U	ng/L	P424059	
		Octinoxate**	20	U	ng/L	P424059	
		Alachlor	0.25	U	ng/L	P424059	
		Avobenzone**	100	U	ng/L	P424059	
		Ametryn	0.60	U	ng/L	P424059	
		Atrazine	1.1		ng/L	P424059	
		PBDE-47**	4.0	U	ng/L	P424059	
		Atrazine Desethyl	1.5	U	ng/L	P424059	
		PBDE-99**	5.0	U	ng/L	P424059	
		Azinphos Methyl	2.0	U	ng/L	P424059	
		Tri-o-cresyl Phosphate**	6.0	U	ng/L	P424059	
		Azoxystrobin	1.2E+03		ng/L	P424059	

Field ID: G2SW0050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2377494	EPA 8270E	Bromacil	9.5		ng/L	P424059	
		2-Ethylhexyl	12	U	ng/L	P424059	
		2,3,4,5-tetrabromobenzoate (EHTBB)**					
		Butylate	0.40	U	ng/L	P424059	
		Dechlorane Plus**	30	U	ng/L	P424059	
		Caffeine**	7.5	U	ng/L	P424059	
		Carbophenothion	0.20	U	ng/L	P424059	
		Carfentrazone Ethyl	0.10	U	ng/L	P424059	
		Chlorfenapyr	0.18	U	ng/L	P424059	
		Chlorpyrifos Ethyl	0.64	I	ng/L	P424059	
		Chlorpyrifos Methyl	0.050	U	ng/L	P424059	
		Coumaphos	0.50	U	ng/L	P424059	
		Cyanazine	3.3	U	ng/L	P424059	
		Cyprodinil	13		ng/L	P424059	
		Demeton	1.5	U	ng/L	P424059	
		Diazinon	0.14	I	ng/L	P424059	
		Difenoconazole	5.5		ng/L	P424059	
		Dimethenamid	0.10	U	ng/L	P424059	
		Dimethomorph	0.18	U	ng/L	P424059	
		Disulfoton	0.50	U	ng/L	P424059	
		Dithiopyr	0.63	U	ng/L	P424059	
		EPTC	1.3	U	ng/L	P424059	
		Ethion	0.15	U	ng/L	P424059	
		Ethoprop	0.10	U	ng/L	P424059	
		Etridiazole	0.15	U	ng/L	P424059	
		Fenamiphos	0.50	U	ng/L	P424059	
		Fenbuconazole	0.13	U	ng/L	P424059	
		Fipronil	0.25	U	ng/L	P424059	
		Fipronil Desulfinyl**	0.13	U	ng/L	P424059	
		Fipronil Sulfide	0.15	U	ng/L	P424059	
		Fipronil Sulfone	0.15	U	ng/L	P424059	
		Fluazifop-P-butyl	0.10	U	ng/L	P424059	
		Fludioxonil	22		ng/L	P424059	
		Flumioxazin	4.5	U	ng/L	P424059	
		Flutolanil	36		ng/L	P424059	
		Fluxapyroxad	280		ng/L	P424059	
		Fonofos	0.20	U	ng/L	P424059	
		Hexazinone	0.50	U	ng/L	P424059	
		Imazalil	0.75	U	ng/L	P424059	
		Iprodione	94		ng/L	P424059	
		Loratadine**	0.35	U	ng/L	P424059	
		Malathion	0.35	U	ng/L	P424059	
		Metalaxyl	200		ng/L	P424059	
		Metolachlor	2.7		ng/L	P424059	
		Metribuzin	1.5	U	ng/L	P424059	

Field ID: G2SW0050

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2377494	EPA 8270E	Mevinphos	1.1	U	ng/L	P424059	
		Molinate	0.30	U	ng/L	P424059	
		Myclobutanil	0.66	I	ng/L	P424059	
		Naled	1.5	U	ng/L	P424059	
		Napropamide	0.40	U	ng/L	P424059	
		Norflurazon	41		ng/L	P424059	
		Oxadiazon	0.30	U	ng/L	P424059	
		Oxyfluorfen	0.15	U	ng/L	P424059	
		Parathion Ethyl	0.25	U	ng/L	P424059	
		Parathion Methyl	0.55	U	ng/L	P424059	
		Pendimethalin	1.0	UJ	ng/L	P424059	LCS, MS
		Phenytoin**	3.5	U	ng/L	P424059	
		Phorate	0.53	U	ng/L	P424059	
		Prodiamine	0.18	U	ng/L	P424059	
		Prometon	0.90	U	ng/L	P424059	
		Prometryn	0.20	U	ng/L	P424059	
		Pronamide	0.15	U	ng/L	P424059	
		Propanil	0.13	U	ng/L	P424059	
		Propargite	1.5	U	ng/L	P424059	
		Propiconazole	23		ng/L	P424059	
		Pyraflufen Ethyl	0.25	U	ng/L	P424059	
		Pyridaben	0.45	U	ng/L	P424059	
		Pyriproxyfen	0.13	U	ng/L	P424059	
		Simazine	0.50	U	ng/L	P424059	
		Stirophos	0.13	U	ng/L	P424059	
		Sulfentrazone	19		ng/L	P424059	
		Tebuconazole	0.54	I	ng/L	P424059	
		Terbufos	0.10	U	ng/L	P424059	MS
		Terbuthylazine	0.43	U	ng/L	P424059	
		Thiobencarb	0.60	U	ng/L	P424059	
		Triadimefon	0.25	U	ng/L	P424059	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 8321B: MS accuracy for some analytes could not be assessed due to high concentration of parameter in the spiked sample.

EPA 8321B: Refer to the Lab Analysis Report for an explanation of QC Codes.

EPA 8270E: MS accuracy for prometon and simazine not assessed due to high content of these parameters in the sample spiked. Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Mustang Rch @ Hopewell

Collection Date/Time: 12/27/2022 12:20

Field ID: G2SW0026

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2377479	DEP SOP: NU-094-1	Color (true)	56		PCU	P423998	
	EPA 180.1 Rev. 2.0	Turbidity	2.3		NTU	P423995	
	EPA 300.0 Rev. 2.1	Chloride	16		mg Cl/L	P424207	
		Sulfate	37		mg SO4/L	P424210	
	SM 2320 B-2011	Total Alkalinity	37		mg CaCO3/L	P424167	
	SM 2540 C-2015	TDS	157		mg/L	P424308	
	SM 2540 D-2015	TSS	2	I	mg/L	P424147	
2377481	SM 4500-F- C-2011	Fluoride	0.32		mg F/L	P424515	
	EPA 350.1 Rev. 2.0	Ammonia-N	0.039		mg N/L	P424560	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.64		mg N/L	P424063	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.62		mg N/L	P424288	
	EPA 365.1 Rev. 2.0	Total-P	0.53		mg P/L	P424137	
2377483	SM 5310 B-2011	Organic Carbon	9.7		mg C/L	P424183	
	EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	0.46		mg P/L	P423997	
2377491	EPA 8321B	2,4-D	0.0020	U	ug/L	P423955	
		Acesulfame K	0.10	U	ug/L	P423967	
		2,4,5-T	0.0040	U	ug/L	P423955	
		AMPA	3.0		ug/L	P423967	
		Acetaminophen	0.0080	U	ug/L	P423955	
		Acetamiprid	0.026		ug/L	P423955	
		Endothall	0.25	UJ	ug/L	P423967	CCV
		Glufosinate	0.10	U	ug/L	P423967	
		Glyphosate	0.68		ug/L	P423967	
		Afidopyrophen	0.0020	U	ug/L	P423955	
		Bentazon	8.0E-04	U	ug/L	P423955	
		Sucralose	0.15		ug/L	P423967	
		Benzovindiflupyr	0.0020	U	ug/L	P423955	
		Carbamazepine	8.0E-04	U	ug/L	P423955	
		Clothianidin	0.014		ug/L	P423955	
		Dinotefuran	0.0094		ug/L	P423955	
		Diuron	0.0029	I	ug/L	P423955	
		Fenuron	0.032	U	ug/L	P423955	
		Fluridone	8.0E-04	U	ug/L	P423955	
		Imazapyr	0.024		ug/L	P423955	
		Hydrocodone	0.0020	U	ug/L	P423955	
		Ibuprofen	0.20	U	ug/L	P423955	
		Imidacloprid	0.022		ug/L	P423955	
		Linuron	0.0040	U	ug/L	P423955	
		Mandestrobin	0.0020	U	ug/L	P423955	
		MCP	0.0040	U	ug/L	P423955	
		Naproxen	0.0080	U	ug/L	P423955	
		Primidone	0.0040	U	ug/L	P423955	
		Pyraclostrobin	0.0020	U	ug/L	P423955	

Field ID: G2SW0026

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2377491	EPA 8321B	Silvex	0.0040	U	ug/L	P423955	
		Thiamethoxam	0.12		ug/L	P423955	
		Tolfenpyrad	0.0020	U	ug/L	P423955	
		Triclopyr	0.0040	U	ug/L	P423955	
2377493	EPA 200.7 Rev. 4.4	Calcium	20.7		mg/L	P424053	
		Iron	150		ug/L	P424053	
		Magnesium	6.91		mg/L	P424053	
		Potassium	6.7		mg/L	P424053	
		Sodium	6.9		mg/L	P424053	
		Strontium	38.0		ug/L	P424053	
		Tin	3.0	U	ug/L	P424053	
		Titanium	2.1	I	ug/L	P424053	
		Vanadium	5.6	I	ug/L	P424053	
		Zinc	6.5	I	ug/L	P424053	
	EPA 200.8 Rev. 5.4	Aluminum	115		ug/L	P424053	
		Antimony	0.24		ug/L	P424053	
		Arsenic	1.14		ug/L	P424053	
		Barium	3.79		ug/L	P424053	
		Beryllium	0.015	I	ug/L	P424053	
		Boron	40.8		ug/L	P424053	
		Cadmium	0.193		ug/L	P424053	
		Chromium	0.69	I	ug/L	P424053	
		Cobalt	0.219		ug/L	P424053	
		Copper	2.50		ug/L	P424053	
		Lead	0.21	I	ug/L	P424053	
		Manganese	31.6		ug/L	P424053	
		Molybdenum	6.94		ug/L	P424053	
		Nickel	1.1	I	ug/L	P424053	
		Selenium	0.27	I	ug/L	P424053	
		Silver	0.021	I	ug/L	P424053	
		Thallium	0.10	U	ug/L	P424053	
		Hardness	80.1		mg/L	P424053	
2377495	SM 2340 B-2011	Oxybenzone**	10	UJ	ng/L	P424059	SUR
	EPA 8270E	Acetochlor	0.25	U	ng/L	P424059	
		Octinoxate**	20	UJ	ng/L	P424059	SUR
		Alachlor	0.25	U	ng/L	P424059	
		Avobenzone**	100	UJ	ng/L	P424059	SUR
		Ametryn	0.60	U	ng/L	P424059	
		Atrazine	0.87	I	ng/L	P424059	
		PBDE-47**	4.0	UJ	ng/L	P424059	SUR
		Atrazine Desethyl	1.5	U	ng/L	P424059	
		PBDE-99**	5.0	UJ	ng/L	P424059	SUR
		Azinphos Methyl	2.0	U	ng/L	P424059	
		Tri-o-cresyl Phosphate**	6.0	UJ	ng/L	P424059	SUR
		Azoxystrobin	1.9E+03		ng/L	P424059	

Field ID: G2SW0026

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2377495	EPA 8270E	Bromacil	8.0		ng/L	P424059	
		2-Ethylhexyl	12	UJ	ng/L	P424059	SUR
		2,3,4,5-tetrabromobenzoate (EHTBB)**					
		Butylate	0.40	U	ng/L	P424059	
		Dechlorane Plus**	30	UJ	ng/L	P424059	SUR
		Caffeine**	7.5	U	ng/L	P424059	
		Carbophenothion	0.20	U	ng/L	P424059	
		Carfentrazone Ethyl	0.10	U	ng/L	P424059	
		Chlorfenapyr	0.18	U	ng/L	P424059	
		Chlorpyrifos Ethyl	0.59	I	ng/L	P424059	
		Chlorpyrifos Methyl	0.050	U	ng/L	P424059	
		Coumaphos	0.50	U	ng/L	P424059	
		Cyanazine	3.3	U	ng/L	P424059	
		Cyprodinil	15		ng/L	P424059	
		Demeton	1.5	U	ng/L	P424059	
		Diazinon	0.16	I	ng/L	P424059	
		Difenoconazole	5.0		ng/L	P424059	
		Dimethenamid	0.10	U	ng/L	P424059	
		Dimethomorph	0.18	U	ng/L	P424059	
		Disulfoton	0.50	U	ng/L	P424059	
		Dithiopyr	0.63	U	ng/L	P424059	
		EPTC	1.3	U	ng/L	P424059	
		Ethion	0.15	U	ng/L	P424059	
		Ethoprop	0.10	U	ng/L	P424059	
		Etridiazole	0.15	U	ng/L	P424059	
		Fenamiphos	0.50	U	ng/L	P424059	
		Fenbuconazole	0.13	U	ng/L	P424059	
		Fipronil	0.25	U	ng/L	P424059	
		Fipronil Desulfinyl**	0.13	U	ng/L	P424059	
		Fipronil Sulfide	0.15	U	ng/L	P424059	
		Fipronil Sulfone	0.15	U	ng/L	P424059	
		Fluazifop-P-butyl	0.10	U	ng/L	P424059	
		Fludioxonil	24		ng/L	P424059	
		Flumioxazin	4.5	U	ng/L	P424059	
		Flutolanil	47		ng/L	P424059	
		Fluxapyroxad	310		ng/L	P424059	
		Fonofos	0.20	U	ng/L	P424059	
		Hexazinone	0.52	I	ng/L	P424059	
		Imazalil	0.75	U	ng/L	P424059	
		Iprodione	160		ng/L	P424059	
		Loratadine**	0.35	U	ng/L	P424059	
		Malathion	0.35	U	ng/L	P424059	
		Metalaxyl	240		ng/L	P424059	
		Metolachlor	2.9		ng/L	P424059	
		Metribuzin	1.5	U	ng/L	P424059	

Field ID: G2SW0026

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2377495	EPA 8270E	Mevinphos	1.1	U	ng/L	P424059	
		Molinate	0.30	U	ng/L	P424059	
		Myclobutanil	0.68	I	ng/L	P424059	
		Naled	1.5	U	ng/L	P424059	
		Napropamide	0.40	U	ng/L	P424059	
		Norflurazon	37		ng/L	P424059	
		Oxadiazon	0.30	U	ng/L	P424059	
		Oxyfluorfen	0.15	U	ng/L	P424059	
		Parathion Ethyl	0.25	U	ng/L	P424059	
		Parathion Methyl	0.55	U	ng/L	P424059	
		Pendimethalin	1.0	UJ	ng/L	P424059	LCS, MS
		Phenytoin**	3.5	U	ng/L	P424059	
		Phorate	0.53	U	ng/L	P424059	
		Prodiamine	0.18	U	ng/L	P424059	
		Prometon	0.90	U	ng/L	P424059	
		Prometryn	0.20	U	ng/L	P424059	
		Pronamide	0.15	U	ng/L	P424059	
		Propanil	0.13	U	ng/L	P424059	
		Propargite	1.5	U	ng/L	P424059	
		Propiconazole	22		ng/L	P424059	
		Pyraflufen Ethyl	0.25	U	ng/L	P424059	
		Pyridaben	0.45	U	ng/L	P424059	
		Pyriproxyfen	0.13	U	ng/L	P424059	
		Simazine	0.50	U	ng/L	P424059	
		Stirophos	0.13	U	ng/L	P424059	
		Sulfentrazone	20		ng/L	P424059	
		Tebuconazole	0.53	I	ng/L	P424059	
		Terbufos	0.10	U	ng/L	P424059	MS
		Terbuthylazine	0.43	U	ng/L	P424059	
		Thiobencarb	0.60	U	ng/L	P424059	
		Triadimefon	0.25	U	ng/L	P424059	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

EPA 8321B: MS accuracy for some analytes could not be assessed due to high concentration of parameter in the spiked sample.

EPA 8321B: Refer to the Lab Analysis Report for an explanation of QC Codes.

EPA 8270E: Refer to the Lab Analysis Report for an explanation of QC Codes.

EPA 8270E: MS accuracy for prometon and simazine not assessed due to high content of these parameters in the sample spiked. Refer to the Lab Analysis Report for an explanation of QC Codes.

Quality Assurance Report Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P423998

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P423995

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P424053

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Strontium	2.0	U	ug/L
Tin	3.0	U	ug/L
Titanium	0.75	U	ug/L
Vanadium	2.0	U	ug/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P424053

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Barium	0.20	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Cobalt	0.020	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Manganese	0.10	U	ug/L
Molybdenum	0.15	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P424207

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P424210

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P424559

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P424560

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P424063

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P424288

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P424137

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P423997

Component	Result	Code	Units
O-Phosphate-P	0.004	U	mg P/L

Reference Method: EPA 8270E
Batch ID: P424059

Component	Result	Code	Units
2-Ethylhexyl 2,3,4,5-tetrabromobenzoate (EHTBB)	12	U	ng/L
2-Ethylhexyl 2,3,4,5-tetrabromobenzoate (EHTBB)	12	U	ng/L
Acetochlor	0.25	U	ng/L
Acetochlor	0.25	U	ng/L
Alachlor	0.25	U	ng/L
Alachlor	0.25	U	ng/L
Ametryn	0.60	U	ng/L
Ametryn	0.60	U	ng/L
Atrazine	0.25	U	ng/L
Atrazine	0.25	U	ng/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 8270E

Batch ID: P424059

Component	Result	Code	Units
Atrazine Desethyl	1.5	U	ng/L
Atrazine Desethyl	1.5	U	ng/L
Avobenzone	100	U	ng/L
Avobenzone	100	U	ng/L
Azinphos Methyl	2.0	U	ng/L
Azinphos Methyl	2.0	U	ng/L
Azoxystrobin	0.50	U	ng/L
Azoxystrobin	0.50	U	ng/L
Bromacil	0.50	U	ng/L
Bromacil	0.50	U	ng/L
Butylate	0.40	U	ng/L
Butylate	0.40	U	ng/L
Caffeine	7.5	U	ng/L
Caffeine	7.5	U	ng/L
Carbophenothion	0.20	U	ng/L
Carbophenothion	0.20	U	ng/L
Carfentrazone Ethyl	0.10	U	ng/L
Carfentrazone Ethyl	0.10	U	ng/L
Chlorfenapyr	0.18	U	ng/L
Chlorfenapyr	0.18	U	ng/L
Chlorpyrifos Ethyl	0.25	U	ng/L
Chlorpyrifos Ethyl	0.25	U	ng/L
Chlorpyrifos Methyl	0.050	U	ng/L
Chlorpyrifos Methyl	0.050	U	ng/L
Coumaphos	0.50	U	ng/L
Coumaphos	0.50	U	ng/L
Cyanazine	3.2	U	ng/L
Cyanazine	3.2	U	ng/L
Cyprodinil	0.10	U	ng/L
Cyprodinil	0.10	U	ng/L
Dechlorane Plus	30	U	ng/L
Dechlorane Plus	30	U	ng/L
Demeton	1.5	U	ng/L
Demeton	1.5	U	ng/L
Diazinon	0.12	U	ng/L
Diazinon	0.12	U	ng/L
Difenoconazole	0.60	U	ng/L
Difenoconazole	0.60	U	ng/L
Dimethenamid	0.10	U	ng/L
Dimethenamid	0.10	U	ng/L
Dimethomorph	0.18	U	ng/L
Dimethomorph	0.18	U	ng/L
Disulfoton	0.50	U	ng/L
Disulfoton	0.50	U	ng/L
Dithiopyr	0.62	U	ng/L
Dithiopyr	0.62	U	ng/L
EPTC	1.2	U	ng/L
EPTC	1.2	U	ng/L
Ethion	0.15	U	ng/L
Ethion	0.15	U	ng/L
Ethoprop	0.10	U	ng/L
Ethoprop	0.10	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E

Batch ID: P424059

Component	Result	Code	Units
Etridiazole	0.15	U	ng/L
Etridiazole	0.15	U	ng/L
Fenamiphos	0.50	U	ng/L
Fenamiphos	0.50	U	ng/L
Fenbuconazole	0.12	U	ng/L
Fenbuconazole	0.12	U	ng/L
Fipronil	0.25	U	ng/L
Fipronil	0.25	U	ng/L
Fipronil Desulfinyl	0.12	U	ng/L
Fipronil Desulfinyl	0.12	U	ng/L
Fipronil Sulfide	0.15	U	ng/L
Fipronil Sulfide	0.15	U	ng/L
Fipronil Sulfone	0.15	U	ng/L
Fipronil Sulfone	0.15	U	ng/L
Fluazifop-P-butyl	0.10	U	ng/L
Fluazifop-P-butyl	0.10	U	ng/L
Fludioxonil	0.12	U	ng/L
Fludioxonil	0.12	U	ng/L
Flumioxazin	4.5	U	ng/L
Flumioxazin	4.5	U	ng/L
Flutolanil	0.10	U	ng/L
Flutolanil	0.10	U	ng/L
Fluxapyroxad	0.10	U	ng/L
Fluxapyroxad	0.10	U	ng/L
Fonofos	0.20	U	ng/L
Fonofos	0.20	U	ng/L
Hexazinone	0.50	U	ng/L
Hexazinone	0.50	U	ng/L
Imazalil	0.75	U	ng/L
Imazalil	0.75	U	ng/L
Iprodione	0.60	U	ng/L
Iprodione	0.60	U	ng/L
Loratadine	0.35	U	ng/L
Loratadine	0.35	U	ng/L
Malathion	0.35	U	ng/L
Malathion	0.35	U	ng/L
Metalaxyl	0.75	U	ng/L
Metalaxyl	0.75	U	ng/L
Metolachlor	0.35	U	ng/L
Metolachlor	0.35	U	ng/L
Metribuzin	1.5	U	ng/L
Metribuzin	1.5	U	ng/L
Mevinphos	1.0	U	ng/L
Mevinphos	1.0	U	ng/L
Molinate	0.30	U	ng/L
Molinate	0.30	U	ng/L
Myclobutanil	0.25	U	ng/L
Myclobutanil	0.25	U	ng/L
Naled	1.5	U	ng/L
Naled	1.5	U	ng/L
Napropamide	0.40	U	ng/L
Napropamide	0.40	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E

Batch ID: P424059

Component	Result	Code	Units
Norflurazon	0.50	U	ng/L
Norflurazon	0.50	U	ng/L
Octinoxate	20	U	ng/L
Octinoxate	20	U	ng/L
Oxadiazon	0.30	U	ng/L
Oxadiazon	0.30	U	ng/L
Oxybenzone	10	U	ng/L
Oxybenzone	10	U	ng/L
Oxyfluorfen	0.15	U	ng/L
Oxyfluorfen	0.15	U	ng/L
Parathion Ethyl	0.25	U	ng/L
Parathion Ethyl	0.25	U	ng/L
Parathion Methyl	0.55	U	ng/L
Parathion Methyl	0.55	U	ng/L
PBDE-47	4.0	U	ng/L
PBDE-47	4.0	U	ng/L
PBDE-99	5.0	U	ng/L
PBDE-99	5.0	U	ng/L
Pendimethalin	1.0	U	ng/L
Pendimethalin	1.0	U	ng/L
Phenytol	3.5	U	ng/L
Phenytol	3.5	U	ng/L
Phorate	0.52	U	ng/L
Phorate	0.52	U	ng/L
Prodiatone	0.18	U	ng/L
Prodiatone	0.18	U	ng/L
Prometon	0.90	U	ng/L
Prometon	0.90	U	ng/L
Prometryn	0.20	U	ng/L
Prometryn	0.20	U	ng/L
Pronamide	0.15	U	ng/L
Pronamide	0.15	U	ng/L
Propanil	0.12	U	ng/L
Propanil	0.12	U	ng/L
Propargite	1.5	U	ng/L
Propargite	1.5	U	ng/L
Propiconazole	0.50	U	ng/L
Propiconazole	0.50	U	ng/L
Pyraflufen Ethyl	0.25	U	ng/L
Pyraflufen Ethyl	0.25	U	ng/L
Pyridaben	0.45	U	ng/L
Pyridaben	0.45	U	ng/L
Pyriproxyfen	0.12	U	ng/L
Pyriproxyfen	0.12	U	ng/L
Simazine	0.50	U	ng/L
Simazine	0.50	U	ng/L
Stirophos	0.12	U	ng/L
Stirophos	0.12	U	ng/L
Sulfentrazone	0.50	U	ng/L
Sulfentrazone	0.50	U	ng/L
Tebuconazole	0.50	U	ng/L
Tebuconazole	0.50	U	ng/L

Quality Assurance Report Method Blank Results

Reference Method: EPA 8270E

Batch ID: P424059

Component	Result	Code	Units
Terbufos	0.10	U	ng/L
Terbufos	0.10	U	ng/L
Terbutylazine	0.42	U	ng/L
Terbutylazine	0.42	U	ng/L
Thiobencarb	0.60	U	ng/L
Thiobencarb	0.60	U	ng/L
Tri-o-cresyl Phosphate	6.0	U	ng/L
Tri-o-cresyl Phosphate	6.0	U	ng/L
Triadimefon	0.25	U	ng/L
Triadimefon	0.25	U	ng/L

Reference Method: EPA 8321B

Batch ID: P423955

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
2,4,5-T	0.0040	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.032	U	ug/L
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.20	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0040	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Silvex	0.0040	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: EPA 8321B

Batch ID: P423967

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L
Glyphosate	0.10	U	ug/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B
Batch ID: P423967

Component	Result	Code	Units
Sucralose	0.010	U	ug/L

Reference Method: SM 2320 B-2011
Batch ID: P424167

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 C-2015
Batch ID: P424308

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2015
Batch ID: P424147

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P424515

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P424183

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P423998

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	90.9		P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P423995

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	102		P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P424053

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	98.7		P	85 - 115
Iron	102		P	85 - 115
Magnesium	101		P	85 - 115
Potassium	100		P	85 - 115
Sodium	105		P	85 - 115
Strontium	103		P	85 - 115
Tin	95.9		P	85 - 115
Titanium	103		P	85 - 115
Vanadium	101		P	85 - 115
Zinc	89.4		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P424053

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	98.7		P	85 - 115
Antimony	99.1		P	85 - 115
Arsenic	100		P	85 - 115
Barium	101		P	85 - 115
Beryllium	96.9		P	85 - 115
Boron	98.2		P	85 - 115
Cadmium	101		P	85 - 115
Chromium	96.7		P	85 - 115
Cobalt	99.8		P	85 - 115
Copper	99.6		P	85 - 115
Lead	91.6		P	85 - 115
Manganese	96.9		P	85 - 115
Molybdenum	97.3		P	85 - 115
Nickel	101		P	85 - 115
Selenium	101		P	85 - 115
Silver	100		P	85 - 115
Thallium	98.9		P	85 - 115

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P424207

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	97.3		P	90 - 110

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P424210

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	98.2		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P424559

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	102		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P424560

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	101		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P424063

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	101		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P424288

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	103		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P424137

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	106		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P423997

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
O-Phosphate-P	99.7		P	90 - 110

Reference Method: EPA 8270E
Batch ID: P424059

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2-Ethylhexyl 2,3,4,5-tetrabromobenzoate (EHTBB)	74.5		P	42 - 162
Acetochlor	97.7		P	69 - 123
Alachlor	92.6		P	65 - 118
Ametryn	107		P	58 - 141
Atrazine	109		P	73 - 118
Atrazine Desethyl	88.6		P	32 - 125
Avobenzone	99.0		P	40 - 203
Azinphos Methyl	117		P	36 - 197
Azoxystrobin	139		P	58 - 226
Bromacil	93.6		P	48 - 120

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8270E

Batch ID: P424059

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Butylate	58.9		P	27 - 85.0
Caffeine	94.9		P	40 - 137
Carbophenothion	102		P	54 - 132
Carfentrazone Ethyl	103		P	60 - 142
Chlorfenapyr	96.4		P	53 - 117
Chlorpyrifos Ethyl	100		P	59 - 116
Chlorpyrifos Methyl	110		P	66 - 119
Coumaphos	102		P	11 - 234
Cyanazine	225		P	61 - 248
Cyprodinil	112		P	50 - 147
Dechlorane Plus	71.3		P	47 - 182
Demeton	107		P	30 - 138
Diazinon	112		P	67 - 126
Difenoconazole	81.0		P	38 - 205
Dimethenamid	74.7		P	57 - 111
Dimethomorph	169		P	16 - 212
Disulfoton	121		P	46 - 126
Dithiopyr	97.6		P	62 - 115
EPTC	52.9		P	28 - 80.0
Ethion	61.9		P	24 - 122
Ethoprop	112		P	62 - 113
Etridiazole	61.7		P	28 - 92.0
Fenamiphos	95.4		P	57 - 128
Fenbuconazole	110		P	52 - 155
Fipronil	105		P	63 - 130
Fipronil Desulfinyl	106		P	61 - 130
Fipronil Sulfide	89.9		P	56 - 117
Fipronil Sulfone	95.6		P	52 - 118
Fluazifop-P-butyl	103		P	61 - 128
Fludioxonil	90.4		P	59 - 129
Flumioxazin	93.2		P	30 - 250
Flutolanil	97.4		P	53 - 127
Fluxapyroxad	102		P	42 - 132
Fonofos	106		P	61 - 110
Hexazinone	99.2		P	46 - 139
Imazalil	97.2		P	40 - 139
Iprodione	95.1		P	40 - 146
Loratadine	153		P	10 - 224
Malathion	98.3		P	61 - 135
Metalaxyl	110		P	58 - 121
Metolachlor	97.2		P	64 - 118
Metribuzin	111		P	45 - 245
Mevinphos	89.8		P	49 - 118
Molinate	73.7		P	42 - 92.0
Myclobutanil	100		P	55 - 127
Naled	106		P	10 - 114
Napropamide	94.3		P	39 - 121
Norflurazon	84.2		P	55 - 129
Octinoxate	82.7		P	26 - 166
Oxadiazon	96.8		P	54 - 115
Oxybenzone	83.4		P	49 - 135
Oxyfluorfen	125		P	64 - 139

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8270E

Batch ID: P424059

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Parathion Ethyl	101		P	70 - 111
Parathion Methyl	121		P	76 - 136
PBDE-47	76.2		P	41 - 148
PBDE-99	73.0		P	38 - 147
Pendimethalin	139		F	52 - 118
Phenytol	28.2		P	10 - 162
Phorate	98.8		P	40 - 122
Prodiamine	38.9		P	26 - 141
Prometon	76.1		P	54 - 122
Prometryn	92.1		P	61 - 128
Pronamide	96.0		P	72 - 121
Propanil	103		P	45 - 144
Propargite	73.5		P	10 - 199
Propiconazole	100		P	56 - 127
Pyraflufen Ethyl	102		P	56 - 140
Pyridaben	122		P	26 - 211
Pyriproxyfen	95.9		P	33 - 194
Simazine	97.1		P	67 - 121
Stirophos	63.6		P	20 - 142
Sulfentrazone	87.2		P	21 - 144
Tebuconazole	50.6		P	10 - 122
Terbufos	129		P	60 - 129
Terbuthylazine	91.8		P	69 - 113
Thiobencarb	79.9		P	51 - 120
Tri-o-cresyl Phosphate	79.3		P	49 - 150
Triadimefon	94.8		P	56 - 114

Reference Method: EPA 8321B

Batch ID: P423955

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	73.9		P	40 - 150
2,4,5-T	60.3		P	40 - 150
Acetaminophen	84.4		P	30 - 150
Acetamiprid	65.8		P	40 - 150
Afidopyropen	70.0		P	30 - 150
Bentazon	87.7		P	30 - 150
Benzovindiflupyr	80.6		P	40 - 150
Carbamazepine	92.0		P	40 - 150
Clothianidin	82.3		P	40 - 150
Dinotefuran	81.0		P	40 - 150
Diuron	92.0		P	40 - 150
Fenuron	90.8		P	40 - 150
Fluridone	83.3		P	40 - 150
Hydrocodone	81.0		P	40 - 150
Ibuprofen	91.6		P	40 - 150
Imazapyr	90.9		P	40 - 150
Imidacloprid	88.7		P	40 - 150
Linuron	79.0		P	40 - 150
Mandestrobin	90.3		P	40 - 150
MCPD	82.9		P	40 - 150
Naproxen	64.1		P	40 - 150

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P423955

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Primidone	88.0		P	40 - 150
Pyraclostrobin	73.5		P	40 - 150
Silvex	63.5		P	40 - 150
Thiamethoxam	84.1		P	40 - 150
Tolfenpyrad	38.6		P	30 - 150
Triclopyr	63.4		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P423967

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	89.3		P	40 - 150
AMPA	100		P	40 - 150
Endothall	147		P	40 - 150
Glufosinate	95.3		P	40 - 150
Glyphosate	105		P	40 - 150
Sucralose	127		P	40 - 150

Reference Method: SM 2320 B-2011
Batch ID: P424167

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	95.0		P	94 - 106

Reference Method: SM 2540 C-2015
Batch ID: P424308

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TDS	101		P	90 - 110

Reference Method: SM 2540 D-2015
Batch ID: P424147

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	96.9		P	85 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P424515

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	98.9		P	96 - 104

Reference Method: SM 5310 B-2011
Batch ID: P424183

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	97.6		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P424053

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377419	Calcium	98.7	97.7	P/P	80 - 120
2377419	Iron	101	100	P/P	80 - 120
2377419	Magnesium	103	102	P/P	80 - 120
2377419	Potassium	100	98.3	P/P	80 - 120
2377419	Sodium	102	100	P/P	80 - 120
2377419	Strontium	103	102	P/P	80 - 120
2377419	Tin	96.4	97.3	P/P	80 - 120
2377419	Titanium	90.0	89.2	P/P	80 - 120
2377419	Vanadium	105	104	P/P	80 - 120
2377419	Zinc	93.3	96.5	P/P	80 - 120
2377433	Calcium	95.5		P	80 - 120
2377433	Iron	96.8		P	80 - 120
2377433	Magnesium	95.5		P	80 - 120
2377433	Potassium	96.5		P	80 - 120
2377433	Sodium	97.4		P	80 - 120
2377433	Strontium	98.7		P	80 - 120
2377433	Tin	96.1		P	80 - 120
2377433	Titanium	92.8		P	80 - 120
2377433	Vanadium	100		P	80 - 120
2377433	Zinc	91.6		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P424053

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377419	Aluminum	89.8	95.5	P/P	80 - 120
2377419	Antimony	96.9	96.9	P/P	80 - 120
2377419	Arsenic	101	102	P/P	80 - 120
2377419	Barium	101	102	P/P	80 - 120
2377419	Beryllium	93.9	93.9	P/P	80 - 120
2377419	Boron	97.1	96.9	P/P	80 - 120
2377419	Cadmium	99.0	99.8	P/P	80 - 120
2377419	Chromium	95.8	96.8	P/P	80 - 120
2377419	Cobalt	99.2	101	P/P	80 - 120
2377419	Copper	100	102	P/P	80 - 120
2377419	Lead	92.0	93.3	P/P	80 - 120
2377419	Manganese	96.4	99.2	P/P	80 - 120
2377419	Molybdenum	96.9	97.4	P/P	80 - 120
2377419	Nickel	102	103	P/P	80 - 120
2377419	Selenium	101	102	P/P	80 - 120
2377419	Silver	99.2	100	P/P	80 - 120
2377419	Thallium	100	101	P/P	80 - 120
2377433	Aluminum	100		P	80 - 120
2377433	Antimony	101		P	80 - 120
2377433	Arsenic	101		P	80 - 120
2377433	Barium	100		P	80 - 120
2377433	Beryllium	96.4		P	80 - 120
2377433	Boron	99.2		P	80 - 120
2377433	Cadmium	103		P	80 - 120
2377433	Chromium	98.2		P	80 - 120
2377433	Cobalt	98.6		P	80 - 120
2377433	Copper	99.1		P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P424053

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377433	Lead	93.0		P	80 - 120
2377433	Manganese	98.6		P	80 - 120
2377433	Molybdenum	99.5		P	80 - 120
2377433	Nickel	99.5		P	80 - 120
2377433	Selenium	103		P	80 - 120
2377433	Silver	100		P	80 - 120
2377433	Thallium	102		P	80 - 120

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P424207

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377368	Chloride	96.2		P	90 - 110
2377545	Chloride	97.8		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P424210

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377368	Sulfate	100		P	90 - 110
2377545	Sulfate	99.1		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P424559

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2378478	Ammonia-N	100	100	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P424560

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377546	Ammonia-N	98.0	98.0	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P424063

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377458	Kjeldahl Nitrogen	96.2	105	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P424288

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377429	NO2NO3-N	104	104	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P424137

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377531	Total-P	108	105	P/P	90 - 110

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P423997

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377447	O-Phosphate-P	103	102	P/P	90 - 110

Reference Method: EPA 8270E
Batch ID: P424059

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377472	2-Ethylhexyl 2,3,4,5-tetrabromobenzoate (EHTBB)	68.5	52.4	P/P	26 - 165
2377472	Acetochlor	90.1	94.5	P/P	67 - 124
2377472	Alachlor	90.2	85.5	P/P	60 - 120
2377472	Ametryn	109	100	P/P	54 - 216
2377472	Atrazine	113	117	P/P	66 - 128
2377472	Atrazine Desethyl	84.5	78.9	P/P	15 - 122
2377472	Avobenzone	91.9	73.2	P/P	37 - 178
2377472	Azinphos Methyl	110	107	P/P	40 - 292
2377472	Azoxystrobin	124	139	P/P	35 - 220
2377472	Bromacil	100	88.8	P/P	45 - 127
2377472	Butylate	58.5	56.5	P/P	20 - 83.0
2377472	Caffeine	95.4	81.6	P/P	10 - 194
2377472	Carbophenothion	102	101	P/P	57 - 127
2377472	Carfentrazone Ethyl	101	100	P/P	51 - 141
2377472	Chlorfenapyr	92.7	89.9	P/P	46 - 111
2377472	Chlorpyrifos Ethyl	95.2	87.0	P/P	52 - 120
2377472	Chlorpyrifos Methyl	106	107	P/P	63 - 119
2377472	Coumaphos	91.7	93.9	P/P	10 - 228
2377472	Cyanazine	226	220	P/P	59 - 241
2377472	Cyprodinil	105	105	P/P	47 - 146
2377472	Dechlorane Plus	71.8	55.5	P/P	50 - 150
2377472	Demeton	97.5	110	P/P	40 - 136
2377472	Diazinon	109	113	P/P	69 - 132
2377472	Difenoconazole	139	127	P/P	57 - 258
2377472	Dimethenamid	76.2	75.0	P/P	54 - 110
2377472	Dimethomorph	173	171	P/P	28 - 210
2377472	Disulfoton	128	131	P/P	43 - 133
2377472	Dithiopyr	92.0	96.2	P/P	39 - 116
2377472	EPTC	45.1	54.3	P/P	20 - 78.0
2377472	Ethion	75.4	52.5	P/P	17 - 119
2377472	Ethoprop	115	114	P/P	66 - 120
2377472	Etridiazole	60.5	66.2	P/P	28 - 96.0
2377472	Fenamiphos	90.2	91.6	P/P	41 - 126
2377472	Fenbuconazole	103	103	P/P	42 - 169
2377472	Fipronil	117	110	P/P	61 - 132
2377472	Fipronil Desulfinyl	112	104	P/P	56 - 132
2377472	Fipronil Sulfide	94.4	92.4	P/P	48 - 119
2377472	Fipronil Sulfone	104	91.4	P/P	42 - 131
2377472	Fluazifop-P-butyl	99.0	98.8	P/P	53 - 131
2377472	Fludioxonil	96.8	85.2	P/P	56 - 127
2377472	Flumioxazin	152	143	P/P	19 - 300
2377472	Flutolanil	99.0	93.2	P/P	41 - 127
2377472	Fluxapyroxad	99.6	89.0	P/P	42 - 172
2377472	Fonofos	100	108	P/P	59 - 113
2377472	Hexazinone	106	97.4	P/P	66 - 122
2377472	Imazalil	98.6	103	P/P	21 - 283

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8270E
Batch ID: P424059

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377472	Iprodione	91.8	84.5	P/P	43 - 150
2377472	Loratadine	167	162	P/P	23 - 201
2377472	Malathion	93.7	86.7	P/P	58 - 136
2377472	Metalaxyl	119	111	P/P	55 - 120
2377472	Metolachlor	96.7	98.0	P/P	57 - 121
2377472	Metribuzin	114	125	P/P	58 - 294
2377472	Mevinphos	102	96.4	P/P	50 - 126
2377472	Molinate	75.3	81.1	P/P	42 - 93.0
2377472	Myclobutanil	98.2	94.3	P/P	55 - 125
2377472	Naled	105	133	P/P	18 - 200
2377472	Napropamide	106	95.8	P/P	39 - 110
2377472	Norflurazon	82.6	79.7	P/P	48 - 128
2377472	Octinoxate	56.5	48.0	P/P	21 - 159
2377472	Oxadiazon	97.2	97.0	P/P	43 - 112
2377472	Oxybenzone	54.0	55.2	P/P	41 - 142
2377472	Oxyfluorfen	137	125	P/P	64 - 153
2377472	Parathion Ethyl	98.8	105	P/P	69 - 114
2377472	Parathion Methyl	127	126	P/P	79 - 139
2377472	PBDE-47	63.4	48.0	P/P	27 - 144
2377472	PBDE-99	63.0	46.8	P/P	18 - 150
2377472	Pendimethalin	135	140	P/F	50 - 139
2377472	Phenytoin	39.7	31.0	P/P	10 - 146
2377472	Phorate	106	105	P/P	54 - 161
2377472	Prodiamine	42.0	43.4	P/P	30 - 161
2377472	Prometryn	86.9	93.3	P/P	45 - 137
2377472	Pronamide	84.1	83.0	P/P	65 - 133
2377472	Propanil	113	103	P/P	49 - 142
2377472	Propargite	82.7	66.6	P/P	10 - 203
2377472	Propiconazole	91.8	98.2	P/P	38 - 146
2377472	Pyraflufen Ethyl	98.1	94.7	P/P	34 - 153
2377472	Pyridaben	129	131	P/P	12 - 192
2377472	Pyriproxyfen	101	99.6	P/P	33 - 180
2377472	Stiropfos	79.8	66.9	P/P	10 - 128
2377472	Sulfentrazone	91.9	84.2	P/P	53 - 186
2377472	Tebuconazole	60.3	52.0	P/P	10 - 133
2377472	Terbufos	134	149	P/F	65 - 139
2377472	Terbuthylazine	86.9	93.8	P/P	66 - 117
2377472	Thiobencarb	77.0	79.5	P/P	51 - 119
2377472	Tri-o-cresyl Phosphate	63.5	54.1	P/P	31 - 144
2377472	Triadimefon	84.3	83.5	P/P	48 - 119

Reference Method: EPA 8321B
Batch ID: P423955

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377289	2,4-D	75.5	80.6	P/P	40 - 150
2377289	2,4,5-T	72.5	82.1	P/P	40 - 150
2377289	Acetaminophen	86.8	86.7	P/P	30 - 150
2377289	Acetamiprid	57.3	61.9	P/P	40 - 150
2377289	Afidopyropen	63.5	69.3	P/P	30 - 150
2377289	Benzovindiflupyr	74.6	76.6	P/P	40 - 150
2377289	Carbamazepine	66.9	64.4	P/P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P423955

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377289	Clothianidin	84.9	80.9	P/P	40 - 150
2377289	Dinotefuran	90.4	89.5	P/P	40 - 150
2377289	Diuron	54.5	53.8	P/P	40 - 150
2377289	Fenuron	85.3	86.3	P/P	40 - 150
2377289	Hydrocodone	71.4	77.5	P/P	40 - 150
2377289	Ibuprofen	65.5	64.1	P/P	40 - 150
2377289	Imidacloprid	114	120	P/P	40 - 150
2377289	Linuron	66.3	58.8	P/P	40 - 150
2377289	Mandestrobin	76.6	76.6	P/P	40 - 150
2377289	MCCP	86.4	88.8	P/P	40 - 150
2377289	Naproxen	74.9	65.0	P/P	40 - 150
2377289	Primidone	90.4	92.6	P/P	40 - 150
2377289	Pyraclostrobin	70.2	73.1	P/P	40 - 150
2377289	Silvex	84.1	85.4	P/P	40 - 150
2377289	Thiamethoxam	95.2	97.2	P/P	40 - 150
2377289	Tolfenpyrad	50.5	52.9	P/P	30 - 150
2377289	Triclopyr	73.4	75.7	P/P	40 - 150

Reference Method: EPA 8321B
Batch ID: P423967

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377441	Acesulfame K	59.1	62.2	P/P	40 - 150
2377441	AMPA	103	97.1	P/P	40 - 150
2377441	Endothall	140	136	P/P	40 - 150
2377441	Glufosinate	116	99.3	P/P	40 - 150
2377441	Glyphosate	99.3	101	P/P	40 - 150
2377441	Sucralose	124	123	P/P	40 - 150

Reference Method: SM 4500-F- C-2011
Batch ID: P424515

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377253	Fluoride	95.1	97.3	P/P	94 - 104

Reference Method: SM 5310 B-2011
Batch ID: P424183

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377719	Organic Carbon	94.8	94.8	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P423998

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377426	Color (true)	0.765	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P423995

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377426	Turbidity	12.9	Sample	P	0 - 20

Reference Method: EPA 200.7 Rev. 4.4
Batch ID: P424053

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377419	Calcium	0.858	Spike	P	0 - 20
2377419	Iron	0.969	Spike	P	0 - 20
2377419	Magnesium	0.724	Spike	P	0 - 20
2377419	Potassium	1.72	Spike	P	0 - 20
2377419	Sodium	1.49	Spike	P	0 - 20
2377419	Strontium	1.26	Spike	P	0 - 20
2377419	Tin	0.952	Spike	P	0 - 20
2377419	Titanium	0.801	Spike	P	0 - 20
2377419	Vanadium	0.406	Spike	P	0 - 20
2377419	Zinc	3.36	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P424053

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377419	Aluminum	4.08	Spike	P	0 - 20
2377419	Antimony	0.0589	Spike	P	0 - 20
2377419	Arsenic	0.929	Spike	P	0 - 20
2377419	Barium	0.979	Spike	P	0 - 20
2377419	Beryllium	0.0229	Spike	P	0 - 20
2377419	Boron	0.210	Spike	P	0 - 20
2377419	Cadmium	0.776	Spike	P	0 - 20
2377419	Chromium	1.02	Spike	P	0 - 20
2377419	Cobalt	1.61	Spike	P	0 - 20
2377419	Copper	1.22	Spike	P	0 - 20
2377419	Lead	1.30	Spike	P	0 - 20
2377419	Manganese	1.85	Spike	P	0 - 20
2377419	Molybdenum	0.514	Spike	P	0 - 20
2377419	Nickel	0.553	Spike	P	0 - 20
2377419	Selenium	1.48	Spike	P	0 - 20
2377419	Silver	0.798	Spike	P	0 - 20
2377419	Thallium	1.40	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P424207

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377368	Chloride	0.0634	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P424210

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377368	Sulfate	0.487	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P424559

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2378478	Ammonia-N	0.182	Spike	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P424560

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377546	Ammonia-N	0.0	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P424063

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377458	Kjeldahl Nitrogen	5.18	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P424288

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377429	NO2NO3-N	0.482	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P424137

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377531	Total-P	2.29	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0 dissolved
Batch ID: P423997

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377447	O-Phosphate-P	0.487	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: EPA 8270E

Batch ID: P424059

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377472	2-Ethylhexyl 2,3,4,5-tetrabromobenzoate (EHTBB)	26.6	Spike	P	0 - 37
2377472	Acetochlor	4.69	Spike	P	0 - 28
2377472	Alachlor	5.38	Spike	P	0 - 30
2377472	Ametryn	8.64	Spike	P	0 - 32
2377472	Atrazine	2.55	Spike	P	0 - 41
2377472	Atrazine Desethyl	6.85	Spike	P	0 - 36
2377472	Avobenzone	22.6	Spike	P	0 - 36
2377472	Azinphos Methyl	3.45	Spike	P	0 - 75
2377472	Azoxystrobin	10.4	Spike	P	0 - 39
2377472	Bromacil	12.1	Spike	P	0 - 33
2377472	Butylate	3.56	Spike	P	0 - 44
2377472	Caffeine	15.6	Spike	P	0 - 74
2377472	Carbophenothion	0.0948	Spike	P	0 - 25
2377472	Carfentrazone Ethyl	1.03	Spike	P	0 - 27
2377472	Chlorfenapyr	3.05	Spike	P	0 - 24
2377472	Chlorpyrifos Ethyl	8.98	Spike	P	0 - 26
2377472	Chlorpyrifos Methyl	1.30	Spike	P	0 - 26
2377472	Coumaphos	2.30	Spike	P	0 - 28
2377472	Cyanazine	2.79	Spike	P	0 - 48
2377472	Cyprodinil	0.288	Spike	P	0 - 29
2377472	Dechlorane Plus	25.5	Spike	P	0 - 30
2377472	Demeton	12.0	Spike	P	0 - 33
2377472	Diazinon	4.14	Spike	P	0 - 29
2377472	Difenoconazole	8.97	Spike	P	0 - 34
2377472	Dimethenamid	1.58	Spike	P	0 - 39
2377472	Dimethomorph	1.24	Spike	P	0 - 51
2377472	Disulfoton	2.45	Spike	P	0 - 30
2377472	Dithiopyr	4.47	Spike	P	0 - 26
2377472	EPTC	18.6	Spike	P	0 - 43
2377472	Ethion	35.8	Spike	P	0 - 79
2377472	Ethoprop	0.998	Spike	P	0 - 29
2377472	Etridiazole	9.10	Spike	P	0 - 33
2377472	Fenamiphos	1.54	Spike	P	0 - 40
2377472	Fenbuconazole	0.0254	Spike	P	0 - 74
2377472	Fipronil	4.39	Spike	P	0 - 29
2377472	Fipronil Desulfanyl	6.93	Spike	P	0 - 32
2377472	Fipronil Sulfide	1.82	Spike	P	0 - 30
2377472	Fipronil Sulfone	9.08	Spike	P	0 - 33
2377472	Fluazifop-P-butyl	0.234	Spike	P	0 - 38
2377472	Fludioxonil	12.8	Spike	P	0 - 29
2377472	Flumioxazin	5.66	Spike	P	0 - 51
2377472	Flutolanil	6.01	Spike	P	0 - 25
2377472	Fluxapyroxad	11.2	Spike	P	0 - 45
2377472	Fonofos	7.66	Spike	P	0 - 27
2377472	Hexazinone	8.19	Spike	P	0 - 30
2377472	Imazalil	4.32	Spike	P	0 - 100
2377472	Iprodione	8.23	Spike	P	0 - 33
2377472	Loratadine	2.80	Spike	P	0 - 56
2377472	Malathion	7.72	Spike	P	0 - 37
2377472	Metalaxyl	6.99	Spike	P	0 - 40
2377472	Metolachlor	1.13	Spike	P	0 - 29

Quality Assurance Report Precision

Reference Method: EPA 8270E
Batch ID: P424059

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377472	Metribuzin	9.10	Spike	P	0 - 45
2377472	Mevinphos	5.77	Spike	P	0 - 29
2377472	Molinate	7.48	Spike	P	0 - 33
2377472	Myclobutanil	4.07	Spike	P	0 - 26
2377472	Naled	23.4	Spike	P	0 - 37
2377472	Napropamide	9.94	Spike	P	0 - 44
2377472	Norflurazon	3.51	Spike	P	0 - 30
2377472	Octinoxate	16.3	Spike	P	0 - 45
2377472	Oxadiazon	0.199	Spike	P	0 - 28
2377472	Oxybenzone	2.25	Spike	P	0 - 46
2377472	Oxyfluorfen	9.22	Spike	P	0 - 28
2377472	Parathion Ethyl	5.97	Spike	P	0 - 31
2377472	Parathion Methyl	0.674	Spike	P	0 - 29
2377472	PBDE-47	27.7	Spike	P	0 - 36
2377472	PBDE-99	29.4	Spike	P	0 - 40
2377472	Pendimethalin	3.79	Spike	P	0 - 33
2377472	Phenytoin	24.5	Spike	P	0 - 100
2377472	Phorate	1.28	Spike	P	0 - 36
2377472	Prodiamine	3.45	Spike	P	0 - 71
2377472	Prometon	35.1	Spike	P	0 - 36
2377472	Prometryn	7.07	Spike	P	0 - 28
2377472	Pronamide	1.37	Spike	P	0 - 24
2377472	Propanil	9.30	Spike	P	0 - 28
2377472	Propargite	21.6	Spike	P	0 - 43
2377472	Propiconazole	6.75	Spike	P	0 - 33
2377472	Pyraflufen Ethyl	3.53	Spike	P	0 - 29
2377472	Pyridaben	1.31	Spike	P	0 - 30
2377472	Pyriproxyfen	1.12	Spike	P	0 - 79
2377472	Simazine	11.6	Spike	P	0 - 29
2377472	Stirophos	17.6	Spike	P	0 - 61
2377472	Sulfentrazone	7.82	Spike	P	0 - 33
2377472	Tebuconazole	14.9	Spike	P	0 - 69
2377472	Terbufos	10.8	Spike	P	0 - 29
2377472	Terbuthylazine	7.65	Spike	P	0 - 32
2377472	Thiobencarb	3.17	Spike	P	0 - 26
2377472	Tri-o-cresyl Phosphate	16.0	Spike	P	0 - 33
2377472	Triadimefon	1.00	Spike	P	0 - 28

Reference Method: EPA 8321B
Batch ID: P423955

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377289	2,4-D	4.84	Spike	P	0 - 30
2377289	2,4,5-T	12.4	Spike	P	0 - 30
2377289	Acetaminophen	0.0882	Spike	P	0 - 30
2377289	Acetamiprid	7.71	Spike	P	0 - 30
2377289	Afidopyropen	8.82	Spike	P	0 - 30
2377289	Bentazon	5.85	Spike	P	0 - 30
2377289	Benzovindiflupyr	2.55	Spike	P	0 - 30
2377289	Carbamazepine	3.81	Spike	P	0 - 30

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P423955

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377289	Clothianidin	4.85	Spike	P	0 - 30
2377289	Dinotefuran	1.03	Spike	P	0 - 30
2377289	Diuron	1.00	Spike	P	0 - 30
2377289	Fenuron	1.09	Spike	P	0 - 30
2377289	Fluridone	1.17	Spike	P	0 - 30
2377289	Hydrocodone	8.19	Spike	P	0 - 30
2377289	Ibuprofen	2.18	Spike	P	0 - 30
2377289	Imazapyr	0.510	Spike	P	0 - 30
2377289	Imidacloprid	3.79	Spike	P	0 - 30
2377289	Linuron	12.0	Spike	P	0 - 30
2377289	Mandestrobin	0.0198	Spike	P	0 - 30
2377289	MCPP	2.74	Spike	P	0 - 30
2377289	Naproxen	14.1	Spike	P	0 - 30
2377289	Primidone	2.46	Spike	P	0 - 30
2377289	Pyraclostrobin	4.11	Spike	P	0 - 30
2377289	Silvex	1.45	Spike	P	0 - 30
2377289	Thiamethoxam	1.97	Spike	P	0 - 30
2377289	Tolfenpyrad	4.65	Spike	P	0 - 30
2377289	Triclopyr	3.15	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P423967

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377441	Acesulfame K	5.22	Spike	P	0 - 30
2377441	AMPA	5.65	Spike	P	0 - 30
2377441	Endothall	2.70	Spike	P	0 - 30
2377441	Glufosinate	15.5	Spike	P	0 - 30
2377441	Glyphosate	2.08	Spike	P	0 - 30
2377441	Sucralose	0.161	Spike	P	0 - 30

Reference Method: SM 2320 B-2011
Batch ID: P424167

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377457	Total Alkalinity	0.646	Sample	P	0 - 3.8

Reference Method: SM 2540 C-2015
Batch ID: P424308

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377457	TDS	7.06	Sample	P	0 - 10

Reference Method: SM 4500-F- C-2011
Batch ID: P424515

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
--------------------------	-----------	-----------	-------------------	-----------	----------------

Quality Assurance Report Precision

Reference Method: SM 4500-F- C-2011
Batch ID: P424515

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377253	Fluoride	1.42	Spike	P	0 - 1.6

Reference Method: SM 5310 B-2011
Batch ID: P424183

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377719	Organic Carbon	0.0633	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2377490
Field Sample ID: G2SW0050

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	87.2	P	30 - 160
EPA 8321B	Acetaminophen-d4	88.3	P	30 - 160
EPA 8321B	Carbamazepine-d10	83.2	P	30 - 160
EPA 8321B	Diuron-d6	76.8	P	30 - 160
EPA 8321B	Endothall-d6	132	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	103	P	30 - 160
EPA 8321B	Ibuprofen-d3	74.6	P	30 - 160
EPA 8321B	Primidone-d5	90.8	P	30 - 160
EPA 8321B	Sucralose-d6	61.8	P	30 - 160

Lab Sample ID: 2377491
Field Sample ID: G2SW0026

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	85.9	P	30 - 160
EPA 8321B	Acetaminophen-d4	85.7	P	30 - 160
EPA 8321B	Carbamazepine-d10	76.1	P	30 - 160
EPA 8321B	Diuron-d6	75.3	P	30 - 160
EPA 8321B	Endothall-d6	128	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	117	P	30 - 160
EPA 8321B	Ibuprofen-d3	76.1	P	30 - 160
EPA 8321B	Primidone-d5	83.1	P	30 - 160
EPA 8321B	Sucralose-d6	68.7	P	30 - 160

Lab Sample ID: 2377494
Field Sample ID: G2SW0050

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Caffeine-d9	57.6	P	20 - 200
EPA 8270E	Simazine-d10	92.9	P	62 - 142
EPA 8270E	Terbufos-d10	64.9	P	58 - 132
EPA 8270E	Terphenyl-d14	114	P	52 - 137

Lab Sample ID: 2377495
Field Sample ID: G2SW0026

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Caffeine-d9	51.8	P	20 - 200
EPA 8270E	Simazine-d10	92.4	P	62 - 142
EPA 8270E	Terbufos-d10	71.4	P	58 - 132
EPA 8270E	Terphenyl-d14	178	F	52 - 137

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A116670

Included Lab Sample IDs: 2377478, 2377479

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	101	101	P/P	95 - 105

Reference Method: EPA 365.1 Rev. 2.0 dissolved

Run ID: A116671

Included Lab Sample IDs: 2377482, 2377483

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
O-Phosphate-P	100	99.0	P/P	90 - 110

Reference Method: DEP SOP: NU-094-1

Run ID: A116672

Included Lab Sample IDs: 2377478, 2377479

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	92.8	90.8	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A116705

Included Lab Sample IDs: 2377490, 2377491

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	78.5	67.8	P/P	60 - 160
Sucralose	124	123	P/P	60 - 160

Reference Method: EPA 8321B

Run ID: A116707

Included Lab Sample IDs: 2377490, 2377491

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
AMPA	92.1	87.9	P/P	60 - 160
Endothall	181*	125	F/P	60 - 160
Glufosinate	102	101	P/P	60 - 160
Glyphosate	99.3	108	P/P	60 - 160

Reference Method: EPA 8321B

Run ID: A116714

Included Lab Sample IDs: 2377490, 2377491

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	101	91.3	P/P	50 - 150
2,4,5-T	109	110	P/P	50 - 150
Acetaminophen	103	102	P/P	60 - 160
Acetamiprid	98.3	97.3	P/P	50 - 150
Afidopyropen	106	109	P/P	50 - 150
Bentazon	112	120	P/P	50 - 160
Benzovindiflupyr	98.0	102	P/P	50 - 150
Carbamazepine	104	108	P/P	60 - 150
Clothianidin	89.4	90.9	P/P	60 - 150
Dinotefuran	91.8	92.2	P/P	50 - 150
Diuron	125	109	P/P	60 - 160
Fenuron	96.0	99.2	P/P	60 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A116714

Included Lab Sample IDs: 2377490, 2377491

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluridone	116	108	P/P	60 - 160
Hydrocodone	93.8	97.9	P/P	60 - 150
Ibuprofen	101	110	P/P	50 - 160
Imazapyr	93.7	94.3	P/P	50 - 150
Imidacloprid	103	102	P/P	60 - 150
Linuron	103	106	P/P	60 - 150
Mandestrobin	112	108	P/P	50 - 150
MCPP	103	101	P/P	50 - 150
Naproxen	90.0	100	P/P	50 - 160
Primidone	98.2	102	P/P	60 - 150
Pyraclostrobin	104	112	P/P	60 - 150
Silvex	104	96.0	P/P	50 - 150
Thiamethoxam	96.3	96.8	P/P	50 - 150
Tolfenpyrad	98.8	96.5	P/P	60 - 150
Triclopyr	100	101	P/P	50 - 150

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A116716

Included Lab Sample IDs: 2377478, 2377479

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	99.4	99.6	P/P	90 - 110
Sulfate	100	100	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A116751

Included Lab Sample IDs: 2377478, 2377479

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	95.9	96.7	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A116757

Included Lab Sample IDs: 2377480, 2377481

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	99.6	98.4	P/P	90 - 110

Reference Method: EPA 8270E

Run ID: A116764

Included Lab Sample IDs: 2377494, 2377495

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2-Ethylhexyl 2,3,4,5-tetrabromobenzoate (EHTBB)	105		P	80 - 120
Avobenzone	113		P	80 - 120
Dechlorane Plus	107		P	80 - 120
Octinoxate	113		P	80 - 120
Oxybenzone	116		P	80 - 120
PBDE-47	109		P	80 - 120
PBDE-99	101		P	80 - 120
Tri-o-cresyl Phosphate	108		P	80 - 120

Quality Assurance Report Calibration Verification

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A116770

Included Lab Sample IDs: 2377480, 2377481

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A116781

Included Lab Sample IDs: 2377480, 2377481

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	103	99.2	P/P	90 - 110

Reference Method: EPA 8270E

Run ID: A116786

Included Lab Sample IDs: 2377494, 2377495

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acetochlor	95.8		P	80 - 120
Alachlor	89.8		P	80 - 120
Ametryn	100		P	80 - 120
Atrazine	97.1		P	80 - 120
Atrazine Desethyl	99.9		P	80 - 120
Azinphos Methyl	95.6		P	80 - 120
Bromacil	97.3		P	80 - 120
Butylate	100		P	80 - 120
Caffeine	111		P	80 - 120
Carbophenothion	97.1		P	80 - 120
Carfentrazone Ethyl	99.5		P	80 - 120
Chlorfenapyr	101		P	80 - 120
Chlorpyrifos Ethyl	104		P	80 - 120
Chlorpyrifos Methyl	98.5		P	80 - 120
Coumaphos	98.3		P	80 - 120
Cyanazine	107		P	80 - 120
Cyprodinil	100		P	80 - 120
Demeton	101		P	80 - 120
Diazinon	99.3		P	80 - 120
Difenoconazole	93.5		P	80 - 120
Dimethenamid	104		P	80 - 120
Dimethomorph	87.1		P	80 - 120
Disulfoton	97.3		P	80 - 120
Dithiopyr	100		P	80 - 120
EPTC	102		P	80 - 120
Ethion	101		P	80 - 120
Ethoprop	96.5		P	80 - 120
Etridiazole	100		P	80 - 120
Fenamiphos	97.3		P	80 - 120
Fenbuconazole	98.7		P	80 - 120
Fipronil	97.1		P	80 - 120
Fipronil Desulfinyl	98.4		P	80 - 120
Fipronil Sulfide	100		P	80 - 120
Fipronil Sulfone	98.0		P	80 - 120
Fluazifop-P-butyl	108		P	80 - 120
Fludioxonil	92.4		P	80 - 120
Flumioxazin	91.7		P	80 - 120

Quality Assurance Report Calibration Verification

Reference Method: EPA 8270E

Run ID: A116786

Included Lab Sample IDs: 2377494, 2377495

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fonofos	100		P	80 - 120
Hexazinone	95.5		P	80 - 120
Imazalil	98.8		P	80 - 120
Loratadine	87.1		P	80 - 120
Malathion	99.3		P	80 - 120
Metolachlor	101		P	80 - 120
Metribuzin	97.1		P	80 - 120
Mevinphos	93.9		P	80 - 120
Molinate	100		P	80 - 120
Myclobutanil	101		P	80 - 120
Naled	110		P	80 - 120
Napropamide	98.5		P	80 - 120
Norflurazon	96.9		P	80 - 120
Oxadiazon	98.9		P	80 - 120
Oxyfluorfen	91.5		P	80 - 120
Parathion Ethyl	101		P	80 - 120
Parathion Methyl	101		P	80 - 120
Pendimethalin	106		P	80 - 120
Phenytoin	99.0		P	80 - 120
Phorate	104		P	80 - 120
Prodiamine	92.7		P	80 - 120
Prometon	104		P	80 - 120
Prometryn	101		P	80 - 120
Pronamide	97.8		P	80 - 120
Propanil	99.5		P	80 - 120
Propargite	94.1		P	80 - 120
Propiconazole	97.0		P	80 - 120
Pyraflufen Ethyl	99.7		P	80 - 120
Pyridaben	101		P	80 - 120
Pyriproxyfen	101		P	80 - 120
Simazine	96.9		P	80 - 120
Stirophos	98.3		P	80 - 120
Sulfentrazone	93.4		P	80 - 120
Tebuconazole	96.6		P	80 - 120
Terbufos	103		P	80 - 120
Terbuthylazine	101		P	80 - 120
Thiobencarb	100		P	80 - 120
Triadimefon	105		P	80 - 120

Reference Method: EPA 8270E

Run ID: A116790

Included Lab Sample IDs: 2377494, 2377495

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Azoxystrobin	96.6		P	80 - 120
Flutolanil	90.8		P	80 - 120
Fluxapyroxad	91.0		P	80 - 120
Iprodione	93.7		P	80 - 120
Metalaxyl	88.0		P	80 - 120

Quality Assurance Report Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A116803

Included Lab Sample IDs: 2377480, 2377481

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	104	104	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A116886

Included Lab Sample IDs: 2377478, 2377479

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	100	99.5	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A116902

Included Lab Sample IDs: 2377480, 2377481

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	99.2	P/P	90 - 110
Ammonia-N	99.2	99.0	P/P	90 - 110

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A116968

Included Lab Sample IDs: 2377492, 2377493

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	100	100	P/P	90 - 110
Antimony	101	101	P/P	90 - 110
Arsenic	102	102	P/P	90 - 110
Barium	101	101	P/P	90 - 110
Beryllium	99.4	100	P/P	90 - 110
Boron	98.0	97.6	P/P	90 - 110
Cadmium	101	102	P/P	90 - 110
Chromium	97.9	98.4	P/P	90 - 110
Cobalt	98.6	100	P/P	90 - 110
Copper	99.6	101	P/P	90 - 110
Lead	93.2	92.8	P/P	90 - 110
Manganese	100	99.7	P/P	90 - 110
Molybdenum	98.1	99.6	P/P	90 - 110
Nickel	99.6	101	P/P	90 - 110
Selenium	104	104	P/P	90 - 110
Silver	101	102	P/P	90 - 110
Thallium	100	100	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A116978

Included Lab Sample IDs: 2377492, 2377493

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	96.0	97.1	P/P	90 - 110
Iron	98.1	99.0	P/P	90 - 110
Magnesium	97.4	98.6	P/P	90 - 110
Potassium	101	101	P/P	90 - 110
Sodium	102	103	P/P	90 - 110
Strontium	100	102	P/P	90 - 110

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A116978

Included Lab Sample IDs: 2377492, 2377493

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Tin	93.6	95.1	P/P	90 - 110
Titanium	101	102	P/P	90 - 110
Vanadium	101	102	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A116990

Included Lab Sample IDs: 2377492, 2377493

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Zinc	91.7	97.5	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			LCS	Precision SMP	MS
DEP SOP: NU-094-1	Color (true)	90.9					0.765	
EPA 180.1 Rev. 2.0	Turbidity	102					12.9	
EPA 200.7 Rev. 4.4	Calcium	98.7	98.7	97.7	95.5			0.858
	Iron	102	101	100	96.8			0.969
	Magnesium	101	103	102	95.5			0.724
	Potassium	100	100	98.3	96.5			1.72
	Sodium	105	102	100	97.4			1.49
	Strontium	103	103	102	98.7			1.26
	Tin	95.9	96.4	97.3	96.1			0.952
	Titanium	103	90.0	89.2	92.8			0.801
	Vanadium	101	105	104	100			0.406
	Zinc	89.4	93.3	96.5	91.6			3.36
EPA 200.8 Rev. 5.4	Aluminum	98.7	89.8	95.5	100			4.08
	Antimony	99.1	96.9	96.9	101			0.0589
	Arsenic	100	101	102	101			0.929
	Barium	101	101	102	100			0.979
	Beryllium	96.9	93.9	93.9	96.4			0.0229
	Boron	98.2	97.1	96.9	99.2			0.210
	Cadmium	101	99.0	99.8	103			0.776
	Chromium	96.7	95.8	96.8	98.2			1.02
	Cobalt	99.8	99.2	101	98.6			1.61
	Copper	99.6	100	102	99.1			1.22
	Lead	91.6	92.0	93.3	93.0			1.30
	Manganese	96.9	96.4	99.2	98.6			1.85
	Molybdenum	97.3	96.9	97.4	99.5			0.514
	Nickel	101	102	103	99.5			0.553
	Selenium	101	101	102	103			1.48
	Silver	100	99.2	100	100			0.798
	Thallium	98.9	100	101	102			1.40
EPA 300.0 Rev. 2.1	Chloride	97.3	96.2	97.8			0.0634	
	Sulfate	98.2	100	99.1			0.487	
EPA 350.1 Rev. 2.0	Ammonia-N	102	100	100				0.182
	Ammonia-N	101	98.0	98.0				0.0
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	101	96.2	105				5.18
EPA 353.2 Rev. 2.0	NO2NO3-N	103	104	104				0.482
EPA 365.1 Rev. 2.0	Total-P	106	108	105				2.29
EPA 365.1 Rev. 2.0 dissolved	O-Phosphate-P	99.7	103	102				0.487
EPA 8270E	2-Ethylhexyl 2,3,4,5-tetrabromobenzoate (EHTBB)	74.5	68.5	52.4				26.6
	Acetochlor	97.7	94.5	90.1				4.69
	Alachlor	92.6	85.5	90.2				5.38
	Ametryn	107	100	109				8.64
	Atrazine	109	117	113				2.55
	Atrazine Desethyl	88.6	78.9	84.5				6.85
	Avobenzone	99.0	91.9	73.2				22.6
	Azinphos Methyl	117	107	110				3.45
	Azoxystrobin	139	139	124				10.4
	Bromacil	93.6	88.8	100				12.1
	Butylate	58.9	56.5	58.5				3.56
	Caffeine	94.9	81.6	95.4				15.6
	Carbophenothion	102	101	102				0.0948
	Carfentrazone Ethyl	103	100	101				1.03
	Chlorfenapyr	96.4	89.9	92.7				3.05

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS			
EPA 8270E	Chlorpyrifos Ethyl	100	87.0	95.2		8.98
	Chlorpyrifos Methyl	110	107	106		1.30
	Coumaphos	102	93.9	91.7		2.30
	Cyanazine	225	220	226		2.79
	Cyprodinil	112	105	105		0.288
	Dechlorane Plus	71.3	71.8	55.5		25.5
	Demeton	107	110	97.5		12.0
	Diazinon	112	113	109		4.14
	Difenoconazole	81.0	127	139		8.97
	Dimethenamid	74.7	75.0	76.2		1.58
	Dimethomorph	169	171	173		1.24
	Disulfoton	121	131	128		2.45
	Dithiopyr	97.6	96.2	92.0		4.47
	EPTC	52.9	54.3	45.1		18.6
	Ethion	61.9	52.5	75.4		35.8
	Ethoprop	112	114	115		0.998
	Etridiazole	61.7	66.2	60.5		9.10
	Fenamiphos	95.4	91.6	90.2		1.54
	Fenbuconazole	110	103	103		0.0254
	Fipronil	105	110	117		4.39
	Fipronil Desulfinyl	106	104	112		6.93
	Fipronil Sulfide	89.9	92.4	94.4		1.82
	Fipronil Sulfone	95.6	91.4	104		9.08
	Fluazifop-P-butyl	103	98.8	99.0		0.234
	Fludioxonil	90.4	85.2	96.8		12.8
	Flumioxazin	93.2	143	152		5.66
	Flutolanil	97.4	93.2	99.0		6.01
	Fluxapyroxad	102	89.0	99.6		11.2
	Fonofos	106	108	100		7.66
	Hexazinone	99.2	97.4	106		8.19
	Imazalil	97.2	103	98.6		4.32
	Iprodione	95.1	84.5	91.8		8.23
	Loratadine	153	162	167		2.80
	Malathion	98.3	86.7	93.7		7.72
	Metalaxyl	110	111	119		6.99
	Metolachlor	97.2	98.0	96.7		1.13
	Metribuzin	111	125	114		9.10
	Mevinphos	89.8	96.4	102		5.77
	Molinate	73.7	81.1	75.3		7.48
	Myclobutanil	100	94.3	98.2		4.07
	Naled	106	133	105		23.4
	Napropamide	94.3	95.8	106		9.94
	Norflurazon	84.2	79.7	82.6		3.51
	Octinoxate	82.7	56.5	48.0		16.3
	Oxadiazon	96.8	97.0	97.2		0.199
	Oxybenzone	83.4	54.0	55.2		2.25
	Oxyfluorfen	125	125	137		9.22
	Parathion Ethyl	101	105	98.8		5.97
	Parathion Methyl	121	126	127		0.674
	PBDE-47	76.2	63.4	48.0		27.7
	PBDE-99	73.0	63.0	46.8		29.4
	Pendimethalin	139	140	135		3.79
	Phenytol	28.2	31.0	39.7		24.5
	Phorate	98.8	105	106		1.28

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery		Precision SMP	MS
						LCS	
EPA 8270E	Prodiamine	38.9		43.4	42.0		3.45
	Prometon	76.1					35.1
	Prometryn	92.1		93.3	86.9		7.07
	Pronamide	96.0		83.0	84.1		1.37
	Propanil	103		103	113		9.30
	Propargite	73.5		66.6	82.7		21.6
	Propiconazole	100		98.2	91.8		6.75
	Pyraflufen Ethyl	102		94.7	98.1		3.53
	Pyridaben	122		129	131		1.31
	Pyriproxyfen	95.9		101	99.6		1.12
	Simazine	97.1					11.6
	Stirophos	63.6		79.8	66.9		17.6
	Sulfentrazone	87.2		91.9	84.2		7.82
	Tebuconazole	50.6		60.3	52.0		14.9
	Terbufos	129		134	149		10.8
	Terbuthylazine	91.8		86.9	93.8		7.65
	Thiobencarb	79.9		77.0	79.5		3.17
	Tri-o-cresyl Phosphate	79.3		63.5	54.1		16.0
	Triadimefon	94.8		84.3	83.5		1.00
EPA 8321B	2,4-D	73.9		75.5	80.6		4.84
	2,4,5-T	60.3		72.5	82.1		12.4
	Acesulfame K	89.3		59.1	62.2		5.22
	Acetaminophen	84.4		86.8	86.7		0.0882
	Acetamiprid	65.8		57.3	61.9		7.71
	Afidopyropen	70.0		63.5	69.3		8.82
	AMPA	100		103	97.1		5.65
	Bentazon	87.7					5.85
	Benzovindiflupyr	80.6		74.6	76.6		2.55
	Carbamazepine	92.0		66.9	64.4		3.81
	Clothianidin	82.3		84.9	80.9		4.85
	Dinotefuran	81.0		90.4	89.5		1.03
	Diuron	92.0		54.5	53.8		1.00
	Endothall	147		140	136		2.70
	Fenuron	90.8		85.3	86.3		1.09
	Fluridone	83.3					1.17
	Glufosinate	95.3		116	99.3		15.5
	Glyphosate	105		99.3	101		2.08
	Hydrocodone	81.0		71.4	77.5		8.19
	Ibuprofen	91.6		65.5	64.1		2.18
	Imazapyr	90.9					0.510
	Imidacloprid	88.7		114	120		3.79
	Linuron	79.0		66.3	58.8		12.0
	Mandestrobin	90.3		76.6	76.6		0.0198
	MCPP	82.9		86.4	88.8		2.74
	Naproxen	64.1		74.9	65.0		14.1
	Primidone	88.0		90.4	92.6		2.46
	Pyraclostrobin	73.5		70.2	73.1		4.11
	Silvex	63.5		84.1	85.4		1.45
	Sucralose	127		124	123		0.161
	Thiamethoxam	84.1		95.2	97.2		1.97
	Tolfenpyrad	38.6		50.5	52.9		4.65
	Triclopyr	63.4		73.4	75.7		3.15
SM 2320 B-2011	Total Alkalinity	95.0				0.646	
SM 2540 C-2015	TDS	101				7.06	

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
					LCS	
SM 2540 D-2015	TSS	96.9				
SM 4500-F- C-2011	Fluoride	98.9	95.1	97.3		1.42
SM 5310 B-2011	Organic Carbon	97.6	94.8	94.8		0.0633

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2377478, 2377479
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2377478, 2377479
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2377492, 2377493
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2377492, 2377493
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2377478, 2377479
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2377478, 2377479
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2377480, 2377481
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2377480, 2377481
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2377480, 2377481
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2377480, 2377481
EPA 365.1 Rev. 2.0 dissolved	Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L	2377482, 2377483
EPA 8270E	Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM	2377494, 2377495
EPA 8270E	Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS	2377494, 2377495
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2377490, 2377491
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2377478, 2377479
SM 2340 B-2011	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃	2377492, 2377493
SM 2540 C-2015	Total Dissolved Solids in aqueous matrices	2377478, 2377479
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2377478, 2377479
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2377478, 2377479
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2377480, 2377481

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	12/28/2022			12/28/2022 15:45	Alexis Price	2377478, 2377479
EPA 180.1 Rev. 2.0	12/28/2022			12/28/2022 14:02	Anna M. Plaviak	2377478
	12/28/2022			12/28/2022 14:03	Anna M. Plaviak	2377479
EPA 200.7 Rev. 4.4	12/28/2022	01/03/2023 11:50	George D Taylor	01/18/2023 20:53	McKinley C Carter	2377492
	12/28/2022	01/03/2023 11:50	George D Taylor	01/18/2023 20:58	McKinley C Carter	2377493
	12/28/2022	01/03/2023 11:50	George D Taylor	01/19/2023 23:11	McKinley C Carter	2377492
	12/28/2022	01/03/2023 11:50	George D Taylor	01/19/2023 23:19	McKinley C Carter	2377493
EPA 200.8 Rev. 5.4	12/28/2022	01/03/2023 11:50	George D Taylor	01/19/2023 03:59	Emily M Philpot	2377492
	12/28/2022	01/03/2023 11:50	George D Taylor	01/19/2023 04:08	Emily M Philpot	2377493
EPA 300.0 Rev. 2.1	12/28/2022			01/06/2023 07:25	Anna M. Plaviak	2377478
	12/28/2022			01/06/2023 07:40	Anna M. Plaviak	2377479
EPA 350.1 Rev. 2.0	12/28/2022			01/13/2023 11:06	Ping Hua	2377480
	12/28/2022			01/13/2023 11:30	Ping Hua	2377481
EPA 351.2 Rev. 2.0	12/28/2022	01/04/2023 10:00	Simonne.V. Calhoun	01/06/2023 15:31	Samantha L Bates	2377480
	12/28/2022	01/04/2023 10:00	Simonne.V. Calhoun	01/06/2023 15:33	Samantha L Bates	2377481
EPA 353.2 Rev. 2.0	12/28/2022			01/09/2023 11:20	Beverly Y. Sanders	2377480
	12/28/2022			01/09/2023 11:21	Beverly Y. Sanders	2377481
EPA 365.1 Rev. 2.0	12/28/2022	01/05/2023 13:37	Adam P Silver	01/06/2023 10:49	James L Waggeberby	2377480
	12/28/2022	01/05/2023 13:37	Adam P Silver	01/06/2023 10:50	James L Waggeberby	2377481
EPA 365.1 Rev. 2.0 dissolved	12/28/2022			12/28/2022 15:19	Elise M. Gillis	2377482
	12/28/2022			12/28/2022 15:20	Elise M. Gillis	2377483
EPA 8270E	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/04/2023 17:25	Arthur Maknenko	2377494
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/04/2023 17:50	Arthur Maknenko	2377495
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/07/2023 19:42	Michael Poppell	2377494
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/07/2023 20:08	Michael Poppell	2377495
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/08/2023 16:45	Michael Poppell	2377494
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/08/2023 17:14	Michael Poppell	2377495
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/08/2023 18:42	Michael Poppell	2377494
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/08/2023 19:11	Michael Poppell	2377495
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/08/2023 19:40	Michael Poppell	2377494
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/08/2023 20:09	Michael Poppell	2377495
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/08/2023 20:38	Michael Poppell	2377494
	12/28/2022	01/03/2023 08:00	Fe-Val Siddell	01/08/2023 21:07	Michael Poppell	2377495
EPA 8321B	12/28/2022	12/28/2022 11:00	June Rhew	12/28/2022 12:50	Manjita Shrestha	2377490
	12/28/2022	12/28/2022 11:00	June Rhew	12/28/2022 13:03	Manjita Shrestha	2377491
	12/28/2022	12/28/2022 11:00	June Rhew	12/28/2022 18:45	Manjita Shrestha	2377490
	12/28/2022	12/28/2022 11:00	June Rhew	12/28/2022 19:00	Manjita Shrestha	2377491
	12/28/2022	12/28/2022 12:30	June Rhew	01/04/2023 04:13	Juyoung Kim	2377490
	12/28/2022	12/28/2022 12:30	June Rhew	01/04/2023 04:32	Juyoung Kim	2377491
SM 2320 B-2011	12/28/2022			01/05/2023 09:08	Dale L. Simmons	2377478

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 2320 B-2011	12/28/2022			01/05/2023 09:21	Dale L. Simmons	2377479
SM 2340 B-2011	12/28/2022			01/18/2023 20:53	McKinley C Carter	2377492
	12/28/2022			01/18/2023 20:58	McKinley C Carter	2377493
SM 2540 C-2015	12/28/2022			12/29/2022 13:42	Yijie Li	2377478, 2377479
SM 2540 D-2015	12/28/2022			12/29/2022 13:42	Yijie Li	2377478, 2377479
SM 4500-F- C-2011	12/28/2022			01/12/2023 18:23	Dale L. Simmons	2377478
	12/28/2022			01/12/2023 18:28	Dale L. Simmons	2377479
SM 5310 B-2011	12/28/2022			01/06/2023 00:53	Khloe J Berg	2377480
	12/28/2022			01/06/2023 01:07	Khloe J Berg	2377481