

STATE OF FLORIDA, DEPARTMENT OF ENVIRONMENTAL PROTECTION
Lake Habitat Assessment Field Sheet

STORET STATION NUMBER:	DATE (M/D/Y) 10/4/2022	LAKE NAME Kenansville		FIELD ID / NAME: 63SE0047
ECO-REGION:	COUNTY: Indian River	SAMPLING LOCATION/DESCRIPTION: 2-5		LAKE SIZE: 734 Hectares
PARAMETER	No surface inflow or outflow present, very long water residence time, groundwater seepage dominates ☐	Surface water inflow present, but flow is rare, moderate to long water residence time ☒	Surface water inflow and outflow present (or outflow only), sometimes with visible flow, short water residence time ☐	Impounded, hydrology of system artificially controlled 739 ☐
Color	Very clear, uncolored water (benthic sampling appropriate) ☐	Water somewhat tannin stained (benthic sampling appropriate) ☐	Dark, discolored water (water color 20 PCU or higher) ☐	Visibility extremely reduced due to high color ☒
	Optimal	Suboptimal	Marginal	Poor
Secchi ☐ 6	Secchi >3 m Or VOB 20 19 18 17 16	3 2.6 2.2 1.8 1.4 15 14 13 12 11	1.0 0.9 0.8 0.7 0.6 10 9 8 7 6	0.5 0.4 0.3 0.2 0.1 5 4 3 2 1
Vegetation Quality ☐ 2	Diverse, expected native vegetation (emergent or submersed), less than 5% nuisance taxa 20 19 18 17 16	Mostly expected native plants, but moderate growths (6%-20% of lake) of nuisance macrophytes, or more than 50% of lake covered with plants 15 14 13 12 11	Large masses (21%- 40%) of nuisance macrophytes (e.g., Hydrilla, hyacinth, cattail, etc.) or algal mats 10 9 8 7 6	Lake choked (>40%) with nuisance macrophytes (duckweed, hyacinth, etc.) or algal mats, or few plants present at all (e.g., plants removed) 5 4 3 2 1
Stormwater Inputs ☐ 18	Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation 20 19 18 17 16	Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place 15 14 13 12 11	Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place 10 9 8 7 6	Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place 5 4 3 2 1
Bottom Substrate Quality ☐ 1	Diverse mixture of sand, detritus, with small amounts of CPOM/mud/muck. SAV may be present 20 19 18 17 16	Mixture of sand or clay and detritus with higher % CPOM/mud/muck content. SAV may be present 15 14 13 12 11	Moderate layer of CPOM/mud/muck, or hardpacked sand only, or moderate algal growth (mats or Chara) on bottom 10 9 8 7 6	Thick deposits of CPOM, or fine detritus and anaerobic muck/mud/silt, or algal growth or nuisance plants (Hydrilla) cover bottom 5 4 3 2 1
Lakeside Adverse Human Alterations ☐ 20	Very few man-made structures, roads, or other disturbance adjacent to lake (<10%) 20 19 18 17 16	Moderate disturbance visible (structures, roads or other), 10%-49% lakeside affected 15 14 13 12 11	Many structures, roads or other human disturbance visible (50%-70%) lakeside affected 10 9 8 7 6	Highly developed or disturbed (>70% of lakeside affected) 5 4 3 2 1
Upland Buffer Zone ☐ 20	Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer 20 19 18 17 16	89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer 15 14 13 12 11	50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer 10 9 8 7 6	< 29% of shoreline with >18m buffer 5 4 3 2 1
Adverse Watershed Land Use ☐ 15	Score the potential effects from adverse human land uses, based on a continuum of amount and type, with least to most adverse as follows: Native vegetation, Silviculture, Pasture or Citrus, Low Density Residential, Row Crops, Commercial, High Density Residential, Urban, Industrial 20 19 18 17 16			
TOTAL SCORE 82	COMMENTS:			
ANALYSIS DATE: 10/4/22	ANALYST: Andrew Lueri ng / Jordan Skyrp		SIGNATURE:	

LAKE OBSERVATION FIELD SHEET

SAMPLE ID: _____ MACROPHYE ID: _____ LATITUDE: 27.8153
 COUNTY: Indian River STORET #: _____ LONGITUDE: -80.786
 DATE: 10/21/2022 TIME: 1100 SAMPLING AGENCY: SEROC
 SITE NAME: Lake Keponsville WBID: 3140
 FIELD ID/NAME: 63SE0047 LAKE SIZE: 734 RQ: 2022-10-03-29
25731

WATERSHED / LAKESIDE FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category – from GIS) :					LANDSCAPE DEVELOPMENT INTENSITY (100 m buffer)															
Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industrial	Other (Specify)	LDI: <u>1.0</u>												
<u>75</u>		<u>25</u>						Land Use Source & Year:												
Local Watershed Erosion (select one) : ☐ None ☐ Slight ☐ Moderate ☐ Heavy							Artificially Impounded ☒ Yes ☐ No													
Local Watershed NPS Pollution : ☒ No evidence ☐ Slight ☐ Moderate ☐ Heavy																				
STORMWATER INPUTS	Stormwater enters system via sheet flow over non-cultivated and/or natural vegetation		Some direct stormwater inputs (ditches, pipes, cultivated vegetation < 10%) but good BMPs in place		Moderate direct inputs of stormwater (ditches, pipes, cultivated vegetation 11%-50%) but few BMPs in place		Much direct input of stormwater (ditches, pipes, cultivated vegetation > 51%) and no or ineffective BMPs in place													
<u>18</u>	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
LAKESIDE ALTERATIONS	Very few man-made structures, roads, or other disturbance adjacent to lake (<10% lakeside affected)		Moderate disturbance visible - structures, roads or other (10%-49% lakeside affected)		Many structures, roads or other human disturbance visible (50%-70% lakeside affected)		Highly developed or disturbed (>70% of lakeside affected)													
<u>20</u>	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1
BUFFER ZONE	Expected native vegetation between uplands and littoral zone, greater than 90% of shore with >18 m buffer		89%-51% of shoreline with >18m buffer or >75% with 10m to 18m buffer		50%-30% of shoreline with >18m buffer or 50%-74% with 10m to 18m buffer		< 29% of shoreline with >18m buffer													
<u>20</u>	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1

WATER / SUBSTRATE / BIOLOGICAL: SAMPLES AND OBSERVATIONS

Water: Nutrient Sample Taken? ☒ Yes ☐ No Preserved? ☐ Yes ☐ pH<2 ☐ No Color Sample Taken? ☒ Yes ☐ No Lot # _____ Exp. Date: _____ Alkalinity Sample Taken? ☒ Yes ☐ No Water Level ☐ Low ☐ Normal ☒ High								Water Odors: ☒ Normal ☐ Sewage ☐ Petroleum ☐ Other _____			
Meter Readings: Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat. (%) Cond. (UMHO/CM) Salinity (PPT) Top: <u>0.3</u> <u>25.7</u> <u>8.65</u> <u>10.5</u> <u>129</u> <u>513</u> <u>0.25</u> Mid-Depth: _____ Bottom: _____								Water Surface Oils: ☒ None ☐ Sheen/Slick ☐ Glob ☐ Other _____			
Meter ID: <u>Hodor</u>								Clarity: ☐ Clear ☒ Opaque ☐ Turbid ☒ Slightly Turbid SECCHI (M) <u>0.6</u> Total Station Depth (M) <u>1.41</u> VOB ☐			
Sediment Type: (may check more than one) ☐ Sandy ☐ Organic fibrous (peaty, CPOM) ☒ Vegetated ☐ Sand/Silt ☐ Organic smooth (muck) ☐ Other (Specify): _____								Sediment Odors: ☒ Normal ☐ Other (Specify): _____ ☐ Anaerobic			
Biological Communities: LVI Conducted? ☒ Yes ☐ No Phytoplankton Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot #: _____ Exp Date: _____ Algal Bloom/Algal ID Sample Taken? Yes ☒ No ☐ Active Vegetation Mgmt? ☒ Yes ☐ No ☐ Don't Know								Abundance: Absent Rare Common Abundant Periphyton ☒ ☐ ☐ ☐ Nuisance Plants ☐ ☐ ☐ ☒ Submersed Plants ☐ ☐ ☐ ☒ Exotic Apple Snails ☐ ☐ ☐ ☒			
Weather Conditions :								Additional Notes:			

SAMPLING TEAM:

SIGNATURE:

DATE:

DEP FORM FD 9000-27 LAKE VEGETATION INDEX FIELD SHEET

Waterbody: <u>Lake Kenansville</u>		County: <u>Indian River County</u>		Date: <u>10/4/22</u>							
Analyst: <u>Andrew Liering / Jordan Skaggs</u>		Signature: <u>[Signature]</u>		STORET:							
Except where noted as "sp." species level identification required. *Genera that may require lab verification* Plants in bold= FLEPPC invasive exotic.				Lake units sampled (circle one group): 1, 4, 7, 10 <u>2, 5, 8, 11</u> 3, 6, 9, 12							
It is important to note dominant or co-dominant taxa (by areal extent) for each unit. Use "D" to denote dominant taxon, or "C" for the 2 co-dominant taxa.											
SPECIES	2	5	8	11	Collected? (✓)	SPECIES	2	5	8	11	Collected? (✓)
Acer rubrum						Habenaria repens					
Alternanthera philoxeroides						Hydrilla verticillata					
Andropogon sp.	P	P	P	P		Hydrocotyle sp.					
Azolla filiculoides (A. caroliniana)						Hrdolea quadrivalis					
Baccharis sp.						Hygrophila polysperma					
Bacopa caroliniana						*Hypericum fasciculatum					
Bacopa monnieri						*Hypericum hypericoides					
Bidens laevis						*Hypericum myrtifolium					
Bidens mitis						Ilex cassine					
Blechnum serrulatum						Ipomoea aquatica					
Boehmeria cylindrica						Ipomoea sagittata					
Brasenia schreberi						Iris pseudacorus					
Cabomba caroliniana						Itea virginica					
Casuarina equisetifolia						Juncus effusus					
Centella asiatica						*Juncus marginatus					
Cephalanthus occidentalis						*Juncus megacephalus					
Ceratophyllum demersum						Juncus repens					
Chara sp.						*Juncus scirpoides					
Cladium jamaicense						Lachnanthes caroliniana					
Cliftonia monophylla						Leersia hexandra					
Colocasia esculenta						Landoltia punctata (Spirodela punctata)					
*Commelina						Lemna sp.					
Crinum americanum						Leucothoe racemosa (Eubotrys racemosa)					
* Cyperus alternifolius (C. involucratus)						Limnium spongia					
Cyperus articulatus						Limnophila sessiliflora					
Cyperus haspan						Liquidambar styraciflua					
*Cyperus lecontei						*Ludwigia arcuata					
*Cyperus polystachyos						*Ludwigia leptocarpa					
*Cyperus odoratus						*Ludwigia linearis					
*Cyperus surinamensis						*Ludwigia octovalvis					
Cyrtilla racemiflora						* Ludwigia peruviana					
Decodon verticillatus						*Ludwigia repens					
Diodia virginiana						*Ludwigia					
*Echinochloa crus-galli						Luziola fluitans (Hydrochloa carolinensis)					
*Echinochloa muricatum						Lycopus virginicus					
Echinochloa walteri						Lyonia lucida					
Eclipta prostrata (E. alba)						Magnolia virginiana					
Egeria densa						Mayaca fluviatilis					
Eichhornia crassipes						Melaleuca quinquenervia					
*Eleocharis baldwinii						Micranthemum glomeratum					
*Eleocharis						Micranthemum umbrosum					
Eleocharis cellulosa						Mikania scandens					
Eleocharis equisetoides						Mimosa pigra					
Eleocharis interstincta						Myrica cerifera					
*Eriocaulon compressum											
*Eriocaulon decangulare											
Eupatorium capillifolium											
*Fuirena											
Fuirena scirpoidea											
Gordonia lasianthus											

FORM FD 9000-27: LAKE VEGETATION INDEX FIELD SHEET

Site:					Date:						
SPECIES	2	5	8	11	Collected? (✓)	SPECIES	2	5	8	11	Collected? (✓)
Myriophyllum aquaticum						Salix caroliniana					
*Myriophyllum heterophyllum						Salvinia minima					
*Myriophyllum laxum						Sambucus canadensis					
*Myriophyllum pinnatum						Sapium sebiferum					
Myriophyllum spicatum						Saururus cernuus					
*Najas filifolia						Schinus terebinthifolius					
*Najas guadalupensis						*Schoenoplectus californicus					
*Najas minor						*Schoenoplectus pungens					
Nelumbo lutea						*Schoenoplectus tabernaemontani (Scirpus validus)					
Nitella spp.						Scirpus cubensis (Oxycaryon cubense)					
Nuphar sp.						Scirpus cyperinus					
Nymphaea odorata						*Sesbania					
Nymphoides aquatica						Solidago sp.					
Nyssa sylvatica var. biflora						Sparganium americanum					
Orontium aquaticum						Spartina bakeri					
Osmunda cinnamomea						Spirodela polyrhiza					
Osmunda regalis						Taxodium sp.					
Panicum hemitomon						Thalia geniculata					
Panicum repens						Thelypteris palustris					
Paspalidium geminatum						Triadenum virginicum					
*Paspalum repens						Typha sp.					
Paspalum urvillei						Urochloa mutica (Brachiaria mutica)					
Peltandra sp.						*Utricularia gibba (U. biflora)					
Persea sp.						*Utricularia floridana					
Pennisetum purpureum						*Utricularia foliosa					
Phragmites australis						*Utricularia inflata					
Pinus elliotii						*Utricularia purpurea					
Pistia stratioides						*Utricularia cornuta					
Pluchea sp.						*Utricularia radiata					
*Polygonum glabrum (densiflorum)						Vallisneria americana					
*Polygonum hydropiperoides						*Websteria confervoides					
*Polygonum punctatum						Wedelia trilobata (Sphagneticola trilobata)					
*Polygonum						Wolffiella spp.					
Pontederia cordata						Woodwardia virginica					
*Potamogeton diversifolius						Xyris sp.					
*Potamogeton illinoensis						Zizania aquatica					
*Potamogeton pusillus						Zizaniopsis milacea					
*Potamogeton pectinatus (Stuckenia pectinatus)						<i>Bidens alba</i>					
Proserpinaca pectinata						<i>Radiation center</i>					
*Rhexia						<i>Neyraudia reynaudiana</i>					
*Rhynchospora corniculata											
*Rhynchospora inundata											
Rhynchospora tracyi											
Ricciocarpus natans											
Sabal palmetto											
Sacciolepis striata											
*Sagittaria filiformis											
*Sagittaria graminea											
*Sagittaria isoetiformis											
Sagittaria lancifolia											
Sagittaria latifolia											