

Shaik, Amzad

From: Liddick, Drew
Sent: Wednesday, June 8, 2022 12:10
To: Shaik, Amzad
Cc: Skaggs, Jordan; Luering, Andrew
Subject: RE: RQ-2022-06-06-51_Andrew Luering_Chain of Custody

Amzad,

Thank you for reaching out. The matrix should be fresh for sample analysis. It is classified as a class 3 Marine waters, hence the confusion.

Hope this assists.

Thanks,

Drew



Drew Liddick
Environmental Specialist III
Florida Department of Environmental Protection
Division of Environmental Assessment and Restoration
2199 South Rock Road
Fort Pierce, FL 34945
Drew.Liddick@floridadep.gov
Office: 772.448.5885

From: Shaik, Amzad <Amzad.Shaik@dep.state.fl.us>
Sent: Wednesday, June 8, 2022 12:04 PM
To: Luering, Andrew <Andrew.Luering@FloridaDEP.gov>
Cc: Liddick, Drew <Drew.Liddick@FloridaDEP.gov>
Subject: RE: RQ-2022-06-06-51_Andrew Luering_Chain of Custody

Hillsboro Canal @ Pioneer Park / G3SE0028 / Matrix: Marine / Sp COND:459.8.
If SP COND above 5000 matrix SALT or MARINE, if SpCOND below 5000 it will be Fresh water.
Please clarify the matrix marine or fresh .

From: Luering, Andrew <Andrew.Luering@FloridaDEP.gov>
Sent: Tuesday, June 7, 2022 13:54
To: Lab.Receiving <Lab.Receiving@floridadep.gov>
Cc: Liddick, Drew <Drew.Liddick@FloridaDEP.gov>
Subject: RQ-2022-06-06-51_Andrew Luering_Chain of Custody



Andrew Luering

Environmental Specialist II

Southeast Regional Operation Center

Florida Department of Environmental Protection

Department of Environmental Assessment and
Restoration

2199 South Rock Road

Fort Pierce, FL 34945

Andrew.Luering@floridadep.gov

Office: 772.448.5881

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG # 3 EXP:10/19/2022
pH Test Strips 0 – 6	LOT#223819AV EXP:8/30/2023
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT 207621 EXP:3/15/2024
Chlorine Test Strips	0070 / 2023 / 02 abs 0070 / 2023 / 02

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FOR CLEAN LAB USE ONLY – Total Mercury Preservation Check(W-HG-AF;W-HG-AF-F):

Samples preserved within 48 hours? Yes _____ No _____

Date and time samples preserved: _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 6/7/2022
Customer:
RQ: RQ-2022-06-06-51

Collected By: Andrew Lueling, Drew Liddick
Sampling: FDEP
Agency:
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 2

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
Hillsboro Canal @ Pioneer Park	 G3SE0028
E-4 @ Clint Moore	 G3SE0019
Boynton Canal @ Lyons	 G3SE0067

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 6/7/2022 1700
EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: A.SHAIK

Rec'd/Inspected

Date: 06/08/2022



RQ-2022-06-06-51	Collected By: Andrew Luering, Drew Liddick
Customer: FDEP	Field Report Prepared by: Andrew Luering, Drew Liddick
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G3SE0028	Comments:

Location:

Location: Hillsboro Canal @ Pioneer Park

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
6/7/2022 1000	4.85	62.2	28.1	7.34	0.3	0.9	1.32	459.8	0.22

Parameter Suite	Parameter Methods	Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP Lot # _____ Exp: _____	Ice H2SO4*	<2		
Metals (P-500ML)	W-ICPMS W-ICP W-HARD Lot # _____ Exp: _____	Ice HNO3*	<2		
Filtered Nutrients (P125ML)	W-PO4-F Field Filtered 0.45 µm Filter Filter Lot # _____ Syringe Lot # _____	Ice			
BOD (BP-1L)	OV-BODUNIN	Ice			
Chlorophyll (BP-1L)	CHLSUITE-W	Ice			
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS	Ice			
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY	Ice			
Macroinvertebrates (PJ-2L)	MI-FW-QLDC Formalin Lot # _____	Formalin			
Periphyton (PT-50ML)	ALGAE-ID	Ice			
Microbiology (Contract Lab Bottle)	E Coli F Coli X Enterococci Contract Lab	x Ice		1	C
Molecular (QPCR-P-500ML)	X PCR-HF183 X PCR-BacR X PCR-DG3 PCR-GULL2 PCR-GFD	x Ice		1	C
Tracers (BG-500ML)	W-E8321-DI W-E8321-MS	Ice			
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI W-E8321-MS X W-PSNP-TQ W-PCL-TQ-R W-CARB-AA (5 ml of MCAA Buffer Solution) W-CT-CL-R X W-TR-SQ-R W-PCB-TQ-R	x Ice MCAA Exp. MCAA Lot#		2	C
Phytoplankton	DTY-QN-C PKD-QN-BV	Ice			



RQ-2022-06-06-51

Page 3 of 4

Customer: FDEP

Collected By: Andrew Luering, Drew Liddick

Project ID: SMP

Field Report Prepared by: Andrew Luering, Drew Liddick

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G3SE0019

Comments:

Location:

Location: E-4 @ Clint Moore

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. ©	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)	
6/7/2022 1020	1.9	24	27	7.16	0.3	0.59	0.59	404	0.19	
Parameter Suite		Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)		W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice		H2SO4*		
Metals (P-500ML)		Lot #		Exp:		Ice		HNO3*	<2	
Filtered Nutrients (P125ML)		Lot #		Exp:		Ice		HNO3*	<2	
BOD (BP-1L)		Filter Lot #		Syringe Lot #		Ice				
Chlorophyll (BP-1L)		OV-BODUNIN				Ice				
Physical/Aggregate (Fresh) (P-1L)		CHLSUITE-W				Ice				
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-IC / W-COLOR / W-SO4-IC / W-TDS				Ice				
Macroinvertebrates (PJ-2L)		Alkalinity / W-F / W-TSS / TURBIDITY				Ice				
Periphyton (PT-50ML)		MI-FW-QLDC		Formalin Lot #		Formalin				
Microbiology (Contract Lab Bottle)		ALGAE-ID				Ice				
Molecular (QPCR-P-500ML)		X E Coli		F Coli		Enterococci				
Tracers (BG-500ML)		Contract Lab				x Ice			1	B
		X PCR-HF183		X PCR-BacR		X PCR-DG3			1	B
		PCR-GULL2		PCR-GFD					1	B
		X W-E8321-DI		X W-E8321-MS		x Ice				
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ		MCAA Exp.	MCAA Lot#	
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R				
		W-TR-SQ-R		W-PCB-TQ-R						
Phytoplankton		DTY-QN-C		PKD-QN-BV		Ice				



RQ-2022-06-06-51	Collected By: Andrew Luering, Drew Liddick
Customer: FDEP	Field Report Prepared by: Andrew Luering, Drew Liddick
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G3SE0067	Comments:

Location:

Location: Boynton Canal @ Lyons

Matrix: Fresh						(Check One) ☒ Grab ☐ Composite						
Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)			
6/7/2022 1110	1.09	14	28.6	7.22	0.3	0.6	2.47	538	0.26			
Parameter Suite	Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice H2SO4*		<2					
	Lot #		Exp:									
Metals (P-500ML)	W-ICPMS		W-ICP		W-HARD Ice HNO3*		<2					
	Lot #		Exp:									
Filtered Nutrients (P125ML)	W-PO4-F		Field Filtered 0.45 µm Filter			Ice						
	Filter Lot #	Syringe Lot #										
BOD (BP-1L)	OV-BODUNIN				Ice							
Chlorophyll (BP-1L)	CHLSUITE-W				Ice							
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-CHC / W-COLOR / W-SO4-IC / W-TDS				Ice							
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice							
Macroinvertebrates (PJ-2L)	MI-FW-QLDC		Formalin Lot #		Formalin							
Periphyton (PT-50ML)	ALGAE-ID				Ice							
Microbiology (Contract Lab Bottle)	X	E Coli	F Coli		Enterococci		x			Ice	1	A
	Contract Lab											
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR		PCR-DG3		Ice					
	PCR-GULL2		PCR-GFD									
Tracers (BG-500ML)	W-E8321-DI		W-E8321-MS			Ice						
Pesticides (BG-500ML) (BG-1L)	X	W-E8321-DI	X	W-E8321-MS	X	W-PSNP-TQ	x	Ice	MCAA Exp. 02/04/2023	MCAA Lot# 128343	10	A
	X	W-PCL-TQ-R	X	W-CARB-AA (5 ml of MCAA Buffer Solution)	X	W-CT-CL-R						
	X	W-TR-SQ-R	X	W-PCB-TQ-R								
Phytoplankton	DTY-QN-C		PKD-QN-BV			Ice						

Date of Request: 18-MAY-2022
 Created By: LUERING_A On: 18-MAY-2022
 Modified By: JASROTIA_P On: 18-MAY-2022
 Customer: SE-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Southeast District
 Event Description: BHP

Send Coolers To:

Phone: (772) 380-5572
 FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs
 Cooler Ship Email: Jordan.Skaggs@FloridaDEP.gov

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 18-MAY-2022
 Biology Request Reviewed By: JASROTIA_P On: 18-MAY-2022
 Sampling Kit Required: YES Ship on: 27-MAY-2022
 Sampling Kit Shipped: YES On: 25-MAY-2022
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: YES
 Date to Receive Samples: 08-JUN-2022
 Logged In By: SHAIK_A On: 08-JUN-2022

Send Final Report To:

FL Dept. of Environmental Protection
 2199 South Rock Road
 Fort Pierce, FL 34945
 Attn: Jordan Skaggs
 Report Notification Email:
 Jordan.Skaggs@FloridaDEP.gov; Drew.Liddick@FloridaDEP.gov;
 Andrew.Luering@FloridaDEP.gov

Comments:

Include carbamates preservation at 1 tube/container

1 Liter glass bottles will be provided in house.

3256B – G3SE0067 ecoli, pesticides

3264D – G3SE0019 – ecoli, PCR x3, tracers

3226F5 – G3SE0028 – entero, PCR x 3, tracers, W-TR, W-PSNP,

#####

Buffer Solution for W-CARB-AA Bottle Needed

#####

W-TR-SQ-R (sunscreens)

Wash your hands thoroughly and wear gloves. Refrain from using sunscreens on the day of sample collection.

#####

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2ClCOOH and Ice
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML FILL TO	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template: DEFAULT	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Group A (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-TR-SQ-R	Template: DEFAULT	(EPA 8270E) Analysis of Sunscreen Compounds in Water by GC/MS-SIM

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-DG3	Template: DEFAULT	(SOP-PCR-1.5) Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-DG3	Template: DEFAULT	(SOP-PCR-1.5) Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: BG-1L	Number of Bottles: 2	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-TR-SQ-R	Template: DEFAULT	(EPA 8270E) Analysis of Sunscreen Compounds in Water by GC/MS-SIM
Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.