



DIVERSIFIED
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number:
(Lab Use Only)

230814.02

3653 Regent Boulevard, Suite # 509
Jacksonville, FL 32224
P. (904) 807-9625 E. info@delillab.com
F. (904) 807-9627

Page 1 of 1

Company Name		Florida Department of Environmental Protection				Container Information (Qty, Size, & Type)				Sample Matrix Codes:															
Address		8800 Baymeadows Way West				250 mL				A. Air P. Petroleum															
City		Jacksonville State FL Zip				250 mL				B. Bulk S. Soil/Sludge															
Attn.		Dep-overflowmicro@dep.state.fl.us				250 mL				W. Wipe O. Other															
Tel.		E-mail or Fax				Container Preservation Codes				PW. Potable Water															
Project Name		2023-02-13-10				Parameters				NPW. Non-Potable Water															
Project Number										Sample Kit or Container Lot #															
Project Location		LSJ Remain								NA															
Sample Name/Signature		Jenny Lamb								Preservation Codes:															
Transfer #		Sample #		Sample Identification		Date Sampled		Time Sampled		Sample Matrix Code		Specific Cond. (Field)		Comp		Grab		E. Coli - Quantitray		Enterococci - Quantitray		Coliform, Fecal - MF 3 Dilutions		Turnaround Requested:	
1		63116		20030952		2/14/23		935		NFW		5372				X		X						X Standard (10 Business Days)	
2		63117		20030761				950		NFW		1499				X		X						Semi-Rush (3-5 Business Days)	
3				20030692																				Rush (1-2 Business Days)	
4		63118		20030792				1045		NFW		773				X								Turnaround times are estimated & subject to change. Surcharges apply for all Rush samples.	
5		63119		20030070				1110		NFW		456				X									
6																								Billing Information:	
7																								Invoice with Report	
8																								Invoice to Accounting	
9																								Req. #:	
0																								P.O. #:	
Special Instructions:						Transfer Numbers		Relinquished By		Date / Time		Received By		Date / Time											
						1-2		Jenny Lamb		2/14/23		1158 Megan Rose		2/14/23 11:58											
						4-5																			



Certification #E821059

Lab General Form 059, Rev. #1, Rev. Date: 02/07/22, Effective Date: 02/07/22.

Visit us online & order kits at: www.delillab.com

Project Login Form

DELI Project Number: 230214.02 Client Name: Florida Department of Environmental Protection
 Date Received: 02/14/23 Received by: MTB PLF Completed by: DJV

Courier/Shipper Information:

☒ Client ☐ DEL, Inc. ☐ Other (describe) _____

Type & Number of Shipping Containers:

#	Shipping Container Description	Crushed Ice	Cooler/Ice Temp. (°C)	Sample Cont. Temp. (°C)
1	Cooler Box Other:	(Yes) No	0.2	2.1
2	Cooler Box Other:	Yes No		
3	Cooler Box Other:	Yes No		

Note: If thermal preservation was used/required, pick a sample container from each cooler and use the IR gun to measure the sample temperature.

Therm Inv. #: 0441 IR Gun Inv. #: 0332

Other Information Checklist:		YES	NO	NA
1	Were custody seals used for shipping containers(s)?	☐	☒	☐
2	If Yes, were the custody seals intact? If no, see comments below.	☐	☐	☒
3	Were custody seals used for sample containers(s)?	☐	☒	☐
4	If Yes, were the custody seals intact? If no, see comments below.	☐	☐	☒
5	Did custody papers accompany samples? (such as COC, specifics, etc.)	☒	☐	☐
6	Were the custody papers properly filled out?	☒	☐	☐
7	Were the sample containers received in good condition? (If no, see comments)	☒	☐	☐
8	Were the sample container labels properly filled out? (date, time, preservation, etc.)	☒	☐	☐
9	Were the labels on the sample containers and custody papers consistent?	☒	☐	☐
10	Were the samples in the correct containers for analysis?	☒	☐	☐
11	Were the correct preservations used for each sample container according to analysis?	☒	☐	☐
12	Were the samples received within the appropriate holding times?	☒	☐	☐
13	Were pH preservation checks made?	☐	☐	☒
14	Were the sample containers provided by DEL, Inc.?	☐	☒	☐
15	Was this a sample kit provided by DEL, Inc.? If Yes, DEL, Inc. Kit #: <u>NA</u>	☐	☐	☒
16	Were the VOA vials free of headspace? (No bubbles present)	☐	☐	☒

Are the samples acceptable for analysis? Yes If yes, proceed with login. If no, notify client immediately and list rejection reasons in comments area below. Also, please take any needed further action for rejected sample(s).

Container Preservation Check:

Note: VOA vials will not be checked for pH at sample login. The testing laboratory will perform that check during analysis. The pH of microbiological samples will not be checked, due to the risk of contamination. The pH of Oil & Grease samples will not be checked during sample login, due to the potential loss of product. If adding a preservative to a sample after receiving it at the laboratory, the date and time the preservative was added must be documented below.

DELI Sample #	Parameters	Cooler/ Container #	pH upon receipt	Preservative added after pH check?	If Yes, which preservative was added? (Incl. Vol.)	Preservative Lot #	New pH value	Sample container size & type?
63116-63118	Enterococci - QT	1	-	Yes / (No)	-	-	-	250mL P
63119	E. Coli - QT	↓	-	Yes / (No)	-	-	-	↓
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				
				Yes / No				

P = Plastic; G = Glass; AG = Amber Glass; TL = Teflon Lid; WM = Wide Mouth

☐ Sample preservation added upon receiving
 Date: _____ Time: _____

Comments:



February 22, 2023

Florida Department of Environmental Protection
8800 Baymeadows Way West
Jacksonville, FL 32256

Re: DELI Project Number: **230214.02**
Client PO Number: **C0E8B4**
Client Project Description: **2023-02-13-10; LSJR Main**

Enclosed is the report of laboratory analysis for the following sample(s):

Sample Number	Sample Description	Date/Time Collected	Date/Time Received
63116	20030952	02/14/2023 09:35	02/14/2023 11:58
63117	20030761	02/14/2023 09:50	02/14/2023 11:58
63118	20030792	02/14/2023 10:45	02/14/2023 11:58
63119	20030070	02/14/2023 11:10	02/14/2023 11:58

If you have any questions or comments concerning this laboratory report, please do not hesitate to contact us.

Sincerely,

Franklin A. Risk, Jr.
Laboratory Director

Enclosures

This laboratory report consists of a cover page, case narrative page and report page. There may be multiple pages of each. The pages are numbered accordingly. The report may also contain chain of custody forms, project log in forms, QA/QC reports and client worksheets if applicable. The results herein relate only to the items tested or to the samples as received by the laboratory. The report shall not be reproduced except in full, without the written approval of the laboratory. All samples will be disposed of within 30 days of receipt, unless a written request to retain the samples longer is received. All samples referenced in this laboratory report are considered to be environmental samples. The case narrative will contain comments and or notes regarding the samples and analyses.

Cover Page 1 of 1

NELAP #E821059

Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224



Phone 904.807.9625
Fax 904.807.9627
Email info@delilab.com
Web www.delilab.com



Case Narrative

February 22, 2023

Florida Department of Environmental Protection

Re: DELI Project Number: 230214.02
Client Project Description: 2023-02-13-10; LSJR Main

Enclosed is the case narrative for the above referenced project:

Enterococci:

DELI Sample 63117 : All Quanti-Tray wells were positive. Result may be higher than reported.

Unless otherwise noted and where applicable:

These samples were received at the proper temperature and with the proper preservation. The samples were analyzed as received, unless otherwise noted. All results in the Quality Control section are labeled appropriately. All results meet the requirements of the NELAP standards, unless otherwise noted. Footnotes are given at the end of the report.

Narrative Page 1 of 1

NELAP #E821059

Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224



Phone 904.807.9625
Fax 904.807.9627
Email info@delilab.com
Web www.delilab.com



Report of Laboratory Analysis

Florida Department of Environmental Protection

Project Description

2023-02-13-10; LSJR Main

DELI
Project Number

230214.02

Report Date: February 22, 2023

DELI Sample Number 63116

Sample Description 20030952

Matrix

Non Potable Water

Date/Time Collected

02/14/2023 09:35

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Incubation In	Incubation Out	Analyst	Analysis Date/Time
Enterococci QT	Enterolert QT	359.0		MPN/100ml	10	10.0	10.0	02/14/2023 14:36	02/15/2023 15:03	MTR/DJV	02/14/2023 14:26





Report of Laboratory Analysis

Florida Department of Environmental Protection

Project Description

2023-02-13-10; LSJR Main

DELI
Project Number

230214.02

Report Date: February 22, 2023

DELI Sample Number **63117**
Sample Description **20030761**

Matrix **Non Potable Water**
Date/Time Collected **02/14/2023 09:50**

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Incubation In	Incubation Out	Analyst	Analysis Date/Time
Enterococci QT	Enterolert QT	>2419.6	J	MPN/100ml	1	1.0	1.0	02/14/2023 14:36	02/15/2023 15:03	MTR/DJV	02/14/2023 14:26





Report of Laboratory Analysis

Florida Department of Environmental Protection

Project Description

2023-02-13-10; LSJR Main

DELI
Project Number

230214.02

Report Date: February 22, 2023

DELI Sample Number **63118**

Sample Description **20030792**

Matrix

Non Potable Water

Date/Time Collected

02/14/2023 10:45

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Incubation In	Incubation Out	Analyst	Analysis Date/Time
Enterococci QT	Enterolert QT	300.1		MPN/100ml	1	1.0	1.0	02/14/2023 14:36	02/15/2023 15:03	MTR/DJV	02/14/2023 14:26





Report of Laboratory Analysis

Florida Department of Environmental Protection

Project Description

2023-02-13-10; LSJR Main

DELI
Project Number

230214.02

Report Date: February 22, 2023

DELI Sample Number **63119**

Sample Description **20030070**

Matrix

Non Potable Water

Date/Time Collected

02/14/2023 11:10

Parameters	Method	Results	Footnote	Units	DF	MDL	PQL	Incubation In	Incubation Out	Analyst	Analysis Date/Time
E. Coli QT	SM9223B/QT	363.3		MPN/100ml	1	1.0	1.0	02/14/2023 14:16	02/15/2023 08:16	MTR/DJV	02/14/2023 14:08





Report of Laboratory Analysis

Florida Department of Environmental
Protection

Project Description

2023-02-13-10; LSJR Main

DELI
Project Number

230214.02

Report Date: February 22, 2023

Footnotes

DF	Dilution Factor
J	Estimated value; Value not accurate. See Case Narrative
LCS	Laboratory Control Sample
LCSD	Laboratory Control Sample Duplicate
MB	Method Blank
MDL	Method Detection Limit
MS	Matrix Spike
MSD	Matrix Spike Duplicate
NA	Not Applicable
ND	Not Detected/None Detected
PQL	Practical Quantification Limit
RPD	Relative Percent Deviation



Batch No: B25218

Associated Samples

TestCode: Micro: Enterococci (Quanti-Tray) - Enterolert

63116, 63117, 63118

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits---		MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits---		Sample Dup %RPD	--QC Limit-- %RPD	Qualifiers
Parent Sample Number														63118		
Enterococci QT	<1.0 U													68.8	161	

Batch No: B25229

Associated Samples

TestCode: Micro: E. Coli (Quanti-Tray) - SM9223B

63119

Compound	Blank	LCS Spike	LCS %Rec	LCSD %Rec	RPD %	---QC Limits---		MS Spike	MS %Rec	MSD %Rec	RPD %	---QC Limits---		Sample Dup %RPD	--QC Limit-- %RPD	Qualifiers
Parent Sample Number														63119		
E. Coli QT	<1.0 U													102	118	

* Indicates value is outside control limits for %Recovery or greater than acceptance criteria for RPD

Footnotes

U Compound analyzed for, but not detected.

NELAP #E821059