

Biological Analysis Report

NE-DIST-2023-02-22-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Diversified Environmental Laboratories, Inc.
3653 Regent Boulevard
Suite 509
Jacksonville, FL 32224
DOH Accreditation E821059


Event Description: **LSJR North 2023**
Request ID: **RQ-2023-02-20-33**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 10-APR-2023 18:24



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: LITTLE SIXMILE CR AT PICKETVILLE RD

Collection Date/Time: 02/21/2023 09:10

Field ID: 20030011

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2389388	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.2		ug/L	P426455	
		Phaeophytin-a	0.90	U	ug/L	P426455	
		Chlorophyll-a, Uncorrected	3.8		ug/L	P426455	
2389391	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	343.3		MPN/100 mL		

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: NINEMILE CR AT TROUT RIVER BLVD

Collection Date/Time: 02/21/2023 09:30

Field ID: 20030749

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2389392	Enterolert/QT	Enterococci-Quanti-Tray	144.0		MPN/100 mL		

Sample Location: Little Trout River at Old Kings Rd.

Collection Date/Time: 02/21/2023 09:55

Field ID: 20030739

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2389386	SM 10200 H (mod.)	Chlorophyll-a, Corrected	3.2	I	ug/L	P426455	
		Phaeophytin-a	1.5	U	ug/L	P426455	
		Chlorophyll-a, Uncorrected	3.6		ug/L	P426455	
2389389	Enterolert/QT	Enterococci-Quanti-Tray	640.2		MPN/100 mL		
2389394	SOP-PCR-1.0	HF183-qPCR**	3.3E+03	U	TSC/100 mL	P426170	
	SOP-PCR-1.2	GULL2-qPCR**	3.6E+03	U	TSC/100 mL	P426170	
	SOP-PCR-1.3	GFD-qPCR**	720	U	TSC/100 mL	P426170	
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P426170	
	SOP-PCR-1.5	DG3-qPCR**	2.6E+03	U	TSC/100 mL	P426170	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

SOP-PCR-1.2: Precision data unavailable for Gull2-qPCR component.

SOP-PCR-1.3: Precision data unavailable for GFD-qPCR component.

Sample Location: Tributary to Trout at Bessent Rd.

Collection Date/Time: 02/21/2023 10:20

Field ID: G2NE1207

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2389393	Enterolert/QT	Enterococci-Quanti-Tray	63.0		MPN/100 mL		
2389409	SM 10200 H (mod.)	Chlorophyll-a, Corrected	15		ug/L	P426455	
		Phaeophytin-a	2.9	I	ug/L	P426455	
		Chlorophyll-a, Uncorrected	17		ug/L	P426455	

Ref. Method and Comment:

SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Tributary to Trout at Capper Rd.

Collection Date/Time: 02/21/2023 10:50

Field ID: G2NE1208

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2389387	SM 10200 H (mod.)	Chlorophyll-a, Corrected	1.6	U	ug/L	P426455	
		Phaeophytin-a	1.8	U	ug/L	P426455	
		Chlorophyll-a, Uncorrected	1.2	U	ug/L	P426455	
2389390	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	461.1		MPN/100 mL		
2389395	SOP-PCR-1.0	HF183-qPCR**	3.3E+03	U	TSC/100 mL	P426170	
	SOP-PCR-1.2	GULL2-qPCR**	3.6E+03	U	TSC/100 mL	P426170	
	SOP-PCR-1.3	GFD-qPCR**	860	I	TSC/100 mL	P426170	
	SOP-PCR-1.4	BacR-qPCR**	3.0E+03	U	TSC/100 mL	P426170	
	SOP-PCR-1.5	DG3-qPCR**	2.6E+03	U	TSC/100 mL	P426170	

Ref. Method and Comment:
SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.
SOP-PCR-1.2: Precision data unavailable for Gull2-qPCR component.
SOP-PCR-1.3: Precision data unavailable for GFD-qPCR component.

Quality Assurance Report

Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P426455

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.96	U	ug/L
Chlorophyll-a, Uncorrected	0.70	U	ug/L
Phaeophytin-a	1.0	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P426170

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P426170

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P426170

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P426170

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P426170

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report
Method Blank Results

Reference Method: SOP-PCR-1.5
Batch ID: P426170

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P426455

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	93.7		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P426170

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	98.1	101	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P426170

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	115	92.0	P/P	50 - 300

Reference Method: SOP-PCR-1.3
Batch ID: P426170

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	101	95.3	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P426170

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	98.2	131	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P426170

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	108	130	P/P	50 - 175

Quality Assurance Report
Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P426170

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2388866	HF183-qPCR	83.8		P	50 - 175
2388924	HF183-qPCR	83.0		P	50 - 175
2388987	HF183-qPCR	94.4	104	P/P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0

Batch ID: P426170

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2388988	HF183-qPCR	113		P	50 - 175
2389048	HF183-qPCR	98.3		P	50 - 175
2389394	HF183-qPCR	87.7		P	50 - 175
2389395	HF183-qPCR	88.0		P	50 - 175
2389425	HF183-qPCR	79.4		P	50 - 175
2389426	HF183-qPCR	83.8		P	50 - 175
2389592	HF183-qPCR	87.1		P	50 - 175
2389680	HF183-qPCR	93.0		P	50 - 175
2389850	HF183-qPCR	88.3		P	50 - 175
2389851	HF183-qPCR	73.2		P	50 - 175

Reference Method: SOP-PCR-1.2

Batch ID: P426170

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2388866	GULL2-qPCR	83.8		P	50 - 300
2388924	GULL2-qPCR	85.4		P	50 - 300
2388988	GULL2-qPCR	84.3		P	50 - 300
2389048	GULL2-qPCR	77.2		P	50 - 300
2389394	GULL2-qPCR	78.7		P	50 - 300
2389395	GULL2-qPCR	84.6		P	50 - 300
2389425	GULL2-qPCR	73.0		P	50 - 300
2389426	GULL2-qPCR	98.6		P	50 - 300
2389592	GULL2-qPCR	80.7		P	50 - 300
2389850	GULL2-qPCR	110		P	50 - 300

Reference Method: SOP-PCR-1.3

Batch ID: P426170

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2388866	GFD-qPCR	106		P	50 - 175
2388924	GFD-qPCR	99.1		P	50 - 175
2388988	GFD-qPCR	102		P	50 - 175
2389048	GFD-qPCR	98.1		P	50 - 175
2389394	GFD-qPCR	100		P	50 - 175
2389395	GFD-qPCR	91.5		P	50 - 175
2389425	GFD-qPCR	107		P	50 - 175
2389426	GFD-qPCR	99.1		P	50 - 175
2389592	GFD-qPCR	81.5		P	50 - 175
2389850	GFD-qPCR	97.3		P	50 - 175

Reference Method: SOP-PCR-1.4

Batch ID: P426170

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2388866	BacR-qPCR	86.8		P	50 - 175
2388924	BacR-qPCR	81.6		P	50 - 175
2388987	BacR-qPCR	96.8	93.5	P/P	50 - 175
2388988	BacR-qPCR	98.3		P	50 - 175
2389048	BacR-qPCR	83.4		P	50 - 175
2389394	BacR-qPCR	83.6		P	50 - 175
2389395	BacR-qPCR	88.3		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P426170

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2389425	BacR-qPCR	78.4		P	50 - 175
2389426	BacR-qPCR	79.1		P	50 - 175
2389592	BacR-qPCR	73.9		P	50 - 175
2389680	BacR-qPCR	79.8		P	50 - 175
2389850	BacR-qPCR	84.0		P	50 - 175
2389851	BacR-qPCR	72.6		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P426170

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2388866	DG3-qPCR	99.7		P	50 - 175
2388924	DG3-qPCR	97.6		P	50 - 175
2388987	DG3-qPCR	105	109	P/P	50 - 175
2388988	DG3-qPCR	114		P	50 - 175
2389048	DG3-qPCR	95.1		P	50 - 175
2389394	DG3-qPCR	88.2		P	50 - 175
2389395	DG3-qPCR	97.6		P	50 - 175
2389425	DG3-qPCR	85.5		P	50 - 175
2389426	DG3-qPCR	88.2		P	50 - 175
2389592	DG3-qPCR	92.0		P	50 - 175
2389680	DG3-qPCR	91.1		P	50 - 175
2389850	DG3-qPCR	93.5		P	50 - 175
2389851	DG3-qPCR	91.1		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P426455

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2389301	Chlorophyll-a, Uncorrected	4.28	Sample	P	0 - 25

Reference Method: SOP-PCR-1.0
Batch ID: P426170

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2388987	HF183-qPCR	10.1	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P426170

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2388987	BacR-qPCR	3.27	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.5
Batch ID: P426170

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2388987	DG3-qPCR	3.58	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2389394
Field Sample ID: 20030739

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	89.0	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	98.1	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	94.3	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	103	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	88.2	P	50 - 300

Lab Sample ID: 2389395
Field Sample ID: G2NE1208

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	99.3	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	98.5	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	94.5	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	102	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	96.5	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	93.7						4.28	
	Chlorophyll-a, Uncorrected								
SOP-PCR-1.0	HF183-qPCR	101	98.1	83.8	83.0	94.4			10.1
				104					
SOP-PCR-1.2	GULL2-qPCR	92.0	115	83.8	85.4	84.3			
				77.2					
SOP-PCR-1.3	GFD-qPCR	95.3	101	106	99.1	102			
				98.1					
SOP-PCR-1.4	BacR-qPCR	131	98.2	86.8	81.6	96.8			3.27
				93.5					
SOP-PCR-1.5	DG3-qPCR	130	108	99.7	97.6	105			3.58
				109					

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by Diversified Environmental Laboratories in Jacksonville	2389389, 2389392, 2389393

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2389386, 2389387, 2389388, 2389409
SM 9223 B Quanti-Tray	E. coli by Colilert/QT by Diversified Environmental Laboratories in Jacksonville	2389390, 2389391
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2389394, 2389395
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2389394, 2389395
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2389394, 2389395
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2389394, 2389395
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2389394, 2389395

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	02/21/2023	02/21/2023 16:43		02/22/2023 16:43	Diversified-Jacksonville	2389389, 2389392, 2389393
SM 10200 H (mod.)	02/22/2023	02/22/2023 13:52	Callie Williams	02/23/2023 10:50	Aidan Cronin	2389386, 2389387, 2389388, 2389409
SM 9223 B Quanti-Tray	02/21/2023	02/21/2023 16:25		02/22/2023 10:38	Diversified-Jacksonville	2389390, 2389391
SOP-PCR-1.0	02/22/2023	02/22/2023 13:40	Claudia Castro	03/06/2023 15:08	Roberta Tatti	2389394, 2389395
SOP-PCR-1.2	02/22/2023	02/22/2023 13:40	Claudia Castro	03/10/2023 16:35	Jennifer Mihalic	2389394, 2389395
SOP-PCR-1.3	02/22/2023	02/22/2023 13:40	Claudia Castro	03/09/2023 15:01	Jennifer Mihalic	2389394, 2389395
SOP-PCR-1.4	02/22/2023	02/22/2023 13:40	Claudia Castro	03/07/2023 12:31	Roberta Tatti	2389394, 2389395
SOP-PCR-1.5	02/22/2023	02/22/2023 13:40	Claudia Castro	03/08/2023 09:22	Roberta Tatti	2389394, 2389395