

Biological Analysis Report

NE-DIST-2023-03-23-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Palm Valley Boat 2023**
Request ID: **RQ-2023-03-13-18**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Sarah Menz, Environmental Administrator

Date Certified: 20-APR-2023 12:24

A handwritten signature in black ink, appearing to be 'Sarah Menz', with a long, sweeping horizontal stroke extending to the right.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD and Microbiology.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Capo Creek 300m Above Mouth

Collection Date/Time: 03/22/2023 10:40

Field ID: 27010019

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2395987	SM 10150 B	Chlorophyll-a, Corrected	4.5	A	ug/L	P427880	
		Phaeophytin-a	1.5	U	ug/L	P427880	
		Chlorophyll-a, Uncorrected	5.3	A	ug/L	P427880	

Ref. Method and Comment:

SM 10150 B: Laboratory duplicate result is 1.5 U for Phaeophytin-a. Precision data is unavailable due to the small amount of analyte in the QC sample.

Sample Location: Marshall Creek 450m Above Mouth

Collection Date/Time: 03/22/2023 11:25

Field ID: G5NE0588

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2395993	Enterolert/QT	Enterococci-Quanti-Tray	10.0	UQ	MPN/100 mL	P427696	
2395995	SM 9222 D	Fecal Coliforms-Membrane Filter	5	BJQ	cfu/100 mL	P427824	

Ref. Method and Comment:

SM 9222 D: Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range. Incubation period exceeded method limits by less than 1 hour.

Sample Location: DEEP CREEK 270M ABOVE ICW

Collection Date/Time: 03/22/2023 11:50

Field ID: 27010165

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2395989	SM 10150 B	Chlorophyll-a, Corrected	3.7		ug/L	P427880	
		Phaeophytin-a	1.4	I	ug/L	P427880	
		Chlorophyll-a, Uncorrected	4.7		ug/L	P427880	

Ref. Method and Comment:

SM 10150 B: Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: St. Augustine Inlet SE of Vilano Bt. Rmp.

Collection Date/Time: 03/22/2023 11:45

Field ID: G5NE0587

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2395994	Enterolert/QT	Enterococci-Quanti-Tray	10.0	Q	MPN/100 mL	P427696	

Sample Location: St. Augustine Inlet SE of Vilano Bt. Rmp.

Collection Date/Time: 03/22/2023 11:45

Field ID: G5NE0587

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2395988	SM 10150 B	Chlorophyll-a, Corrected	3.1		ug/L	P427880	
		Phaeophytin-a	2.5	I	ug/L	P427880	
		Chlorophyll-a, Uncorrected	4.7		ug/L	P427880	

Ref. Method and Comment:

SM 10150 B: Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: Capo Creek 300m above mouth

Collection Date/Time: 03/22/2023 10:40

Field ID: 27010019

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
-----------	-------------	-----------	--------	------	-------	----------	----------

Field ID: 27010019

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2396119	Enterolert/QT	Enterococci-Quanti-Tray	10.0	UQ	MPN/100 mL	P427696	
2396120	SM 9222 D	Fecal Coliforms-Membrane Filter	2	UJQ	cfu/100 mL	P427824	

Ref. Method and Comment:
SM 9222 D: Precision data for QC sample is unavailable due to the colony count falling outside of method acceptable range. Incubation period exceeded method limits by less than 1 hour.

Sample Location: Marshall Creek 0.5 Miles Above Mouth Collection Date/Time: 03/22/2023 11:15

Field ID: G5NE0595

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2400694	Enterolert/QT	Enterococci-Quanti-Tray	10.0	UQ	MPN/100 mL	P427696	
2400695	SM 9222 D	Fecal Coliforms-Membrane Filter	3	BJQ	cfu/100 mL	P427824	

Ref. Method and Comment:
SM 9222 D: Laboratory duplicate result is 2 UJ. Precision data for this duplicate is unavailable due to the colony count falling outside of method acceptable range. Incubation period exceeded method limits by less than 1 hour.

Quality Assurance Report
Method Blank Results

Reference Method: Enterolert/QT
Batch ID: P427696

Component	Result	Code	Units
Enterococci-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SM 10150 B
Batch ID: P427880

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SM 9222 D
Batch ID: P427824

Component	Result	Code	Units
Fecal Coliforms-Membrane Filter	2	UJ	cfu/100 mL

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: SM 10150 B
Batch ID: P427880

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	94.5		P	84 - 116

Quality Assurance Report
Precision

Quality Assurance Report Precision

Reference Method: SM 10150 B
Batch ID: P427880

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2395987	Chlorophyll-a, Corrected	4.05	Sample	P	0 - 25
2395987	Chlorophyll-a, Uncorrected	5.77	Sample	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery	LCS	Precision SMP	MS
SM 10150 B	Chlorophyll-a, Corrected	94.5			4.05	
	Chlorophyll-a, Uncorrected				5.77	

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems	2395993, 2395994, 2396119, 2400694
SM 10150 B	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2395987, 2395988, 2395989
SM 9222 D	Fecal coliforms by membrane filter method - non-chlorinated water systems	2395995, 2396120, 2400695

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	03/23/2023	03/23/2023 13:49	Megan Higbee	03/24/2023 15:48	Megan Higbee	2395993, 2395994, 2396119, 2400694
SM 10150 B	03/23/2023	03/23/2023 15:18	Callie Williams	03/29/2023 10:10	Carina A. Tull	2395987, 2395988, 2395989
SM 9222 D	03/23/2023	03/23/2023 14:18	Megan Higbee	03/24/2023 16:27	Tynan A Branch	2400695
	03/23/2023	03/23/2023 14:18	Tynan A Branch	03/24/2023 16:27	Tynan A Branch	2395995
	03/23/2023	03/23/2023 14:22	Tynan A Branch	03/24/2023 16:27	Tynan A Branch	2396120