



**DIVERSIFIED**  
ENVIRONMENTAL LABORATORIES, INC.

CHAIN OF CUSTODY RECORD

Project Number: 231023.04  
(Lab Use Only)

3653 Regent Boulevard, Suite # 509  
Jacksonville, FL 32224  
P: (904) 807-9625 E: info@delillab.com  
F: (904) 807-9627

Page 1 of 1

|                                                                                                                         |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
|-------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------|--|
| Company Name                                                                                                            |  | Florida Department of Environmental Protection |  | Container Information (Qty, Size, & Type)                                                                              |  | Sample Matrix Codes:                                                                                             |  |
| Address                                                                                                                 |  | 8800 Baymeadows Way West                       |  | 250 mL                                                                                                                 |  | A. Air P. Petroleum<br>B. Bulk S. Soil/Sludge<br>W. Wipe O. Other<br>PW. Potable Water<br>NPW. Non-Potable Water |  |
| City                                                                                                                    |  | Jacksonville                                   |  | 250 mL                                                                                                                 |  |                                                                                                                  |  |
| State                                                                                                                   |  | FL                                             |  | 250 mL                                                                                                                 |  |                                                                                                                  |  |
| Zip                                                                                                                     |  | 32256                                          |  |                                                                                                                        |  |                                                                                                                  |  |
| Attn. Dep-overflowmicro@dep.state.fl.us                                                                                 |  |                                                |  | Sample Kit or Container Lot #                                                                                          |  |                                                                                                                  |  |
| Tel.                                                                                                                    |  |                                                |  | E-mail or Fax                                                                                                          |  |                                                                                                                  |  |
| Project Name Nassau West Boat                                                                                           |  |                                                |  | Parameters                                                                                                             |  |                                                                                                                  |  |
| Project Number 2023-10-23-23                                                                                            |  |                                                |  | Preservation Codes:                                                                                                    |  |                                                                                                                  |  |
| Project Location                                                                                                        |  |                                                |  | 0. None 5. Na2S2O3<br>1. H2SO4 6. Crushed Ice (4C)<br>2. HNO3 7. C6H8O6<br>3. HCl 8. NH4Cl<br>4. NaOH 9. Other: (list) |  |                                                                                                                  |  |
| Sampler Name/Signature Katin Vilings                                                                                    |  |                                                |  | Thermal Preservation:                                                                                                  |  |                                                                                                                  |  |
|                                                                                                                         |  |                                                |  | In Crushed Ice? Yes/ No                                                                                                |  |                                                                                                                  |  |
|                                                                                                                         |  |                                                |  | Cooler Temp: 0.0 °C                                                                                                    |  |                                                                                                                  |  |
|                                                                                                                         |  |                                                |  | Sample Cont. Temp: 0.2 °C                                                                                              |  |                                                                                                                  |  |
| Transfer # Sample # Sample Identification Date Sampled Time Sampled Sample Matrix Code Specific Cond. (Field) Comp Grab |  |                                                |  | E. Coli - Quantitray                                                                                                   |  |                                                                                                                  |  |
| -1 60504 19010085 10/23/23 1010 42 145.7 1                                                                              |  |                                                |  | Enterococci - Quantitray                                                                                               |  |                                                                                                                  |  |
| -2 60505 19010002 10/23/23 1045 42 47.5 1                                                                               |  |                                                |  | Coliform, Fecal - MF 3 Dilutions                                                                                       |  |                                                                                                                  |  |
| -3 60506 19010021 10/23/23 1115 42 91.8 1                                                                               |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
| -4                                                                                                                      |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
| -5                                                                                                                      |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
| -6                                                                                                                      |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
| -7                                                                                                                      |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
| -8                                                                                                                      |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
| -9                                                                                                                      |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
| -0                                                                                                                      |  |                                                |  |                                                                                                                        |  |                                                                                                                  |  |
| Special Instructions:                                                                                                   |  |                                                |  | Transfer Numbers Relinquished By Date / Time Received By Date / Time                                                   |  |                                                                                                                  |  |
|                                                                                                                         |  |                                                |  | 1-3 10/23/23 1406 M088 10/23/23 14:06                                                                                  |  |                                                                                                                  |  |



Certification #E821059

Lab General Form 059, Rev. #1, Rev. Date: 02/07/22, Effective Date: 02/07/22.

Visit us online & order kits at: www.delillab.com

# Project Login Form

DELI Project Number: 231023.04 Client Name: Florida Department of Environmental Protection

Date Received: 10/23/23 Received by: MTR PLF Completed by: MTR

## Courier/Shipper Information:

☒ Client ☐ DEL, Inc. ☐ Other (describe) \_\_\_\_\_

## Type & Number of Shipping Containers:

| # | Shipping Container Description | Crushed Ice   | Cooler/Ice Temp. (°C) | Sample Cont. Temp. (°C) |
|---|--------------------------------|---------------|-----------------------|-------------------------|
| 1 | <u>Cooler</u> Box Other:       | <u>Yes</u> No | <u>0.0</u>            | <u>0.2</u>              |
| 2 | Cooler Box Other:              | Yes No        |                       |                         |
| 3 | Cooler Box Other:              | Yes No        |                       |                         |

Note: If thermal preservation was used/required, pick a sample container from each cooler and use the IR gun to measure the sample temperature.

Therm Inv. #: 0441 IR Gun Inv. #: 0448

## Other Information Checklist:

|                                                                                          | YES                                 | NO                                  | NA                                  |
|------------------------------------------------------------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|
| 1 Were custody seals used for shipping containers(s)?                                    | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 2 If Yes, were the custody seals intact? If no, see comments below.                      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 3 Were custody seals used for sample containers(s)?                                      | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 4 If Yes, were the custody seals intact? If no, see comments below.                      | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 5 Did custody papers accompany samples? (such as COC, specifics, etc.)                   | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 6 Were the custody papers properly filled out?                                           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 7 Were the sample containers received in good condition? (If no, see comments)           | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 8 Were the sample container labels properly filled out? (date, time, preservation, etc.) | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 9 Were the labels on the sample containers and custody papers consistent?                | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 10 Were the samples in the correct containers for analysis?                              | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 11 Were the correct preservations used for each sample container according to analysis?  | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 12 Were the samples received within the appropriate holding times?                       | <input checked="" type="checkbox"/> | <input type="checkbox"/>            | <input type="checkbox"/>            |
| 13 Were pH preservation checks made?                                                     | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 14 Were the sample containers provided by DEL, Inc.?                                     | <input type="checkbox"/>            | <input checked="" type="checkbox"/> | <input type="checkbox"/>            |
| 15 Was this a sample kit provided by DEL, Inc.? If Yes, DEL, Inc. Kit #: <u>NA</u>       | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |
| 16 Were the VOA vials free of headspace? (No bubbles present)                            | <input type="checkbox"/>            | <input type="checkbox"/>            | <input checked="" type="checkbox"/> |

Are the samples acceptable for analysis? Yes If yes, proceed with login. If no, notify client immediately and list rejection reasons in comments area below. Also, please take any needed further action for rejected sample(s).

## Container Preservation Check:

Note: VOA vials will not be checked for pH at sample login. The testing laboratory will perform that check during analysis. The pH of microbiological samples will not be checked, due to the risk of contamination. The pH of Oil & Grease samples will not be checked during sample login, due to the potential loss of product. If adding a preservative to a sample after receiving it at the laboratory, the date and time the preservative was added must be documented below.

| DELI Sample #      | Parameters          | Cooler/ Container # | pH upon receipt | Preservative added after pH check? | If Yes, which preservative was added? (Incl. Vol.) | Preservative Lot # | New pH value | Sample container size & type? |
|--------------------|---------------------|---------------------|-----------------|------------------------------------|----------------------------------------------------|--------------------|--------------|-------------------------------|
| <u>66504-66506</u> | <u>E. coli - QT</u> | <u>1</u>            | <u>-</u>        | Yes / <u>No</u>                    | <u>-</u>                                           | <u>-</u>           | <u>-</u>     | <u>250mlp</u>                 |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |
|                    |                     |                     |                 | Yes / No                           |                                                    |                    |              |                               |

P = Plastic; G = Glass; AG = Amber Glass; TL = Teflon Lid; WM = Wide Mouth

☐ Sample preservation added upon receiving

Date: \_\_\_\_\_ Time: \_\_\_\_\_

## Comments:



October 30, 2023

Florida Department of Environmental Protection  
8800 Baymeadows Way West  
Jacksonville, FL 32256

Re: DELI Project Number: **231023.04**  
Client PO Number: **C1E35B**  
Client Project Description: **Nassau West Boat; 2023-10-23-23**

Enclosed is the report of laboratory analysis for the following sample(s):

| Sample Number | Sample Description | Date/Time Collected | Date/Time Received |
|---------------|--------------------|---------------------|--------------------|
| 66504         | 19010085           | 10/23/2023 10:10    | 10/23/2023 14:06   |
| 66505         | 19010002           | 10/23/2023 10:45    | 10/23/2023 14:06   |
| 66506         | 19010021           | 10/23/2023 11:15    | 10/23/2023 14:06   |

If you have any questions or comments concerning this laboratory report, please do not hesitate to contact us.

Sincerely,

Franklin A. Risk, Jr.  
Laboratory Director

Enclosures

This laboratory report consists of a cover page, case narrative page and report page. There may be multiple pages of each. The pages are numbered accordingly. The report may also contain chain of custody forms, project log in forms, QA/QC reports and client worksheets if applicable. The results herein relate only to the items tested or to the samples as received by the laboratory. The report shall not be reproduced except in full, without the written approval of the laboratory. All samples will be disposed of within 30 days of receipt, unless a written request to retain the samples longer is received. All samples referenced in this laboratory report are considered to be environmental samples. The case narrative will contain comments and or notes regarding the samples and analyses.

Cover Page 1 of 1

**NELAP #E821059**

Diversified Environmental Laboratories, Inc.  
3653 Regent Boulevard  
Suite 509  
Jacksonville, FL 32224



Phone 904.807.9625  
Fax 904.807.9627  
Email [info@delilab.com](mailto:info@delilab.com)  
Web [www.delilab.com](http://www.delilab.com)



## Case Narrative

October 30, 2023

Florida Department of Environmental Protection

Re: DELI Project Number: 231023.04  
Client Project Description: Nassau West Boat; 2023-10-23-23

Enclosed is the case narrative for the above referenced project:

---

There is nothing to report in the case narrative section of this laboratory report.

**Unless otherwise noted and where applicable:**

These samples were received at the proper temperature and with the proper preservation. The samples were analyzed as received, unless otherwise noted. All results in the Quality Control section are labeled appropriately. All results meet the requirements of the NELAP standards, unless otherwise noted. Footnotes are given at the end of the report.

Narrative Page 1 of 1

**NELAP #E821059**

Diversified Environmental Laboratories, Inc.  
3653 Regent Boulevard  
Suite 509  
Jacksonville, FL 32224



Phone 904.807.9625  
Fax 904.807.9627  
Email [info@delilab.com](mailto:info@delilab.com)  
Web [www.delilab.com](http://www.delilab.com)



## Report of Laboratory Analysis

### Florida Department of Environmental Protection

Project Description

**Nassau West Boat; 2023-10-23-23**

DELI  
Project Number

**231023.04**

Report Date: October 30, 2023

DELI Sample Number **66504**

Sample Description **19010085**

Matrix

**Non Potable Water**

Date/Time Collected

**10/23/2023 10:10**

| Parameters | Method     | Results | Footnote | Units     | DF | MDL | PQL | Incubation In    | Incubation Out   | Analyst | Analysis Date/Time |
|------------|------------|---------|----------|-----------|----|-----|-----|------------------|------------------|---------|--------------------|
| E. Coli QT | SM9223B/QT | 120.1   |          | MPN/100ml | 1  | 1.0 | 1.0 | 10/23/2023 15:40 | 10/24/2023 09:42 | DJV     | 10/23/2023 15:29   |





## Report of Laboratory Analysis

### Florida Department of Environmental Protection

Project Description

**Nassau West Boat; 2023-10-23-23**

DELI  
Project Number

**231023.04**

Report Date: October 30, 2023

DELI Sample Number **66505**  
Sample Description **19010002**

Matrix **Non Potable Water**  
Date/Time Collected **10/23/2023 10:45**

| Parameters | Method     | Results | Footnote | Units     | DF | MDL | PQL | Incubation In    | Incubation Out   | Analyst | Analysis Date/Time |
|------------|------------|---------|----------|-----------|----|-----|-----|------------------|------------------|---------|--------------------|
| E. Coli QT | SM9223B/QT | 48.0    |          | MPN/100ml | 1  | 1.0 | 1.0 | 10/23/2023 15:40 | 10/24/2023 09:42 | DJV     | 10/23/2023 15:29   |





## Report of Laboratory Analysis

### Florida Department of Environmental Protection

Project Description

**Nassau West Boat; 2023-10-23-23**

DELI  
Project Number

**231023.04**

Report Date: October 30, 2023

DELI Sample Number **66506**

Sample Description **19010021**

Matrix

**Non Potable Water**

Date/Time Collected

**10/23/2023 11:15**

| Parameters | Method     | Results | Footnote | Units     | DF | MDL | PQL | Incubation In    | Incubation Out   | Analyst | Analysis Date/Time |
|------------|------------|---------|----------|-----------|----|-----|-----|------------------|------------------|---------|--------------------|
| E. Coli QT | SM9223B/QT | 88.3    |          | MPN/100ml | 1  | 1.0 | 1.0 | 10/23/2023 15:40 | 10/24/2023 09:42 | DJV     | 10/23/2023 15:29   |





## Report of Laboratory Analysis

Florida Department of Environmental  
Protection

Project Description

Nassau West Boat; 2023-10-23-23

DELI  
Project Number

231023.04

Report Date: October 30, 2023

### Footnotes

|      |                                     |
|------|-------------------------------------|
| DF   | Dilution Factor                     |
| LCS  | Laboratory Control Sample           |
| LCSD | Laboratory Control Sample Duplicate |
| MB   | Method Blank                        |
| MDL  | Method Detection Limit              |
| MS   | Matrix Spike                        |
| MSD  | Matrix Spike Duplicate              |
| NA   | Not Applicable                      |
| ND   | Not Detected/None Detected          |
| PQL  | Practical Quantification Limit      |
| RPD  | Relative Percent Deviation          |





## Quality Control Data

Date Printed: October 30, 2023

QC Data for Project Number: 231023.04

Page QC-1 of 1

Batch No: B26819

Associated Samples

TestCode: Micro: E. Coli (Quanti-Tray) - SM9223B

66504, 66505, 66506

| Compound             | Blank  | LCS<br>Spike | LCS<br>%Rec | LCSD<br>%Rec | RPD<br>% | ---QC Limits--- |  | MS<br>Spike | MS<br>%Rec | MSD<br>%Rec | RPD<br>% | ---QC Limits--- |  | Sample Dup<br>%RPD | --QC Limit--<br>%RPD | Qualifiers |
|----------------------|--------|--------------|-------------|--------------|----------|-----------------|--|-------------|------------|-------------|----------|-----------------|--|--------------------|----------------------|------------|
| Parent Sample Number |        |              |             |              |          |                 |  |             |            |             |          |                 |  | 66506              |                      |            |
| E. Coli QT           | <1.0 U |              |             |              |          |                 |  |             |            |             |          |                 |  | 5.9                | 105                  |            |

\* Indicates value is outside control limits for %Recovery or greater than acceptance criteria for RPD

### Footnotes

U Compound analyzed for, but not detected.

NELAP #E821059

Diversified Environmental Laboratories, Inc.  
3653 Regent Boulevard  
Suite 509  
Jacksonville, FL 32224



Phone 904.807.9625  
Fax 904.807.9627  
Email [info@delilab.com](mailto:info@delilab.com)  
Web [www.delilab.com](http://www.delilab.com)