

Chemical Analysis Report

NE-DIST-2023-10-26-02

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Thomas Creek Deploy**
Request ID: **RQ-2023-10-02-48**
Customer: **NE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
8800 Baymeadows Way West
Suite 100
Jacksonville, FL 32256
Attn: Jeremy Parrish

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Chris Bowen, Environmental Administrator

Date Certified: 13-NOV-2023 11:01



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: THOMAS CREEK 5 MILES DOWN FROM ETHEL Collection Date/Time: 10/25/2023 10:10

Field ID: G4NE0298

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2447397	DEP SOP: NU-094-1	Color (true)	480		PCU	P437054	
	EPA 180.1 Rev. 2.0	Turbidity	2.6		NTU	P437060	
	EPA 300.0 Rev. 2.1	Chloride	100		mg Cl/L	P437503	
		Sulfate	10		mg SO4/L	P437507	
	SM 2320 B-2011	Total Alkalinity	25		mg CaCO3/L	P437159	
	SM 2540 C-2015	TDS	294	A	mg/L	P437565	
	SM 2540 D-2015	TSS	3	IA	mg/L	P437416	
	SM 4500-F- C-2011	Fluoride	0.078	I	mg F/L	P437162	
2447398	EPA 350.1 Rev. 2.0	Ammonia-N	0.016		mg N/L	P437142	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	1.4		mg N/L	P437063	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.012		mg N/L	P437365	
	EPA 365.1 Rev. 2.0	Total-P	0.29		mg P/L	P437069	
	SM 5310 B-2011	Organic Carbon	42		mg C/L	P437266	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: DEP SOP: NU-094-1
Batch ID: P437054

Component	Result	Code	Units
Color (true)	2.5	U	PCU

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P437060

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P437503

Component	Result	Code	Units
Chloride	0.20	U	mg Cl/L

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P437507

Component	Result	Code	Units
Sulfate	0.20	U	mg SO4/L

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P437142

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P437063

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P437365

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P437069

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P437159

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Quality Assurance Report

Method Blank Results

Reference Method: SM 2540 C-2015
Batch ID: P437565

Component	Result	Code	Units
TDS	15	U	mg/L

Reference Method: SM 2540 D-2015
Batch ID: P437416

Component	Result	Code	Units
TSS	2	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P437162

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P437266

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: DEP SOP: NU-094-1
Batch ID: P437054

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Color (true)	101		P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P437060

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	104		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P437503

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chloride	102		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P437507

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Sulfate	101		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P437142

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	99.8		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P437063

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	102		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P437365

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	100		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P437069

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	101		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P437159

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	97.8		P	92 - 105

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: SM 2540 C-2015
Batch ID: P437565

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TDS	94.8		P	85 - 115

Reference Method: SM 2540 D-2015
Batch ID: P437416

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	109		P	85 - 115

Reference Method: SM 4500-F- C-2011
Batch ID: P437162

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	103		P	94 - 106

Reference Method: SM 5310 B-2011
Batch ID: P437266

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	94.4		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P437503

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2447305	Chloride	103		P	90 - 110
2447362	Chloride	101		P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P437507

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2447305	Sulfate	103		P	90 - 110
2447362	Sulfate	103		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P437142

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2447283	Ammonia-N	101	101	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P437063

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2447104	Kjeldahl Nitrogen	106	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P437365

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2447341	NO2NO3-N	94.5	94.0	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P437069

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2447415	Total-P	104	98.3	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P437162

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2447414	Fluoride	103	102	P/P	94 - 106

Reference Method: SM 5310 B-2011
Batch ID: P437266

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2447283	Organic Carbon	93.7	95.6	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: DEP SOP: NU-094-1
Batch ID: P437054

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447414	Color (true)	0.741	Sample	P	0 - 20

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P437060

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447360	Turbidity	4.35	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P437503

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447305	Chloride	0.800	Sample	P	0 - 20

Reference Method: EPA 300.0 Rev. 2.1
Batch ID: P437507

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447305	Sulfate	0.628	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P437142

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447283	Ammonia-N	0.396	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P437063

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447104	Kjeldahl Nitrogen	2.67	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P437365

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447341	NO2NO3-N	0.531	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P437069

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447415	Total-P	5.43	Spike	P	0 - 20

Quality Assurance Report Precision

Reference Method: SM 2320 B-2011
Batch ID: P437159

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447414	Total Alkalinity	2.91	Sample	P	0 - 3.9

Reference Method: SM 2540 C-2015
Batch ID: P437565

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447397	TDS	1.70	Sample	P	0 - 10

Reference Method: SM 4500-F- C-2011
Batch ID: P437162

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447414	Fluoride	0.467	Spike	P	0 - 1.9

Reference Method: SM 5310 B-2011
Batch ID: P437266

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2447283	Organic Carbon	1.86	Spike	P	0 - 20

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: DEP SOP: NU-094-1
Run ID: A122390
Included Lab Sample IDs: 2447397

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Color (true)	102	101	P/P	90 - 110

Reference Method: EPA 180.1 Rev. 2.0
Run ID: A122392
Included Lab Sample IDs: 2447397

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	100	100	P/P	95 - 105

Reference Method: EPA 351.2 Rev. 2.0
Run ID: A122432
Included Lab Sample IDs: 2447398

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	94.7	99.7	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Run ID: A122434
Included Lab Sample IDs: 2447398

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	99.9	97.6	P/P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Run ID: A122439
Included Lab Sample IDs: 2447398

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	100	99.7	P/P	90 - 110

Reference Method: SM 2320 B-2011
Run ID: A122444
Included Lab Sample IDs: 2447397

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	95.8	97.8	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Run ID: A122444
Included Lab Sample IDs: 2447397

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	103	103	P/P	90 - 110

Reference Method: SM 5310 B-2011
Run ID: A122507
Included Lab Sample IDs: 2447398

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	96.6	96.6	P/P	90 - 110

Quality Assurance Report

Calibration Verification

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A122558

Included Lab Sample IDs: 2447398

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: EPA 300.0 Rev. 2.1

Run ID: A122610

Included Lab Sample IDs: 2447397

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chloride	101	103	P/P	90 - 110
Sulfate	101	103	P/P	90 - 110

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision	
					LCS	MS
DEP SOP: NU-094-1	Color (true)	101			0.741	
EPA 180.1 Rev. 2.0	Turbidity	104			4.35	
EPA 300.0 Rev. 2.1	Chloride	102	103	101	0.800	
	Sulfate	101	103	103	0.628	
EPA 350.1 Rev. 2.0	Ammonia-N	99.8	101	101		0.396
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	102	106	101		2.67
EPA 353.2 Rev. 2.0	NO2NO3-N	100	94.5	94.0		0.531
EPA 365.1 Rev. 2.0	Total-P	101	104	98.3		5.43
SM 2320 B-2011	Total Alkalinity	97.8			2.91	
SM 2540 C-2015	TDS	94.8			1.70	
SM 2540 D-2015	TSS	109				
SM 4500-F- C-2011	Fluoride	103	103	102		0.467
SM 5310 B-2011	Organic Carbon	94.4	93.7	95.6		1.86

Reference Method Descriptions

Method	Description	Associated Samples
DEP SOP: NU-094-1	True Color measured at 450 nm (not valid for NPDES monitoring)	2447397
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2447397
EPA 300.0 Rev. 2.1	Chloride in aqueous matrices	2447397
EPA 300.0 Rev. 2.1	Sulfate in aqueous matrices	2447397
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2447398
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2447398
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2447398
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2447398
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO3/L	2447397
SM 2540 C-2015	Total Dissolved Solids in aqueous matrices	2447397
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2447397
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2447397
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2447398

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
DEP SOP: NU-094-1	10/26/2023			10/26/2023 15:56	Chandler E Cox	2447397
EPA 180.1 Rev. 2.0	10/26/2023			10/26/2023 14:46	Khloe J Berg	2447397
EPA 300.0 Rev. 2.1	10/26/2023			11/07/2023 09:53	James L Waggeberby	2447397
EPA 350.1 Rev. 2.0	10/26/2023			10/30/2023 13:53	Ping Hua	2447398
EPA 351.2 Rev. 2.0	10/26/2023	10/27/2023 09:39	Samantha L Bates	10/30/2023 10:34	Samantha L Bates	2447398
EPA 353.2 Rev. 2.0	10/26/2023			11/02/2023 12:46	Fadila Guebre	2447398
EPA 365.1 Rev. 2.0	10/26/2023	10/27/2023 12:52	Adam P Silver	10/30/2023 11:46	Chandler E Cox	2447398
SM 2320 B-2011	10/26/2023			10/31/2023 01:04	Adam P Silver	2447397
SM 2540 C-2015	10/26/2023			10/31/2023 14:50	Yijie Li	2447397
SM 2540 D-2015	10/26/2023			10/31/2023 14:50	Yijie Li	2447397
SM 4500-F- C-2011	10/26/2023			10/31/2023 01:04	Adam P Silver	2447397
SM 5310 B-2011	10/26/2023			11/01/2023 17:45	Elise M. Gillis	2447398