

Biological Analysis Report

CEN-DIST-2023-10-11-04

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **Run 20**
Request ID: **RQ-2023-10-09-25**
Customer: **CEN-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
3319 Maguire Blvd., Suite 232
Orlando, FL 32803-3767
Attn: Matthew Bearden

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Cheryl A. Swanson, Program Administrator

Date Certified: 27-NOV-2023 12:33



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Microbiology and Molecular.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: Smith Canal 40M S of Johns PKWY

Collection Date/Time: 10/10/2023 09:39

Field ID: G2CE0241

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2444331	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	69.1	Q	MPN/100 mL	P436556	
2444336	SOP-PCR-1.0	HF183-purified-qPCR**	1.1E+03	UJ	TSC/100 mL	P437130	LCS, SUR
	SOP-PCR-1.4	BacR-purified-qPCR**	9.9E+03	J	TSC/100 mL	P437130	LCS, SUR
	SOP-PCR-1.5	DG3-purified-qPCR**	860	UJ	TSC/100 mL	P437130	LCS, SUR

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

SOP-PCR-1.0: Precision data unavailable for HF183-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.4: Precision data unavailable for BacR-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

SOP-PCR-1.5: Precision data unavailable for DG3-purified-qPCR component. Refer to the Lab Analysis Report for an explanation of QC Codes.

Sample Location: Mills Creek at Park

Collection Date/Time: 10/10/2023 10:05

Field ID: G2CE0233

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2444332	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	435.2	Q	MPN/100 mL	P436556	
2444337	SOP-PCR-1.0	HF183-qPCR**	1.7E+03	U	TSC/100 mL	P436033	
	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	U	TSC/100 mL	P436033	
	SOP-PCR-1.3	GFD-qPCR**	440	I	TSC/100 mL	P436033	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P436033	LCS
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P436033	LCS

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

Sample Location: Chub Creek at Cameron Ave

Collection Date/Time: 10/10/2023 10:33

Field ID: G2CE0270

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2444334	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	21.3	Q	MPN/100 mL	P436556	

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

Sample Location: Elder Springs at US of Myrtle St

Collection Date/Time: 10/10/2023 11:20

Field ID: G2CE0120

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2444333	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	579.4	Q	MPN/100 mL	P436556	

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

Sample Location: Phelps Creek 85M N of Lake Mary BLVD

Collection Date/Time: 10/10/2023 11:00

Field ID: G2CE0247

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2444330	SM 9223 B Quanti-Tray	Escherichia Coli-Quanti-Tray	216.0	Q	MPN/100 mL	P436556	
2444335	SOP-PCR-1.0	HF183-qPCR**	1.7E+03	U	TSC/100 mL	P436033	
	SOP-PCR-1.4	BacR-qPCR**	2.69E+04		TSC/100 mL	P436033	LCS
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P436033	LCS

Ref. Method and Comment:

SM 9223 B Quanti-Tray: Precision data is unavailable for E. coli due to the small amount of analyte in the QC sample for the batch.

Quality Assurance Report

Method Blank Results

Reference Method: SM 9223 B Quanti-Tray
Batch ID: P436556

Component	Result	Code	Units
Escherichia Coli-Quanti-Tray	1.0	U	MPN/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P436033

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.0
Batch ID: P437130

Component	Result	Code	Units
HF183-purified-qPCR	550	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P436033

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P436033

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P436033

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P437130

Component	Result	Code	Units
BacR-purified-qPCR	510	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P436033

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P437130

Component	Result	Code	Units
DG3-purified-qPCR	430	U	TSC/100 mL

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P436033

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	79.9	85.4	P/P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P437130

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-purified-qPCR	93.4	7.72	P/F	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P436033

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	96.6	79.3	P/P	50 - 175

Reference Method: SOP-PCR-1.3
Batch ID: P436033

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	83.8	67.7	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P436033

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	104	46.2	P/F	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P437130

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-purified-qPCR	96.0	4.29	P/F	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P436033

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	94.3	43.9	P/F	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P437130

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-purified-qPCR	91.2	3.94	P/F	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P436033

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P436033

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2443197	HF183-qPCR	83.3	80.6	P/P	50 - 175
2443379	HF183-qPCR	87.6		P	50 - 175
2443415	HF183-qPCR	87.7		P	50 - 175
2443447	HF183-qPCR	83.1		P	50 - 175
2444335	HF183-qPCR	77.0		P	50 - 175
2444337	HF183-qPCR	58.5		P	50 - 175
2444617	HF183-qPCR	96.0		P	50 - 175
2444690	HF183-qPCR	99.6		P	50 - 175
2444691	HF183-qPCR	79.8		P	50 - 175
2444692	HF183-qPCR	91.5		P	50 - 175
2444960	HF183-qPCR	87.5		P	50 - 175

Reference Method: SOP-PCR-1.0
Batch ID: P437130

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2440676	HF183-purified-qPCR	94.7		P	50 - 175
2444336	HF183-purified-qPCR	90.3		P	50 - 175
2444618	HF183-purified-qPCR	97.4		P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P436033

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2443197	GULL2-qPCR	90.2	101	P/P	50 - 175
2443379	GULL2-qPCR	94.1		P	50 - 175
2443447	GULL2-qPCR	79.3		P	50 - 175
2444337	GULL2-qPCR	72.8		P	50 - 175

Reference Method: SOP-PCR-1.3
Batch ID: P436033

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2443197	GFD-qPCR	101	90.3	P/P	50 - 175
2443379	GFD-qPCR	90.8		P	50 - 175
2443447	GFD-qPCR	84.4		P	50 - 175
2444337	GFD-qPCR	81.3		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P436033

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2443197	BacR-qPCR	85.7	88.2	P/P	50 - 175
2443379	BacR-qPCR	89.4		P	50 - 175
2443415	BacR-qPCR	77.0		P	50 - 175
2443447	BacR-qPCR	77.1		P	50 - 175
2444335	BacR-qPCR	72.2		P	50 - 175
2444337	BacR-qPCR	78.9		P	50 - 175
2444617	BacR-qPCR	77.8		P	50 - 175
2444690	BacR-qPCR	88.8		P	50 - 175
2444691	BacR-qPCR	82.1		P	50 - 175
2444692	BacR-qPCR	73.1		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.4
Batch ID: P436033

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2444960	BacR-qPCR	61.0		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P437130

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2440676	BacR-purified-qPCR	84.4		P	50 - 175
2444336	BacR-purified-qPCR	92.5		P	50 - 175
2444618	BacR-purified-qPCR	82.8		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P436033

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2443197	DG3-qPCR	92.6	98.9	P/P	50 - 175
2443379	DG3-qPCR	93.6		P	50 - 175
2443415	DG3-qPCR	88.8		P	50 - 175
2443447	DG3-qPCR	79.1		P	50 - 175
2444335	DG3-qPCR	68.7		P	50 - 175
2444337	DG3-qPCR	63.4		P	50 - 175
2444617	DG3-qPCR	92.3		P	50 - 175
2444690	DG3-qPCR	90.4		P	50 - 175
2444691	DG3-qPCR	83.1		P	50 - 175
2444692	DG3-qPCR	74.6		P	50 - 175
2444960	DG3-qPCR	67.7		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P437130

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2440676	DG3-purified-qPCR	96.7		P	50 - 175
2444336	DG3-purified-qPCR	93.9		P	50 - 175
2444618	DG3-purified-qPCR	94.4		P	50 - 175

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P436033

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2443197	HF183-qPCR	3.33	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2
Batch ID: P436033

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2443197	GULL2-qPCR	11.2	Spike	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.3
Batch ID: P436033

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2443197	GFD-qPCR	10.9	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P436033

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2443197	BacR-qPCR	2.88	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P436033

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2443197	DG3-qPCR	6.53	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2444335
Field Sample ID: G2CE0247

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	86.4	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	97.1	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	94.8	P	50 - 300

Lab Sample ID: 2444336
Field Sample ID: G2CE0241

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	31.2	F	50 - 300
SOP-PCR-1.4	SKETA-qPCR	38.5	F	50 - 300
SOP-PCR-1.5	SKETA-qPCR	30.4	F	50 - 300

Lab Sample ID: 2444337
Field Sample ID: G2CE0233

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	85.8	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	95.2	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	91.4	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	87.3	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	103	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision	
							LCS	SMP
SOP-PCR-1.0	HF183-purified-qPCR	7.72	93.4	94.7	90.3	97.4		
	HF183-qPCR	85.4	79.9	83.3	80.6	87.6		3.33
SOP-PCR-1.2	GULL2-qPCR	79.3	96.6	90.2	101	94.1		11.2
				79.3				
SOP-PCR-1.3	GFD-qPCR	67.7	83.8	101	90.3	90.8		10.9
				84.4				
SOP-PCR-1.4	BacR-purified-qPCR	4.29	96.0	84.4	92.5	82.8		
	BacR-qPCR	46.2	104	85.7	88.2	89.4		2.88
SOP-PCR-1.5	DG3-purified-qPCR	3.94	91.2	96.7	93.9	94.4		
	DG3-qPCR	43.9	94.3	88.8	79.1	68.7		6.53
				92.6				

Reference Method Descriptions

Method	Description	Associated Samples
SM 9223 B Quanti-Tray	Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems	2444330, 2444331, 2444332, 2444333, 2444334
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2444335, 2444337
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2444336
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2444337
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2444337
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2444335, 2444337
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2444336
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2444335, 2444337
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2444336

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 9223 B Quanti-Tray	10/11/2023	10/11/2023 15:25	Callie Williams	10/12/2023 10:05	Callie Williams	2444330, 2444331, 2444332, 2444333, 2444334
SOP-PCR-1.0	10/11/2023	10/11/2023 13:37	Claudia Castro	10/30/2023 09:23	Roberta Tatti	2444335, 2444337
	10/11/2023	10/11/2023 13:37	Madeline Gruver	10/31/2023 10:07	Roberta Tatti	2444336
SOP-PCR-1.2	10/11/2023	10/11/2023 13:37	Claudia Castro	11/03/2023 09:55	Roberta Tatti	2444337
SOP-PCR-1.3	10/11/2023	10/11/2023 13:37	Claudia Castro	11/06/2023 09:09	Roberta Tatti	2444337
SOP-PCR-1.4	10/11/2023	10/11/2023 13:37	Claudia Castro	11/02/2023 09:43	Roberta Tatti	2444335, 2444337
	10/11/2023	10/11/2023 13:37	Madeline Gruver	10/31/2023 18:06	Madeline Gruver	2444336
SOP-PCR-1.5	10/11/2023	10/11/2023 13:37	Claudia Castro	11/02/2023 10:57	Roberta Tatti	2444335, 2444337
	10/11/2023	10/11/2023 13:37	Madeline Gruver	10/31/2023 10:07	Roberta Tatti	2444336