

From: [Atchison, Jessie](#)
To: [Reaves, Shawn D](#); [Boman, Leif](#)
Subject: RE: RQ-2023-10-16-11
Date: Thursday, November 9, 2023 12:15:07 PM
Attachments: [image003.png](#)

Good afternoon Shawn,

This canal is a tidal canal, so the conductance is affected depending on if the tide is coming or going. The matrix and conductance listed is correct. Thanks for reaching out for clarification and let me know if you have any other questions!

Thanks,



Jessie Atchison
Florida Department of Environmental Protection
Division of Environmental Assessment and Restoration
Environmental Specialist
Jessie.Archison@FloridaDEP.gov
Office: 407-897-4183

From: Reaves, Shawn D <Shawn.Reaves@FloridaDEP.gov>
Sent: Thursday, November 9, 2023 11:33 AM
To: Atchison, Jessie <Jessie.Archison@FloridaDEP.gov>; Boman, Leif <Leif.Boman@FloridaDEP.gov>
Subject: RQ-2023-10-16-11

Good afternoon,

The sample has a specific conductance of 667 which is not consistent with salt water. Can you verify please?

Thank you,
Shawn Reaves

	RQ-2023-10-16-11					Collected By: Jessie Atchison, Leif Boman				
	Customer: FDEP					Field Report Prepared by: Jessie Atchison, Leif Boman				
	Project ID: SMP					Sampling Agency: FDEP				
WIN ID/Field ID:						Comments:				
WIN ID/Field ID: G5CE0156										
Location: REED CANAL AT REED CANAL PARK										
Matrix: Marine						(Check One) ☒ Grab ☐ Composite				
Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)	
10/18/2023 1120	3.09	34.7	21.1	7.21	0.3	0.9	0.9	667	0.33	
								# Bottles	Bottle	

Login Checklist

RQ- 2023-10-16-11

Login Station ID: #3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/19/23 @ 0920

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.7				16		x			648484590750

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included? Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes X No _____

Caps on tight? Yes X No _____

Sufficient Sample Volume: Yes X No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes X No _____ Init: BKK

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: ABR

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0? Yes X No _____ NA _____ Init: BKK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: BKK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: BKK

Date: 10/19/23

Event contains NCRs (Y/N)? N

Run 1

Event ID: CEN-DIST-2023-10-19-01 (SMP)

Date Received: 19-OCT-2023 09:20

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Infrared Thermometer ID:	IR TEMP GUN #3 Exp:10/16/2024
pH Test Strips 0 – 6	Lot#223819BV Exp:8/15/24
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#207621 Exp:3/15/24
Chlorine Test Strips	Lot#2313 Exp:7/25

Additional Comments:

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 10/18/2023 **Collected By:** Leif Boman, Jessie Atchison
Customer: CEN-DIST **Sampling Agency:** FDEP
RQ: RQ-2023-10-16-11 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB


Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
REED CANAL AT REED CANAL PARK	 G5CE0156
FB	 FB_10182023
SAND CREEK AT 100M US OF CR 415	 G5CE0094
UNNAMED DITCH AT 100M US OF MADELINE AVE	 G5CE0092

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 10/18/2023
1600 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:



Rec'd/Inspected

Date: 10/19/2023 0920



RQ-2023-10-16-11

Collected By: Jessie Atchison, Leif Boman

Customer: FDEP

Field Report Prepared by: Jessie Atchison, Leif Boman

Project ID: SMP

Sampling Agency: FDEP

 WIN ID/Field ID: 
 WIN ID/Field ID: G5CE0156

Comments:

Location: REED CANAL AT REED CANAL PARK

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
10/18/2023 1120	3.09	34.7	21.1	7.21	0.3	0.9	0.9	667	0.33

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A
		Lot #	SA3193140	Exp:	07/31/2024							
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice	HNO3*		<2			
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 µm Filter			Ice					
		Filter Lot #		Syringe Lot #								
BOD (BP-1L)		OV-BODUNIN					Ice					
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	A	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice			1	A	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice					
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin					
Periphyton (PT-50ML)		ALGAE-ID					Ice					
Microbiology (Contract Lab Bottle)		E Coli		F Coli	X	Enterococci	X	Ice		1	A	
		Contract Lab										
Molecular (QPCR-P-500ML)	X	PCR-HF183		X	PCR-BacR	X	PCR-DG3	X	Ice	1	A	
		PCR-GULL2			PCR-GFD							
Tracers (BG-500ML)	X	W-E8321-DI		X	W-E8321-MS		X	Ice		1	A	
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ			Ice	MCAA Exp.	MCAA Lot#		
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R							
		W-TR-SQ-R	W-PCB-TQ-R									
Phytoplankton (BP-1L)		DTY-QN-C		PKD-QN-BV			Ice					
DOC (P-500ML)		W-DOC	Field Filtered 0.45 µm Filter			Ice		H2SO4*		<2		
	Acid Preservative Expiration Date											
	Acid Preservative Lot Number											



RQ-2023-10-16-11

Collected By: Jessie Atchison, Leif Boman

Customer: FDEP

Field Report Prepared by: Jessie Atchison, Leif Boman

Project ID: SMP

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: FB_10182023

Comments:

Location: FB

Matrix: W-FIELD-BLANK

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)			
10/18/2023 1104												
Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	D
		Lot #		SA3193140	Exp:	07/31/2024						
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice	HNO3*		<2			
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 um Filter		Ice						
		Filter Lot #	Syringe Lot #									
BOD (BP-1L)		OV-BODUNIN				Ice						
Chlorophyll (BP-1L)		CHLSUITE-W				Ice						
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS				X	Ice			1	D	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice					
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin					
Periphyton (PT-50ML)		ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)		E Coli	F Coli	Enterococci		Ice						
		Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183	PCR-BacR	PCR-DG3		Ice						
		PCR-GULL2	PCR-GFD									
Tracers (BG-500ML)		W-E8321-DI	W-E8321-MS				Ice					
		W-E8321-DI	W-E8321-MS		W-PSNP-TQ			MCAA Exp.	MCAA Lot#			
Pesticides (BG-500ML) (BG-1L)		W-PCL-TQ-R	W-CAR8-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R		Ice					
		W-TR-SQ-R	W-PCB-TQ-R									
Phytoplankton (BP-1L)		DTY-QN-C	PKD-QN-BV			Ice						
DOC (P-500ML)		W-DOC	Field Filtered 0.45 um Filter			Ice	H2SO4*		<2			
		Acid Preservative Expiration Date										
		Acid Preservative Lot Number										



RQ-2023-10-16-11	Collected By: Leif Boman, Jessie Atchison
Customer: FDEP	Field Report Prepared by: Leif Boman, Jessie Atchison
Project ID: SMP	Sampling Agency: FDEP

Comments:

WIN ID/Field ID: 
WIN ID/Field ID: G5CE0094

Location: SAND CREEK AT 100M US OF CR 415

Matrix: Fresh

(Check One)

☒ **Grab**

☐ **Composite**

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)		
10/18/2023 1234	5.57	58.9	18.1	4.08	0.3	0.3	1	97.3	0.05		
Parameter Suite	Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice	H2SO4*	<2				
	Lot #		Exp:								
Metals (P-500ML)	W-ICPMS / W-ICP / W-HARD				Ice	HNO3*	<2				
	Lot #		Exp:								
Filtered Nutrients (P125ML)	W-PO4-F / Field Filtered 0.45 µm Filter				Ice						
	Filter Lot #	Syringe Lot #									
BOD (BP-1L)	OV-BODUNIN				Ice						
Chlorophyll (BP-1L)	CHLSUITE-W				Ice						
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				Ice						
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice						
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #		Formalin							
Periphyton (PT-50ML)	ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)	X	E Coli	F Coli	Enterococci	x	Ice				1	C
	Contract Lab										
Molecular (QPCR-P-500ML)	PCR-HF183 / PCR-BacR / PCR-DG3				Ice						
	PCR-GULL2 / PCR-GFD										
Tracers (BG-500ML)	W-E8321-DI / W-E8321-MS				Ice						
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS	W-PSNP-TQ	Ice	MCAA Exp.	MCAA Lot#					
	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)	W-CT-CL-R								
	W-TR-SQ-R	W-PCB-TQ-R									
Phytoplankton (BP-1L)	DTY-QN-C / PKD-QN-BV				Ice						
DOC (P-500ML)	W-DOC	Field Filtered 0.45 µm Filter			Ice	H2SO4*	<2				
		Acid Preservative Expiration Date									
		Acid Preservative Lot Number									



RQ-2023-10-16-11

Collected By: Leif Boman, Jessie Atchison

Customer: FDEP

Field Report Prepared by: Leif Boman, Jessie Atchison

Project ID: SMP

Sampling Agency: FDEP

Comments:

WIN ID/Field ID:



WIN ID/Field ID: G5CE0092

Location: UNNAMED DITCH AT 100M US OF MADELINE AVE

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
10/18/2023 1211	3.68	41.8	21.7	7.04	0.3	0.6	0.6	424.9	0.2

Parameter Suite	Parameter Methods				Preservation	pH Check	# Bottles sent to Lab	Bottle Group	
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice	H2SO4*	<2		
	Lot #		Exp:						
Metals (P-500ML)	W-ICPMS				Ice	HNO3*	<2		
	Lot #		Exp:						
Filtered Nutrients (P125ML)	W-PO4-F				Ice				
	Filter Lot #	Syringe Lot #							
BOD (BP-1L)	OV-BODUNIN				Ice				
Chlorophyll (BP-1L)	CHLSUITE-W				Ice				
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				Ice				
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice				
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #			Formalin				
Periphyton (PT-50ML)	ALGAE-ID				Ice				
Microbiology (Contract Lab Bottle)	X	E Coli	F Coli	Enterococci	x	Ice	1	B	
	Contract Lab								
Molecular (QPCR-P-500ML)	PCR-HF183				Ice				
	PCR-GULL2								
Tracers (BG-500ML)	W-E8321-DI				Ice				
	W-E8321-MS								
	W-PSNP-TQ								
Pesticides (BG-500ML) (BG-1L)	X	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)	X	W-CT-CL-R	x	Ice	MCAA Exp.	MCAA Lot#
		W-TR-SQ-R	X	W-PCB-TQ-R					
Phytoplankton (BP-1L)	DTY-QN-C				Ice				
	PKD-QN-BV								
DOC (P-500ML)	W-DOC				Ice	H2SO4*	<2		
	Field Filtered 0.45 µm Filter								
	Acid Preservative Expiration Date								
	Acid Preservative Lot Number								

Date of Request: 06-SEP-2023
 Created By: BEARDEN_M On: 06-SEP-2023
 Modified By: JASROTIA_P On: 27-SEP-2023
 Customer: CEN-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Central District
 Event Description: Run 1

Send Coolers To:

Phone: 407-897-4123
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Matthew Bearden
 Cooler Ship EMail: matthew.bearden@floridadep.gov

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 27-SEP-2023
 Biology Request Reviewed By: JASROTIA_P On: 27-SEP-2023
 Sampling Kit Required: YES Ship on: 09-OCT-2023
 Sampling Kit Shipped: YES On: 06-OCT-2023
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: NO
 Date to Receive Samples: 19-OCT-2023
 Logged In By:

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Matthew Bearden
 Report Notification EMail:
 matthew.bearden@floridadep.gov;jessie.atchison@floridadep.gov
 v

Comments:**Bottle Group A (Water) With 1 Samples:**

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ENT-24-QT	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert Quanti-Tray method - non-chlorinated water systems
Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-DG3	Template: DEFAULT	(SOP-PCR-1.5) Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: BG-500ML FILL TO	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Chlordane and Toxaphene in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template: DEFAULT	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.