

RQ-2023-10-16-13

Login Checklist

Login Station ID: #4

Shipping Method: ☒ FedEx | ☐ UPS | ☐ HD | ☐ Greyhound

Date/Time of Receipt: 10/ 20 /2023@09:06

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
1.2				4		X			648484594138

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes ☒ No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No ☒

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No _____ NA ☒ Evidence Tape intact? Yes _____ No _____If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes ☒ No _____Caps on tight? Yes ☒ No _____Sufficient Sample Volume: Yes ☒ No _____If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes _____ No ☒ Init: TL

Chlorine detected? (One container checked per Field ID)

Yes _____ No _____ Init: _____

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

Acid Preserved Samples: pH < 2.0? Yes ☒ No _____ NA _____ Init: TLW-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA ☒ Init: TL

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: TL

Date: 10/ 20 /2023

Event contains NCRs (Y/N)? N

Event ID: CEN-DIST-2023-10-20-03

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #4 Exp:10/16/2024
pH Test Strips 0 – 6	LOT# 223819AV Exp: AUG 30, 2023
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT# 207621 Exp: March 15, 2024
Chlorine Test Strips	LOT# 2313 Exp: July 2025

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 10/19/2023 **Collected By:** Leif Boman, Victoria Schwartz
Customer: CEN-DIST **Sampling Agency:** FDEP
RQ: RQ-2023-10-16-13 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
SWEETWATER CREEK AT ARTESIA ST	 G2CE0287
SWEETWATER CREEK AT KANSAS ST	 G2CE0203
SWEETWATER CREEK AT HOWARD AVE	 G2CE0273

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 10/19/2023

1600 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: TL

Rec'd/Inspected Date: 10/20/23



RQ-2023-10-16-13

Customer: FDEP

Project ID: SMP

Collected By: Leif Boman, Victoria Schwartz

Field Report Prepared by: Leif Boman, Victoria Schwartz

Sampling Agency: FDEP

 WIN ID/Field ID: 
 WIN ID/Field ID: G2CE0287

Comments:

Location: SWEETWATER CREEK AT ARTESIA ST

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
10/19/2023 1011	7.57	83	19.7	7.3	0.1	0.2	0.2	457.3	0.22

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice	H2SO4*		<2		
	Lot #		Exp:							
Metals (P-500ML)	x	W-ICPMS	x	W-ICP	x	W-HARD	x	Ice	x	HNO3*
	Lot #		NA3193130		Exp:		07/27/2024		X	<2
Filtered Nutrients (P125ML)	W-PO4-F		Field Filtered 0.45 µm Filter			Ice				
	Filter Lot #	Syringe Lot #								
BOD (BP-1L)	OV-BODUNIN				Ice					
Chlorophyll (BP-1L)	CHLSUITE-W				Ice					
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				Ice					
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice					
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #			Formalin					
Periphyton (PT-50ML)	ALGAE-ID				Ice					
Microbiology (Contract Lab Bottle)	x	E Coli		F Coli		Enterococci	x	Ice		
	Contract Lab								1	A
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR		PCR-DG3		Ice			
	PCR-GULL2		PCR-GFD							
Tracers (BG-500ML)	W-E8321-DI		W-E8321-MS			Ice				
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS		W-P5NP-TQ		Ice		MCAA Exp.	MCAA Lot#	
	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R						
	W-TR-SQ-R	W-PCB-TQ-R								
Phytoplankton (BP-1L)	DTY-QN-C		PKD-QN-BV			Ice				
DOC (P-500ML)	W-DOC		Field Filtered 0.45 µm Filter			Ice		H2SO4*		
	Acid Preservative Expiration Date								<2	
	Acid Preservative Lot Number									



RQ-2023-10-16-13	Collected By: Leif Boman, Victoria Schwartz
Customer: FDEP	Field Report Prepared by: Leif Boman, Victoria Schwartz
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G2CE0203

Comments:

Location: SWEETWATER CREEK AT KANSAS ST

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)			
10/19/2023 1032	7.67	85.3	20.3	7.6	0.15	0.3	0.3	1069	0.53			
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group	
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice	H2SO4*	<2					
	Lot #		Exp:									
Metals (P-500ML)	W-ICPMS		W-ICP	W-HARD	Ice	HNO3*	<2					
	Lot #		Exp:									
Filtered Nutrients (P125ML)	W-PO4-F		Field Filtered 0.45 µm Filter			Ice						
	Filter Lot #	Syringe Lot #										
BOD (BP-1L)	OV-BODUNIN				Ice							
Chlorophyll (BP-1L)	CHLSUITE-W				Ice							
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W- TDS				Ice							
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice							
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #			Formalin							
Periphyton (PT-50ML)	ALGAE-ID				Ice							
Microbiology (Contract Lab Bottle)	X	E Coli	F Coli	Enterococci	x	Ice					1	B
	Contract Lab											
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR	PCR-DG3	Ice							
	PCR-GULL2		PCR-GFD									
Tracers (BG-500ML)	W-E8321-DI		W-E8321-MS			Ice						
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS		W-PSNP-TQ	Ice	MCAA Exp.					MCAA Lot#	
	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R								
	W-TR-SQ-R	W-PCB-TQ-R										
Phytoplankton (BP-1L)	DTY-QN-C		PKD-QN-BV			Ice						
DOC (P-500ML)	W-DOC	Field Filtered 0.45 µm Filter			Ice	H2SO 4*	<2					
		Acid Preservative Expiration Date										
		Acid Preservative Lot Number										



RQ-2023-10-16-13	Collected By: Leif Boman, Victoria Schwartz
Customer: FDEP	Field Report Prepared by: Leif Boman, Victoria Schwartz
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID: 
 WIN ID/Field ID: G2CE0273

Comments:

Location: SWEETWATER CREEK AT HOWARD AVE

Matrix: Fresh

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)	
10/19/2023 1101	4.3	46.4	18.8	7.24	0.2	0.4	0.4	1496	0.76	
Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice H2SO4*				<2	
	Lot #		Exp:							
Metals (P-500ML)	x	W-ICPMS	x	W-ICP	x	W-HARD	x	Ice	x	HNO3*
	Lot #		NA3193130		Exp:		07/27/2024		X	<2
Filtered Nutrients (P125ML)	W-PO4-F		Field Filtered 0.45 µm Filter			Ice				
	Filter Lot #	Syringe Lot #								
BOD (BP-1L)	OV-80DUNIN				Ice					
Chlorophyll (BP-1L)	CHLSUITE-W				Ice					
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				Ice					
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice					
Macroinvertebrates (PJ-2L)	MI-FW-QLDC		Formalin Lot #		Formalin					
Periphyton (PT-50ML)	ALGAE-ID				Ice					
Microbiology (Contract Lab Bottle)	X	E Coli		F Coli		Enterococci	x	Ice		
	Contract Lab								1	A
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR		PCR-DG3		Ice			
	PCR-GULL2		PCR-GFD							
Tracers (BG-500ML)	W-E8321-DI		W-E8321-MS			Ice				
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI		W-E8321-MS		W-PSNP-TQ		Ice		MCAA Exp.	MCAA Lot#
	W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R					
	W-TR-SQ-R		W-PCB-TQ-R							
Phytoplankton (BP-1L)	DTY-QN-C		PKD-QN-BV			Ice				
DOC (P-500ML)	W-DOC		Field Filtered 0.45 µm Filter			Ice		H2SO4*		
	Acid Preservative Expiration Date								<2	
	Acid Preservative Lot Number									

Date of Request: 06-SEP-2023
 Created By: BEARDEN_M On: 06-SEP-2023
 Modified By: JASROTIA_P On: 27-SEP-2023
 Customer: CEN-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Central District
 Event Description: Run 19

Send Coolers To:

Phone: 407-897-4123
 FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Matthew Bearden
 Cooler Ship EMail: matthew.bearden@floridadep.gov

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 27-SEP-2023
 Biology Request Reviewed By: JASROTIA_P On: 27-SEP-2023
 Sampling Kit Required: YES Ship on: 09-OCT-2023
 Sampling Kit Shipped: YES On: 09-OCT-2023
 Sampling Kit Packed By: LEBRUN_T
 Preservatives Needed: NO
 Date to Receive Samples: 20-OCT-2023
 Logged In By: LEBRUN_T On: 20-OCT-2023

Send Final Report To:

FL Dept. of Environmental Protection
 3319 Maguire Blvd., Suite 232
 Orlando, FL 32803-3767
 Attn: Matthew Bearden
 Report Notification EMail:
 matthew.bearden@floridadep.gov;jessie.atchison@floridadep.gov

Comments:**Bottle Group A (Water) With 2 Samples:**

Bottle Type: P-250ML-WO-THI	Number of Bottles: 2	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems
Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-HARD	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3
Hardness		
W-ICP	Template: SMP-FRESH	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Strontium		
Tin		
Titanium		
Vanadium		
Zinc		
W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Aluminum		
Antimony		
Arsenic		
Barium		
Beryllium		
Boron		
Cadmium		
Chromium		
Cobalt		
Copper		

Bottle Group A (Water) With 2 Samples:

Bottle Type: P-500ML	Number of Bottles: 2	Preserved With: HNO3
W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Lead		
Manganese		
Molybdenum		
Nickel		
Selenium		
Silver		
Thallium		

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML-WO-THI	Number of Bottles: 1	Preserved With: ICE
ECOLI-18QT	Template: DEFAULT	(SM 9223 B Quanti-Tray) Escherichia coli by Colilert 18 Quanti-Tray method - non-chlorinated water systems