

Biological Analysis Report

SO-DIST-2023-01-10-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Benchmark EnviroAnalytical, Inc. - North Port
1001 Corporate Avenue, Suite 102
North Port, FL 34289
DOH Accreditation E85086

Event Description: **2023 SMP : Charlotte Cricks**

Request ID: **RQ-2023-01-09-43**

Customer: **SO-DIST**

Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 314
Fort Myers, FL 33901-3381
Attn: William Mullen

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Sarah Menz, Environmental Administrator

Date Certified: 08-FEB-2023 12:43

A handwritten signature in dark ink, appearing to be 'Sarah Menz', written in a cursive style.

Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: LeeBranchAtDuncanRd				Collection Date/Time: 01/09/2023 08:35			
Field ID: G3SD0211				Matrix: W-SURF-FRH			
Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2379129	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	816		MPN/100 mL		

Sample Location: LeeBranchAtRailroad				Collection Date/Time: 01/09/2023 08:55			
Field ID: G3SD0212				Matrix: W-SURF-FRH			
Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2379123	SM 10200 H (mod.)	Chlorophyll-a, Corrected	9.5		ug/L	P424495	
		Phaeophytin-a	0.90	U	ug/L	P424495	
		Chlorophyll-a, Uncorrected	10		ug/L	P424495	
2379128	SOP-PCR-1.0	HF183-qPCR**	1.7E+03	U	TSC/100 mL	P423971	
	SOP-PCR-1.4	BacR-qPCR**	2.9E+03	I	TSC/100 mL	P423971	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P423971	
2379132	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	2098		MPN/100 mL		
Ref. Method and Comment: SM 10200 H (mod.): Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.							

Sample Location: LeeBranchAtSnookCirRamp				Collection Date/Time: 01/09/2023 09:20			
Field ID: G3SD0213				Matrix: W-SURF-FRH			
Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2379130	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	602		MPN/100 mL		

Sample Location: LeeBranchAtTamayoDr				Collection Date/Time: 01/09/2023 09:30			
Field ID: G3SD0214				Matrix: W-SURF-FRH			
Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2379131	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	187		MPN/100 mL		

Quality Assurance Report Method Blank Results

Reference Method: SM 10200 H (mod.)
Batch ID: P424495

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.89	U	ug/L
Chlorophyll-a, Uncorrected	0.65	U	ug/L
Phaeophytin-a	0.98	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P423971

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P423971

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report
Method Blank Results

Reference Method: SOP-PCR-1.4
Batch ID: P423971

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P423971

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: SM 10200 H (mod.)
Batch ID: P424495

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	99.3		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P423971

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	90.2	92.7	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P423971

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	93.3	102	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P423971

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	97.7	108	P/P	50 - 175

Quality Assurance Report
Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P423971

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377548	HF183-qPCR	75.5	74.3	P/P	50 - 175
2378129	HF183-qPCR	81.8		P	50 - 175
2378288	HF183-qPCR	97.5		P	50 - 175
2378289	HF183-qPCR	90.6		P	50 - 175
2378943	HF183-qPCR	87.5		P	50 - 175
2378944	HF183-qPCR	75.2		P	50 - 175
2379128	HF183-qPCR	112		P	50 - 175
2379845	HF183-qPCR	85.3		P	50 - 175
2379846	HF183-qPCR	87.8		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P423971

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2379847	HF183-qPCR	91.9		P	50 - 175
2379862	HF183-qPCR	94.9		P	50 - 175
2379863	HF183-qPCR	91.4		P	50 - 175
2379864	HF183-qPCR	101		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P423971

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377548	BacR-qPCR	69.1	71.2	P/P	50 - 175
2378129	BacR-qPCR	73.6		P	50 - 175
2378288	BacR-qPCR	79.4		P	50 - 175
2378289	BacR-qPCR	83.5		P	50 - 175
2378943	BacR-qPCR	63.4		P	50 - 175
2378944	BacR-qPCR	73.9		P	50 - 175
2379128	BacR-qPCR	82.3		P	50 - 175
2379845	BacR-qPCR	78.1		P	50 - 175
2379846	BacR-qPCR	75.6		P	50 - 175
2379847	BacR-qPCR	80.2		P	50 - 175
2379862	BacR-qPCR	59.6		P	50 - 175
2379863	BacR-qPCR	89.3		P	50 - 175
2379864	BacR-qPCR	84.5		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P423971

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2377548	DG3-qPCR	88.2	83.8	P/P	50 - 175
2378129	DG3-qPCR	83.0		P	50 - 175
2378288	DG3-qPCR	92.2		P	50 - 175
2378289	DG3-qPCR	92.6		P	50 - 175
2378943	DG3-qPCR	83.4		P	50 - 175
2378944	DG3-qPCR	88.5		P	50 - 175
2379128	DG3-qPCR	99.6		P	50 - 175
2379845	DG3-qPCR	102		P	50 - 175
2379846	DG3-qPCR	99.5		P	50 - 175
2379847	DG3-qPCR	92.8		P	50 - 175
2379862	DG3-qPCR	89.2		P	50 - 175
2379863	DG3-qPCR	110		P	50 - 175
2379864	DG3-qPCR	106		P	50 - 175

Quality Assurance Report Precision

Reference Method: SM 10200 H (mod.)
Batch ID: P424495

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2379054	Chlorophyll-a, Corrected	9.44	Sample	P	0 - 25
2379054	Chlorophyll-a, Uncorrected	9.43	Sample	P	0 - 25

Quality Assurance Report Precision

Reference Method: SOP-PCR-1.0
Batch ID: P423971

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377548	HF183-qPCR	1.59	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4
Batch ID: P423971

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377548	BacR-qPCR	3.05	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5
Batch ID: P423971

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2377548	DG3-qPCR	5.15	Spike	P	0 - 25

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2379128
Field Sample ID: G3SD0212

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	81.4	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	82.6	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	72.8	P	50 - 300

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			LCS	Precision SMP	MS
SM 10200 H (mod.)	Chlorophyll-a, Corrected	99.3						9.44	
	Chlorophyll-a, Uncorrected							9.43	
SOP-PCR-1.0	HF183-qPCR	92.7	90.2	75.5	74.3	81.8			1.59
				97.5					
SOP-PCR-1.4	BacR-qPCR	93.3	102	69.1	71.2	73.6			3.05
				79.4					
SOP-PCR-1.5	DG3-qPCR	108	97.7	88.2	83.8	83.0			5.15
				92.2					

Reference Method Descriptions

Method	Description	Associated Samples
SM 10200 H (mod.)	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2379123
SM 9223 Quanti-Tray	E. coli by Colilert/QT by BEA South in North Port	2379129, 2379130, 2379131, 2379132

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2379128
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2379128
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2379128

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
SM 10200 H (mod.)	01/10/2023	01/10/2023 13:52	Aidan Cronin	01/11/2023 15:26	Aidan Cronin	2379123
SM 9223 Quanti-Tray	01/09/2023	01/09/2023 11:29		01/10/2023 12:53	Benchmark EnviroAnalytical in North Port	2379129, 2379130, 2379131, 2379132
SOP-PCR-1.0	01/10/2023	01/10/2023 14:20	DeAsia Armster	01/17/2023 10:07	Roberta Tatti	2379128
SOP-PCR-1.4	01/10/2023	01/10/2023 14:20	DeAsia Armster	01/18/2023 09:21	DeAsia Armster	2379128
SOP-PCR-1.5	01/10/2023	01/10/2023 14:20	DeAsia Armster	01/19/2023 09:49	Roberta Tatti	2379128