

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399

Bill to: Frances Moore
P.O. #: Lab C00EFS

Phone:
Email:

(239) 344-5719
dep-overflowmicro@dep.state.fl.us

2023-01-30-52

Project Name: RQ-2022

Project Run/Location: SMP: LAND O' LAKES

Laboratory Submission #:

523020174

Station ID

BEAS Sample Receipt Temp.

Surface Water Sample Matrix*
(Fresh / Marine)

Enterococci
E. coli (SM9223B Quantitray)

Checked at Benchmark South EE
With Temperature Gun #7

Sample Type

E. coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G4SD0107

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

2/7/23

1015

1

G4SD0224

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

2/7/23

1410

2

G4SD0213

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

2/7/23

1335

3

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

F / M / Grab

E. coli

Entero / Fecal coliform

Date & Time:

Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), sea, estuary (SEAW), or sludge (SLDG).

Container Type is used to indicate whether the container is plastic (P) or glass (G).

Each bottle has a label identifying sample ID, preservation, preservation date, date and time of collection, sampler's name or initials, and any field number or ID.

All bottles not containing preservative may be filled with appropriate sample prior to collection.

The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

1. Collector: *WJ*

2. Relinquished by: *Gabriel Frieten*

3. Relinquished by: *GAB*

4. Relinquished by: *14EAS*

5. Relinquished by: *14EAS*

Laboratory Sample Acceptability:
pH < 2.0 BEAS Temperature: 4.1°C

Date: 2/7/23

Time: 1620

Date: 2/7/23

Time: 1620

Date: 2/7/23

Time: 1620

Date: 2/7/23

Time: 1620

Date: 2/7/23

Time: 1620

Date: 2/7/23

Time: 1620