

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5719
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab-#95341
COEFS

2023-02-27-31

Project Name: RQ-2021-
Project Run/Location: SMP Stadium Arcadia

Station ID

Enterococci
E.coli (SM9223B Quantitray)

Laboratory Submission #:

S23030059

Laboratory Sample #

Sample Type	Surface Water Sample Matrix* (Fresh / Marine)	E. coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL	Laboratory Sample #
G3SD0184	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time: 3/2/23 940	1
G3SD0159	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time: 3/2/23 1025	2
G3SD0011	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time: 3/2/23 1050	3
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	
	F / M / Grab	E. coli / Enteroc / F. coli form Date & Time:	

*Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
Sample Matrix is used to indicate whether the sample is being collected in drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDMNT), or sludge (SLDG).
Container Type is used to indicate whether the container is plastic (P) or glass (G).
Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservation," list any preservatives that were added to the sample container.
Note: If a label identifying sample ID, preservation, preservative contained in the bottle, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
1. All bottles not containing preservative may be mixed with appropriate sample prior to collection.

Laboratory Sample Acceptability:
pH < 2 : 0 BEAS Temperature: 5.4°C

1	Collector: ADONICA Jeeper	Date: 3/2/23	Time: 1206	Received By: Brooke Watermark	Date: 3/2/23	Time: 1206
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: