

Benchmark EnviroAnalytical, Inc. BEAS Sample Receipt Temp. 4.7 °C
 1001 Corporate Ave. Suite 102
 North Port, FL 34289
 (941) 625-3137 / (941) 240-3071 fax

Checked at Benchmark EA South E85086
 With Temperature Gun ID #7

Client Name: FDEP
 Address: 2600 Blair Stone Rd.
 Tallahassee, FL, 32399
 Phone: (239) 344-5719
 Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
 P.O. #: Lab ~~B05341~~
 CODEFS

2022-03-06-32
 Project Name: RQ-2021
 Project Run/Location: Smiley Branch

Laboratory Submission #:

523030305

Project Run/Location: SM 1111111111		Station ID	Surface Water Sample Matrix ² (Fresh / Marine) Sample Type	Enterococci E.coli (SM9223B Quantitray)		Laboratory Sample #
				E.Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL		
G3SD0211	F / M / Grab	E.coli	Entero	F.coliform	Date & Time: 3/14/23 830	1
G3SD0212	F / M / Grab	E.coli	Entero	F.coliform	Date & Time: 3/14/23 840	2
G3SD0213	F / M / Grab	E.coli	Entero	F.coliform	Date & Time: 3/14/23 905	3
G3SD0214	F / M / Grab	E.coli	Entero	F.coliform	Date & Time: 3/14/23 915	4
	F / M / Grab	E.coli	Entero	F.coli	Date & Time:	
	F / M / Grab	E.coli	Entero	F.coli	Date & Time:	
	F / M / Grab	E.coli	Entero	F.coli	Date & Time:	
	F / M / Grab	E.coli	Entero	F.coli	Date & Time:	
	F / M / Grab	E.coli	Entero	F.coli	Date & Time:	
	F / M / Grab	E.coli	Entero	F.coli	Date & Time:	
	F / M / Grab	E.coli	Entero	F.coli	Date & Time:	

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLDG).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
⁴ Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

Laboratory Sample Acceptability:

pH < 2 : D BEAS Temperature: 4.7°C

- Instructions:**
 1. Each bottle has a label identifying sample ID, premeasured preservative contained in the bottle, sample type, client ID, and parameters for analysis.
 2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
 3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.
 4. The client is responsible for documentation of the sampling event. Please note special sampling events on this sample custody form.

1	Collector: <u>Monica Jaeger</u>	Date: <u>3/14/23</u>	Time: <u>1037</u>	Received By: <u>Melinda Merchant</u>	Date: <u>3/14/23</u>	Time: <u>1037</u>
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time: