


BENCHMARK EA SOUTH



NELAC Certification #E85086

ANALYTICAL TEST REPORT

THESE RESULTS MEET NELAC STANDARDS

Submission Number : S23050788

Florida Dept Of Env Protection
2600 Blair Stone Rd
Tallahassee, FL 32399

Project Name : RQ-2023-05-22-14
Date Received : 05/30/2023
Time Received : 10:43

Submission Number: 23050788
Sample Number: 001a
Sample Description: G3SD0219

Sample Date: 05/30/2023
Sample Time: 09:35
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
ENTEROCOCCI	20	#/100 ML	10	10	ENTEROLERT	05/30/2023 13:57	05/31/2023 14:39	BK

Submission Number: 23050788
Sample Number: 001b
Sample Description: G3SD0219

Sample Date: 05/30/2023
Sample Time: 09:35
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
FECAL COLIFORM	9	#/100 ML	1	1	SM9222D	05/30/2023 12:18	05/31/2023 12:46	MM

Submission Number: 23050788
Sample Number: 002a
Sample Description: G3SD0218

Sample Date: 05/30/2023
Sample Time: 10:00
Sample Method: Grab


Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
ENTEROCOCCI	10	#/100 ML	10	10	ENTEROLERT	05/30/2023 13:57	05/31/2023 14:39	BK

Submission Number: 23050788
Sample Number: 002b
Sample Description: G3SD0218

Sample Date: 05/30/2023
Sample Time: 10:00
Sample Method: Grab

Parameter	Result	Units	MDL	PQL	Procedure	Preparation Date/Time	Analysis Date/Time	Analyst
FECAL COLIFORM	6	#/100 ML	1	1	SM9222D	05/30/2023 12:18	05/31/2023 12:46	MM

BENCHMARK EA SOUTH



NELAC Certification #E85086

Melinda Merchant

Dale D. Dixon / Laboratory Director

Melinda Merchant / Laboratory Manager

06/02/2023

Date

DATA QUALIFIERS THAT MAY APPLY:

A = Value reported is an average of two or more determinations.
B = Results based upon colony counts outside the ideal range.
H = Value based on field kit determination. Results may not be accurate.
I = Reported value is between the laboratory MDL and the PQL.
J1 = Estimated value. Surrogate recovery limits exceeded.
J2 = Estimated value. No quality control criteria exists for component.
J3 = Estimated value. Quality control criteria for precision or accuracy not met.
J4 = Estimated value. Sample matrix interference suspected.
J5 = Estimated value. Data questionable due to improper lab or field protocols.
K = Off-scale low. Value is known to be < the value reported.
L = Off-scale high. Value is known to be > the value reported.
N = Presumptive evidence of presence of material.
O = Sampled, but analysis lost or not performed.

Q = Sample held beyond accepted hold time.
T = Value reported is < MDL. Reported for informational purposes only and shall not be used in statistical analysis.
U = Analyte analyzed but not detected at the value indicated.
V = Analyte detected in sample and method blank. Results for this analyte in associated samples may be biased high. Standard, Duplicate and Spike values are within control limits. Reported data are usable.
Y = Analysis performed on an improperly preserved sample. Data may be inaccurate.
Z = Too many colonies were present (TNTC). The numeric value represents the filtration volume.
I = Data deviate from historically established concentration ranges.
? = Data rejected and should not be used. Some or all of QC data were outside criteria, and the presence or absence of the analyte cannot be determined from the data.
* = Not reported due to interference.

NOTES:

J0 = All Quanti-tray wells were positive. Result may be higher than reported.
PQL = 4xMDL.
ND = Not detected at or above the adjusted reporting limit.
X = Value exceeds MCL.
1 dilution (10 mL) on each Enterococci and E.coli sample and 3 dilutions (1 mL, 10 mL, & 100 mL) on each Fecal Coliform sample.

COMMENTS:

For questions or comments regarding these results, please contact us at (941) 625-3137.

Results relate only to the samples.

Bill to: Frances Moore
P.O. #: 14b B95341

593050748

Laboratory
Sample #

[illegible]

...of the sample was: 1) Find (Q) or whether it was a composite (C) .

* Sample type is used to indicate treatment and sample type: drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil solution (SSOLN), or sludge (SLDGL).

• Converter type is noted to indicate whether the sample must be refrigerated or stored in wet ice after collection. The main label identifies the sample during storage, should the need arise.

*6. In example 12, preserved insect with a collection number or 12. In example 13, preserved insect with a collection number or 13.

should be added to each bottle label after collection with pen marker.

information should be shared with appropriate groups prior to the conference.

Please note special sampling events on the sample's label.

Responsible for determination of the

1000

Administered by _____

✓

Abstract

សេចក្តីសម្រេច ០១

.....

1

Acquired by:

1-leaf by:

.....

.....

had by

Industries of _____

100

Laboratory Sample Acceptability:
pH < 2: 0 BEAS Temperature: 45°C