

Chemical Analysis Report

SO-DIST-2023-05-31-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Event Description: **2022 SMP : Charlotte Harbor**
Request ID: **RQ-2023-05-22-14**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 314
Fort Myers, FL 33901-3381
Attn: William Mullen

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 20-JUN-2023 14:28



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical group are included in this report: Nutrients.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: MYAKKA RIVER WEST

Collection Date/Time: 05/30/2023 09:35

Field ID: G3SD0219

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2413378	EPA 180.1 Rev. 2.0	Turbidity	2.7		NTU	P430604	
	SM 2320 B-2011	Total Alkalinity	107		mg CaCO3/L	P430787	
	SM 2540 D-2015	TSS	11		mg/L	P431018	
	SM 4500-F- C-2011	Fluoride	0.97		mg F/L	P431430	
2413380	EPA 350.1 Rev. 2.0	Ammonia-N	0.026		mg N/L	P430694	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.90		mg N/L	P430757	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.005	I	mg N/L	P431156	
	EPA 365.1 Rev. 2.0	Total-P	0.20		mg P/L	P430636	
	SM 5310 B-2011	Organic Carbon	11		mg C/L	P430727	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Sample Location: TIPPECANOE BAY NORTH

Collection Date/Time: 05/30/2023 10:00

Field ID: G3SD0218

Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2413379	EPA 180.1 Rev. 2.0	Turbidity	2.8		NTU	P430604	
	SM 2320 B-2011	Total Alkalinity	105		mg CaCO3/L	P430787	
	SM 2540 D-2015	TSS	9	I	mg/L	P431018	
	SM 4500-F- C-2011	Fluoride	1.1		mg F/L	P431430	
2413381	EPA 350.1 Rev. 2.0	Ammonia-N	0.012		mg N/L	P430694	
	EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	0.77		mg N/L	P430757	
	EPA 353.2 Rev. 2.0	NO2NO3-N	0.004	U	mg N/L	P431156	
	EPA 365.1 Rev. 2.0	Total-P	0.19		mg P/L	P430636	
	SM 5310 B-2011	Organic Carbon	9.7		mg C/L	P430727	

Ref. Method and Comment:

SM 2540 D-2015: Batch relative percent difference is unavailable because of low analyte concentration in the QC sample.

Quality Assurance Report Method Blank Results

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P430604

Component	Result	Code	Units
Turbidity	0.10	U	NTU

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P430694

Component	Result	Code	Units
Ammonia-N	0.002	U	mg N/L

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P430757

Component	Result	Code	Units
Kjeldahl Nitrogen	0.080	U	mg N/L

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P431156

Component	Result	Code	Units
NO2NO3-N	0.004	U	mg N/L

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P430636

Component	Result	Code	Units
Total-P	0.002	U	mg P/L

Reference Method: SM 2320 B-2011
Batch ID: P430787

Component	Result	Code	Units
Total Alkalinity	0.65	U	mg CaCO3/L

Reference Method: SM 2540 D-2015
Batch ID: P431018

Component	Result	Code	Units
TSS	3	U	mg/L

Reference Method: SM 4500-F- C-2011
Batch ID: P431430

Component	Result	Code	Units
Fluoride	0.025	U	mg F/L

Reference Method: SM 5310 B-2011
Batch ID: P430727

Component	Result	Code	Units
Organic Carbon	0.50	U	mg C/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P430604

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Turbidity	99.4		P	90 - 110

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P430694

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Ammonia-N	97.4		P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P430757

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Kjeldahl Nitrogen	104		P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P431156

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
NO2NO3-N	101		P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P430636

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total-P	102		P	90 - 110

Reference Method: SM 2320 B-2011
Batch ID: P430787

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Total Alkalinity	97.0		P	92 - 105

Reference Method: SM 2540 D-2015
Batch ID: P431018

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
TSS	102		P	85 - 106

Reference Method: SM 4500-F- C-2011
Batch ID: P431430

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Fluoride	99.3		P	94 - 106

Reference Method: SM 5310 B-2011
Batch ID: P430727

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Organic Carbon	95.9		P	85 - 115

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P430694

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2412657	Ammonia-N	98.2	98.6	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P430757

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2413464	Kjeldahl Nitrogen	102	104	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P431156

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2412811	NO2NO3-N	96.0	95.5	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P430636

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2413464	Total-P	92.4	91.9	P/P	90 - 110

Reference Method: SM 4500-F- C-2011
Batch ID: P431430

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2414949	Fluoride	105	104	P/P	94 - 106

Reference Method: SM 5310 B-2011
Batch ID: P430727

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2411706	Organic Carbon	87.2	89.1	P/P	85 - 115

Quality Assurance Report Precision

Reference Method: EPA 180.1 Rev. 2.0
Batch ID: P430604

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2413237	Turbidity	3.54	Sample	P	0 - 20

Reference Method: EPA 350.1 Rev. 2.0
Batch ID: P430694

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2412657	Ammonia-N	0.313	Spike	P	0 - 20

Reference Method: EPA 351.2 Rev. 2.0
Batch ID: P430757

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2413464	Kjeldahl Nitrogen	1.29	Spike	P	0 - 20

Reference Method: EPA 353.2 Rev. 2.0
Batch ID: P431156

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2412811	NO2NO3-N	0.522	Spike	P	0 - 20

Reference Method: EPA 365.1 Rev. 2.0
Batch ID: P430636

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2413464	Total-P	0.515	Spike	P	0 - 20

Reference Method: SM 2320 B-2011
Batch ID: P430787

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2413223	Total Alkalinity	2.71	Sample	P	0 - 3.9

Reference Method: SM 4500-F- C-2011
Batch ID: P431430

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2414949	Fluoride	0.480	Spike	P	0 - 1.9

Reference Method: SM 5310 B-2011
Batch ID: P430727

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2411706	Organic Carbon	1.63	Spike	P	0 - 20

Quality Assurance Report Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Calibration Verification

Reference Method: EPA 180.1 Rev. 2.0

Run ID: A119490

Included Lab Sample IDs: 2413378, 2413379

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Turbidity	99.5	99.5	P/P	95 - 105

Reference Method: EPA 350.1 Rev. 2.0

Run ID: A119520

Included Lab Sample IDs: 2413380, 2413381

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Ammonia-N	99.2	99.3	P/P	90 - 110

Reference Method: SM 5310 B-2011

Run ID: A119540

Included Lab Sample IDs: 2413380, 2413381

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Organic Carbon	93.6	92.4	P/P	90 - 110

Reference Method: EPA 365.1 Rev. 2.0

Run ID: A119547

Included Lab Sample IDs: 2413380, 2413381

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total-P	101	101	P/P	90 - 110

Reference Method: SM 2320 B-2011

Run ID: A119566

Included Lab Sample IDs: 2413378, 2413379

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Total Alkalinity	97.2	96.8	P/P	90 - 110

Reference Method: EPA 351.2 Rev. 2.0

Run ID: A119594

Included Lab Sample IDs: 2413380, 2413381

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Kjeldahl Nitrogen	98.6	101	P/P	90 - 110

Reference Method: EPA 353.2 Rev. 2.0

Run ID: A119737

Included Lab Sample IDs: 2413380, 2413381

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
NO2NO3-N	100	100	P/P	90 - 110

Reference Method: SM 4500-F- C-2011

Run ID: A119876

Included Lab Sample IDs: 2413378, 2413379

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Fluoride	102	103	P/P	90 - 110

Quality Assurance Report

Calibration Verification

* Pass/Fail determinations are made for each bracketing calibration verification check.

Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.

Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		LCS	Precision	MS
						SMP	
EPA 180.1 Rev. 2.0	Turbidity	99.4				3.54	
EPA 350.1 Rev. 2.0	Ammonia-N	97.4	98.2	98.6			0.313
EPA 351.2 Rev. 2.0	Kjeldahl Nitrogen	104	102	104			1.29
EPA 353.2 Rev. 2.0	NO ₂ NO ₃ -N	101	96.0	95.5			0.522
EPA 365.1 Rev. 2.0	Total-P	102	92.4	91.9			0.515
SM 2320 B-2011	Total Alkalinity	97.0				2.71	
SM 2540 D-2015	TSS	102					
SM 4500-F- C-2011	Fluoride	99.3	105	104			0.480
SM 5310 B-2011	Organic Carbon	95.9	87.2	89.1			1.63

Reference Method Descriptions

Method	Description	<u>Associated Samples</u>
EPA 180.1 Rev. 2.0	Turbidity in aqueous matrices	2413378, 2413379
EPA 350.1 Rev. 2.0	Ammonia in aqueous matrices as mg N/L	2413380, 2413381
EPA 351.2 Rev. 2.0	Total Kjeldahl Nitrogen in aqueous matrices	2413380, 2413381
EPA 353.2 Rev. 2.0	Nitrite/Nitrate in aqueous matrices as mg N/L	2413380, 2413381
EPA 365.1 Rev. 2.0	Total Phosphorus in aqueous matrices as mg P/L	2413380, 2413381
SM 2320 B-2011	Alkalinity in aqueous matrices as mg CaCO ₃ /L	2413378, 2413379
SM 2540 D-2015	Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample	2413378, 2413379
SM 4500-F- C-2011	Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)	2413378, 2413379
SM 5310 B-2011	Nonpurgeable Organic Carbon in aqueous matrices	2413380, 2413381

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 180.1 Rev. 2.0	05/31/2023			05/31/2023 13:34	Anna M. Plaviak	2413378
	05/31/2023			05/31/2023 13:35	Anna M. Plaviak	2413379
EPA 350.1 Rev. 2.0	05/31/2023			06/01/2023 14:01	Khloe J Berg	2413380
	05/31/2023			06/01/2023 14:02	Khloe J Berg	2413381
EPA 351.2 Rev. 2.0	05/31/2023	06/05/2023 10:57	Simonne.V. Calhoun	06/06/2023 10:29	Samantha L Bates	2413380
	05/31/2023	06/05/2023 10:57	Simonne.V. Calhoun	06/06/2023 10:31	Samantha L Bates	2413381
EPA 353.2 Rev. 2.0	05/31/2023			06/12/2023 14:06	Anna M. Plaviak	2413380
	05/31/2023			06/12/2023 14:07	Anna M. Plaviak	2413381
EPA 365.1 Rev. 2.0	05/31/2023	06/01/2023 11:40	Alexis Price	06/02/2023 12:42	Simonne.V. Calhoun	2413380
	05/31/2023	06/01/2023 11:40	Alexis Price	06/02/2023 12:43	Simonne.V. Calhoun	2413381
SM 2320 B-2011	05/31/2023			06/03/2023 10:35	Dale L. Simmons	2413378
	05/31/2023			06/03/2023 10:45	Dale L. Simmons	2413379
SM 2540 D-2015	05/31/2023			06/02/2023 15:32	Yijie Li	2413378, 2413379
SM 4500-F- C-2011	05/31/2023			06/16/2023 21:59	Adam P Silver	2413378
	05/31/2023			06/16/2023 22:04	Adam P Silver	2413379
SM 5310 B-2011	05/31/2023			06/02/2023 02:26	Elise M. Gillis	2413380
	05/31/2023			06/02/2023 02:39	Elise M. Gillis	2413381