

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5718
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab C00EFS

Project Name: RQ-2023-06-16-25
Project Run/Location: ~~1001~~ Smpo, Land O' Lakes

Laboratory Submission #: SZ3060817
Enterococci
E.coli (SM9223B Quantitray)

Station ID	Surface Water Sample Matrix ² (Fresh / Marine)	Sample type	E. coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL	Laboratory Sample #
64500107	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 06/17/23 1325	1
64501811224	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 06/17/23 1205	2
64500213	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 06/17/23 1315	3
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	

Sample Type: is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
Sample Matrix: is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDSNT), or sludge (SLDG).
Collection Type: is used to indicate whether the collection is passive (P) or active (A).
Sample must be refrigerated or stored in cool ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.
1. Each bottle has a label identifying sample ID, preservative used, date and time of collection, sample ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample ID, and parameters for analysis.
3. All bottles not containing preservative may be filled with appropriate sample prior to collection.
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 2 : 0 BEAS Temperature: 4.2°C

Collector: <u>Pharmasys</u>	Date: <u>06/17/23</u>	Time: <u>1446</u>	Received By: <u>Bruce Kuntz</u>	Date: <u>06/17/23</u>	Time: <u>1325</u>
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp. 4.2 °C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7