

Login Checklist

RQ- 2023 - 07 - 24 - 44

Login Station ID: # 2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 07/26/2023 / 09:52

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
0.8c				8		x			6484 8456 6848

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included? Yes x No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included? Yes ✓ No x NA

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No _____ NA x Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes x No _____

Caps on tight? Yes x No _____

Sufficient Sample Volume: Yes x No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container) Yes x No _____ Init: **ABS** /

Chlorine detected? (One container checked per Field ID) Yes _____ No x Init: **ABS** /

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

Acid Preserved Samples: pH < 2.0? Yes _____ No _____ NA x Init: **ABS /

W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA x Init: **ABS /

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: **ABS** / Date: **07/26/2023** Event contains NCRs (Y/N)? n

Event ID: **SO - DIST - 2023 - 07 - 26 - 0**

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG # 2 EXP:10/17/2023
pH Test Strips 0 – 6	LOT#223819AV EXP:8/30/23
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT#207621 EXP:3/15/2024
Chlorine Test Strips	LOT#207621 EXP:3/15/2024

1196/2024/02 abs/04/03/23

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 7/25/2023 **Collected By:** Nicole Reistad, Monica Jaeger
Customer: SO-DIST **Sampling:** FDEP
RQ: RQ-2023-07-24-44 **Agency:**
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
MATHENY CREEK AT BENEVA RD	 G3SD0092
NORTH CREEK (TIDAL) AT US 41	 G3SD0089
NORTH CREEK BY OAKS CREEK CT	 G3SD0064
SOUTH CREEK NEAR LEGACY	 G3SD0183

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 7/25/2023
1300 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: A.SHAIK

Rec'd/Inspected
Date: 07/26/2023



RQ-2023-07-24-44
Customer: FDEP
Project ID: SMP

Collected By: Nicole Reistad, Monica Jaeger
Field Report Prepared by: Nicole Reistad, Monica Jaeger
Sampling Agency: FDEP

WIN ID/Field ID:

WIN ID/Field ID: G3SD0092

Location: MATHENY CREEK AT BENEVA RD

Matrix: Fresh

(Check One)

☒ Grab
☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)
7/25/2023 915	1.73	22.3	28.3	6.88	0.15	0.3	0.3	686	0.33

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice	H2SO4*		<2		
	Lot #		Exp:							
Metals (P-500ML)	W-ICPMS		W-ICP	W-HARD	Ice	HNO3*		<2		
	Lot #		Exp:							
Filtered Nutrients (P125ML)	W-PO4-F		Field Filtered 0.45 um Filter		Ice					
	Filter Lot #	Syringe Lot #								
BOD (BP-1L)	OV-BODUNIN				Ice					
Chlorophyll (BP-1L)	CHLSUITE-W				Ice					
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				Ice					
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice					
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #			Formalin					
Periphyton (PT-50ML)	ALGAE-ID				Ice					
Microbiology (Contract Lab Bottle)	E Coli		F Coli	Enterococci	Ice					
	Contract Lab									
Molecular (QPCR-P-500ML)	PCR-HF1B3		PCR-BacR	PCR-DG3	Ice					
	PCR-GULL2		PCR-GFD							
Tracers (BG-500ML)	X	W-E8321-DI	X	W-E8321-MS	x	Ice		1	A	
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS		W-PSNP-TQ	Ice	MCAA Exp.	MCAA Lot#			
	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R						
	W-TR-SQ-R	W-PCB-TQ-R								
Phytoplankton (BP-1L)	DTY-QN-C		PKD-QN-BV		Ice					
DOC (P-500ML)	W-DOC	Field Filtered 0.45 um Filter			Ice	H2SO4*	<2			
		Acid Preservative Expiration Date								
		Acid Preservative Lot Number								



RQ-2023-07-24-44

Collected By: Nicole Reistad, Monica Jaeger

Customer: FDEP

Field Report Prepared by: Nicole Reistad, Monica Jaeger

Project ID: SMP

Sampling Agency: FDEP

 WIN ID/Field ID: 
 WIN ID/Field ID: G3SD0089

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: NORTH CREEK (TIDAL) AT US 41

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPT)
7/25/2023 940	0.49	8.1	35.4	7.16	0.3	0.4	0.9	35319	21.98

Parameter Suite	Parameter Methods		Preservation	pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP		Ice	H2SO4*	<2	
	Lot #	Exp:				
Metals (P-500ML)	W-ICPMS		W-ICP	W-HARD	Ice	HNO3*
	Lot #	Exp:			<2	
Filtered Nutrients (P125ML)	W-PO4-F		Field Filtered 0.45 µm Filter		Ice	
	Filter Lot #	Syringe Lot #				
BOD (BP-1L)	OV-BODUNIN				Ice	
Chlorophyll (BP-1L)	CHLSUITE-W				Ice	
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-CI-IC / W-COLOR / W-SO4-IC / W- TDS				Ice	
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice	
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #			Formalin	
Periphyton (PT-50ML)	ALGAE-ID				Ice	
Microbiology (Contract Lab Bottle)	E Coli	F Coli	X	Enterococci	x	Ice
	Contract Lab					
Molecular (QPCR-P-500ML)	PCR-HF183	PCR-BacR		PCR-DG3	Ice	
	PCR-GULL2	PCR-GFD				
Tracers (BG-500ML)	X	W-E8321-DI	X	W-E8321-MS	x	Ice
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS		W-PSNP-TQ	Ice	MCAA Exp.
	W-PCL-TQ-R	W-CAR8-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R		
	W-TR-SQ-R	W-PC8-TQ-R				
Phytoplankton (BP-1L)	DTY-QN-C	PKD-QN-BV			Ice	
DOC (P-500ML)	W-DOC	Field Filtered 0.45 µm Filter			Ice	H2SO4*
		Acid Preservative Expiration Date				<2
		Acid Preservative Lot Number				



RQ-2023-07-24-44	Collected By: Nicole Reistad, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID: 	Comments: Microbiology sample(s) submitted to contract laboratory.
WIN ID/Field ID: G3SD0064	

Location: NORTH CREEK BY OAKS CREEK CT
--

Matrix: Fresh	(Check One) ☒ Grab ☐ Composite
---------------	---

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
7/25/2023 940	2.27	28.6	26.9	7.61	0.15	0.3	0.3	1904	0.96

Parameter Suite	Parameter Methods					Preservation			pH Check		# Bottles sent to Lab	Bottle Group					
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP					Ice		H2SO4*		<2							
	Lot #			Exp:													
Metals (P-500ML)	W-ICPMS		W-ICP		W-HARD	Ice		HNO3*		<2							
	Lot #			Exp:													
Filtered Nutrients (P125ML)	W-PO4-F		Field Filtered 0.45 um Filter			Ice											
	Filter Lot #		Syringe Lot #														
BOD (BP-1L)	OV-BODUNIN					Ice											
Chlorophyll (BP-1L)	CHLSUITE-W					Ice											
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS					Ice											
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY					Ice											
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #				Formalin											
Periphyton (PT-50ML)	ALGAE-ID					Ice											
Microbiology (Contract Lab Bottle)	X	E Coli		F Coli									Enterococci	x	Ice	1	C
	X	Contract Lab															
Molecular (QPCR-P-500ML)	X	PCR-HF183		X	PCR-BacR	X	PCR-DG3	x	Ice	1	C						
		PCR-GULL2		PCR-GFD													
Tracers (BG-500ML)	X	W-E8321-DI		X	W-E8321-MS			x	Ice	1	C						
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI		W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#								
	W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R												
	W-TR-SQ-R		W-PCB-TQ-R														
Phytoplankton (BP-1L)	DTY-QN-C		PKD-QN-BV			Ice											
DOC (P-500ML)	W-DOC	Field Filtered 0.45 um Filter			Ice		H2SO 4*		<2								
		Acid Preservative Expiration Date															
		Acid Preservative Lot Number															

Benchmark EnviroAnalytical, Inc.

1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

BEAS Sample Receipt Temp. 51.3 °C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399

Phone: (239) 344-5718
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab C00EFS
CITEFB

Project Name: RQ-2023-07-24-44
Project Run/Location: SMP / SMOASO10

Laboratory Submission #:

593070629

Station ID	Surface Water Sample Matrix ² (Fresh / Marine)	Sample Type	Enterococci E. coli (SM9223B Quantitray)	Laboratory Sample #
G35DC089	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 7/25/23	940
G35DC084	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 7/25/23	1010
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:	

E. coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL

Notes:
1. "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
2. "Sample Matrix" is used to indicate whether the sample is being collected to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soft sediment (SDS), or sludge (SLD).
3. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4. Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 4°C (42°F). Under "Preservative," list any preservatives that were added to the sample container.
5. Each bottle has a label identifying sample ID, preservative present, container ID, sample type, client ID, and parameters for analysis.
6. The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
7. All bottles used containing preservative may be filled with appropriate sample prior to collection.
8. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Collector: Monica Lopez
Relinquished by: Monica Lopez
Relinquished by: Monica Lopez
Relinquished by: Monica Lopez
Relinquished by: Monica Lopez

Date: 7/25/23 Time: 11:39
Received By: Monica Lopez
Received By: Monica Lopez
Received By: Monica Lopez
Received By: Monica Lopez
Received By: Monica Lopez

Date: 7/25/23 Time: 11:39
Received By: Monica Lopez
Received By: Monica Lopez
Received By: Monica Lopez
Received By: Monica Lopez
Received By: Monica Lopez

Laboratory Sample Acceptability:
pH < 2.0 BEAS Temperature: 51.3



RQ-2023-07-24-44	Collected By: Nicole Reistad, Monica Jaeger
Customer: FDEP	Field Report Prepared by: Nicole Reistad, Monica Jaeger
Project ID: SMP	Sampling Agency: FDEP

Comments:

WIN ID/Field ID:



WIN ID/Field ID: G3SD0183

Location: SOUTH CREEK NEAR LEGACY

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)		
7/25/2023 1050	4.94	63.1	27.8	7.68	0.15	0.3	0.3	1166	0.57		
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice	H2SO4*	<2				
	Lot #		Exp:								
Metals (P-500ML)	W-ICPMS		W-ICP	W-HARD	Ice	HNO3*	<2				
	Lot #		Exp:								
Filtered Nutrients (P125ML)	W-PO4-F	Field Filtered 0.45 um Filter			Ice						
	Filter Lot #	Syringe Lot #									
BOD (BP-1L)	OV-BODUNIN				Ice						
Chlorophyll (BP-1L)	CHLSUITE-W				Ice						
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				Ice						
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice						
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #		Formalin							
Periphyton (PT-50ML)	ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)	E Coli	F Coli		Enterococci	Ice						
	Contract Lab										
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR	PCR-DG3	Ice						
	PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)	W-E8321-DI		W-E8321-MS		Ice						
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS		W-PSNP-TQ	x Ice	MCAA Exp.	MCAA Lot#	4	D		
	X W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		X W-CT-CL-R							
	W-TR-SQ-R	X	W-PCB-TQ-R								
Phytoplankton (BP-1L)	DTY-QN-C		PKD-QN-BV		Ice						
DOC (P-500ML)	W-DOC	Field Filtered 0.45 um Filter			Ice	H2SO4*	<2				
		Acid Preservative Expiration Date									
		Acid Preservative Lot Number									

Date of Request: 11-JUL-2023
 Created By: JAEGER_M On: 11-JUL-2023
 Modified By: SWANSON_C On: 13-JUL-2023
 Customer: SO-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: South District
 Event Description: 2023 SMP: SARASOTA

Send Coolers To:

Phone: 239-344-5716
 FLDEP South District Office
 2295 Victoria Ave. Suite 314
 Fort Myers, FL 33901-3381
 Attn: Monica Jaeger
 Cooler Ship EMail: Monica.Jaeger@FloridaDEP.gov

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 12-JUL-2023
 Biology Request Reviewed By: SWANSON_C On: 13-JUL-2023
 Sampling Kit Required: YES Ship on: 21-JUL-2023
 Sampling Kit Shipped: YES On: 18-JUL-2023
 Sampling Kit Packed By: SHAIK_A
 Preservatives Needed: YES
 Date to Receive Samples: 26-JUL-2023
 Logged In By: SHAIK_A On: 26-JUL-2023

Send Final Report To:

FLDEP South District Office
 2295 Victoria Ave. Suite 314
 Fort Myers, FL 33901-3381
 Attn: Monica Jaeger
 Report Notification EMail:
 Nicole.Reistad@FloridaDEP.gov; John.Barrington@FloridaDEP.gov; Monica.Jaeger@FloridaDEP.gov

Comments: Group A: (Matheny Creek) Tracers
 Group B: (North Creek TIDAL) Enterococci, Tracers
 Group C: (North Creek by Oaks) E. coli, PCR, Tracers
 Group D: (South Creek) W-CT-CI-R/W-PCL-TQ-R/W-PCB-TQ-R

 1 Box- Nitric Acid
 #####

Bottle Group A (Water) With 1 Samples:

Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA South in North Port
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: QPCR-P-500ML	Number of Bottles: 1	Preserved With: ICE
PCR-BACR	Template: DEFAULT	(SOP-PCR-1.4) Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction
PCR-DG3	Template: DEFAULT	(SOP-PCR-1.5) Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction
PCR-HF183	Template: DEFAULT	(SOP-PCR-1.0) Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SD-BES-ECQ	Template: DEFAULT	(SM 9223 Quanti-Tray) E. coli by Colilert/QT by BEA South in North Port
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 1 Samples:

Bottle Group D (Water) With 1 Samples:

Bottle Type: BG-500ML FILL TO	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Chlordane and Toxaphene in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template:	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.