

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave, Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5718
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab 195341
000EFS
CIEFCB

2023-08-21-18

Project Name: RQ-2021-NR
Project Run/Location: Myakka Cricks

Laboratory Submission #:

Station ID

Enterococci
E.coli (SM9223B Quantitray)

Laboratory Sample #

Surface Water Sample Matrix* (if fresh / Marine)	Sample Type	E.coli = 250 mL ; Enteroc = 120 mL ; Fecal Coliform = 120 mL	
G3SD0071	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 08/21/23 0835
G3SD0070	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 08/21/23 0900
G3SD0068	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 08/21/23 0930
G3SD0161	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time: 08/21/23 1015
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:
	F / M / Grab	E. coli / Enteroc / Fecal coliform	Date & Time:

*Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

*Sample Matrix is used to indicate whether the sample is being delivered to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDMNT), or sludge (SLDG).

*Container Type is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in wet ice after collection. The minimum temperature during storage should be 4°C (41°F). Under "Preservative," list any preservatives that were added to the sample container.

Instructions:

- Each bottle has a label identifying sample ID, preservative, container type, client ID, and parameters for analysis.
- The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
- All bottles not containing preservative may be stored with appropriate sample prior to collection.
- The client is responsible for documentation of the sampling event. Please use special sampling events on the sample custody form.

Laboratory Sample Acceptability:
pH < 2 : 0 BEAS Temperature: 4.0°C

1	Collector: <i>Brooklyn Waters</i>	Date: 08/21/23	Time: 1106	Received By: <i>Brooklyn Waters</i>	Date: 8/21/23	Time: 1106
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

BEAS Sample Receipt Temp. 4.0 °C
Checked at Benchmark EA South E85086
With Temperature Gun ID #7