

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5718
Email: dep-overflowmicro@dep.state.fl.us
Bill to: Frances Moore
P.O. #: Lab C001F5-
C1E FCB

Project Name: RQ-2023-08-28-08
Project Run/Location: SMP / Whids END

Laboratory Submission #:

52308647

Station ID

Surface Water Sample Matrix*
(Fresh / Marine)
Sample Type

Enterococci
E.coli (SM9223B Quantitray)

Laboratory Sample #

E. coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G2SD0029	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time: 8/28/23	448	1015	1
G2SD0046	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time: 8/28/23	105	910	2
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			
	F / M / Grab	E. coli	Entero	Fecal coliform	Date & Time:			

*Sample Type is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

1. "Sample Matrix" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

2. "Container Type" is used to indicate whether the container is plastic (P) or glass (G). Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.

3. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

4. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

5. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

6. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

7. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

8. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

9. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

10. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

11. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

12. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

13. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

14. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

15. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

16. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

17. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

18. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

19. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

20. "Preservative" is used to indicate whether the sample is being discarded to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SOMANT), or sludge (SLDG).

Collector: Monica Jaeger	Date: 8/28/23	Time: 1:36	Received By: M. Jaeger	Date: 8/28/23	Time: 1:36
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:
Relinquished by:	Date:	Time:	Received By:	Date:	Time:

Laboratory Sample Acceptability:
pH < 2.0 BEAS Temperature: 4.9°C

BEAS Sample Receipt Temp. 4.9°C

Checked at Benchmark EA South E85086
With Temperature Gun ID #7