

Benchmark EnviroAnalytical, Inc.
1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

BEAS Sample Receipt Temp. 21 °C
Checked at Benchmark EA South E85086
With Temperature Gun ID #7

Client Name: FDDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (239) 344-5718
Email: dep-overflowmicro@dep.state.fl.us
Bill to: Frances Moore
P.O. #: Lab CIEFCB

Project Name: RQ-2023-12-11-38
Project Run/Location: Mya Vka

Station ID

Surface Water Sample Matrix²
(Fresh / Marine)
Sample Type

Enterococci
E.coli (SM9223B Quantitray)

Laboratory Sample #

E. Coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL

G3SD0201	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time: 12/13/23 9:25	1
G3SD0133 EA	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
G3SD0107 EA	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	
	F / M / Grab	E. coli	Entero / Fecal coliform	Date & Time:	

Laboratory Sample Acceptability:
pH < 2 : 0 BEAS Temperature: 9.1°C

1. Sample Type is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or sludge (SLDG).
2. Sample Matrix is used to indicate whether the container is plastic (P) or glass (G).
3. Collection Type is used to indicate whether the container is pre-filled (PF) or empty (E).
4. Sample must be refrigerated or stored in wet ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Preservative," list any preservatives that were added to the sample container.
5. Each following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
6. All bottles not containing preservative may be mixed with appropriate sample prior to collection.
7. The client is responsible for documentation of the sampling event. Please use special sampling events on the sample custody form.

1	Collector:	<u>Emily Ottum</u>	Date:	<u>12/13/23</u>	Time:	<u>1:34</u>	Received By:	<u>Melinda Merchant</u>	Date:	<u>12/13/23</u>	Time:	<u>1:34</u>
2	Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
3	Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
4	Relinquished by:		Date:		Time:		Received By:		Date:		Time:	
5	Relinquished by:		Date:		Time:		Received By:		Date:		Time:	