

SAMPLE TRANSMITTAL FORM
Document Reference # 05.1.0

Project: FDEP

Laboratory: Wetlands Research Laboratory

Sampler's initials: HH/NM

Method of transport: on ice by hand

Page 1 of 1

Samples delivered by: Hannah H. of FDEP

Date/Time: 5/24/23 1 1140

Sample received by: [Signature] of WRL

Date/Time: 5/24/23 1 1140

Instructions: Fill in all fields except "Lab ID" on sample transport form completely. Each sample container must use a separate line. Place this form in a waterproof bag and place it with the samples for transport. If a field log or other chain of custody is attached, that information may be referenced on this form and the log or COC attached.

Lab ID	Sample ID	Matrix ¹	Type ²	Container Type	Analyses Requested	Preservative	Sample (°C) ³	Sampling Date/Time
<u>23-51386</u>	G4NW0179 Marcus Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₃	<u>4.4</u>	<u>5/24/2023 1020</u>
<u>23-51387</u>	G5NW0006 Marcus Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₄	<u>4.2</u>	<u>5/24/2023 915</u>
<u>23-51388</u>	G4NW0036 Carpenters Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₅	<u>8.7</u>	<u>5/24/2023 1115</u>
<u>23-51389</u>	G4NW0244 Carpenters Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₆	<u>3.6</u>	<u>5/24/2023 1050</u>
<u>23-51390</u>	G4NW0412 Jackson Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₇	<u>5.2</u>	<u>5/24/2023 805</u>
<u>23-51391</u>	G4NW0429 Jones Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₈	<u>4.3</u>	<u>5/24/2023 750</u>
<u>23-51392</u>	G5NW0156 Bayou Marcus Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₉	<u>3.5</u>	<u>5/24/2023 845</u>
<u>23-51393</u>	G5NW0005 Bayou Marcus Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₁₀	<u>4.3</u>	<u>5/24/2023 950</u>
<u>23-51394</u>	G4NW0505 Jackson Creek	SW/FW	G	Sterile plastic	Escherichia coli 18-QT	ice/Na ₂ S ₂ O ₁₁	<u>3.3</u>	<u>5/24/2023 815</u>

Comments: **Sample Container lot# 21347**

PO # C01214

Surface water, no chlorine expected

RQ -2023-05-22-25

Contact organization FDEP

Contact name **Stopher Slade**

Phone:

Address 160 Governmental Center, suite 308, Pensacola, FL 32502

Sampler's name:

¹Matrix examples: SW = surface water, PW = pore water, GW = ground water, FW = Freshwater, MW = Marine Water, BW = Brackish Water, S = soil/sediment, Other X =

²Type codes: G = grab, C = composite, X =

³Recorded using IRT-2