

Login Checklist

RQ-2023 - 09 - 11 - 42

Login Station ID: # 2

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 09/14/2023 / 09:38

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
2.1C				9		X			5859 4735 1049

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes ✓ No X ABS

CONTAINER CHECK

Evidence Tape on Bottles? Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken? Yes _____ No _____ Containers intact? Yes X No _____

Caps on tight? Yes X No _____

Sufficient Sample Volume: Yes X No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes X No _____ Init: ABS

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: ABS

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0? Yes X No _____ NA _____ Init: ABS

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0? Yes _____ No _____ NA X Init: ABS

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: ABS /

Date: 09/14/2023

Event contains NCRs(Y/N)? N

Event ID: NW - DIST - 2023 - 09 - 14 - 0

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IRTG#2 EXP:10/17/23
pH Test Strips 0 – 6	LOT#223819BVEXP8/15/24
pH Paper 0 – 3	N/A
pH Paper 0 – 13	LOT207621EXP:3/15/24
Chlorine Test Strips	1196/2024/02

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: ABS

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 9/13/2023 **Collected By:** Frank Butera, Nathan Mulkey
Customer: NW-DIST **Sampling:** FDEP
RQ: RQ-2023-09-11-42 **Agency:**
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
BIG COLDWATER CR E FORK HWY 4	 G4NW0030
COLDWATER CREEK WEST FORK ON CR 178	 G4NW0016
POND CREEK UPSTREAM OF HWY 182	 G4NW0007
FB	 FB_09132023

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 9/13/2023

1600 CEN

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Rec'd/Inspected

Date:



RQ-2023-09-11-42

Customer: FDEP

Project ID: SMP

Collected By: Frank Butera, Nathan Mulkey

Field Report Prepared by: Frank Butera, Nathan Mulkey

Sampling Agency: FDEP

 WIN ID/Field ID: 
 WIN ID/Field ID: G4NW0030

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: BIG COLDWATER CR E FORK HWY 4

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {CEN}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
9/13/2023 1035	8.27	97.3	23.5	5.4	0.1	0.2	0.2	19.6	0.01
Parameter Suite	Parameter Methods				Preservation		pH Check	# Bottles sent to Lab	Bottle Group
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice	H2SO4*	<2		
	Lot #		Exp:						
Metals (P-500ML)	W-ICPMS / W-ICP / W-HARD				Ice	HNO3*	<2		
	Lot #		Exp:						
Filtered Nutrients (P125ML)	W-PO4-F / Field Filtered 0.45 µm Filter				Ice				
	Filter Lot #	Syringe Lot #							
BOD (BP-1L)	OV-BODUNIN				Ice				
Chlorophyll (BP-1L)	CHLSUITE-W				Ice				
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-CH-C / W-COLOR / W-SO4-C / W-TDS				Ice				
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice				
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #			Formalin				
Periphyton (PT-50ML)	ALGAE-ID				Ice				
Microbiology (Contract Lab Bottle)	X E Coli		F Coli	Enterococci	x Ice			1	C
	Contract Lab								
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR	PCR-DG3	Ice				
	PCR-GULL2		PCR-GFD						
Tracers (BG-500ML)	W-E8321-DI		W-E8321-MS		Ice				
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS	W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#		
	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)	W-CT-CL-R						
	W-TR-SQ-R	W-PCB-TQ-R							
Phytoplankton (BP-1L)	DTY-QN-C		PKD-QN-BV		Ice				
DOC (P-500ML)	W-DOC	Field Filtered 0.45 µm Filter			Ice	H2SO4*	<2		
		Acid Preservative Expiration Date							
		Acid Preservative Lot Number							



RQ-2023-09-11-42	Collected By: Frank Butera, Nathan Mulkey
Customer: FDEP	Field Report Prepared by: Frank Butera, Nathan Mulkey
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G4NW0016	Comments: Microbiology sample(s) submitted to contract laboratory.

Location: COLDWATER CREEK WEST FORK ON CR 178

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {CEN}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)				
9/13/2023 1115	7.83	90.6	22.6	5.92	0.15	0.3	0.3	59.1	0.03				
Parameter Suite		Parameter Methods			Preservation		pH Check		# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	<2	1	B		
		Lot #	3013020	Exp:		01/25/2024							
Metals (P-500ML)		W-ICPMS				Ice		HNO3*	<2				
		Lot #		Exp:									
Filtered Nutrients (P125ML)		W-PO4-F				Field Filtered 0.45 um Filter							
		Filter Lot #		Syringe Lot #		Ice							
BOD (BP-1L)		OV-BODUNIN				Ice							
Chlorophyll (BP-1L)	X	CHLSUITE-W			X	Ice							
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS			X	Ice							
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY				Ice							
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin							
Periphyton (PT-50ML)		ALGAE-ID				Ice							
Microbiology (Contract Lab Bottle)	X	E Coli				F Coli		Enterococci					
	X	Contract Lab			X	Ice							
Molecular (QPCR-P-500ML)		PCR-HF183				PCR-BacR		PCR-DG3					
		PCR-GULL2				PCR-GFD							
Tracers (BG-500ML)		W-E8321-DI				W-E8321-MS							
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS			W-PSNP-TQ		MCAA Exp.	MCAA Lot#	4	B		
	X	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		X	W-CT-CL-R							
		W-TR-SQ-R	X	W-PCB-TQ-R									
Phytoplankton (BP-1L)		DTY-QN-C				PKD-QN-BV							
DOC (P-500ML)						Field Filtered 0.45 um Filter		Ice	H2SO 4*	<2			
		W-DOC				Acid Preservative Expiration Date							
						Acid Preservative Lot Number							



RQ-2023-09-11-42

Customer: FDEP

Project ID: SMP

Collected By: Frank Butera, Nathan Mulkey

Field Report Prepared by: Frank Butera, Nathan Mulkey

Sampling Agency: FDEP

 WIN ID/Field ID: 
 WIN ID/Field ID: G4NW0007

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: POND CREEK UPSTREAM OF HWY 182

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

Date and Time {CEN}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)
9/13/2023 1155	7.16	83.1	22.7	5.56	0.1	0.2	0.2	44.5	0.02

Parameter Suite	Parameter Methods		Preservation	pH Check	# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP		Ice	H2SO4*	<2				
	Lot #	Exp:							
Metals (P-500ML)	W-ICPMS / W-ICP / W-HARD		Ice	HNO3*	<2				
	Lot #	Exp:							
Filtered Nutrients (P125ML)	W-PO4-F	Field Filtered 0.45 µm Filter	Ice						
	Filter Lot #	Syringe Lot #							
BOD (BP-1L)	OV-BODUNIN		Ice						
Chlorophyll (BP-1L)	CHLSUITE-W		Ice						
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS		Ice						
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY		Ice						
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #	Formalin						
Periphyton (PT-50ML)	ALGAE-ID		Ice						
Microbiology (Contract Lab Bottle)	X E Coli	F Coli	Enterococci	x			Ice	1	C
	Contract Lab								
Molecular (QPCR-P-500ML)	PCR-HF183	PCR-BacR	PCR-DG3		Ice				
	PCR-GULL2	PCR-GFD							
Tracers (BG-500ML)	W-E8321-DI	W-E8321-MS		Ice					
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS	W-PSNP-TQ	Ice	MCAA Exp.	MCAA Lot#			
	W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)	W-CT-CL-R						
	W-TR-SQ-R	W-PCB-TQ-R							
Phytoplankton (BP-1L)	DTY-QN-C	PKD-QN-BV		Ice					
DOC (P-500ML)	W-DOC	Field Filtered 0.45 µm Filter	Ice	H2SO4*	<2				
		Acid Preservative Expiration Date							
		Acid Preservative Lot Number							

RQ-2023-09-11-42	Collected By: Frank Butera, Nathan Mulkey
Customer: FDEP	Field Report Prepared by: Frank Butera, Nathan Mulkey
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID: WIN ID/Field ID: FB_09132023		Comments: Microbiology sample(s) submitted to contract laboratory.
--	---	---

Location: FB

Matrix: W-FIELD-BLANK						(Check One)		☒ Grab		☐ Composite		
Date and Time {CEN}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT _h)			
9/13/2023 1045												
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group	
Preserved Nutrients (P-500ML)		W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice H2SO4*			<2	1	D	
		Lot #		3013020		Exp: 01/25/2024						
Metals (P-500ML)		W-ICPMS		W-ICP		W-HARD Ice HNO3*			<2			
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 µm Filter		Ice						
		Filter Lot #		Syringe Lot #								
BOD (BP-1L)		OV-BODUNIN				Ice						
Chlorophyll (BP-1L)		CHLSUITE-W				Ice						
Physical/Aggregate (Fresh) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				Ice						
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY				Ice						
Macroinvertebrates (PJ-2L)		MI-FW-QLDC		Formalin Lot #		Formalin						
Periphyton (PT-50ML)		ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)		E Coli		F Coli		Enterococci						Ice
		Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3		Ice				
		PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS		Ice						
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#		
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R						
		W-TR-SQ-R		W-PCB-TQ-R								
Phytoplankton (BP-1L)		DTY-QN-C		PKD-QN-BV		Ice						
DOC (P-500ML)		W-DOC		Field Filtered 0.45 µm Filter		Ice H2SO4*			<2			
				Acid Preservative Expiration Date								
				Acid Preservative Lot Number								

Wellands Research Laboratory\Fdep1\dear\WQAP\Regional Operation Centers\NW ROC\TUNUSWP 2006\Feb15\Sheets and Labels\Pace Run (11A 18 176 179)\Bacteria CoC\UWF_Sample_Transmittal_Form

Date of Request: 14-AUG-2023
 Created By: SLADE_C On: 14-AUG-2023
 Modified By: JASROTIA_P On: 24-AUG-2023
 Customer: NW-DIST
 Project: SMP
 Division: Division of Environmental Assessment and Restoration
 District: Northwest District
 Event Description: Pace Run

Send Coolers To:

Phone: 850-595-0567
 160 W Government Street
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Stopher Slade
 Cooler Ship Email: christopher.slade@floridadep.gov

Priority: 3
 Event Status: R
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 23-AUG-2023
 Biology Request Reviewed By: JASROTIA_P On: 24-AUG-2023
 Sampling Kit Required: YES Ship on: 05-SEP-2023
 Sampling Kit Shipped: YES On: 08-SEP-2023
 Sampling Kit Packed By: LEBRUN_T
 Preservatives Needed: NO
 Date to Receive Samples: 11-SEP-2023
 Logged In By: SHAIK_A On: 14-SEP-2023

Send Final Report To:

160 W Government Street
 Suite 208
 Pensacola, FL 32502-5794
 Attn: Myranda Butler
 Report Notification Email:
 christopher.slade@floridadep.gov;Myranda.k.butler@floridadep.gov;

Comments: Group A: (WBID 179) Nutrients, Metals, Contract Lab Bacteria
 Group B: (WBID 11A) Nutrients, Limited Pesticides, Contract Lab Bacteria
 Group C: (WBID 18A, 176) Contract Lab Bacteria
 Group D: (Field Blank) Nutrients no Chlorophyll

Packing notes:

FedEx labels

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE

Bottle Group A (Water) With 1 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-HARD	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3
Hardness		
W-ICP	Template: SMP-FRESH	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Potassium		
Sodium		
Strontium		
Tin		
Titanium		
Vanadium		
Zinc		
W-ICPMS	Template: DEFAULT	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
Aluminum		
Antimony		
Arsenic		
Barium		
Beryllium		
Boron		
Cadmium		
Chromium		
Cobalt		
Copper		
Lead		
Manganese		
Molybdenum		
Nickel		
Selenium		
Silver		
Thallium		
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group B (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: TEST HAS NO	Number of Bottles: 1	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola
Bottle Type: BG-500ML FILL TO	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Chlordane and Toxaphene in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template: DEFAULT	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Group C (Water) With 2 Samples:

Bottle Type: TEST HAS NO	Number of Bottles: 2	Preserved With: ICE
NW-UWF-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert-18/QT by UWF in Pensacola

Bottle Group D (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.

