



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STRATEGIC MONITORING PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV

Yes / No

WIN Station Name:	LITTLE CHARLIE CREEK AT 664				Sample Date:	3/27/2023	
WIN / Field ID:	G3SW0089	ORG ID:	21FLTPA	ENR:	-	Latitude:	27.58878
County:	HARDEE	WBID:	1774	STREAM		Longitude:	-81.77049
Receiving Body of Water:	Peace River				RQ-	2023-03-27-24	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Ben Paswater	x		x		x
Ken Turman		x	x	x	

Sampling Equipment			
x	Sample Container		Carboy
	Dipper		Van Dorn
	Syringe		Pole
	Syringe Lot# 1145497		Filter Lot# 17232873
	Secchi Equipment ID:	Secchi #3	
Collection Method			
x	Wading		Canoe/Kayak
	From Shore		Electric Motor
			Gasoline Motor
	Depth Measured With	Secchi	

Water Level:	Normal
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	Yes
Meter ID:	Leia
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1200	0.4	0.2	10.15	122.1	24.6	7.5	0.4	385.2	0.18
								VOB (s)		

Biological Samples Collected: HA LVS RPS SCI

SBIO Visit ID: 86332 HA ID: 18183 RPS ID: 10070 Macrophyte ID: LVS<2m LIMS Sample ID Entered Into The Macrophyte Module: 2396537

Parameter Suite	Parameter Methods (LIMS Test Codes)			Preservation			
				Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli			ICE			
	Contract Lab	Benchmark					
Chlorophyll	CHLSUITE-W			ICE			
Physical/Aggregate	ALKALINITY, TURBIDITY, W-F, W-TSS			ICE			
Nutrients	W-CL-IC, W-COLOR, W-SO4-IC, W-TDS			ICE			
Filtered Nutrients	W-PO4-F	Field Filtered 0.45 µm Filter		ICE	Syringe Lot#:1145497; Filter Lot#:17232873		
Acid Preserved Nutrients	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			ICE	H2SO4*	SA2299040	11/04/23
Metals	W-ICPMS	W-ICP	W-HARD	ICE	HNO3**	NA2126030	06/02/23
Organics (LC)	W-E8321-DI	W-E8321-MS					
Macroinvertebrates	MI-FW-QLDC			Formalin	9.28091899T R		
Organics (GC)	W-PSNP-TQ	W-TR-SQ-R		Ice	*2.0 ml of H2SO4 Used Unless Noted Otherwise **2.0 ml of HNO3 Used Unless Noted Otherwise		
Molecular	PCR-HF183	PCR-BacR	PCR-DG3	Ice			
Periphyton				Ice			
Phytoplankton							
BOD							
DOC							
Other(s)					SyringeLot#	FilterLot#	
Field Comments:	/ SCI Collection Time: 1200						
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.						
Relinquish Date:	03/27/2023	Signature:					

LIMS EVENT ID: SW-DIST-2023-03-28-01

WIN Import ID: 44388

Enter Field Parameters, Verify Station ID in LIMS DMT: DM 4/7/2023

QC Station ID, Field Parameters in LIMS DMT: MM 6/15/2023

Save Field Sheets on Network: MM 12/18/2023 (Initials/Date)

Migrate Data to WIN: MM 12/18/2023 (Initials/Date)

(Initials/Date)

(Initials/Date)



DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

Site Name: **Little Charlie Creek at 664**

FIELD ID/NAME: <u>A</u>	COUNTY: <u>Hardee</u>	STORET STATION NUMBER: <u>3/27/23</u>	DATE (MM/DD/YY): <u>3/27/23</u>	SAMPLING AGENCY: FDEP SWROC
LOCATION: <u>Peace River</u>		RECEIVING BODY OF WATER: <u>Peace River</u>		

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components	Four or more major productive habitats present [snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock]	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags)	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered
Substrate Diversity <u>7</u>	20 19 18 17 16	15 14 13 12 11	10 9 8 <u>7</u> 6	5 4 3 2 1
Substrate Availability <u>4</u>	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 7 6	Less than 5% major productive habitat 5 <u>4</u> 3 2 1
Water Velocity <u>9</u>	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 0.13 >0.1 15 14 13 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 <u>9</u> 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering <u>6</u> ----- Primary Score <u>26</u>	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 <u>6</u>	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks.	Good sinuosity within old channelized area. Evidence of dredging in the past (>25 yrs) but mostly recovered.	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area.	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks.
Artificial Channelization <u>16</u>	20 19 18 17 <u>16</u>	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1
Bank Stability	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankfull to top of bank. Bankfull is within or above the root zone with few raw, eroded areas.	Only meets 2 of the 3 requirements for optimal bank stability.	Only meets 1 of the 3 requirements for optimal bank stability.	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the root zone with raw, eroded areas.
Right Bank <u>8</u> Left Bank <u>8</u>	10 9	<u>8</u> 7 6	5 4	3 2 1
Riparian Buffer Zone Width	Width of vegetation greater than 18 m	Width of vegetation >12 to 18m	Width of vegetation 6 to 12 m. human activities close to system	Less than 6 m of buffer zone due to intensive human activities
Right Bank <u>9</u> Left Bank <u>9</u>	10 <u>9</u>	8 7 6	5 4	3 2 1
Riparian Zone Vegetation Quality	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance.	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed.	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious.	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions).
Right Bank <u>7</u> Left Bank <u>7</u> ----- Secondary Score <u>54</u>	10 9	8 <u>7</u> 6	5 4	3 2 1

TOTAL SCORE80

Date: <u>3/27/2023</u>	Analyst: <u>Ben Paswater, Ken Turman</u>	Signature: <u>Ben Paswater</u>
------------------------	--	--------------------------------

G3SW0089

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

Site Name: Little Charlie Creek at 664

21FLTPA

LATITUDE

LONGITUDE

SAMPLING AGENCY FDEP SW ROC

RECEIVING BODY OF WATER

Peace River

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category): Forest/Natural ☐ Silviculture ☐ Field/Pasture ☐ Agricultural ☐ Residential ☐ Commercial ☐ Industry ☐ Other (Specify) ☐ 10 20 20 50							Landscape Development Intensity Index (LDI) ☐
Local Watershed Erosion (select one): ☐ None ☐ Slight ☐ Moderate ☒ Heavy Local Watershed NPS Pollution: ☐ No evidence ☒ Slight ☐ Moderate ☐ Heavy							Typical Width (m) Depth (m)/Velocity (m/sec) Transect 3 m wide .09 m/s .09 m/s .09 m/s .2 m deep .4 m deep .2 m deep
Width of Riparian Vegetation (m) on Each Buffer Side Left Bank: >18 Right Bank: 18				Hydrologic Modification Score (per FT 3101) 6			
High Water Mark: 2 + .4 = 2.4 (m) (above present water level) (present depth) (above bed)				Artificially Impounded ☐ Yes ☒ No			
Artificially ☒ No ☐ Mostly recovered, more sinuous Channelized: ☐ Some recovery ☐ Recent, severe				Canopy Cover % ☐ Open ☐ Lightly Shaded (11-45%) ☐ Heavily Shaded ☒ Moderate Shaded (46-80%)			

SEDIMENT / SUBSTRATE

Sediment Oils ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse			Sediment Odors ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify):			Smothering of Substrates Sand Smothering: None ☐ Slight ☐ Moderate ☒ Severe ☐ Silt Smothering: None ☐ Slight ☒ Moderate ☐ Severe ☐ Algae Smothering: None ☐ Slight ☐ Moderate ☐ Severe ☒		
SUBSTRATE TYPE Assessment Tool: ☒ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon % Coverage INVERT # Times Sampled PERI # Times Sampled Woody Debris (Snags) 7 Undercut Banks / Roots 7 Leaf Packs or Mat Aquatic Vegetation Rock or Shell Rubble..... Sand..... 3 Mud / Muck / Silt Other Other			WATER QUALITY Depth (M) Temp. (°C) pH (SU) D.O. (MG/L) D.O. Sat (%) Cond. (UMHO/CM) Salinity (PPT) SECCHI (M) Top: 9.4 Mid: ☒ VOB Bottom: TOTAL DEPTH 0.04 Meter ID: Leia					
ABUNDANCE Not Obs. Rare Common Abundant Periphyton: ☐ ☐ ☐ ☒ Fish: ☐ ☐ ☐ ☒ Aquatic Plants: ☐ ☒ ☐ ☐ Iron/Sulfur Bacteria: ☒ ☐ ☐ ☐			Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐			Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐		
Water Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: see Water Datasheet			Color Tannic ☐ Green (Algae) ☐ Clear ☒ Other (Specify)			Clarity Clear ☒ Slightly Turbid ☐ Turbid ☐ Opaque ☐		
Algae Sample Taken? ☒ Yes ☐ No Sample Preserved? ☒ Yes ☐ No Lot Number: Ice Exp:			System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other (Specify)					
AMBIENT FIELD CONDITIONS / NOTES: ☒ The antecedent hydrologic conditions have been met to my best knowledge.								

SAMPLING TEAM

Ben Paswater, Ken Turman

SIGNATURE

Ben Paswater


DATE:

3/27/2023

G3SW0089

Site Name: Little Charlie Creek at 664

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Location: See label

Date: 3/27/2023

Sampler: Ben Pasquiter

100 m: Latitude _____
Longitude _____0 m: Latitude _____
Longitude _____

Substrates: Code key, draw proportionate habitat abundance. %

☒ S Snags 1.3 %☒ R Roots/undercut banks 2 %☐ Leaf Packs (or mats) _____☐ Aquatic Macrophytes _____☐ ROCKS _____☐ _____☒ 2 Pools total # observed = _____
range expected = _____

Average width 3 m

Average depth .4 m

Velocity measured at 0.50, 1.00 meter mark.

WQ & chemistry taken at 0 meter mark.

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.Bank Stability:
Note areas (on map) with unstable, eroding banks.Riparian Buffer Width:
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

R = 51

S = 32

Algae

Smothering throughout

Length of grid represents 100 m of stream (not linear meters).
(Horizontal scale is double vertical scale, draw proportionately).

G3SW0089



Site Name: Little Charlie Creek at 664

EP FORM FD 9000-25 Rapid Periphyton Survey Field Sh

Investigators: *Be Rtn*County: *Hardee*

STORET Station Number: see label

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover	Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	2		80	60	1	5		58
	2					2			
	3					3			
	4					4			
	5					5			
	6					6			
	7					7			
	8					8			
	9					9			
10	1	2		92	70	1	3		84
	2	5				2	3		
	3					3	N		
	4	2				4	N		
	5	4				5	N		
	6	5				6			
	7	5				7			
	8					8			
	9					9			
20	1	5		76	80	1	5		80
	2	5				2	5		
	3					3	5		
	4					4	N		
	5					5	N		
	6	5				6			
	7	5				7	4		
	8	5				8	4		
	9					9			
30	1	5		84	90	1	5		76
	2					2	5		
	3					3	5		
	4					4	5		
	5	2				5	N		
	6					6	N		
	7					7	N		
	8	5				8			
	9	5				9	5		
40	1	5		20	100	1			16
	2	5				2			
	3					3			
	4					4	N		
	5					5	N		
	6					6			
	7					7			
	8	5				8			
	9	5				9			
50	1	5		48		1			
	2	5				2			
	3					3			
	4	N				4			
	5					5			
	6					6			
	7					7			
	8	5				8			
	9	5				9			

 Secchi depth *1.4*
 Estimated? No

 # points ranked 4-6 *56*
 total points assessed *99*
 % points ranked 4-6 *56%*

Check accompanying data collected at same site/date.

 Algal mat sample ☒
 Linear Veg Survey ☒
 Habitat Assessment ☒
 SCI/Biorecon ☒
 Water sample ☒
RQ-*2023-03-27-24*

Algal Thickness Rank

N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

*Record just
where # Outside is N*



DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD

Site Name: Little Charlie Creek at 664

County: Hardee

Waterbody: See Sticker

Date: 3/27/2023

Signature: Ben Prosser

Analyst: Ben Prosser

Comments:

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m² of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names. **BOLD is exotic invasive**

HERBACEOUS SPECIES	Meter Mark										Specimen collected (check)	HERBACEOUS SPECIES	Meter Mark										Specimen collected (check)
	0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100			0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	
Alternanthera philoxeroides						✓						Micranthemum glomeratum											
Bacopa caroliniana (Lemon)												Micranthemum umbrosum											
Bacopa monnieri												Myriophyllum aquaticum											
Bidens mitis												Najas guadelupensis											
Boehmeria cylindrica												Nitella sp.											
Centella asiatica												Nuphar luteum											
Ceratophyllum demersum												Orontium aquaticum											
Chara sp.												Panicum hemitomon											
Cicuta maculata												Panicum repens											
Cladium jamaicense												Panicum rigidulum											
Colocasia esculenta												Pistia stratioides											
Commelina diffusa												Polygonum glabra											
Commelina virginica												Polygonum hydropiperoides											
Crinum americanum												Polygonum punctatum											
Cyperus												Pontedaria cordata											
Diodia virginiana												Potamogeton illinoensis											
Eichhornia crassipes												Ruellia simplex (Mex Petunia)											
Eleocharis (wispy viviparous)												Sacciolepis striata											
Fontinalis sp. (Aquatic Moss)												Sagittaria kurziana											
Fraxinus caroliniana												Sagittaria lancifolia											
Hydrilla verticillata												Sagittaria latifolia											
Hydrocotyle sp.												Salvinia minima											
Hygrophila polysperma												Samolus parviflora											
Hymenachne amplexicaulis												Saururus cernuus											
Hymenocallis												Sparganium americanum											
Lachnanthes caroliniana												Schoenoplectus americanus											
Landoltia punctata												Sphagneticola trilobata (Wedelia)											
Lemna sp.												Typha sp.											
Limnophila sessiflora												Urochloa mutica (Brachiaria)											
Ludwigia leptocarpa												Vallisneria americana											
Ludwigia palustris												Zizania aquatica											
Ludwigia peruviana																							
Ludwigia repens																							
Luziola fluitans																							
If no Dominant or Co-Dominant were selected, indicate with "X"																							
Indicate % cover macrophytes per section																							
0-5% Macrophyte Coverage					✓																		
>5 and ≤10% Macrophyte Coverage																							
>10 and ≤25% Macrophyte Coverage																							
>25 and ≤50% Macrophyte Coverage																							
> 50% Macrophyte Coverage																							

234/22 SAV
litte