

# Login Checklist

RQ- **2023 - 01 - 30 - 56**

Login Station ID: **# 2**

Shipping Method: **FedEx | UPS | HD | Greyhound**

Date/Time of Receipt: **02/02/2023 / 08:55**

| *Cooler Temperature | Samples Frozen? | * All Samples in Cooler Preserved with |          | Number of Sample Containers in Cooler | Evidence Tape |    |          |    | Waybill Tracking # |
|---------------------|-----------------|----------------------------------------|----------|---------------------------------------|---------------|----|----------|----|--------------------|
|                     |                 |                                        |          |                                       | Present?      |    | *Intact? |    |                    |
|                     | YES             | HNO <sub>3</sub>                       | Formalin |                                       | Yes           | No | Yes      | No |                    |
| 2.4C                |                 |                                        |          | 10                                    |               | X  |          |    | 5859 4732 8831     |
|                     |                 |                                        |          |                                       |               |    |          |    |                    |
|                     |                 |                                        |          |                                       |               |    |          |    |                    |
|                     |                 |                                        |          |                                       |               |    |          |    |                    |
|                     |                 |                                        |          |                                       |               |    |          |    |                    |

## COOLER CHECK

\*All samples received on ice unless otherwise noted. HNO3 and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# \_\_\_\_\_
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# \_\_\_\_\_
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# \_\_\_\_\_
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# \_\_\_\_\_

Chain of Custody/ Field Sheet(s) Included?

Yes **X** No \_\_\_\_\_

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes **X** No **/// ABS**

## CONTAINER CHECK

Evidence Tape on Bottles?

Yes \_\_\_\_\_ No \_\_\_\_\_ NA **X** Evidence Tape intact? Yes \_\_\_\_\_ No \_\_\_\_\_

If Criminal, photographs taken?

Yes \_\_\_\_\_ No \_\_\_\_\_

Containers intact? Yes **X** No \_\_\_\_\_

Caps on tight?

Yes **X** No \_\_\_\_\_

Sufficient Sample Volume:

Yes **X** No \_\_\_\_\_

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# \_\_\_\_\_

**CHLORINE CHECK REQUIRED?** (Blue dot on container)

Yes **X** No \_\_\_\_\_ Init: **ABS /**

Chlorine detected? (One container checked per Field ID)

Yes \_\_\_\_\_ No **X** Init: **ABS /**

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# \_\_\_\_\_

## PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

\*\*Acid Preserved Samples: pH< 2.0?

Yes \_\_\_\_\_ No \_\_\_\_\_ NA **X** Init: **ABS /**

\*\*W-1-4-DIOX (Green dot on container) preserved to pH<4.0?

Yes \_\_\_\_\_ No \_\_\_\_\_ NA **X** Init: **ABS /**

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# \_\_\_\_\_

Coolers Unpacked/Checked by: **ABS /**

Date: **02/02/2023**

Event contains NCRs (Y/N)? **N**

Event ID:

**SW - DIST - 2023 - 02 - 02 - 03**

## Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

|                          |                          |
|--------------------------|--------------------------|
| Infrared Thermometer ID: | IRTG # 2 EXP:10/17/2023  |
| pH Test Strips 0 – 6     | LOT#223819AV EXP:8/30/23 |
| pH Paper 0 – 3           | N/A                      |
| pH Paper 0 – 13          | LOT#207621 EXP:3/15/2024 |
| Chlorine Test Strips     | 0070 / 2023 / 02         |

### ENCORE SAMPLES

**S-VOC-MS samples in Encores must be frozen within 48 hours of collection.**

Were Encore samples received?      Yes \_\_\_\_\_      Init: ABS

Date and time placed in freezer \_\_\_\_\_

Were all samples placed in freezer within 48 hours of collection?      Yes \_\_\_\_\_      No \_\_\_\_\_

If no, were samples shipped on dry ice?      Yes \_\_\_\_\_      No \_\_\_\_\_

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# \_\_\_\_\_

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
CHAIN OF CUSTODY FORM

**Date:** 2/1/2023      **Collected By:** Ben Paswater, Devin Mathias  
**Customer:** SW-DIST      **Sampling Agency:** FDEP  
**RQ:** RQ-2023-01-30-56      **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL  
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

**Number of Coolers Shipped:** 2

**Delivery Method:** FedEx

**FIELD ID (Labels) submitted under this RQ for this collection date.**

| Site Location                    | Field ID/WIN ID                                                                                |
|----------------------------------|------------------------------------------------------------------------------------------------|
| Curlew Creek Tidal @ Golf Course | <br>G5SW0163 |
| Cedar Crk @ Pinehurst            | <br>G5SW0129 |

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 2/1/2023 1700  
EST

**THIS SECTION TO BE COMPLETED BY LABORATORY**

**Rec'd/Inspected By:** A.SHAIK

**Rec'd/Inspected**

**Date:** 02/02/2023



RQ-2023-01-30-56

Customer: FDEP

Project ID: SMP

Collected By: Ben Paswater, Devin Mathias

Field Report Prepared by: Ben Paswater, Devin Mathias

Sampling Agency: FDEP

 WIN ID/Field ID:   
 WIN ID/Field ID: G5SW0163

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: Curlew Creek Tidal @ Golf Course

Matrix: Marine

(Check One)

☒ Grab☐ Composite

| Date and Time {EST} | DO (mg/L) | DO (%SAT) | Temp. °C | pH   | Sample Depth (m) | Secchi Depth | Total Depth (m) | Sp COND (µmhos /cm) | Salinity (PPT) |
|---------------------|-----------|-----------|----------|------|------------------|--------------|-----------------|---------------------|----------------|
| 2/1/2023<br>1045    | 5.46      | 71.8      | 20.7     | 7.61 | 0.3              | 0.6          | 0.6             | 43642               | 28.22          |

  

| Parameter Suite                    | Parameter Methods                                                           |                                          | Preservation       | pH Check | # Bottles sent to Lab | Bottle Group |     |           |           |
|------------------------------------|-----------------------------------------------------------------------------|------------------------------------------|--------------------|----------|-----------------------|--------------|-----|-----------|-----------|
| Preserved Nutrients (P-500ML)      | W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP                                 |                                          | Ice      H2SO4*    | <2       |                       |              |     |           |           |
|                                    | Lot #                                                                       | Exp:                                     |                    |          |                       |              |     |           |           |
| Metals (P-500ML)                   | W-ICPMS      W-ICP      W-HARD                                              |                                          | Ice      HNO3*     | <2       |                       |              |     |           |           |
|                                    | Lot #                                                                       | Exp:                                     |                    |          |                       |              |     |           |           |
| Filtered Nutrients (P125ML)        | W-PO4-F                                                                     | Field Filtered 0.45 µm Filter            |                    |          |                       |              |     |           |           |
|                                    | Filter Lot #                                                                | Syringe Lot #                            | Ice                |          |                       |              |     |           |           |
| BOD (BP-1L)                        | OV-BODUNIN                                                                  |                                          | Ice                |          |                       |              |     |           |           |
| Chlorophyll (BP-1L)                | CHLSUITE-W                                                                  |                                          | Ice                |          |                       |              |     |           |           |
| Physical/Aggregate (Fresh) (P-1L)  | Alkalinity / W-F / W-TSS / TURBIDITY / W-D-IC / W-COLOR / W-SO4-IC / W- TDS |                                          | Ice                |          |                       |              |     |           |           |
| Physical/Aggregate (Marine) (P-1L) | Alkalinity / W-F / W-TSS / TURBIDITY                                        |                                          | Ice                |          |                       |              |     |           |           |
| Macroinvertebrates (PJ-2L)         | MI-FW-QLDC                                                                  | Formalin Lot #                           | Formalin           |          |                       |              |     |           |           |
| Periphyton (PT-50ML)               | ALGAE-ID                                                                    |                                          | Ice                |          |                       |              |     |           |           |
| Microbiology (Contract Lab Bottle) | E Coli                                                                      | F Coli                                   | X      Enterococci |          |                       |              | x   | Ice       | 1      E  |
|                                    | X      Contract Lab                                                         |                                          |                    |          |                       |              |     |           |           |
| Molecular (QPCR-P-500ML)           | PCR-HF183                                                                   | PCR-BacR                                 | PCR-DG3            |          |                       |              | Ice |           |           |
|                                    | PCR-GULL2                                                                   | PCR-GFD                                  |                    |          |                       |              |     |           |           |
| Tracers (BG-500ML)                 | W-E8321-DI                                                                  | W-E8321-MS                               |                    |          |                       |              | Ice |           |           |
| Pesticides (BG-500ML) (BG-1L)      | W-E8321-DI                                                                  | W-E8321-MS                               | W-PSNP-TQ          |          |                       |              | Ice | MCAA Exp. | MCAA Lot# |
|                                    | W-PCL-TQ-R                                                                  | W-CARB-AA (5 ml of MCAA Buffer Solution) | W-CT-CL-R          |          |                       |              |     |           |           |
|                                    | W-TR-SQ-R                                                                   | W-PCB-TQ-R                               |                    |          |                       |              |     |           |           |
| Phytoplankton                      | DTY-QN-C                                                                    | PKD-QN-BV                                |                    | Ice      |                       |              |     |           |           |
| DOC                                | W-DOC                                                                       | Field Filtered 0.45 µm Filter            |                    | Ice      | H2SO4*                | <2           |     |           |           |
|                                    |                                                                             | Acid Preservative Expiration Date        |                    |          |                       |              |     |           |           |
|                                    |                                                                             | Acid Preservative Lot Number             |                    |          |                       |              |     |           |           |



RQ-2023-01-30-56

Customer: FDEP

Project ID: SMP

Collected By: Ben Paswater, Devin Mathias

Field Report Prepared by: Ben Paswater, Devin Mathias

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G5SW0129

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: Cedar Crk @ Pinehurst

Matrix: Fresh

(Check One)

☒ Grab☐ Composite

| Date and Time {EST} | DO (mg/L) | DO (%SAT) | Temp. °C | pH   | Sample Depth (m) | Secchi Depth | Total Depth (m) | Sp COND (µmhos/cm) | Salinity (PPT) |
|---------------------|-----------|-----------|----------|------|------------------|--------------|-----------------|--------------------|----------------|
| 2/1/2023<br>1115    | 7.31      | 79.4      | 19.2     | 7.36 | 0.2              | 0.4          | 0.4             | 806                | 0.4            |

  

| Parameter Suite                    | Parameter Methods                                                            |                |                                   |                                          | Preservation | pH Check    | # Bottles sent to Lab | Bottle Group |           |           |    |   |
|------------------------------------|------------------------------------------------------------------------------|----------------|-----------------------------------|------------------------------------------|--------------|-------------|-----------------------|--------------|-----------|-----------|----|---|
| Preserved Nutrients (P-500ML)      | W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP                                  |                |                                   |                                          | Ice          | H2SO4*      | <2                    |              |           |           |    |   |
|                                    | Lot #                                                                        |                | Exp:                              |                                          |              |             |                       |              |           |           |    |   |
| Metals (P-500ML)                   | W-ICPMS                                                                      |                | W-ICP                             | W-HARD                                   | Ice          | HNO3*       | <2                    |              |           |           |    |   |
|                                    | Lot #                                                                        |                | Exp:                              |                                          |              |             |                       |              |           |           |    |   |
| Filtered Nutrients (P125ML)        | W-PO4-F                                                                      |                | Field Filtered 0.45 µm Filter     |                                          | Ice          |             |                       |              |           |           |    |   |
|                                    | Filter Lot #                                                                 |                | Syringe Lot #                     |                                          |              |             |                       |              |           |           |    |   |
| BOD (BP-1L)                        | OV-BODUNIN                                                                   |                |                                   |                                          | Ice          |             |                       |              |           |           |    |   |
| Chlorophyll (BP-1L)                | CHLSUITE-W                                                                   |                |                                   |                                          | Ice          |             |                       |              |           |           |    |   |
| Physical/Aggregate (Fresh) (P-1L)  | Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS |                |                                   |                                          | Ice          |             |                       |              |           |           |    |   |
| Physical/Aggregate (Marine) (P-1L) | Alkalinity / W-F / W-TSS / TURBIDITY                                         |                |                                   |                                          | Ice          |             |                       |              |           |           |    |   |
| Macroinvertebrates (PJ-2L)         | MI-FW-QLDC                                                                   | Formalin Lot # |                                   |                                          | Formalin     |             |                       |              |           |           |    |   |
| Periphyton (PT-50ML)               | ALGAE-ID                                                                     |                |                                   |                                          | Ice          |             |                       |              |           |           |    |   |
| Microbiology (Contract Lab Bottle) | X                                                                            | E Coli         |                                   | F Coli                                   |              | Enterococci | x                     | Ice          | 1         | B         |    |   |
|                                    | X                                                                            | Contract Lab   |                                   |                                          |              |             |                       |              |           |           |    |   |
| Molecular (QPCR-P-500ML)           | PCR-HF183                                                                    |                | PCR-BacR                          | PCR-DG3                                  | Ice          |             |                       |              |           |           |    |   |
|                                    | PCR-GULL2                                                                    |                | PCR-GFD                           |                                          |              |             |                       |              |           |           |    |   |
| Tracers (BG-500ML)                 | W-E8321-DI                                                                   |                | W-E8321-MS                        |                                          | Ice          |             |                       |              |           |           |    |   |
| Pesticides (BG-500ML) (BG-1L)      | X                                                                            | W-E8321-DI     | X                                 | W-E8321-MS                               | X            | W-PSNP-TQ   | x                     | Ice          | MCAA Exp. | MCAA Lot# | 10 | B |
|                                    | X                                                                            | W-PCL-TQ-R     | X                                 | W-CARB-AA (5 ml of MCAA Buffer Solution) | X            | W-CT-CL-R   |                       |              | 2/4/23    | 128343    |    |   |
|                                    | X                                                                            | W-TR-SQ-R      | X                                 | W-PCB-TQ-R                               |              |             |                       |              |           |           |    |   |
| Phytoplankton                      | DTY-QN-C                                                                     |                | PKD-QN-BV                         |                                          | Ice          |             |                       |              |           |           |    |   |
| DOC                                | W-DOC                                                                        |                | Field Filtered 0.45 µm Filter     |                                          | Ice          | H2SO4*      |                       |              | <2        |           |    |   |
|                                    |                                                                              |                | Acid Preservative Expiration Date |                                          |              |             |                       |              |           |           |    |   |
|                                    |                                                                              |                | Acid Preservative Lot Number      |                                          |              |             |                       |              |           |           |    |   |

Benchmark EnviroAnalytical, Inc  
1711 12<sup>th</sup> Street East  
Palmetto, FL 34221  
941-723-9986  
941-723-6061 Fax

PO# C00EF5

Client Information: **DEP: SW-DIST**

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us  
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2023-01-30-56

Laboratory Submission #

13020009

| Sample Name | Sample Type <sup>1</sup> / Sample Matrix <sup>2</sup> | Collection |       | Container |          | Preservative <sup>4</sup> | Parameters for Analysis | Laboratory Sample # |                   |
|-------------|-------------------------------------------------------|------------|-------|-----------|----------|---------------------------|-------------------------|---------------------|-------------------|
|             |                                                       | Date       | Time  | Qty       | Capacity |                           |                         |                     | Type <sup>3</sup> |
| GSSH0163    | SW                                                    | 02/01/2023 | 10:45 | 1         | 250mL    | P                         | Plain (on Ice)          | Entero              | 1                 |
| GSSH0129    | SW                                                    | 02/01/2023 | 11:15 | 1         | 250mL    | P                         | Plain (on Ice)          | E coli              | 2                 |
|             | SW                                                    |            |       |           | 250mL    | P                         | Plain (on Ice)          |                     |                   |
|             | SW                                                    |            |       |           | 250mL    | P                         | Plain (on Ice)          |                     |                   |
|             | SW                                                    |            |       |           | 250mL    | P                         | Plain (on Ice)          |                     |                   |
|             | SW                                                    |            |       |           | 250mL    | P                         | Plain (on Ice)          |                     |                   |
|             | SW                                                    |            |       |           | 250mL    | P                         | Plain (on Ice)          |                     |                   |

<sup>1</sup> "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).  
<sup>2</sup> "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or a bulge (SLXG).  
<sup>3</sup> "Container Type" is used to indicate whether the container is plastic (P) or glass (G).  
<sup>4</sup> Sample must be refrigerated or stored on wet ice after collection. The temperature during storage should be less than or equal to 6°C (42.8°F).  
Under "Preservative," list any preservative that was added to the sample container.

**Instructions:**  
1. Each bottle has a label identifying sample ID, preservative contained in the bottle, sample type, client ID, and parameters for analysis.  
2. The following information should be added to each bottle label after collection: date and time of collection, sampler's name or initials, and any field number or ID.  
3. All bottles not containing preservative may be rinsed with appropriate sample prior to collection.  
4. The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

Temperature: 1.2°C

1 Collected / Relinquished By:

Date

2/1/23

Time

1305

Received By:

Nathan Hadse

11

Date

2-1-23

Time

1305

2 Relinquished By:

Date

Time

Received By:

Date

Time

Benchmark EnviroAnalytical, Inc  
1711 12<sup>th</sup> Street East  
Palmetto, FL 34221  
941-723-9986  
941-723-6061 Fax

PO# C00EF5

Client Information: **DEP: SW-DIST**

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5878

Report to: benjamin.paswater@dep.state.fl.us  
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2023- 01-30-56

Laboratory Submission #

13020 009

| Sample Name | Sample Type <sup>1</sup> / Sample Matrix <sup>2</sup> | Collection |       | Qty | Container |                   | Preservative <sup>4</sup> | Parameters for Analysis | Laboratory Sample # |
|-------------|-------------------------------------------------------|------------|-------|-----|-----------|-------------------|---------------------------|-------------------------|---------------------|
|             |                                                       | Date       | Time  |     | Capacity  | Type <sup>3</sup> |                           |                         |                     |
| GSSN0163    | SW                                                    | 02/01/2023 | 10:45 | 1   | 250mL     | P                 | Plain (on Ice)            | Enteroc                 | 1                   |
| GSSN0129    | SW                                                    | 02/01/2023 | 11:15 | 1   | 250mL     | P                 | Plain (on Ice)            | E. coli                 | 2                   |
|             | SW                                                    |            |       |     | 250mL     | P                 | Plain (on Ice)            |                         |                     |
|             | SW                                                    |            |       |     | 250mL     | P                 | Plain (on Ice)            |                         |                     |
|             | SW                                                    |            |       |     | 250mL     | P                 | Plain (on Ice)            |                         |                     |
|             | SW                                                    |            |       |     | 250mL     | P                 | Plain (on Ice)            |                         |                     |
|             | SW                                                    |            |       |     | 250mL     | P                 | Plain (on Ice)            |                         |                     |

<sup>1</sup> "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).  
<sup>2</sup> "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMNT), or sludge (SLXT).  
<sup>3</sup> "Container Type" is used to indicate whether the container is plastic (P) or glass (G).  
<sup>4</sup> Sample must be refrigerated or stored on wet ice after collection. The temperature during storage should be less than or equal to 6°C (43°F).  
Under "Preservative," list any preservatives that were added to the sample containers.

**Instructions:**

- Each bottle has a label identifying sample ID, preservative and preservative contained in the bottle, sample type, client ID, and parameters for analysis.
- The following information should be added to each bottle label after collection with permanent black ink: date and time of collection, sampler's name or initials, and any field number or ID.
- All bottles not containing preservative may be stored with appropriate sample prior to collection.
- The client is responsible for documentation of the sampling event. Please note special sampling events on the sample custody form.

Laboratory Sample Acceptability:

Temperature: 1.2 °C

1 Collected / Relinquished By:

Date

2/1/23

Time

1305

Received By:

Nathan Hadse

Date

2-1-23

Time

1305

2 Relinquished By:

Date

Time

Received By:

Date

Time

Date of Request: 17-JAN-2023  
 Created By: MATHIAS\_D On: 17-JAN-2023  
 Modified By: AYRES\_J On: 31-JAN-2023  
 Customer: SW-DIST  
 Project: SMP  
 Division:  
 District: Southwest District  
 Event Description: Run 8

**Send Coolers To:**

Phone: 813-632-7600  
 FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Devin Mathias  
 Cooler Ship EMail: Devin.Mathias@FloridaDEP.gov

Priority: 3  
 Event Status: R  
 Criminal Investigation: NO  
 Chemistry Request Reviewed By: AYRES\_J On: 31-JAN-2023  
 Biology Request Reviewed By: AYRES\_J On: 31-JAN-2023  
 Sampling Kit Required: NO Ship on:  
 Sampling Kit Shipped: YES On: 20-JAN-2023  
 Sampling Kit Packed By: KREUCH\_B  
 Preservatives Needed: NO  
 Date to Receive Samples: 30-JAN-2023  
 Logged In By: SHAIK\_A On: 02-FEB-2023

**Send Final Report To:**

FL Dept. of Environmental Protection  
 13051 N. Telecom Parkway  
 Temple Terrace, FL 33637-0926  
 Attn: Devin Mathias  
 Report Notification EMail: Devin.Mathias@FloridaDEP.gov

Comments: #####

Buffer Solution for W-CARB-AA Bottle  
 1 vial per bottle

#####  
 W-TR-SQ-R (sunscreen)

Wash your hands thoroughly and wear gloves. Refrain from using sunscreens on the day of sample collection.

#####

**Bottle Group A (Water) With 1 Samples:**

|                                   |                      |                                                                                                              |
|-----------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L                 | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| ALKALINITY                        | Template: DEFAULT    | (SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                                   |
| TURBIDITY                         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| W-CL-IC                           | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| W-COLOR                           | Template: DEFAULT    | (DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)                           |
| Color (true)                      |                      |                                                                                                              |
| W-F                               | Template: DEFAULT    | (SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)      |
| W-SO4-IC                          | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| W-TDS                             | Template: DEFAULT    | (SM 2540 C-2015) Total Dissolved Solids in aqueous matrices                                                  |
| W-TSS                             | Template: DEFAULT    | (SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample              |
| Bottle Type: BP-1L                | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                        | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Bottle Type: P-500ML              | Number of Bottles: 1 | Preserved With: ICE And H <sub>2</sub> SO <sub>4</sub>                                                       |
| W-NH <sub>3</sub>                 | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| W-NO <sub>2</sub> NO <sub>3</sub> | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| W-S-A-TP                          | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| W-TKN                             | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                             |
| W-TOC                             | Template: DEFAULT    | (SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices                                             |

**Bottle Group A (Water) With 1 Samples:**

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                               |
| W-PO4-F              | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |

**Bottle Group B (Water) With 1 Samples:**

|                               |                      |                                                                                                   |
|-------------------------------|----------------------|---------------------------------------------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI   | Number of Bottles: 1 | Preserved With: ICE                                                                               |
| SW-BEA-ECQ                    | Template: DEFAULT    | (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by BEA in Palmetto                                 |
| Bottle Type: BG-500ML         | Number of Bottles: 1 | Preserved With: CH2CICOOH and Ice                                                                 |
| W-CARB-AA                     | Template: DEFAULT    | (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS                                            |
| Bottle Type: BG-500ML FILL TO | Number of Bottles: 4 | Preserved With: ICE                                                                               |
| W-CT-CI-R                     | Template: DEFAULT    | (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization |
| W-PCB-TQ-R                    | Template: DEFAULT    | (EPA 8270E) PCBs in water matrices by GC/MS/MS                                                    |
| W-PCL-TQ-R                    | Template:            | (EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS      |
| Bottle Type: BG-500ML         | Number of Bottles: 1 | Preserved With: ICE                                                                               |
| W-E8321-DI                    | Template: DEFAULT    | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS           |
| W-E8321-MS                    | Template: SMP        | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS           |
| Bottle Type: BG-1L            | Number of Bottles: 4 | Preserved With: ICE                                                                               |
| W-PSNP-TQ                     | Template: DEFAULT    | (EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS                |
| W-TR-SQ-R                     | Template: DEFAULT    | (EPA 8270E) Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM            |

**Bottle Group C (Water) With 1 Samples:**

|                             |                      |                                                                                         |
|-----------------------------|----------------------|-----------------------------------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 1 | Preserved With: ICE                                                                     |
| SW-BEA-ECQ                  | Template: DEFAULT    | (SM 9223 B Quanti-Tray) E. coli by Colilert/QT by BEA in Palmetto                       |
| Bottle Type: BG-500ML       | Number of Bottles: 1 | Preserved With: ICE                                                                     |
| W-E8321-DI                  | Template: DEFAULT    | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS |
| W-E8321-MS                  | Template: SMP        | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS |

**Bottle Group D (Water) With 1 Samples:**

|                               |                      |                                                                                                              |
|-------------------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L             | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| ALKALINITY                    | Template: DEFAULT    | (SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L                                                |
| TURBIDITY                     | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                           |
| W-CL-IC                       | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Chloride in aqueous matrices                                                            |
| W-COLOR                       | Template: DEFAULT    | (DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)                           |
| Color (true)                  |                      |                                                                                                              |
| W-F                           | Template: DEFAULT    | (SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)      |
| W-SO4-IC                      | Template: DEFAULT    | (EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices                                                             |
| W-TDS                         | Template: DEFAULT    | (SM 2540 C-2015) Total Dissolved Solids in aqueous matrices                                                  |
| W-TSS                         | Template: DEFAULT    | (SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample              |
| Bottle Type: BP-1L            | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| CHLSUITE-W                    | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |
| Bottle Type: BG-500ML         | Number of Bottles: 1 | Preserved With: CH2CICOOH and Ice                                                                            |
| W-CARB-AA                     | Template: DEFAULT    | (EPA 8321B) Carbamates in water matrices by HPLC/MS/MS                                                       |
| Bottle Type: BG-500ML FILL TO | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| W-CT-CI-R                     | Template: DEFAULT    | (EPA 8276) Organochlorine pesticides in water matrices by GC/MS with Negative Chemical Ionization            |
| W-PCB-TQ-R                    | Template: DEFAULT    | (EPA 8270E) PCBs in water matrices by GC/MS/MS                                                               |
| W-PCL-TQ-R                    | Template: DEFAULT    | (EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS                 |
| Bottle Type: BG-500ML         | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| W-E8321-DI                    | Template: DEFAULT    | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS                      |
| W-E8321-MS                    | Template: SMP        | (EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS                      |
| Bottle Type: P-500ML          | Number of Bottles: 1 | Preserved With: ICE And H2SO4                                                                                |
| W-NH3                         | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L                                                   |
| W-NO2NO3                      | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L                                           |
| W-S-A-TP                      | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L                                          |
| W-TKN                         | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices                                             |
| W-TOC                         | Template: DEFAULT    | (SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices                                             |
| Bottle Type: P-125ML          | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                                                   |
| W-PO4-F                       | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L                     |
| Bottle Type: BG-1L            | Number of Bottles: 2 | Preserved With: ICE                                                                                          |
| W-PSNP-TQ                     | Template: DEFAULT    | (EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS                           |

**Bottle Group D (Water) With 1 Samples:**

|                    |                      |                                                                                        |
|--------------------|----------------------|----------------------------------------------------------------------------------------|
| Bottle Type: BG-1L | Number of Bottles: 2 | Preserved With: ICE                                                                    |
| W-TR-SQ-R          | Template: DEFAULT    | (EPA 8270E) Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM |

**Bottle Group E (Water) With 1 Samples:**

|                             |                      |                                                                 |
|-----------------------------|----------------------|-----------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 1 | Preserved With: ICE                                             |
| SW-BEA-ENQ                  | Template: DEFAULT    | (Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto |

**Bottle Group F (Water) With 1 Samples:**

|                   |                      |                                                                                                         |
|-------------------|----------------------|---------------------------------------------------------------------------------------------------------|
| Bottle Type: P-1L | Number of Bottles: 1 | Preserved With: ICE                                                                                     |
| ALKALINITY        | Template: DEFAULT    | (SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO <sub>3</sub> /L                              |
| TURBIDITY         | Template: DEFAULT    | (EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices                                                      |
| W-F               | Template: DEFAULT    | (SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring) |
| W-TSS             | Template: DEFAULT    | (SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample         |

|                    |                      |                                                                                                              |
|--------------------|----------------------|--------------------------------------------------------------------------------------------------------------|
| Bottle Type: BP-1L | Number of Bottles: 1 | Preserved With: ICE                                                                                          |
| CHLSUITE-W         | Template: DEFAULT    | (SM 10200 H (mod.)) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry |

|                             |                      |                                                                 |
|-----------------------------|----------------------|-----------------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 1 | Preserved With: ICE                                             |
| SW-BEA-ENQ                  | Template: DEFAULT    | (Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto |

|                             |                      |                                                      |
|-----------------------------|----------------------|------------------------------------------------------|
| Bottle Type: P-250ML-WI-THI | Number of Bottles: 1 | Preserved With: ICE                                  |
| SW-BEA-FC                   | Template: DEFAULT    | (SM 9222 D) Fecal coliforms by MF by BEA in Palmetto |

|                                   |                      |                                                                     |
|-----------------------------------|----------------------|---------------------------------------------------------------------|
| Bottle Type: P-500ML              | Number of Bottles: 1 | Preserved With: ICE And H <sub>2</sub> SO <sub>4</sub>              |
| W-NH <sub>3</sub>                 | Template: DEFAULT    | (EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L          |
| W-NO <sub>2</sub> NO <sub>3</sub> | Template: DEFAULT    | (EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L  |
| W-S-A-TP                          | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L |
| W-TKN                             | Template: DEFAULT    | (EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices    |
| W-TOC                             | Template: DEFAULT    | (SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices    |

|                      |                      |                                                                                          |
|----------------------|----------------------|------------------------------------------------------------------------------------------|
| Bottle Type: P-125ML | Number of Bottles: 1 | Preserved With: FILTER-ICE                                                               |
| W-PO <sub>4</sub> -F | Template: DEFAULT    | (EPA 365.1 Rev. 2.0) Ortho-phosphate, dissolved, in filtered, aqueous matrices as mg P/L |

\* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.