

Klug, Kyle

From: Mathias, Devin
Sent: Wednesday, June 7, 2023 16:10
To: Lab.Receiving
Cc: Paswater, Benjamin; Turman, Ken; Meyer, Sarah
Subject: RQ-2023-06-05-34
Attachments: RQ-2023-06-05-34_CoverSheetComplete_06072023.pdf

Hello Lab, I've attached the cover sheet for the completed SMP run today that will arrive in 2 coolers. Please note that the form generated incorrectly so the cover sheet doesn't include 3 of the sites (G5SW0040, G5SW0171, G5SW0163) on the first page and I have attached the field sheets to it to have it all together. Sorry for the inconvenience and if there's any questions feel free to ask.



Devin Mathias
Florida Department of Environmental Protection
Southwest Regional Operation Center
Division of Environmental Assessment &
Restoration
Environmental Specialist II
Devin.Mathias@FloridaDEP.gov
Office: 813-470-5770

Login Checklist

RQ- 2023-06-08-34

Login Station ID: 5

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 6/8/23 @ 9:04

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #
					Present?		*Intact?		
	YES	HNO ₃	Formalin		Yes	No	Yes	No	
1:3 3.4				11 12		X			58894731(3)7 58894731C328
				</					

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No X Containers intact? Yes X No _____

Caps on tight?

Yes X No _____

Sufficient Sample Volume:

Yes X No _____

If **NO** is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes X No _____ Init: C.P

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: C.P

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes X No _____ NA _____ Init: C.P

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: C.P

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: C.P

Date: 6/8/23

Event contains NCRs (Y/N)? N

EventID: SW-DIST-2023-06-08-01 (SMP)
Date Received: 08-JUN-2023 09:04

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	221426058 10/17/23
pH Test Strips 0 – 6	207621 03/15/2024
pH Paper 0 – 3	NA
pH Paper 0 – 13	20762103 03/15/2024
Chlorine Test Strips	1196 02/2024

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 6/7/2023
Customer: SW-DIST
RQ: RQ-2023-06-05-34
Collected By: Devin Mathias, Ken Turman
Sampling Agency: FDEP
Project ID: SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 3

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
CEDAR CRK AT PINEHURST	 G5SW0129
BOGGY BAYOU NORTH	 G5SW0080
HARBOR LAKE AT CENTER	 G1SW0126

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 6/7/2023 1700
EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By: 

Rec'd/Inspected
Date: 6-8-23



RQ-2023-06-05-34	Collected By: Devin Mathias, Ken Turman
Customer: FDEP	Field Report Prepared by: Devin Mathias, Ken Turman
Project ID: SMP	Sampling Agency: FDEP
WIN ID/Field ID:  WIN ID/Field ID: G5SW0129	Comments: Microbiology sample(s) submitted to contract laboratory.

Location: CEDAR CRK AT PINEHURST

Matrix: Fresh

(Check One)

☒ Grab

☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)		
6/7/2023 1110	5.2	67.5	27.7	7.46	0.15	0.3	0.3	695	0.34		
Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group	
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice		H2SO4*		<2		
	Lot #		Exp:								
Metals (P-500ML)	W-ICPMS		W-ICP		W-HARD		Ice		HNO3*		
	Lot #		Exp:						<2		
Filtered Nutrients (P125ML)	W-PO4-F		Field Filtered 0.45 µm Filter			Ice					
	Filter Lot #	Syringe Lot #									
BOD (BP-1L)	OV-BODUNIN				Ice						
Chlorophyll (BP-1L)	CHLSUITE-W				Ice						
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				Ice						
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice						
Macroinvertebrates (PJ-2L)	MI-FW-QLDC		Formalin Lot #		Formalin						
Periphyton (PT-50ML)	ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)	X	E Coli	F Coli		Enterococci		x		Ice		
	X	Contract Lab								1	B
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR		PCR-DG3		Ice				
	PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)	W-E8321-DI		W-E8321-MS		Ice						
Pesticides (BG-500ML) (BG-1L)	X	W-E8321-DI	X	W-E8321-MS	W-PSNP-TQ		MCAA Exp.		MCAA Lot#	5	B
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		X	W-CT-CL-R	Ice				
		W-TR-SQ-R	X	W-PCB-TQ-R							
Phytoplankton	DTY-QN-C		PKD-QN-BV			Ice					
DOC	W-DOC		Field Filtered 0.45 µm Filter			Ice		H2SO4*		<2	
			Acid Preservative Expiration Date								
			Acid Preservative Lot Number								



RQ-2023-06-05-34	Collected By: Devin Mathias, Ken Turman
Customer: FDEP	Field Report Prepared by: Devin Mathias, Ken Turman
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G5SW0080

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: BOGGY BAYOU NORTH

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT)						
6/7/2023 950	3.57	54.5	26.6	7.87	0.3	0.6	0.6	53650	35.46						
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group				
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	X	<2	1	F		
		Lot #		SA3013020		Exp:		01/25/24							
Metals (P-500ML)		W-ICPMS		W-ICP		W-HARD			Ice		HNO3*		<2		
		Lot #				Exp:									
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 um Filter				Ice							
		Filter Lot #		Syringe Lot #											
BOD (BP-1L)		OV-BODUNIN					Ice								
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	F				
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				X	Ice			1	F				
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice								
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #					Formalin							
Periphyton (PT-50ML)		ALGAE-ID					Ice								
Microbiology (Contract Lab Bottle)	X	E Coli		F Coli		X	Enterococci	X		Ice		2	F		
	X	Contract Lab													
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3				Ice					
		PCR-GULL2		PCR-GFD											
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS				Ice							
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#					
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R									
		W-TR-SQ-R		W-PCB-TQ-R											
Phytoplankton		DTY-QN-C		PKD-QN-BV				Ice							
DOC		W-DOC	Field Filtered 0.45 um Filter				Ice		H2SO 4*		<2				
	Acid Preservative Expiration Date														
	Acid Preservative Lot Number														



RQ-2023-06-05-34

Customer: FDEP

Project ID: SMP

Collected By: Devin Mathias, Ken Turman

Field Report Prepared by: Devin Mathias, Ken Turman

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G1SW0126

Comments:

Location: HARBOR LAKE AT CENTER

Matrix: Fresh

(Check One)

✓ Grab

□ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos/cm)	Salinity (PPTH)
6/7/2023 1035	8.05	104.5	28.8	8.29	0.3	2.5	2.5	342.3	0.16

Parameter Suite	Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group		
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	A
		Lot #		SA3013020	Exp:	01/25/24						
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD		Ice		HNO3*		<2	
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 µm Filter			Ice					
		Filter Lot #		Syringe Lot #								
BOD (BP-1L)		OV-BODUNIN				Ice						
Chlorophyll (BP-1L)	X	CHLSUITE-W			X	Ice			1	A		
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS			X	Ice			1	A		
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY				Ice						
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin						
Periphyton (PT-50ML)		ALGAE-ID				Ice						
Microbiology (Contract Lab Bottle)		E Coli	F Coli	Enterococci		Ice						
		Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183	PCR-BacR	PCR-DG3		Ice						
		PCR-GULL2	PCR-GFD									
Tracers (BG-500ML)		W-E8321-DI	W-E8321-MS			Ice						
		W-E8321-DI	W-E8321-MS	W-PSNP-TQ			MCAA Exp.	MCAA Lot#				
Pesticides (BG-500ML) (BG-1L)		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R	Ice						
		W-TR-SQ-R	W-PCB-TQ-R									
Phytoplankton		DTY-QN-C	PKD-QN-BV			Ice						
DOC		W-DOC	Field Filtered 0.45 µm Filter			Ice		H2SO4*		<2		
			Acid Preservative Expiration Date									
			Acid Preservative Lot Number									



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STRATEGIC MONITORING PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

Group D

WIN Station Name:	LAKE INNISBROOK				Sample Date:	6/7/2023	
WIN / Field ID:	G5SW0040	ORG ID:	21FLTPA	ENR:	-		
County:	PINELLAS	WBID:	1508B	LAKE	3F		
Receiving Body of Water:	-				RQ-	2023-06-05-34	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Ben Paswater		x		x	x
Sarah Meyer	x		x		

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
	Syringe Lot#	Filter Lot#	
	Secchi Equipment ID:	Secchi #3	
Collection Method			
x	Wading	Canoe/Kayak	
	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With Secchi			

Water Level:	Low
Flow:	NA
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	No
Meter ID:	SWD
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	945	0.2	0.1	7.31	94.1	28.3	8.01	0.2	979	0.48
								VOB (s)		

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)			Preservation			
	Type	Lot#	Expiration Date	pH Check			
Microbiology							
Chlorophyll	CHLSUITE-W			ICE			
Physical/Aggregate	ALKALINITY, TURBIDITY, W-F, W-TSS			ICE			
Nutrients	W-CL-IC, W-COLOR, W-S04-IC, W-TDS			ICE			
Filtered Nutrients							
Acid Preserved Nutrients	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP	ICE	H2SO4*	SA3013020	01/25/24	H2SO4 pH<2	
Metals							
Organics (LC)	W-E8321-DI	W-E8321-MS	W-CARB-AA**	ICE	MCAA***	139737	03/01/2024
Macroinvertebrates							
Organics (GC)	W-CT-CI-R	W-PCL-TQ-R	W-PCB-TQ-R	Ice	*2.0 ml of H2SO4 Used Unless Noted Otherwise ***5 ml MCAA (Monochloroacetic Acid Buffer Solution)		
Molecular	W-PSNP-TQ	W-TR-SQ-R					
Periphyton							
Phytoplankton							
BOD							
DOC					SyringeLot#	FilterLot#	
Other(s)							
Field Comments:							
Comments on COC:							
Relinquish Date:	06/07/2023	Signature:	Sarah Meyer				

LIMS EVENT ID: WIN Import ID:
Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:
(Initials/Date) (Initials/Date)
Save Field Sheets on Network: Migrate Data to WIN:
(Initials/Date) (Initials/Date)

**FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION****STRATEGIC MONITORING PLAN Field Sheet**

July 2022

Meter
Passed End
of Day CCV
Yes / No

Group E

WIN Station Name:	KLOSTERMAN CREEK INNISBROOK GOLF COURSE				Sample Date:	6/7/2023	
WIN / Field ID:	G5SW0171	ORG ID:	21FLTPA	ENR:	-		
County:	PINELLAS	WBID:	1508A	STREAM	3F		
Receiving Body of Water:	Klosterman Bayou				RQ-	2023-06-05-34	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Ben Paswater		x		x	x
Sarah Meyer	x		x		

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		Secchi #3	
Collection Method			
x	Wading	Canoe/Kayak	
	From Shore	Electric Motor	
		Gasoline Motor	
Depth Measured With		Secchi	

Water Level:	Low
Flow:	Flowing
Matrix:	Fresh
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	Yes
Meter ID:	SWD
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPT)
EST	1015	0.2	0.1	1.81	22.3	25.7	7.1	0.2	1414	0.71
								VOB (s)		

Biological Samples Collected: None**SBIO Visit ID:** **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID Entered Into The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)			Preservation			
				Type	Lot#	Expiration Date	pH Check
Microbiology	E. coli			ICE			
	Contract Lab	Benchmark					
Chlorophyll							
Physical/Aggregate Nutrients							
Filtered Nutrients						Syringe Lot#; Filter Lot#:	
Acid Preserved Nutrients							
Metals							
Organics (LC)	W-E8321-DI	W-E8321-MS		Ice			
Macroinvertebrates							
Organics (GC)							
Molecular							
Periphyton							
Phytoplankton							
BOD							
DOC							
Other(s)							
Field Comments:							
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.						
Relinquish Date:	06/07/2023	Signature:					

LIMS EVENT ID: _____ WIN Import ID: _____

Enter Field Parameters, Verify Station ID in LIMS DMT: _____ QC Station ID, Field Parameters in LIMS DMT: _____

Save Field Sheets on Network: _____ Migrate Data to WIN: _____

(Initials/Date) (Initials/Date)



FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STRATEGIC MONITORING PLAN Field Sheet

July 2022

Meter
Passed End
of Day CCV
Yes / No

Group E

WIN Station Name:		CURLEW CREEK TIDAL AT GOLF COURSE				Sample Date:		6/7/2023	
WIN / Field ID:		G5SW0163		ORG ID:		21FLTPA		ENR: -	
County:		PINELLAS		WBID:		1538		ESTUARY 3M	
Receiving Body of Water:		Clearwater Harbor				RQ-		2023-06-05-34	

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Ben Paswater		x		x	x
Sarah Meyer	x		x		

Sampling Equipment			
x	Sample Container	Carboy	
	Dipper	Van Dorn	
	Syringe	Pole	
Syringe Lot#		Filter Lot#	
Secchi Equipment ID:		Secchi #3	
Collection Method			
	Wading	Canoe/Kayak	
	From Shore	Electric Motor	
x	Dock	Gasoline Motor	
Depth Measured With		Secchi	

Water Level:	Normal
Flow:	NA
Matrix:	Marine
Tide Stage:	Rising
High Tide:	1742
Low Tide:	0110
Photos:	No
Meter ID:	SWD
Depth Gauge ID:	depth_gauge

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTth)
EST	1055	1	0.3	4.58	70.2	27.9	8.13	0.5	50528	33.05

Biological Samples Collected: None

SBIO Visit ID: HA ID: RPS ID: Macrophyte ID: LIMS Sample ID Entered Into The Macrophyte Module:

Parameter Suite	Parameter Methods (LIMS Test Codes)	Preservation			
		Type	Lot#	Expiration Date	pH Check
Microbiology	Contract Lab Enterococci Benchmark	ICE			
Chlorophyll					
Physical/Aggregate Nutrients					
Filtered Nutrients			Syringe Lot#; Filter Lot#:		
Acid Preserved Nutrients					
Metals					
Organics (LC)					
Macroinvertebrates					
Organics (GC)					
Molecular					
Periphyton					
Phytoplankton					
BOD					
DOC			SyringeLot#	FilterLot#	
Other(s)					
Field Comments:					
Comments on COC:	Microbiology sample(s) submitted to contract laboratory.				
Relinquish Date:	06/07/2023	Signature:	Sarah Meyer		

LIMS EVENT ID: WIN Import ID:

Enter Field Parameters, Verify Station ID In LIMS DMT: QC Station ID, Field Parameters In LIMS DMT:

Save Field Sheets on Network: Migrate Data to WIN:

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

Client Information: FDEP

Address: 13051 N. Telecom Parkway
Tampa FL 33604
Phone # 815-470-5878

PO# C00EF5

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2023-06-05-34

Laboratory Submission # 6306089

Sample Name	Sample Type/ Sample Matrix	Collection		Container		Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³		
G5SW0080	SW	6/17/23	0950	2	250mL	P	Enteroc + E. Coli	1
G5SW0171	SW		1015	1	250mL	P	E. Coli	2
G5SW0163	SW		1055	1	250mL	P	Enteroc	3
G5SW0129	SW		1110	1	250mL	P	E. Coli	4
	SW				250mL	P	Plain (on Ice)	
	SW				250mL	P	Plain (on Ice)	
	SW				250mL	P	Plain (on Ice)	

1. "Sample Type" is used to indicate whether the sample is water (W), sediment (S), or sludge (SL).
2. "Sample Matrix" is used to indicate whether the sample is being analyzed for drinking water (DW), wastewater (WW), or surface water (SW).
3. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
4. "Preservative" is used to indicate whether the sample is preserved (P) or not (N).
5. "Parameters for Analysis" is used to indicate the specific parameters being analyzed.
6. "Laboratory Sample #" is used to indicate the specific sample being analyzed.

1 Collected (Relinquished By: *[Signature]*) Date: 6/17/23 Time: 1347
2 Relinquished By: *[Signature]* Date: 6/17/23 Time: 1347

Date of Request: 08-MAY-2023
 Created By: MATHIAS_D On: 08-MAY-2023
 Modified By: JASROTIA_P On: 16-MAY-2023
 Customer: SW-DIST
 Project: SMP
 Division:
 District: Southwest District
 Event Description: Run 8

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Devin Mathias
 Cooler Ship EMail: Devin.Mathias@FloridaDEP.gov

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 16-MAY-2023
 Biology Request Reviewed By: JASROTIA_P On: 16-MAY-2023
 Sampling Kit Required: YES Ship on: 26-MAY-2023
 Sampling Kit Shipped: YES On: 24-MAY-2023
 Sampling Kit Packed By: LEBRUN_T
 Preservatives Needed: YES
 Date to Receive Samples: 05-JUN-2023
 Logged In By:

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Devin Mathias
 Report Notification EMail: Devin.Mathias@FloridaDEP.gov

Comments: #####

Buffer Solution for W-CARB-AA Bottle
 1 vial per bottle

#####

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H ₂ SO ₄
W-NH ₃	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO ₂ NO ₃	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SW-BEA-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by BEA in Palmetto
Bottle Type: BG-500ML FILL TO	Number of Bottles: 4	Preserved With: ICE

Bottle Group B (Water) With 1 Samples:

Bottle Type: BG-500ML FILL TO	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Chlordane and Toxaphene in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template:	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SW-BEA-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by BEA in Palmetto
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS

Bottle Group D (Water) With 1 Samples:

Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: CH2ClCOOH and Ice
W-CARB-AA	Template: DEFAULT	(EPA 8321B) Carbamates in water matrices by HPLC/MS/MS
Bottle Type: BG-500ML FILL TO	Number of Bottles: 2	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Chlordane and Toxaphene in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template: DEFAULT	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS
Bottle Type: BG-500ML	Number of Bottles: 1	Preserved With: ICE
W-E8321-DI	Template: DEFAULT	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
W-E8321-MS	Template: SMP	(EPA 8321B) Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: BG-500ML	Number of Bottles: 4	Preserved With: ICE
W-PSNP-TQ	Template: DEFAULT	(EPA 8270E) Organonitrogen and phosphorus pesticides in water matrices by GC/MS/MS
W-TR-SQ-R	Template: DEFAULT	(EPA 8270E) Analysis of Sunscreen Compounds and Flame Retardants in Water by GC/MS-SIM
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample

Bottle Group E (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SW-BEA-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto

Bottle Group F (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		

Bottle Group F (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 2	Preserved With: ICE
SW-BEA-ECQ	Template: DEFAULT	(SM 9223 B Quanti-Tray) E. coli by Colilert/QT by BEA in Palmetto
SW-BEA-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.