

RQ- 2023-10-02 71

Login Checklist

Login Station ID: #3

Shipping Method: FedEx | UPS | HD | Greyhound

Date/Time of Receipt: 10/4/23 @ 0927

*Cooler Temperature	Samples Frozen?	* All Samples in Cooler Preserved with		Number of Sample Containers in Cooler	Evidence Tape				Waybill Tracking #	
		YES	HNO ₃		Formalin	Present?		*Intact?		
						Yes	No	Yes		No
0-3				11		x			648484588280	

COOLER CHECK

*All samples received on ice unless otherwise noted. HNO₃ and Formalin preserved samples do NOT have a temperature requirement.

- If the temperature of a cooler exceeds 6.0 oC (above 10.0 oC for W-1-4-DIOX and microbiology) or received without ice, identify affected samples in an NCR. NCR# _____
- DOH coolers can exceed 2.0 °C above the standard temperature (6.0 or 10.0 °C for W-1-4-DIOX) without login confirmation from customer for samples requiring ice preservation; identify affected samples in an NCR. NCR# _____
- If cooler or samples are received with a damaged Evidence Seal; identify the affected samples in an NCR. NCR# _____
- If coolers or samples are received late; identify the affected samples in an NCR. NCR# _____

Chain of Custody/ Field Sheet(s) Included?

Yes X No _____

Micro-Biology Overflow Chain of Custody/ Field Sheet(s) Included?

Yes _____ No X

CONTAINER CHECK

Evidence Tape on Bottles?

Yes _____ No _____ NA X Evidence Tape intact? Yes _____ No _____

If Criminal, photographs taken?

Yes _____ No _____

Containers intact? Yes X No _____

Caps on tight?

Yes X No _____

Sufficient Sample Volume:

Yes X No _____If NO is checked above, generate an NCR listing affected sample IDs in its appropriate category. NCR# _____

CHLORINE CHECK REQUIRED? (Blue dot on container)

Yes X No _____ Init: BKK

Chlorine detected? (One container checked per Field ID)

Yes _____ No X Init: BKK

If chlorine is detected, generate an NCR listing affected sample IDs . NCR# _____

PRESERVATION CHECK (EXCLUDING SAMPLES SENT TO OVERFLOW LABS, "OV-")

**Acid Preserved Samples: pH < 2.0?

Yes X No _____ NA _____ Init: BKK

**W-1-4-DIOX (Green dot on container) preserved to pH < 4.0?

Yes _____ No _____ NA X Init: BKK

If samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

Coolers Unpacked/Checked by: BKK

Date: 10/4/23

Event contains NCRs (Y/N)? N

Sarasota Run Run 17
 EventID: SW-DIST-2023-10-04-01 (SMP)
 Date Received: 04-OCT-2023 09:27

Login Checklist

Login Preservation Equipment

Lot # & Exp: Date

Additional Comments:

Infrared Thermometer ID:	IR TEMP GUN #3 Exp:10/17/2023
pH Test Strips 0 – 6	Lot#223819BV Exp:8/15/24
pH Paper 0 – 3	
pH Paper 0 – 13	Lot#207621 Exp:3/15/24
Chlorine Test Strips	Lot#2313 Exp:7/25

ENCORE SAMPLES

S-VOC-MS samples in Encores must be frozen within 48 hours of collection.

Were Encore samples received? Yes _____ Init: _____

Date and time placed in freezer _____

Were all samples placed in freezer within 48 hours of collection? Yes _____ No _____

If no, were samples shipped on dry ice? Yes _____ No _____

If S-VOC-MS samples were not preserved correctly, generate an NCR listing affected sample IDs . NCR# _____

FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION
CHAIN OF CUSTODY FORM

Date: 10/3/2023 **Collected By:** Ben Paswater, Devin Mathias
Customer: SW-DIST **Sampling Agency:** FDEP
RQ: RQ-2023-10-02-71 **Project ID:** SMP

PLEASE RETURN THE ORIGINAL OF THIS FORM WITH SAMPLE SUBMITTAL
FORMS AND THE COOLER PACKING WORKSHEET TO THE LAB

Number of Coolers Shipped: 1

Delivery Method: FedEx

FIELD ID (Labels) submitted under this RQ for this collection date.

Site Location	Field ID/WIN ID
ISLAND PARK BOAT BASIN OFF DOCK	 G3SW0061
HUDSON BAYOU TIDAL BY MARIE SELBY BOTANICAL GARDENS	 G3SW0108
WHITAKER BAYOU AT RINGLING COLLEGE OF ART	 G3SW0060

RELINQUISHED BY(SIGNATURE):



DATE/TIME: 10/3/2023
1700 EST

THIS SECTION TO BE COMPLETED BY LABORATORY

Rec'd/Inspected By:

Brian Kneuch

Rec'd/Inspected

Date: 10/4/2023 0927



RQ-2023-10-02-71	Collected By: Ben Paswater, Devin Mathias
Customer: FDEP	Field Report Prepared by: Ben Paswater, Devin Mathias
Project ID: SMP	Sampling Agency: FDEP

WIN ID/Field ID:  WIN ID/Field ID: G3SW0061	Comments: Microbiology sample(s) submitted to contract laboratory.
---	--

Location: ISLAND PARK BOAT BASIN OFF DOCK

Matrix: Marine

(Check One) ☒ Grab ☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPT _h)											
10/3/2023 1005	4.53	71.3	28.3	7.78	0.3	0.6	1.6	55051	36.37											
Parameter Suite		Parameter Methods				Preservation		pH Check		# Bottles sent to Lab	Bottle Group									
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				X	Ice	X	H2SO4*	X	<2	1	A							
		Lot #		SA3193140		Exp:	07/31/2024													
Metals (P-500ML)	x	W-ICPMS		X	W-ICP	X	W-HARD	X	Ice	X	HNO3*	X	<2	1	A					
		Lot #		NA2230040		Exp:	09/01/2023													
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 µm Filter				Ice												
		Filter Lot #	Syringe Lot #																	
BOD (BP-1L)		OV-BODUNIN					Ice													
Chlorophyll (BP-1L)	X	CHLSUITE-W				x	Ice										1		A	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-CL-IC / W-COLOR / W-SO4-IC / W-TDS				x	Ice										1		A	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice													
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #				Formalin													
Periphyton (PT-50ML)		ALGAE-ID					Ice													
Microbiology (Contract Lab Bottle)		E Coli		F Coli		X	Enterococci								x	Ice			1	A
	X	Contract Lab																		
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR			PCR-DG3		Ice											
		PCR-GULL2		PCR-GFD																
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS				Ice												
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI	W-E8321-MS		W-PSNP-TQ		Ice	MCAA Exp.	MCAA Lot#											
		W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R															
		W-TR-SQ-R	W-PCB-TQ-R																	
Phytoplankton (BP-1L)		DTY-QN-C		PKD-QN-BV				Ice												
DOC (P-500ML)		W-DOC	Field Filtered 0.45 µm Filter				Ice		H2SO4*		<2									
	Acid Preservative Expiration Date																			
	Acid Preservative Lot Number																			



RQ-2023-10-02-71

Customer: FDEP

Project ID: SMP

Collected By: Ben Paswater, Devin Mathias

Field Report Prepared by: Ben Paswater, Devin Mathias

Sampling Agency: FDEP

WIN ID/Field ID:



WIN ID/Field ID: G3SW0060

Comments: Microbiology sample(s) submitted to contract laboratory.

Location: WHITAKER BAYOU AT RINGLING COLLEGE OF ART

Matrix: Marine

(Check One)

☒ Grab☐ Composite

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)			
10/3/2023 1110	4.82	75.3	29.9	7.83	0.25	0.5	0.5	47311	30.66			
Parameter Suite		Parameter Methods			Preservation		pH Check	# Bottles sent to Lab	Bottle Group			
Preserved Nutrients (P-500ML)	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP				Ice	H2SO4*	<2					
	Lot #		Exp:									
Metals (P-500ML)	W-ICPMS / W-ICP / W-HARD				Ice	HNO3*	<2					
	Lot #		Exp:									
Filtered Nutrients (P125ML)	W-PO4-F / Field Filtered 0.45 µm Filter				Ice							
	Filter Lot #	Syringe Lot #										
BOD (BP-1L)	OV-BODUNIN				Ice							
Chlorophyll (BP-1L)	CHLSUITE-W				Ice							
Physical/Aggregate (Fresh) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W- TDS				Ice							
Physical/Aggregate (Marine) (P-1L)	Alkalinity / W-F / W-TSS / TURBIDITY				Ice							
Macroinvertebrates (PJ-2L)	MI-FW-QLDC	Formalin Lot #			Formalin							
Periphyton (PT-50ML)	ALGAE-ID				Ice							
Microbiology (Contract Lab Bottle)	E Coli		F Coli		x	Ice		1	B			
	Contract Lab											
Molecular (QPCR-P-500ML)	PCR-HF183		PCR-BacR		x	Ice						
	PCR-GULL2		PCR-GFD									
Tracers (BG-500ML)	W-E8321-DI / W-E8321-MS				Ice							
Pesticides (BG-500ML) (BG-1L)	W-E8321-DI	W-E8321-MS		W-PSNP-TQ	x	Ice	MCAA Exp.	MCAA Lot#	4	B		
	x W-PCL-TQ-R	W-CARB-AA (5 ml of MCAA Buffer Solution)		x W-CT-CL-R								
	W-TR-SQ-R	x	W-PCB-TQ-R									
Phytoplankton (BP-1L)	DTY-QN-C		PKD-QN-BV		Ice							
DOC (P-500ML)	W-DOC	Field Filtered 0.45 µm Filter			Ice	H2SO4*	<2					
		Acid Preservative Expiration Date										
		Acid Preservative Lot Number										

	RQ-2023-10-02-71					Collected By: Ben Paswater, Devin Mathias				
	Customer: FDEP					Field Report Prepared by: Ben Paswater, Devin Mathias				
	Project ID: SMP					Sampling Agency: FDEP				

WIN ID/Field ID:  WIN ID/Field ID: G3SW0108	Comments: Microbiology sample(s) submitted to contract laboratory.
---	--

Location: HUDSON BAYOU TIDAL BY MARIE SELBY BOTANICAL GARDENS									
Matrix: Marine					(Check One) ☒ Grab ☐ Composite				

Date and Time {EST}	DO (mg/L)	DO (%SAT)	Temp. °C	pH	Sample Depth (m)	Secchi Depth	Total Depth (m)	Sp COND (µmhos /cm)	Salinity (PPTH)
10/3/2023 1040	3.96	61.4	27.9	7.73	0.25	0.5	0.5	53426	35.19

Parameter Suite	Parameter Methods				Preservation			pH Check		# Bottles sent to Lab	Bottle Group	
Preserved Nutrients (P-500ML)	X	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			X	Ice	X	H2SO4*	X	<2	1	C
		Lot #		SA3193140	Exp:		07/31/2024					
Metals (P-500ML)		W-ICPMS		W-ICP	W-HARD	Ice		HNO3*		<2		
		Lot #		Exp:								
Filtered Nutrients (P125ML)		W-PO4-F		Field Filtered 0.45 um Filter		Ice						
		Filter Lot #		Syringe Lot #								
BOD (BP-1L)		OV-BODUNIN				Ice						
Chlorophyll (BP-1L)	X	CHLSUITE-W				X	Ice			1	C	
Physical/Aggregate (Fresh) (P-1L)	X	Alkalinity / W-F / W-TSS / TURBIDITY / W-Cl-IC / W-COLOR / W-SO4-IC / W-TDS				X	Ice			1	C	
Physical/Aggregate (Marine) (P-1L)		Alkalinity / W-F / W-TSS / TURBIDITY					Ice					
Macroinvertebrates (PJ-2L)		MI-FW-QLDC	Formalin Lot #			Formalin						
Periphyton (PT-50ML)		ALGAE-ID					Ice					
Microbiology (Contract Lab Bottle)		E Coll		F Coll	X	Enterococci	X	Ice		1	C	
	X	Contract Lab										
Molecular (QPCR-P-500ML)		PCR-HF183		PCR-BacR		PCR-DG3		Ice				
		PCR-GULL2		PCR-GFD								
Tracers (BG-500ML)		W-E8321-DI		W-E8321-MS			Ice					
Pesticides (BG-500ML) (BG-1L)		W-E8321-DI		W-E8321-MS		W-PSNP-TQ	Ice	MCAA Exp.	MCAA Lot#			
		W-PCL-TQ-R		W-CARB-AA (5 ml of MCAA Buffer Solution)		W-CT-CL-R						
		W-TR-SQ-R		W-PCB-TQ-R								
Phytoplankton (BP-1L)		DTY-QN-C		PKD-QN-BV			Ice					
DOC (P-500ML)		W-DOC	Field Filtered 0.45 um Filter			Ice		H2SO 4*		<2		
	Acid Preservative Expiration Date											
	Acid Preservative Lot Number											

Benchmark EnviroAnalytical, Inc
1711 12th Street East
Palmetto, FL 34221
941-723-9986
941-723-6061 Fax

Client Information: FDEP

Address: 13051 N. Telecom Parkway

Tampa FL 33604

Phone # 815-470-5878

PO# CIEFCB

Report to: benjamin.paswater@dep.state.fl.us
DEP-Overflomicro@dep.state.fl.us

Invoice to: FDEP Micro Overflow

Project Name: RQ-2023-10-02-71

Laboratory Submission #

2310006L

Sample Name	Sample Type / Sample Matrix	Collection		Container		Preservative ⁴	Parameters for Analysis	Laboratory Sample #
		Date	Time	Qty	Capacity	Type ³		
G3SW00061	SW	10/3/23	1005	1	250mL	P	Entero	1
G3SW0108	SW	10/40	1040	1	250mL	P	Plain (on Ice)	2
G3SW00060	SW	1110	1110	1	250mL	P	Plain (on Ice)	3
	SW				250mL	P	Plain (on Ice)	
	SW.				250mL	P	Plain (on Ice)	
	SW				250mL	P	Plain (on Ice)	
	SW				250mL	P	Plain (on Ice)	
	SW				250mL	P	Plain (on Ice)	

¹ "Sample Type" is used to indicate whether the sample was a grab (G) or whether it was a composite (C).
² "Sample Matrix" is used to indicate whether the sample is being discharged to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SEDIMENT), or sludge (SLD).
³ "Container Type" is used to indicate whether the container is plastic (P) or glass (GL).
⁴ "Preservative" is used to indicate whether the sample was preserved with acid, formalin, or other preservative. During storage, samples should be kept at or below 4°C (40°F).
Under "Preservative," list any preservative that was added to the sample container.

Instructions:
1. The laboratory uses a label identifying sample ID, collection preservative, and date. The sample type, official ID, and preservative are marked.
2. The following information should be added to each label after collection with appropriate blank ink and time of collection, sample name or initials, and any field number or ID.
3. All labels not containing preservative may be placed with appropriate sample prior to collection.
4. The client is responsible for documentation of the samples, event. Please note special handling, create on the sample custody form.

Laboratory Sample Acceptability:
Temperature: 1.0 °C

1	Collected / Relinquished By:	Date	Time	Received By:	Date	Time
	<i>[Signature]</i>	10/3/23	1210	Nathan Hadze	10-3-23	1210
2	Relinquished By:	Date	Time	Received By:	Date	Time

Date of Request: 21-SEP-2023
 Created By: PASWATER_B On: 21-SEP-2023
 Modified By: JASROTIA_P On: 27-SEP-2023
 Customer: SW-DIST
 Project: SMP
 Division:
 District: Southwest District
 Event Description: Sarasota Run Run 17

Send Coolers To:

Phone: 813-632-7600
 FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater
 Cooler Ship EMail: benjamin.paswater@dep.state.fl.us

Priority: 3
 Event Status: S
 Criminal Investigation: NO
 Chemistry Request Reviewed By: AYRES_J On: 27-SEP-2023
 Biology Request Reviewed By: JASROTIA_P On: 27-SEP-2023
 Sampling Kit Required: YES Ship on: 04-OCT-2023
 Sampling Kit Shipped: YES On: 28-SEP-2023
 Sampling Kit Packed By: KREUCH_B
 Preservatives Needed: NO
 Date to Receive Samples: 02-OCT-2023
 Logged In By:

Send Final Report To:

FL Dept. of Environmental Protection
 13051 N. Telecom Parkway
 Temple Terrace, FL 33637-0926
 Attn: Ben Paswater
 Report Notification EMail:
 benjamin.paswater@dep.state.fl.us;sarah.meyer@dep.state.fl.us
 ;Devin.Mathias@Floridadep.gov

Comments:**Bottle Group A (Water) With 1 Samples:**

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO ₃ /L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO ₄ -IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry
Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SW-BEA-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO ₃
W-HARD	Template: DEFAULT	(SM 2340 B-2011) Hardness by calculation, in aqueous matrices, reported as mg/L CaCO ₃
Hardness		
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Calcium		
Iron		
Magnesium		
Manganese		
Potassium		
Sodium		
Strontium		
Tin		

Bottle Group A (Water) With 1 Samples:

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: HNO3
W-ICP	Template:	(EPA 200.7 Rev. 4.4) Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects
Titanium		
Vanadium		
Zinc		
W-ICPMS	Template:	(EPA 200.8 Rev. 5.4) Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects
*Strontium		
Aluminum		
Antimony		
Arsenic		
Barium		
Beryllium		
Boron		
Cadmium		
Chromium		
Cobalt		
Copper		
Lead		
Manganese		
Molybdenum		
Nickel		
Selenium		
Silver		
Thallium		

Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices

Bottle Group B (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SW-BEA-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto
Bottle Type: BG-500ML FILL TO	Number of Bottles: 4	Preserved With: ICE
W-CT-CI-R	Template: DEFAULT	(EPA 8276) Chlordane and Toxaphene in water matrices by GC/MS with Negative Chemical Ionization
W-PCB-TQ-R	Template: DEFAULT	(EPA 8270E) PCBs in water matrices by GC/MS/MS
W-PCL-TQ-R	Template:	(EPA 8270E) Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-250ML-WI-THI	Number of Bottles: 1	Preserved With: ICE
SW-BEA-ENQ	Template: DEFAULT	(Enterolert/QT) Enterococci by Enterolert/QT by BEA in Palmetto
Bottle Type: P-500ML	Number of Bottles: 1	Preserved With: ICE And H2SO4
W-NH3	Template: DEFAULT	(EPA 350.1 Rev. 2.0) Ammonia in aqueous matrices as mg N/L
W-NO2NO3	Template: DEFAULT	(EPA 353.2 Rev. 2.0) Nitrite/Nitrate in aqueous matrices as mg N/L
W-S-A-TP	Template: DEFAULT	(EPA 365.1 Rev. 2.0) Total Phosphorus in aqueous matrices as mg P/L
W-TKN	Template: DEFAULT	(EPA 351.2 Rev. 2.0) Total Kjeldahl Nitrogen in aqueous matrices
W-TOC	Template: DEFAULT	(SM 5310 B-2011) Nonpurgeable Organic Carbon in aqueous matrices
Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
ALKALINITY	Template: DEFAULT	(SM 2320 B-2011) Alkalinity in aqueous matrices as mg CaCO3/L
TURBIDITY	Template: DEFAULT	(EPA 180.1 Rev. 2.0) Turbidity in aqueous matrices
W-CL-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Chloride in aqueous matrices
W-COLOR	Template: DEFAULT	(DEP SOP: NU-094-1) True Color measured at 450 nm (not valid for NPDES monitoring)
Color (true)		
W-F	Template: DEFAULT	(SM 4500-F- C-2011) Fluoride in aqueous matrices, without distillation (not valid for NPDES monitoring)
W-SO4-IC	Template: DEFAULT	(EPA 300.0 Rev. 2.1) Sulfate in aqueous matrices
W-TDS	Template: DEFAULT	(SM 2540 C-2015) Total Dissolved Solids in aqueous matrices

Bottle Group C (Water) With 1 Samples:

Bottle Type: P-1L	Number of Bottles: 1	Preserved With: ICE
W-TSS	Template: DEFAULT	(SM 2540 D-2015) Total Suspended Solids in aqueous matrices using a maximum of 250 mL of sample
Bottle Type: BP-1L	Number of Bottles: 1	Preserved With: ICE
CHLSUITE-W	Template: DEFAULT	(SM 10150 B) Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry

* - The laboratory is not NELAP certified for this analyte/method, or certification is not applicable.