

Chemical Analysis Report

SE-DIST-2023-11-14-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780


Event Description: **SMP - Vero Beach**
Request ID: **RQ-2023-10-23-18**
Customer: **SE-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FL Dept. of Environmental Protection
2199 South Rock Road
Fort Pierce, FL 34945
Attn: Andrew Luering

For additional information please contact
Colin Wright, Ph.D.
Chris Bowen, B.S.
Kerry Tate, Ph.D.
Dr. rer. nat. Bettina Steinbock
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8085

Certified by: Dr. rer. nat. Bettina Steinbock, Environmental Administrator

Date Certified: 15-DEC-2023 14:41



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Metals and Pesticides.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: VERO NORTH CANAL AT 66TH AVE

Collection Date/Time: 11/13/2023 11:15

Field ID: G5SE0069

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451207	EPA 8270E	Aldrin	0.69	U	ng/L	P437730	
		Alpha-BHC	0.11	U	ng/L	P437730	
		Alpha-Chlordane	0.21	U	ng/L	P437730	MS, RPD
		PCB-1016	2.1	U	ng/L	P437730	RPD
		Beta-BHC	0.11	U	ng/L	P437730	
		PCB-1221	2.1	U	ng/L	P437730	
		Beta-Cyfluthrin	1.3	U	ng/L	P437730	
		PCB-1232	2.1	U	ng/L	P437730	
		Bifenthrin	0.53	U	ng/L	P437730	
		PCB-1242	2.1	U	ng/L	P437730	
		PCB-1248	2.1	U	ng/L	P437730	
		Chlorothalonil	3.8	U	ng/L	P437730	
		PCB-1254	2.1	U	ng/L	P437730	
		Cis-Nonachlor	0.21	U	ng/L	P437730	
		PCB-1260	2.1	U	ng/L	P437730	RPD
		Cypermethrin	1.6	U	ng/L	P437730	
		Dacthal	0.16	U	ng/L	P437730	
		DDD-p,p'	0.26	U	ng/L	P437730	
		DDE-p,p'	0.21	U	ng/L	P437730	MS
		DDT-p,p'	0.85	U	ng/L	P437730	
		Delta-BHC	0.42	U	ng/L	P437730	
		Deltamethrin	1.3	U	ng/L	P437730	
		Dichlobenil	0.26	U	ng/L	P437730	
		Dicofol	1.3	U	ng/L	P437730	
		Dieldrin	0.42	U	ng/L	P437730	
		Endosulfan I	0.42	U	ng/L	P437730	
		Endosulfan II	0.95	U	ng/L	P437730	
		Endosulfan Sulfate	0.32	U	ng/L	P437730	
		Endrin	0.95	U	ng/L	P437730	
		Endrin Aldehyde	0.79	U	ng/L	P437730	
		Endrin Ketone	0.42	U	ng/L	P437730	
		Esfenvalerate	0.79	U	ng/L	P437730	
		Ethalfuralin	0.16	U	ng/L	P437730	MS
		Fenpropathrin	0.26	U	ng/L	P437730	
		Gamma-BHC	0.13	U	ng/L	P437730	
		Gamma-Chlordane	0.21	U	ng/L	P437730	MS
		Heptachlor	0.21	U	ng/L	P437730	
		Heptachlor Epoxide	0.26	U	ng/L	P437730	MS
		Hexachlorobenzene**	1.1	U	ng/L	P437730	
		Kepone	14	U	ng/L	P437730	
		Lambda-Cyhalothrin	0.79	U	ng/L	P437730	
		Methoprene	0.79	U	ng/L	P437730	
		Methoxychlor	0.32	U	ng/L	P437730	
		MGK-264	0.21	U	ng/L	P437730	MS

Field ID: G5SE0069

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451207	EPA 8270E	Mirex	0.37	U	ng/L	P437730	
		Oxychlordane	0.32	U	ng/L	P437730	
		Permethrin	1.7	U	ng/L	P437730	
		Phenothrin	0.95	U	ng/L	P437730	MS
		Piperonyl Butoxide	0.97		ng/L	P437730	
		Prallethrin	2.1	U	ng/L	P437730	
		Tau-Fluvalinate	0.26	U	ng/L	P437730	MS
		Tetramethrin	0.79	U	ng/L	P437730	MS
		Trans-Nonachlor	0.21	U	ng/L	P437730	MS
		Triclosan Methyl	0.16	U	ng/L	P437730	
		Trifluralin	0.21	U	ng/L	P437730	MS
		Chlordane	2.1	U	ng/L	P437730	RPD
		Toxaphene	16	U	ng/L	P437730	
2451208	EPA 8321B	2,4-D	0.0044	I	ug/L	P437727	
		Acesulfame K	0.10	U	ug/L	P437799	
		2,4,5-T	0.0040	U	ug/L	P437727	
		AMPA	0.80		ug/L	P437799	
		Acetaminophen	0.0080	U	ug/L	P437727	
		Acetamiprid	0.0020	U	ug/L	P437727	
		Endothall	0.25	U	ug/L	P437799	
		Glufosinate	0.10	U	ug/L	P437799	
		Glyphosate	1.8		ug/L	P437799	
		Afidopyrophen	0.0020	U	ug/L	P437727	
		Bentazon	0.020		ug/L	P437727	
		Sucralose	0.022	I	ug/L	P437799	
		Benzovindiflupyr	0.0020	U	ug/L	P437727	
		Carbamazepine	8.0E-04	U	ug/L	P437727	
		Clothianidin	0.0020	U	ug/L	P437727	
		Dinotefuran	0.0090		ug/L	P437727	
		Diuron	0.0020	U	ug/L	P437727	
		Fenuron	0.032	U	ug/L	P437727	
		Fluridone	8.0E-04	U	ug/L	P437727	
		Imazapyr	0.013	I	ug/L	P437727	
		Hydrocodone	0.0020	U	ug/L	P437727	
		Ibuprofen	0.080	U	ug/L	P437727	
		Imidacloprid	0.043		ug/L	P437727	
		Linuron	0.0040	U	ug/L	P437727	
		Mandestrobin	0.0020	U	ug/L	P437727	
		MCPP	0.0020	U	ug/L	P437727	
		Naproxen	0.0080	U	ug/L	P437727	
		Primidone	0.0040	U	ug/L	P437727	
		Pyraclostrobin	0.0020	U	ug/L	P437727	
		Silvex	0.0040	U	ug/L	P437727	
		Thiamethoxam	0.013		ug/L	P437727	
		Tolfenpyrad	0.0020	U	ug/L	P437727	

Field ID: G5SE0069

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451208	EPA 8321B	Triclopyr	0.0040	U	ug/L	P437727	

Sample Location: NORTH CANAL ATUS1

Collection Date/Time: 11/13/2023 11:45

Field ID: G5SE0043

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451209	EPA 8321B	2,4-D	0.019		ug/L	P437727	
		Acesulfame K	0.16	I	ug/L	P437799	
		2,4,5-T	0.0040	U	ug/L	P437727	
		AMPA	0.75		ug/L	P437799	
		Acetaminophen	0.0080	U	ug/L	P437727	
		Acetamiprid	0.0020	U	ug/L	P437727	
		Endothall	0.25	U	ug/L	P437799	
		Glufosinate	0.10	U	ug/L	P437799	
		Glyphosate	0.94		ug/L	P437799	
		Afidopyropen	0.0020	U	ug/L	P437727	
		Bentazon	0.017		ug/L	P437727	
		Sucralose	1.3		ug/L	P437799	
		Benzovindiflupyr	0.0020	U	ug/L	P437727	
		Carbamazepine	0.0013	I	ug/L	P437727	
		Clothianidin	0.0020	U	ug/L	P437727	
		Dinotefuran	0.0053	I	ug/L	P437727	
		Diuron	0.0070	I	ug/L	P437727	
		Fenuron	0.032	U	ug/L	P437727	
		Fluridone	0.0028	I	ug/L	P437727	
		Imazapyr	0.072		ug/L	P437727	
		Hydrocodone	0.0020	U	ug/L	P437727	
		Ibuprofen	0.080	U	ug/L	P437727	
		Imidacloprid	0.015		ug/L	P437727	
		Linuron	0.0040	U	ug/L	P437727	
		Mandestrobin	0.0020	U	ug/L	P437727	
		MCPP	0.0020	U	ug/L	P437727	
		Naproxen	0.0080	U	ug/L	P437727	
		Primidone	0.0072	I	ug/L	P437727	
		Pyraclostrobin	0.0020	U	ug/L	P437727	
		Silvex	0.0040	U	ug/L	P437727	
		Thiamethoxam	0.0086		ug/L	P437727	
		Tolfenpyrad	0.0020	U	ug/L	P437727	
		Triclopyr	0.0040	U	ug/L	P437727	

Sample Location: SOUTH CANAL AT US 1

Collection Date/Time: 11/13/2023 12:30

Field ID: G5SE0044

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2451210	EPA 200.7 Rev. 4.4	Calcium	106		mg/L	P437800	
		Iron	710		ug/L	P437800	
		Magnesium	39.9		mg/L	P437800	
		Potassium	9.5		mg/L	P437800	
		Sodium	181		mg/L	P437800	
		Strontium	5.93E+03		ug/L	P437800	
		Tin	3.0	U	ug/L	P437800	
		Titanium	3.6		ug/L	P437800	
		Vanadium	2.6	I	ug/L	P437800	
		Zinc	5.0	U	ug/L	P437800	
	EPA 200.8 Rev. 5.4	Aluminum	181		ug/L	P437800	
		Antimony	0.076	I	ug/L	P437800	
		Arsenic	0.71		ug/L	P437800	
		Barium	42.8		ug/L	P437800	
		Beryllium	0.013	I	ug/L	P437800	
		Boron	108		ug/L	P437800	
		Cadmium	0.020	U	ug/L	P437800	
		Chromium	0.69	I	ug/L	P437800	
		Cobalt	0.122		ug/L	P437800	
		Copper	1.47		ug/L	P437800	
		Lead	0.25	I	ug/L	P437800	
		Manganese	14.9		ug/L	P437800	
		Molybdenum	0.74		ug/L	P437800	
		Nickel	0.50	U	ug/L	P437800	
		Selenium	0.20	U	ug/L	P437800	
		Silver	0.010	U	ug/L	P437800	
		Thallium	0.10	U	ug/L	P437800	
	SM 2340 B-2011	Hardness	428		mg/L	P437800	

Quality Assurance Report

Method Blank Results

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P437800

Component	Result	Code	Units
Calcium	0.075	U	mg/L
Iron	30	U	ug/L
Magnesium	0.040	U	mg/L
Potassium	0.30	U	mg/L
Sodium	0.50	U	mg/L
Strontium	2.0	U	ug/L
Tin	3.0	U	ug/L
Titanium	0.75	U	ug/L
Vanadium	2.0	U	ug/L
Zinc	5.0	U	ug/L

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P437800

Component	Result	Code	Units
Aluminum	5.0	U	ug/L
Antimony	0.050	U	ug/L
Arsenic	0.050	U	ug/L
Barium	0.20	U	ug/L
Beryllium	0.010	U	ug/L
Boron	2.0	U	ug/L
Cadmium	0.020	U	ug/L
Chromium	0.40	U	ug/L
Cobalt	0.020	U	ug/L
Copper	0.40	U	ug/L
Lead	0.20	U	ug/L
Manganese	0.10	U	ug/L
Molybdenum	0.15	U	ug/L
Nickel	0.50	U	ug/L
Selenium	0.20	U	ug/L
Silver	0.010	U	ug/L
Thallium	0.10	U	ug/L

Reference Method: EPA 8270E

Batch ID: P437730

Component	Result	Code	Units
Aldrin	0.65	U	ng/L
Alpha-BHC	0.10	U	ng/L
Alpha-Chlordane	0.20	U	ng/L
Beta-BHC	0.10	U	ng/L
Beta-Cyfluthrin	1.2	U	ng/L
Bifenthrin	0.50	U	ng/L
Chlorothalonil	3.6	U	ng/L
Cis-Nonachlor	0.20	U	ng/L
Cypermethrin	1.5	U	ng/L
Dacthal	0.15	U	ng/L
DDD-p,p'	0.25	U	ng/L
DDE-p,p'	0.20	U	ng/L
DDT-p,p'	0.80	U	ng/L
Delta-BHC	0.40	U	ng/L
Deltamethrin	1.2	U	ng/L

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8270E

Batch ID: P437730

Component	Result	Code	Units
Dichlobenil	0.25	U	ng/L
Dicofol	1.2	U	ng/L
Dieldrin	0.40	U	ng/L
Endosulfan I	0.40	U	ng/L
Endosulfan II	0.90	U	ng/L
Endosulfan Sulfate	0.30	U	ng/L
Endrin	0.90	U	ng/L
Endrin Aldehyde	0.75	U	ng/L
Endrin Ketone	0.40	U	ng/L
Esfenvalerate	0.75	U	ng/L
Ethalfuralin	0.15	U	ng/L
Fenpropathrin	0.25	U	ng/L
Gamma-BHC	0.12	U	ng/L
Gamma-Chlordane	0.20	U	ng/L
Heptachlor	0.20	U	ng/L
Heptachlor Epoxide	0.25	U	ng/L
Hexachlorobenzene	1.0	U	ng/L
Kepone	14	U	ng/L
Lambda-Cyhalothrin	0.75	U	ng/L
Methoprene	0.75	U	ng/L
Methoxychlor	0.30	U	ng/L
MGK-264	0.20	U	ng/L
Mirex	0.35	U	ng/L
Oxychlordane	0.30	U	ng/L
PCB-1016	2.0	U	ng/L
PCB-1221	2.0	U	ng/L
PCB-1232	2.0	U	ng/L
PCB-1242	2.0	U	ng/L
PCB-1248	2.0	U	ng/L
PCB-1254	2.0	U	ng/L
PCB-1260	2.0	U	ng/L
Permethrin	1.6	U	ng/L
Phenothrin	0.90	U	ng/L
Piperonyl Butoxide	0.15	U	ng/L
Prallethrin	2.0	U	ng/L
Tau-Fluvalinate	0.25	U	ng/L
Tetramethrin	0.75	U	ng/L
Trans-Nonachlor	0.20	U	ng/L
Triclosan Methyl	0.15	U	ng/L
Trifluralin	0.20	U	ng/L

Reference Method: EPA 8276

Batch ID: P437730

Component	Result	Code	Units
Chlordane	2.0	U	ng/L
Toxaphene	15	U	ng/L

Reference Method: EPA 8321B

Batch ID: P437727

Component	Result	Code	Units
-----------	--------	------	-------

Quality Assurance Report

Method Blank Results

Reference Method: EPA 8321B

Batch ID: P437727

Component	Result	Code	Units
2,4-D	0.0020	U	ug/L
2,4,5-T	0.0040	U	ug/L
Acetaminophen	0.0080	U	ug/L
Acetamiprid	0.0020	U	ug/L
Afidopyropen	0.0020	U	ug/L
Bentazon	8.0E-04	U	ug/L
Benzovindiflupyr	0.0020	U	ug/L
Carbamazepine	8.0E-04	U	ug/L
Clothianidin	0.0020	U	ug/L
Dinotefuran	0.0020	U	ug/L
Diuron	0.0020	U	ug/L
Fenuron	0.032	U	ug/L
Fluridone	8.0E-04	U	ug/L
Hydrocodone	0.0020	U	ug/L
Ibuprofen	0.080	U	ug/L
Imazapyr	0.0040	U	ug/L
Imidacloprid	0.0020	U	ug/L
Linuron	0.0040	U	ug/L
Mandestrobin	0.0020	U	ug/L
MCPP	0.0020	U	ug/L
Naproxen	0.0080	U	ug/L
Primidone	0.0040	U	ug/L
Pyraclostrobin	0.0020	U	ug/L
Silvex	0.0040	U	ug/L
Thiamethoxam	0.0020	U	ug/L
Tolfenpyrad	0.0020	U	ug/L
Triclopyr	0.0040	U	ug/L

Reference Method: EPA 8321B

Batch ID: P437799

Component	Result	Code	Units
Acesulfame K	0.10	U	ug/L
AMPA	0.10	U	ug/L
Endothall	0.25	U	ug/L
Glufosinate	0.10	U	ug/L
Glyphosate	0.10	U	ug/L
Sucralose	0.010	U	ug/L

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P437800

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Calcium	100		P	85 - 115
Iron	104		P	85 - 115
Magnesium	105		P	85 - 115
Potassium	101		P	85 - 115
Sodium	100		P	85 - 115
Strontium	100		P	85 - 115
Tin	96.5		P	85 - 115
Titanium	97.1		P	85 - 115
Vanadium	97.5		P	85 - 115
Zinc	96.1		P	85 - 115

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P437800

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aluminum	100		P	85 - 115
Antimony	105		P	85 - 115
Arsenic	98.8		P	85 - 115
Barium	102		P	85 - 115
Beryllium	100		P	85 - 115
Boron	97.9		P	85 - 115
Cadmium	98.6		P	85 - 115
Chromium	98.0		P	85 - 115
Cobalt	94.5		P	85 - 115
Copper	98.0		P	85 - 115
Lead	95.9		P	85 - 115
Manganese	101		P	85 - 115
Molybdenum	93.4		P	85 - 115
Nickel	98.2		P	85 - 115
Selenium	100		P	85 - 115
Silver	108		P	85 - 115
Thallium	98.2		P	85 - 115

Reference Method: EPA 8270E

Batch ID: P437730

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Aldrin	55.6		P	30 - 96.0
Alpha-BHC	75.2		P	70 - 109
Alpha-Chlordane	65.2		P	45 - 107
Beta-BHC	94.7		P	64 - 138
Beta-Cyfluthrin	103		P	17 - 141
Bifenthrin	70.6		P	10 - 113
Chlorothalonil	71.5		P	26 - 180
Cis-Nonachlor	67.3		P	37 - 102
Cypermethrin	85.6		P	20 - 133
Dacthal	87.2		P	69 - 114
DDD-p,p'	63.2		P	42 - 105
DDE-p,p'	71.6		P	42 - 106
DDT-p,p'	68.2		P	42 - 107
Delta-BHC	97.0		P	67 - 144
Deltamethrin	120		P	15 - 149

Quality Assurance Report Laboratory Control Sample Accuracy

Reference Method: EPA 8270E
Batch ID: P437730

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Dichlobenil	81.8		P	46 - 117
Dicofol	69.5		P	34 - 114
Dieldrin	65.5		P	50 - 108
Endosulfan I	72.4		P	55 - 104
Endosulfan II	89.0		P	51 - 111
Endosulfan Sulfate	79.7		P	56 - 121
Endrin	71.4		P	10 - 106
Endrin Aldehyde	70.3		P	34 - 114
Endrin Ketone	102		P	63 - 177
Esfenvalerate	98.2		P	29 - 143
Ethalfuralin	72.6		P	46 - 96.0
Fenpropathrin	86.0		P	28 - 115
Gamma-BHC	95.8		P	65 - 121
Gamma-Chlordane	69.4		P	39 - 103
Heptachlor	52.5		P	39 - 94.0
Heptachlor Epoxide	74.7		P	54 - 104
Hexachlorobenzene	55.1		P	36 - 100
Kepone	104		P	10 - 225
Lambda-Cyhalothrin	90.8		P	10 - 135
Methoprene	65.4		P	10 - 109
Methoxychlor	96.7		P	52 - 112
MGK-264	91.7		P	44 - 117
Mirex	56.6		P	20 - 90.0
Oxychlordane	58.2		P	44 - 102
PCB-1016	80.6		P	45 - 107
PCB-1260	83.2		P	40 - 118
Permethrin	88.5		P	18 - 135
Phenothrin	84.3		P	10 - 102
Piperonyl Butoxide	137		P	28 - 156
Prallethrin	97.1		P	28 - 113
Tau-Fluvalinate	87.8		P	10 - 123
Tetramethrin	125		P	18 - 158
Trans-Nonachlor	62.5		P	39 - 104
Triclosan Methyl	64.0		P	54 - 108
Trifluralin	73.9		P	46 - 97.0

Reference Method: EPA 8276
Batch ID: P437730

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlordane	52.6		P	52 - 117
Toxaphene	49.5		P	44 - 125

Reference Method: EPA 8321B
Batch ID: P437727

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2,4-D	86.2		P	40 - 150
2,4,5-T	77.9		P	40 - 150
Acetaminophen	91.2		P	30 - 150
Acetamiprid	80.0		P	40 - 150
Afidopyropen	64.1		P	30 - 150

Quality Assurance Report

Laboratory Control Sample Accuracy

Reference Method: EPA 8321B
Batch ID: P437727

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Bentazon	82.7		P	30 - 150
Benzovindiflupyr	81.2		P	40 - 150
Carbamazepine	74.5		P	40 - 150
Clothianidin	86.2		P	40 - 150
Dinotefuran	100		P	40 - 150
Diuron	73.5		P	40 - 150
Fenuron	85.5		P	40 - 150
Fluridone	88.7		P	40 - 150
Hydrocodone	87.6		P	40 - 150
Ibuprofen	72.9		P	40 - 150
Imazapyr	81.8		P	40 - 150
Imidacloprid	80.8		P	40 - 150
Linuron	81.9		P	40 - 150
Mandestrobin	82.1		P	40 - 150
MCPP	83.6		P	40 - 150
Naproxen	84.9		P	40 - 150
Primidone	86.7		P	40 - 150
Pyraclostrobin	73.6		P	40 - 150
Silvex	89.0		P	40 - 150
Thiamethoxam	79.1		P	40 - 150
Tolfenpyrad	47.7		P	30 - 150
Triclopyr	99.5		P	40 - 150

Reference Method: EPA 8321B
Batch ID: P437799

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Acesulfame K	109		P	40 - 150
AMPA	104		P	40 - 160
Endothall	108		P	40 - 160
Glufosinate	100		P	40 - 160
Glyphosate	101		P	40 - 160
Sucralose	99.0		P	40 - 150

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P437800

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2450840	Calcium	100		P	80 - 120
2450840	Iron	101	101	P/P	80 - 120
2450840	Magnesium	103	102	P/P	80 - 120
2450840	Potassium	96.8	97.7	P/P	80 - 120
2450840	Sodium	99.6		P	80 - 120
2450840	Strontium	97.7	98.2	P/P	80 - 120
2450840	Tin	96.3	96.3	P/P	80 - 120
2450840	Titanium	99.5	99.8	P/P	80 - 120
2450840	Vanadium	101	101	P/P	80 - 120
2450840	Zinc	98.5	98.3	P/P	80 - 120
2451014	Calcium	106		P	80 - 120
2451014	Iron	105		P	80 - 120
2451014	Magnesium	106		P	80 - 120
2451014	Potassium	103		P	80 - 120
2451014	Sodium	103		P	80 - 120
2451014	Strontium	102		P	80 - 120
2451014	Tin	99.5		P	80 - 120
2451014	Titanium	102		P	80 - 120
2451014	Vanadium	103		P	80 - 120
2451014	Zinc	99.5		P	80 - 120

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P437800

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2450840	Aluminum	98.2	97.7	P/P	80 - 120
2450840	Antimony	106	106	P/P	80 - 120
2450840	Arsenic	99.8	100	P/P	80 - 120
2450840	Barium	103	103	P/P	80 - 120
2450840	Beryllium	104	102	P/P	80 - 120
2450840	Boron	94.6	94.5	P/P	80 - 120
2450840	Cadmium	99.2	99.7	P/P	80 - 120
2450840	Chromium	96.0	96.4	P/P	80 - 120
2450840	Cobalt	96.4	96.7	P/P	80 - 120
2450840	Copper	100	99.7	P/P	80 - 120
2450840	Lead	94.5	94.7	P/P	80 - 120
2450840	Manganese	108	99.4	P/P	80 - 120
2450840	Molybdenum	96.9	98.0	P/P	80 - 120
2450840	Nickel	96.4	96.9	P/P	80 - 120
2450840	Selenium	100	99.8	P/P	80 - 120
2450840	Silver	106	108	P/P	80 - 120
2450840	Thallium	96.9	98.0	P/P	80 - 120
2451014	Aluminum	95.7		P	80 - 120
2451014	Antimony	107		P	80 - 120
2451014	Arsenic	98.5		P	80 - 120
2451014	Barium	101		P	80 - 120
2451014	Beryllium	98.4		P	80 - 120
2451014	Boron	102		P	80 - 120
2451014	Cadmium	96.7		P	80 - 120
2451014	Chromium	95.2		P	80 - 120
2451014	Cobalt	92.1		P	80 - 120
2451014	Copper	96.5		P	80 - 120

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 200.8 Rev. 5.4
Batch ID: P437800

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2451014	Lead	94.3		P	80 - 120
2451014	Manganese	99.5		P	80 - 120
2451014	Molybdenum	97.4		P	80 - 120
2451014	Nickel	94.8		P	80 - 120
2451014	Selenium	98.9		P	80 - 120
2451014	Silver	106		P	80 - 120
2451014	Thallium	96.5		P	80 - 120

Reference Method: EPA 8270E
Batch ID: P437730

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2450844	Aldrin	56.4	60.4	P/P	24 - 81.0
2450844	Alpha-BHC	90.6	87.7	P/P	65 - 110
2450844	Alpha-Chlordane	90.8	135	P/F	43 - 119
2450844	Beta-BHC	133	137	P/P	54 - 165
2450844	Beta-Cyfluthrin	122	165	P/P	27 - 165
2450844	Bifenthrin	72.1	76.9	P/P	17 - 117
2450844	Chlorothalonil	106	124	P/P	10 - 255
2450844	Cis-Nonachlor	65.9	72.0	P/P	34 - 98.0
2450844	Cypermethrin	95.2	107	P/P	25 - 143
2450844	Dacthal	89.2	86.7	P/P	55 - 139
2450844	DDD-p,p'	60.0	67.8	P/P	30 - 109
2450844	DDE-p,p'	95.1	130	P/F	35 - 106
2450844	DDT-p,p'	73.6	79.5	P/P	41 - 101
2450844	Delta-BHC	128	142	P/P	58 - 165
2450844	Deltamethrin	129	171	P/P	10 - 194
2450844	Dichlobenil	72.9	73.1	P/P	22 - 114
2450844	Dicofol	71.7	73.2	P/P	17 - 133
2450844	Dieldrin	68.6	73.2	P/P	45 - 129
2450844	Endosulfan I	86.9	85.3	P/P	49 - 104
2450844	Endosulfan II	93.9	92.9	P/P	37 - 117
2450844	Endosulfan Sulfate	103	113	P/P	38 - 128
2450844	Endrin	75.1	77.8	P/P	35 - 116
2450844	Endrin Aldehyde	62.1	54.6	P/P	19 - 108
2450844	Endrin Ketone	88.5	87.7	P/P	44 - 134
2450844	Esfenvalerate	133	174	P/P	27 - 176
2450844	Ethalfuralin	94.2	114	P/F	49 - 100
2450844	Fenpropathrin	87.1	74.1	P/P	34 - 117
2450844	Gamma-BHC	109	105	P/P	59 - 129
2450844	Gamma-Chlordane	109	128	F/F	33 - 107
2450844	Heptachlor	53.3	52.9	P/P	37 - 94.0
2450844	Heptachlor Epoxide	102	122	P/F	38 - 118
2450844	Hexachlorobenzene	67.8	72.8	P/P	35 - 97.0
2450844	Kepone	134	141	P/P	10 - 221
2450844	Lambda-Cyhalothrin	111	123	P/P	23 - 190
2450844	Methoprene	67.7	78.5	P/P	21 - 109
2450844	Methoxychlor	103	113	P/P	46 - 118
2450844	MGK-264	129	155	F/F	39 - 122
2450844	Mirex	63.2	68.6	P/P	25 - 90.0
2450844	Oxychlordane	76.8	85.5	P/P	42 - 100
2450844	Permethrin	110	152	P/P	33 - 181

Quality Assurance Report Matrix Spike Accuracy

Reference Method: EPA 8270E

Batch ID: P437730

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2450844	Phenothrin	110	150	P/F	12 - 125
2450844	Piperonyl Butoxide	132	143	P/P	10 - 178
2450844	Prallethrin	96.9	108	P/P	24 - 122
2450844	Tau-Fluvalinate	129	194	P/F	13 - 151
2450844	Tetramethrin	146	191	P/F	16 - 172
2450844	Trans-Nonachlor	87.2	112	P/F	39 - 100
2450844	Triclosan Methyl	66.3	75.0	P/P	43 - 110
2450844	Trifluralin	95.8	83.6	F/P	45 - 94.0
2450943	PCB-1016	62.8	88.4	P/P	45 - 107
2450943	PCB-1260	54.2	89.1	P/P	40 - 112

Reference Method: EPA 8276

Batch ID: P437730

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2450943	Chlordane	58.3	43.6	P/P	43 - 123
2450943	Toxaphene	58.4	45.1	P/P	27 - 156

Reference Method: EPA 8321B

Batch ID: P437727

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2450837	2,4-D	111	112	P/P	40 - 150
2450837	2,4,5-T	94.4	83.4	P/P	40 - 150
2450837	Acetaminophen	116	114	P/P	30 - 150
2450837	Acetamiprid	79.5	68.6	P/P	40 - 150
2450837	Afidopyropen	62.7	58.9	P/P	30 - 150
2450837	Bentazon	44.0	41.2	P/P	30 - 150
2450837	Benzovindiflupyr	84.1	83.6	P/P	40 - 150
2450837	Carbamazepine	65.4	64.3	P/P	40 - 150
2450837	Clothianidin	115	111	P/P	40 - 150
2450837	Dinotefuran	106	102	P/P	40 - 150
2450837	Diuron	67.1	65.5	P/P	40 - 150
2450837	Fenuron	68.7	66.9	P/P	40 - 150
2450837	Fluridone	83.3	83.4	P/P	40 - 150
2450837	Hydrocodone	81.4	81.0	P/P	40 - 150
2450837	Ibuprofen	70.3	68.7	P/P	40 - 150
2450837	Imazapyr	116	114	P/P	40 - 150
2450837	Imidacloprid	137	133	P/P	40 - 150
2450837	Linuron	82.1	72.1	P/P	40 - 150
2450837	Mandestrobin	82.0	83.1	P/P	40 - 150
2450837	MCPP	87.4	85.6	P/P	40 - 150
2450837	Naproxen	79.8	66.8	P/P	40 - 150
2450837	Primidone	96.6	96.0	P/P	40 - 150
2450837	Pyraclostrobin	81.2	82.0	P/P	40 - 150
2450837	Silvex	96.2	88.3	P/P	40 - 150
2450837	Thiamethoxam	102	99.4	P/P	40 - 150
2450837	Tolfenpyrad	55.7	58.5	P/P	30 - 150
2450837	Triclopyr	97.6	99.2	P/P	40 - 150

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: EPA 8321B
Batch ID: P437799

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2451421	Acesulfame K	121	124	P/P	40 - 150
2451421	AMPA	97.9	97.4	P/P	40 - 160
2451421	Endothall	108	102	P/P	40 - 160
2451421	Glufosinate	98.7	99.3	P/P	40 - 160
2451421	Glyphosate	101	93.1	P/P	40 - 160
2451421	Sucralose	94.0	95.6	P/P	40 - 150

Quality Assurance Report Precision

Reference Method: EPA 200.7 Rev. 4.4

Batch ID: P437800

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2450840	Calcium	0.206	Spike	P	0 - 20
2450840	Iron	0.188	Spike	P	0 - 20
2450840	Magnesium	0.448	Spike	P	0 - 20
2450840	Potassium	0.574	Spike	P	0 - 20
2450840	Sodium	0.268	Spike	P	0 - 20
2450840	Strontium	0.409	Spike	P	0 - 20
2450840	Tin	0.0198	Spike	P	0 - 20
2450840	Titanium	0.328	Spike	P	0 - 20
2450840	Vanadium	0.126	Spike	P	0 - 20
2450840	Zinc	0.168	Spike	P	0 - 20

Reference Method: EPA 200.8 Rev. 5.4

Batch ID: P437800

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2450840	Aluminum	0.457	Spike	P	0 - 20
2450840	Antimony	0.347	Spike	P	0 - 20
2450840	Arsenic	0.573	Spike	P	0 - 20
2450840	Barium	0.412	Spike	P	0 - 20
2450840	Beryllium	2.18	Spike	P	0 - 20
2450840	Boron	0.0274	Spike	P	0 - 20
2450840	Cadmium	0.534	Spike	P	0 - 20
2450840	Chromium	0.492	Spike	P	0 - 20
2450840	Cobalt	0.274	Spike	P	0 - 20
2450840	Copper	0.287	Spike	P	0 - 20
2450840	Lead	0.224	Spike	P	0 - 20
2450840	Manganese	1.91	Spike	P	0 - 20
2450840	Molybdenum	1.04	Spike	P	0 - 20
2450840	Nickel	0.541	Spike	P	0 - 20
2450840	Selenium	0.658	Spike	P	0 - 20
2450840	Silver	1.76	Spike	P	0 - 20
2450840	Thallium	1.18	Spike	P	0 - 20

Reference Method: EPA 8270E

Batch ID: P437730

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2450844	Aldrin	6.86	Spike	P	0 - 41
2450844	Alpha-BHC	3.28	Spike	P	0 - 25
2450844	Alpha-Chlordane	39.0	Spike	F	0 - 32
2450844	Beta-BHC	2.93	Spike	P	0 - 33
2450844	Beta-Cyfluthrin	29.5	Spike	P	0 - 43
2450844	Bifenthrin	6.44	Spike	P	0 - 52
2450844	Chlorothalonil	16.0	Spike	P	0 - 82
2450844	Cis-Nonachlor	8.90	Spike	P	0 - 33
2450844	Cypermethrin	12.0	Spike	P	0 - 51
2450844	Dacthal	2.83	Spike	P	0 - 27
2450844	DDD-p,p'	12.2	Spike	P	0 - 39
2450844	DDE-p,p'	30.8	Spike	P	0 - 31

Quality Assurance Report Precision

Reference Method: EPA 8270E
Batch ID: P437730

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2450844	DDT-p,p'	7.68	Spike	P	0 - 29
2450844	Delta-BHC	10.7	Spike	P	0 - 35
2450844	Deltamethrin	27.8	Spike	P	0 - 100
2450844	Dichlobenil	0.306	Spike	P	0 - 40
2450844	Dicofol	2.15	Spike	P	0 - 37
2450844	Dieldrin	6.51	Spike	P	0 - 27
2450844	Endosulfan I	1.79	Spike	P	0 - 23
2450844	Endosulfan II	1.10	Spike	P	0 - 34
2450844	Endosulfan Sulfate	9.79	Spike	P	0 - 36
2450844	Endrin	3.49	Spike	P	0 - 45
2450844	Endrin Aldehyde	12.9	Spike	P	0 - 76
2450844	Endrin Ketone	0.905	Spike	P	0 - 43
2450844	Esfenvalerate	26.7	Spike	P	0 - 51
2450844	Ethalfuralin	19.2	Spike	P	0 - 22
2450844	Fenpropathrin	16.2	Spike	P	0 - 49
2450844	Gamma-BHC	3.40	Spike	P	0 - 28
2450844	Gamma-Chlordane	16.0	Spike	P	0 - 40
2450844	Heptachlor	0.865	Spike	P	0 - 29
2450844	Heptachlor Epoxide	18.1	Spike	P	0 - 33
2450844	Hexachlorobenzene	7.17	Spike	P	0 - 36
2450844	Kepone	5.64	Spike	P	0 - 85
2450844	Lambda-Cyhalothrin	10.2	Spike	P	0 - 55
2450844	Methoprene	14.7	Spike	P	0 - 53
2450844	Methoxychlor	9.39	Spike	P	0 - 50
2450844	MGK-264	18.6	Spike	P	0 - 43
2450844	Mirex	8.26	Spike	P	0 - 40
2450844	Oxychlordane	10.8	Spike	P	0 - 31
2450844	Permethrin	32.1	Spike	P	0 - 50
2450844	Phenothrin	30.8	Spike	P	0 - 58
2450844	Piperonyl Butoxide	7.30	Spike	P	0 - 100
2450844	Prallethrin	10.9	Spike	P	0 - 39
2450844	Tau-Fluvalinate	40.3	Spike	P	0 - 54
2450844	Tetramethrin	26.5	Spike	P	0 - 51
2450844	Trans-Nonachlor	25.0	Spike	P	0 - 39
2450844	Triclosan Methyl	12.2	Spike	P	0 - 31
2450844	Trifluralin	13.6	Spike	P	0 - 22
2450943	PCB-1016	33.9	Spike	F	0 - 25
2450943	PCB-1260	48.6	Spike	F	0 - 30

Reference Method: EPA 8276
Batch ID: P437730

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2450943	Chlordane	28.7	Spike	F	0 - 28
2450943	Toxaphene	25.8	Spike	P	0 - 27

Quality Assurance Report Precision

Reference Method: EPA 8321B
Batch ID: P437727

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2450837	2,4-D	1.03	Spike	P	0 - 30
2450837	2,4,5-T	12.3	Spike	P	0 - 30
2450837	Acetaminophen	1.87	Spike	P	0 - 30
2450837	Acetamiprid	14.6	Spike	P	0 - 30
2450837	Afidopyropen	6.22	Spike	P	0 - 30
2450837	Bentazon	6.63	Spike	P	0 - 30
2450837	Benzovindiflupyr	0.648	Spike	P	0 - 30
2450837	Carbamazepine	1.79	Spike	P	0 - 30
2450837	Clothianidin	3.70	Spike	P	0 - 30
2450837	Dinotefuran	3.32	Spike	P	0 - 30
2450837	Diuron	2.43	Spike	P	0 - 30
2450837	Fenuron	2.61	Spike	P	0 - 30
2450837	Fluridone	0.0854	Spike	P	0 - 30
2450837	Hydrocodone	0.445	Spike	P	0 - 30
2450837	Ibuprofen	2.31	Spike	P	0 - 30
2450837	Imazapyr	2.21	Spike	P	0 - 30
2450837	Imidacloprid	2.91	Spike	P	0 - 30
2450837	Linuron	13.0	Spike	P	0 - 30
2450837	Mandestrobin	1.41	Spike	P	0 - 30
2450837	MCPP	2.06	Spike	P	0 - 30
2450837	Naproxen	17.8	Spike	P	0 - 30
2450837	Primidone	0.713	Spike	P	0 - 30
2450837	Pyraclostrobin	0.942	Spike	P	0 - 30
2450837	Silvex	8.52	Spike	P	0 - 30
2450837	Thiamethoxam	2.78	Spike	P	0 - 30
2450837	Tolfenpyrad	4.85	Spike	P	0 - 30
2450837	Triclopyr	1.70	Spike	P	0 - 30

Reference Method: EPA 8321B
Batch ID: P437799

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2451421	Acesulfame K	1.98	Spike	P	0 - 30
2451421	AMPA	0.489	Spike	P	0 - 30
2451421	Endothall	5.95	Spike	P	0 - 30
2451421	Glufosinate	0.549	Spike	P	0 - 30
2451421	Glyphosate	7.98	Spike	P	0 - 30
2451421	Sucralose	1.26	Spike	P	0 - 30

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report Surrogates

Lab Sample ID: 2451207
Field Sample ID: G5SE0069

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8270E	Decachlorobiphenyl	80.2	P	37 - 129
EPA 8270E	Decachlorobiphenyl	107	P	26 - 115
EPA 8270E	Tetrachloro-m-xylene	70.7	P	30 - 101
EPA 8270E	Tetrachloro-m-xylene	65.4	P	29 - 95.0
EPA 8276	Decachlorobiphenyl	93.2	P	28 - 102
EPA 8276	PCNB	97.0	P	49 - 115

Lab Sample ID: 2451208
Field Sample ID: G5SE0069

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	50.8	P	30 - 160
EPA 8321B	Acetaminophen-d4	84.7	P	30 - 160
EPA 8321B	Carbamazepine-d10	44.4	P	30 - 160
EPA 8321B	Diuron-d6	35.0	P	30 - 160
EPA 8321B	Endothall-d6	109	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	91.6	P	30 - 160
EPA 8321B	Ibuprofen-d3	45.9	P	30 - 160
EPA 8321B	Primidone-d5	60.6	P	30 - 160
EPA 8321B	Sucralose-d6	55.5	P	30 - 160

Lab Sample ID: 2451209
Field Sample ID: G5SE0043

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
EPA 8321B	2,4-D-d3	78.3	P	30 - 160
EPA 8321B	Acetaminophen-d4	82.5	P	30 - 160
EPA 8321B	Carbamazepine-d10	46.8	P	30 - 160
EPA 8321B	Diuron-d6	37.9	P	30 - 160
EPA 8321B	Endothall-d6	97.8	P	30 - 160
EPA 8321B	Glyphosate 13C 15N	94.2	P	30 - 160
EPA 8321B	Ibuprofen-d3	58.7	P	30 - 160
EPA 8321B	Primidone-d5	55.6	P	30 - 160
EPA 8321B	Sucralose-d6	78.6	P	30 - 160

Quality Assurance Report Calibration Verification

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A122783

Included Lab Sample IDs: 2451210

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aluminum	98.2	99.9	P/P	90 - 110
Antimony	90.8	90.0	P/P	90 - 110
Arsenic	98.8	98.9	P/P	90 - 110
Barium	101	99.5	P/P	90 - 110
Beryllium	103	101	P/P	90 - 110
Boron	97.3	99.9	P/P	90 - 110
Cadmium	98.6	97.9	P/P	90 - 110
Chromium	98.3	98.7	P/P	90 - 110
Cobalt	93.4	92.8	P/P	90 - 110
Copper	97.3	96.7	P/P	90 - 110
Lead	96.9	97.5	P/P	90 - 110
Manganese	99.4	99.6	P/P	90 - 110
Molybdenum	95.2	95.0	P/P	90 - 110
Nickel	98.2	97.9	P/P	90 - 110
Selenium	99.7	98.9	P/P	90 - 110
Thallium	94.7	94.6	P/P	90 - 110

Reference Method: EPA 8321B

Run ID: A122793

Included Lab Sample IDs: 2451208, 2451209

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
2,4-D	100	91.3	P/P	50 - 150
2,4,5-T	93.3	96.5	P/P	50 - 150
Acetaminophen	111	109	P/P	60 - 160
Acetamiprid	104	106	P/P	50 - 150
Afidopyropen	89.6	103	P/P	50 - 150
Bentazon	102	99.9	P/P	50 - 160
Benzovindiflupyr	100	102	P/P	50 - 150
Carbamazepine	99.8	100	P/P	60 - 150
Clothianidin	101	102	P/P	60 - 150
Dinotefuran	110	110	P/P	50 - 150
Diuron	106	105	P/P	60 - 160
Fenuron	101	101	P/P	60 - 150
Fluridone	107	110	P/P	60 - 160
Hydrocodone	107	111	P/P	60 - 150
Ibuprofen	78.8	90.0	P/P	50 - 160
Imazapyr	99.7	79.8	P/P	50 - 150
Imidacloprid	92.6	95.7	P/P	60 - 150
Linuron	110	108	P/P	60 - 150
Mandestrobin	98.9	101	P/P	50 - 150
MCPP	96.3	88.9	P/P	50 - 150
Naproxen	130	105	P/P	50 - 160
Primidone	99.2	98.2	P/P	60 - 150
Pyraclostrobin	103	103	P/P	60 - 150
Silvex	96.7	96.9	P/P	50 - 150
Thiamethoxam	102	98.6	P/P	50 - 150
Tolfenpyrad	95.6	98.9	P/P	60 - 150
Triclopyr	103	99.0	P/P	50 - 150

Quality Assurance Report Calibration Verification

Reference Method: EPA 8321B

Run ID: A122799

Included Lab Sample IDs: 2451208, 2451209

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
AMPA	98.3	97.8	P/P	60 - 160
Endothall	94.6	110	P/P	60 - 160
Glufosinate	95.2	101	P/P	60 - 160
Glyphosate	99.3	98.4	P/P	60 - 160

Reference Method: EPA 8321B

Run ID: A122812

Included Lab Sample IDs: 2451208, 2451209

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Acesulfame K	107	122	P/P	60 - 160
Sucralose	96.3	106	P/P	60 - 160

Reference Method: EPA 200.8 Rev. 5.4

Run ID: A122813

Included Lab Sample IDs: 2451210

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Silver	100	99.4	P/P	90 - 110

Reference Method: EPA 200.7 Rev. 4.4

Run ID: A122817

Included Lab Sample IDs: 2451210

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Calcium	95.5	103	P/P	90 - 110
Iron	95.8	103	P/P	90 - 110
Magnesium	95.4	103	P/P	90 - 110
Potassium	93.4	99.4	P/P	90 - 110
Sodium	94.1	100	P/P	90 - 110
Strontium	96.4	101	P/P	90 - 110
Tin	96.9	101	P/P	90 - 110
Titanium	96.1	99.5	P/P	90 - 110
Vanadium	96.4	102	P/P	90 - 110
Zinc	98.0	103	P/P	90 - 110

Reference Method: EPA 8270E

Run ID: A122961

Included Lab Sample IDs: 2451207

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
PCB-1016	98.3		P	80 - 120
PCB-1260	96.5		P	80 - 120

Reference Method: EPA 8270E

Run ID: A123058

Included Lab Sample IDs: 2451207

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Aldrin	101		P	80 - 120
Alpha-BHC	99.7		P	80 - 120

Quality Assurance Report Calibration Verification

Reference Method: EPA 8270E
Run ID: A123058
Included Lab Sample IDs: 2451207

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Alpha-Chlordane	86.1		P	80 - 120
Beta-BHC	95.9		P	80 - 120
Beta-Cyfluthrin	98.4		P	80 - 120
Bifenthrin	114		P	80 - 120
Chlorothalonil	95.1		P	80 - 120
Cis-Nonachlor	92.4		P	80 - 120
Cypermethrin	97.4		P	80 - 120
Dacthal	95.1		P	80 - 120
DDD-p,p'	92.6		P	80 - 120
DDE-p,p'	94.2		P	80 - 120
DDT-p,p'	103		P	80 - 120
Delta-BHC	96.9		P	80 - 120
Deltamethrin	104		P	80 - 120
Dichlobenil	113		P	80 - 120
Dicofol	89.5		P	80 - 120
Dieldrin	97.7		P	80 - 120
Endosulfan I	101		P	80 - 120
Endosulfan II	99.9		P	80 - 120
Endosulfan Sulfate	92.6		P	80 - 120
Endrin	104		P	80 - 120
Endrin Aldehyde	99.9		P	80 - 120
Endrin Ketone	110		P	80 - 120
Esfenvalerate	102		P	80 - 120
Ethalfuralin	95.7		P	80 - 120
Fenpropathrin	118		P	80 - 120
Gamma-BHC	102		P	80 - 120
Gamma-Chlordane	89.7		P	80 - 120
Heptachlor	96.6		P	80 - 120
Heptachlor Epoxide	88.8		P	80 - 120
Hexachlorobenzene	98.1		P	80 - 120
Kepone	103		P	80 - 120
Lambda-Cyhalothrin	104		P	80 - 120
Methoprene	103		P	80 - 120
Methoxychlor	109		P	80 - 120
MGK-264	90.2		P	80 - 120
Mirex	110		P	80 - 120
Oxychlordane	96.3		P	80 - 120
Permethrin	102		P	80 - 120
Phenothrin	103		P	80 - 120
Piperonyl Butoxide	109		P	80 - 120
Prallethrin	102		P	80 - 120
Tau-Fluvalinate	102		P	80 - 120
Tetramethrin	103		P	80 - 120
Trans-Nonachlor	88.7		P	80 - 120
Triclosan Methyl	89.9		P	80 - 120
Trifluralin	110		P	80 - 120

Quality Assurance Report

Calibration Verification

Reference Method: EPA 8276
Run ID: A123157
Included Lab Sample IDs: 2451207

Component	% Rec.1	% Rec.2	Pass/Fail*	Control Limits
Chlordane	98.8		P	80 - 120
Toxaphene	100		P	80 - 120

* Pass/Fail determinations are made for each bracketing calibration verification check.
Control limits for initial calibration checks may be different from those for continuing checks, depending on method requirements.
Where they are different, both control limits are provided.

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery			Precision SMP	MS
			LCS				
EPA 200.7 Rev. 4.4	Calcium	100	100	106			0.206
	Iron	104	101	101	105		0.188
	Magnesium	105	103	102	106		0.448
	Potassium	101	96.8	97.7	103		0.574
	Sodium	100	99.6	103			0.268
	Strontium	100	97.7	98.2	102		0.409
	Tin	96.5	96.3	96.3	99.5		0.0198
	Titanium	97.1	99.5	99.8	102		0.328
	Vanadium	97.5	101	101	103		0.126
	Zinc	96.1	98.5	98.3	99.5		0.168
EPA 200.8 Rev. 5.4	Aluminum	100	98.2	97.7	95.7		0.457
	Antimony	105	106	106	107		0.347
	Arsenic	98.8	99.8	100	98.5		0.573
	Barium	102	103	103	101		0.412
	Beryllium	100	104	102	98.4		2.18
	Boron	97.9	94.6	94.5	102		0.0274
	Cadmium	98.6	99.2	99.7	96.7		0.534
	Chromium	98.0	96.0	96.4	95.2		0.492
	Cobalt	94.5	96.4	96.7	92.1		0.274
	Copper	98.0	100	99.7	96.5		0.287
	Lead	95.9	94.5	94.7	94.3		0.224
	Manganese	101	108	99.4	99.5		1.91
	Molybdenum	93.4	96.9	98.0	97.4		1.04
	Nickel	98.2	96.4	96.9	94.8		0.541
	Selenium	100	100	99.8	98.9		0.658
	Silver	108	106	108	106		1.76
	Thallium	98.2	96.9	98.0	96.5		1.18
	Aldrin	55.6	56.4	60.4			6.86
	Alpha-BHC	75.2	90.6	87.7			3.28
	Alpha-Chlordane	65.2	90.8	135			39.0
EPA 8270E	Beta-BHC	94.7	133	137			2.93
	Beta-Cyfluthrin	103	122	165			29.5
	Bifenthrin	70.6	72.1	76.9			6.44
	Chlorothalonil	71.5	106	124			16.0
	Cis-Nonachlor	67.3	65.9	72.0			8.90
	Cypermethrin	85.6	95.2	107			12.0
	Dacthal	87.2	89.2	86.7			2.83
	DDD-p,p'	63.2	60.0	67.8			12.2
	DDE-p,p'	71.6	95.1	130			30.8
	DDT-p,p'	68.2	73.6	79.5			7.68
	Delta-BHC	97.0	128	142			10.7
	Deltamethrin	120	129	171			27.8
	Dichlobenil	81.8	72.9	73.1			0.306
	Dicofol	69.5	71.7	73.2			2.15
	Dieldrin	65.5	68.6	73.2			6.51
	Endosulfan I	72.4	86.9	85.3			1.79
	Endosulfan II	89.0	93.9	92.9			1.10
	Endosulfan Sulfate	79.7	103	113			9.79
	Endrin	71.4	75.1	77.8			3.49
	Endrin Aldehyde	70.3	62.1	54.6			12.9
	Endrin Ketone	102	88.5	87.7			0.905
	Esfenvalerate	98.2	133	174			26.7
	Ethalfuralin	72.6	94.2	114			19.2
	Fenpropathrin	86.0	87.1	74.1			16.2

Quality Assurance Report Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS			
EPA 8270E	Gamma-BHC	95.8	109	105		3.40
	Gamma-Chlordane	69.4	109	128		16.0
	Heptachlor	52.5	53.3	52.9		0.865
	Heptachlor Epoxide	74.7	102	122		18.1
	Hexachlorobenzene	55.1	67.8	72.8		7.17
	Kepone	104	134	141		5.64
	Lambda-Cyhalothrin	90.8	111	123		10.2
	Methoprene	65.4	67.7	78.5		14.7
	Methoxychlor	96.7	103	113		9.39
	MGK-264	91.7	129	155		18.6
	Mirex	56.6	63.2	68.6		8.26
	Oxychlordane	58.2	76.8	85.5		10.8
	PCB-1016	80.6	62.8	88.4		33.9
	PCB-1260	83.2	54.2	89.1		48.6
	Permethrin	88.5	110	152		32.1
	Phenothrin	84.3	110	150		30.8
	Piperonyl Butoxide	137	132	143		7.30
	Prallethrin	97.1	96.9	108		10.9
	Tau-Fluvalinate	87.8	129	194		40.3
	Tetramethrin	125	146	191		26.5
	Trans-Nonachlor	62.5	87.2	112		25.0
	Triclosan Methyl	64.0	66.3	75.0		12.2
	Trifluralin	73.9	95.8	83.6		13.6
EPA 8276	Chlordane	52.6	58.3	43.6		28.7
	Toxaphene	49.5	58.4	45.1		25.8
EPA 8321B	2,4-D	86.2	111	112		1.03
	2,4,5-T	77.9	94.4	83.4		12.3
	Acesulfame K	109	121	124		1.98
	Acetaminophen	91.2	116	114		1.87
	Acetamiprid	80.0	79.5	68.6		14.6
	Afidopyropen	64.1	62.7	58.9		6.22
	AMPA	104	97.9	97.4		0.489
	Bentazon	82.7	44.0	41.2		6.63
	Benzovindiflupyr	81.2	84.1	83.6		0.648
	Carbamazepine	74.5	65.4	64.3		1.79
	Clothianidin	86.2	115	111		3.70
	Dinotefuran	100	106	102		3.32
	Diuron	73.5	67.1	65.5		2.43
	Endothall	108	108	102		5.95
	Fenuron	85.5	68.7	66.9		2.61
	Fluridone	88.7	83.3	83.4		0.0854
	Glufosinate	100	98.7	99.3		0.549
	Glyphosate	101	101	93.1		7.98
	Hydrocodone	87.6	81.4	81.0		0.445
	Ibuprofen	72.9	70.3	68.7		2.31
	Imazapyr	81.8	116	114		2.21
	Imidacloprid	80.8	137	133		2.91
	Linuron	81.9	82.1	72.1		13.0
	Mandestrobin	82.1	82.0	83.1		1.41
	MCPP	83.6	87.4	85.6		2.06
	Naproxen	84.9	79.8	66.8		17.8
	Primidone	86.7	96.6	96.0		0.713
	Pyraclostrobin	73.6	81.2	82.0		0.942
	Silvex	89.0	96.2	88.3		8.52

Quality Assurance Report
Summary

Ref. Method	Analyte	LCS % Recovery	MS % Recovery		Precision SMP	MS
			LCS	MS		
EPA 8321B	Sucralose	99.0	94.0	95.6		1.26
	Thiamethoxam	79.1	102	99.4		2.78
	Tolfenpyrad	47.7	55.7	58.5		4.85
	Triclopyr	99.5	97.6	99.2		1.70

Reference Method Descriptions

Method	Description	Associated Samples
EPA 200.7 Rev. 4.4	Total Recoverable Metals analysis using ICP emission spectroscopy for aqueous samples supporting Clean Water Act Projects	2451210
EPA 200.8 Rev. 5.4	Total Recoverable Metals analysis using ICP-MS for aqueous samples supporting Clean Water Act Projects	2451210
EPA 8270E	Organochlorine pesticides, pyrethroids and tracers in water matrices by GC/MS/MS	2451207
EPA 8270E	PCBs in water matrices by GC/MS/MS	2451207
EPA 8276	Chlordane and Toxaphene in water matrices by GC/MS with Negative Chemical Ionization	2451207
EPA 8321B	Pesticides, herbicides, and other chemicals in water matrices by HPLC/MS/MS	2451208, 2451209
SM 2340 B-2011	Hardness by calculation, in aqueous matrices, reported as mg/L CaCO3	2451210

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
EPA 200.7 Rev. 4.4	11/14/2023	11/15/2023 12:50	George D Taylor	11/17/2023 16:51	Samatha Luckman	2451210
EPA 200.8 Rev. 5.4	11/14/2023	11/15/2023 12:50	George D Taylor	11/16/2023 20:43	Conrad Hartmann	2451210
	11/14/2023	11/15/2023 12:50	George D Taylor	11/17/2023 17:01	Emily M Philpot	2451210
EPA 8270E	11/14/2023	11/17/2023 08:00	Fe-Val Siddell	11/28/2023 04:17	Lipi Saha	2451207
	11/14/2023	11/17/2023 08:00	Fe-Val Siddell	11/29/2023 05:00	Julie Wi	2451207
EPA 8276	11/14/2023	11/17/2023 08:00	Fe-Val Siddell	12/12/2023 05:57	Arthur Maknenko	2451207
EPA 8321B	11/14/2023	11/15/2023 09:00	Hoor Shaik	11/16/2023 21:17	Juyoung Kim	2451208
	11/14/2023	11/15/2023 09:00	Hoor Shaik	11/16/2023 21:35	Juyoung Kim	2451209
	11/14/2023	11/16/2023 12:00	Tae K Lee	11/16/2023 13:53	Hana Lee	2451208
	11/14/2023	11/16/2023 12:00	Tae K Lee	11/16/2023 14:07	Hana Lee	2451209
	11/14/2023	11/16/2023 12:00	Tae K Lee	11/17/2023 00:47	Hana Lee	2451208
	11/14/2023	11/16/2023 12:00	Tae K Lee	11/17/2023 01:01	Hana Lee	2451209
SM 2340 B-2011	11/14/2023			11/17/2023 16:51	Samatha Luckman	2451210