FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION

STRATEGIC MONITORING PLAN Field Sheet

July 2022

Meter Passed End of Day CCV

Yes / No

WIN Station Name:	JONES CREEK ABOVE I 295					**Sample Date:**	4/25/2024
WIN / Field ID:	G2NE1233	**ORG ID:**	21FLA	**ENR:**	-	**Latitude:**	30.33795
County:	DUVAL	**WBID:**	2246	STREAM		**Longitude:**	-81.53978
Receiving Body of Water:	St Johns River Above ICWW					**RQ-**	2024-04-22-10

Sampling Team Members	WQ Measurements	Sample Collection	Documentation	Preservation	Preservation Check
Jeremy Parrish		x		x	x
Katherine Halbert	x		x		
Kyle Coker		x		x	x

Sampling Equipment					
x	Sample Container		Carboy		
	Dipper		Van Dorn		
	Syringe		x	Pole	NA
Syringe Lot#			Filter Lot#		
Secchi Equipment ID:		D#4			

Collection Method			
	Wading		Canoe/Kayak
x	From Shore		Electric Motor
			Gasoline Motor
Depth Measured With	Meter		

Water Level:	*Normal*
Flow:	*Flowing*
Matrix:	*Fresh*
Tide Stage:	
High Tide:	
Low Tide:	
Photos:	*Yes*
Meter ID:	*Desi*
Depth Gauge ID:	**depth_gauge**

Time Zone	Time	Total Depth (m)	Sample Depth (m)	DO (mg/L)	DO (%SAT)	Temp. (°C)	pH	Secchi Disk (m)	Sp COND (µmhos/cm)	Salinity (PPTh)
EST	1025	0.2	0.1	7.73	84.1	19.4	7.19	0.2	267.9	0.13
								VOB (s)		

Biological Samples Collected: HA LVS RPS SCI

SBIO Visit ID: **HA ID:** **RPS ID:** **Macrophyte ID:** **LIMS Sample ID In The Macrophyte Module:**

Parameter Suite	Parameter Methods (LIMS Test Codes)			Preservation Type		Lot#	Expiration Date	pH Check
Microbiology								
Chlorophyll	CHLSUITE-W			ICE				
Physical/Aggregate Nutrients	ALKALINITY, TURBIDITY, W-F, W-TSS			ICE				
	W-CL-IC, W-COLOR, W-SO4-IC, W-TDS			ICE				
Filtered Nutrients	W-PO4-F	Field Filtered 0.45 µm Filter		ICE		Syring Lot#:; Filter Lot#:		
Acid Preserved Nutrients	W-NH3 / W-NO2NO3 / W-TKN / W-TOC / W-S-A-TP			ICE	H2SO4*	*SA3340020*	*12/11/2024*	*H2SO4 pH<2*
Metals	W-ICPMS	W-ICP	W-HARD		HNO3**	NA3340030	12/13/2024	HNO3 pH<2
Organics (LC)	W-E8321-DI	W-E8321-MS						
Macroinvertebrates	MI-FW-QLDC			Formalin		9.70623WB		
Organics (GC)	W-PSNP-TQ			Ice				
Molecular								
Periphyton								
Phytoplankton								
BOD								
DOC								
Other(s)								

*2.0 ml of H2SO4 Used Unless Noted Otherwise
**2.0 ml of HNO3 Used Unless Noted Otherwise

SyringLot# FilterLot#

Field Comments:	/ SCI Collection Time: 1230
Comments on COC:	
Relinquish Date:	04/25/2024 **Signature:**

LIMS EVENT ID: NE-DIST-2024-04-26-01 **WIN Import ID:** 49401

Enter Field Parameters, Verify Station ID In LIMS DMT: DB 05/13/2024 (Initials/Date)

QC Station ID, Field Parameters In LIMS DMT: 5/15/2024 MB (Initials/Date)

Save Field Sheets on Network: KH 04/25/2024 DB 07/25/2024 (Initials/Date)

Migrate Data to WIN: 7/24/2024 MB (Initials/Date)

DEP Form FD 9000-5 Stream/River Habitat Assessment Field Sheet

SAMPLING AGENCY:		STORET STATION NUMBER: 6ZNE1233	DATE (MM/DD/YY): 4/25/24	RECEIVING BODY OF WATER:
REMARKS:	COUNTY: Duval	LOCATION: Jones above 295		FIELD ID/NAME:

Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
Primary Habitat Components **Substrate Diversity** 18 5	Four or more major productive habitats present [snags, tree roots, aquatic vegetation, leaf packs (partially decayed), rock] 20 19 18 17 16	Three major productive habitats present. Adequate habitat. Some substrates may be new fall (fresh leaves or snags) 15 14 13 12 11	Two major productive habitats present. Less than desirable habitat, frequently disturbed or removed 10 9 (8) 7 6	One or less major productive habitat. Lack of habitat is obvious, substrates unstable or smothered (5) 4 3 2 1
Substrate Availability 16 7	Greater than 30% major productive habitat present at site 20 19 18 17 16	16% to 30% major productive habitat, by aerial extent 15 14 13 12 11	6% to 15% major productive habitat 10 9 8 (7) (6)	Less than 5% major productive habitat 5 4 3 2 1
12 22 **Water Velocity** 13	Max. observed at typical transect: > 0.25 m/sec. But < 1 m/sec ≥0.33 0.31 0.29 0.27 >0.25 20 19 18 17 16	Max. observed at typical transect: >0.1 to 0.25 m/sec 0.25 0.21 0.17 (0.13) >0.1 15 14 (13) 12 11	Max. observed at typical transect: 0.05 to 0.1 m/sec 0.1 0.09 0.07 0.06 0.05 10 9 8 7 6	Max. observed at typical transect: <0.05 m/sec; or spate occurring: > 1 m/sec <0.05 0.04 0.03 0.01 <0.01 5 4 3 2 1
Habitat Smothering 14 Primary Score 39	Adequate number of stable pools (1-2 per 12 times width) and <25% of habitats affected by sand, silt, or algae. 20 19 18 17 16	Adequate number of stable pools (1-2 per 12 times width) and >25% of habitats affected by sand, silt, or algae. 15 14 13 12 11	Does not have required number of stable pools (1-2 per 12 x width) and/or has shallow pools (<2 x prevailing depth). 10 9 8 7 6	Stable pools are absent. Most habitats affected by sand, silt, or algae accumulation. 5 4 3 2 1
Secondary Habitat Components **Artificial Channelization** ~~20~~ 19	Expected sinuosity given the stream width. No evidence of dredging or artificial straightening. No spoil banks. (20) (19) 18 17 16	Good sinuosity within old channelized area. Evidence of dredging or straightening in the past (>25 yrs) but mostly recovered. 15 14 13 12 11	Straightened with trapezoidal cross section, but has a small degree of sinuosity developed within channelized area. 10 9 8 7 6	Straightened or engineered by dredging, has trapezoidal or box cut cross section, lacks required pools. May have spoil banks. 5 4 3 2 1
Bank Stability Right Bank 5 Left Bank 5	Bankfull > 60% of bank height. Slope of bank ≤ 60° from bankful to top of bank. Bankfull is within or above the woody root zone with few raw, eroded areas. 10 9	Only meets 2 of the 3 requirements for optimal bank stability. 8 7 6	Only meets 1 of the 3 requirements for optimal bank stability. (5) 4	Bankfull < 60% of bank height. Slope of bank > 60°. Bankfull is below the woody root zone with raw, eroded areas. 3 2 1
34 68 107 **Riparian Buffer Zone Width** Right Bank 10 Left Bank 10	Width of vegetation greater than 18 m (10) 9	Width of vegetation >12 to 18m 8 7 6	Width of vegetation 6 to 12 m. human activities close to system 5 4	Less than 6 m of buffer zone due to intensive human activities 3 2 1
Riparian Zone Vegetation Quality Right Bank 9 Left Bank 9 Secondary Score 68	Over 80% of riparian surfaces consist of normal, expected plant community for given sunlight & habitat conditions (e.g., native plants; tree, shrub, and forbs represented, if appropriate). Minimal disturbance. 10 9	>50% to 80% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Some disruption in community observed. 8 7 6	25% to 50% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). Disruption obvious. 5 4	Less than 25% of riparian zone is undisturbed (normal, expected plant community for given sunlight & habitat conditions). 3 2 1

107 **TOTAL SCORE**

Date: 4/25/24	Analyst: Jay Penn	Signature: Jay Penn

62-160.800, F.A.C.

Revision Date: January 2017

DEP Form FD 9000-4 Stream/River Habitat Assessment Sketch Sheet



Location: Jones Cr. above 295

Date: 4/25/24

Sampler: JP/KH/KC

100 m: Latitude Longitude	
0 m: Latitude Longitude	

Substrates: Code key, draw proportionate habitat abundance.

		%
///	Snags	<1
XXX	Roots/undercut banks	4.5
000	Leaf Packs (or mats)	<1
	Aquatic Macrophytes	Na
	Pools — total # observed = ____ # range expected = ____	

Average width 2.5 m

Average depth 0.7 m

Velocity measured at 10 meter mark.

WQ & chemistry taken at 50 meter mark.

Habitat Smothering:
Note areas (on map) where sand or silt is smothering substrates, limiting habitability.

Bank Stability:
Note areas (on map) with unstable, eroding banks.

Riparian Buffer Width:
Note areas (on map) where natural vegetation is altered or eliminated.

Plants observed / other notes:

XXX 0.9+0.3+1.2+2.25+0.75+1+1.5
2.5 + 0.25

0 0.2+0.3+0.35+0.35+0.3

00.2

2.5 wide 0.2m second

DEP FORM FD 9000-25 Rapid Periphyton Survey Field Sheet

Site: Jones above 295 | County: Duval | Date: 4/25/24 | Investigators: JThursby

STORET Station Number: GZNE1233

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
0	1	N	N	
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			
10	1	N		
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			
20	1	N		
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			
30	1	N		
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			
40	1	N		
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			
50	1	N		
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			

Transect (m)	Point 1=right 9=left	Algal Thickness Rank (N-6, X)	Estimated	Canopy Cover
60	1	N	N	
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			
70	1	N		
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			
80	1	N		
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			
90	1	N		
	2			
	3			
	4			
	5			88
	6			
	7			
	8			
	9			
100	1	N		
	2			
	3			
	4			
	5			96
	6			
	7			
	8			
	9			

Secchi depth Estimated?	VOB
# points ranked 4-6	0
total points assessed	
% points ranked 4-6	

Check accompanying data collected at same site/date.	
Algal mat sample	
Linear Veg Survey	
Habitat Assessment	
SCI/Biorecon	
Water sample	
RQ-	2024-04-22-10

Algal Thickness Rank	
N	rough, no algae, slimy, algae up to 1mm
3	>1mm - 6mm
4	>6mm - 20mm
5	>20mm - 10 cm
6	>10 cm

Record "N" and check "Estimated" for points deeper than the Secchi depth; algae are presumed absent. Check "Estimated" if thickness estimated for deep points which can be seen but not reached.

Record "X" for points shallower than Secchi depth for which substrate cannot be seen or reached with the hand. No estimated rank.

Record canopy cover as the number of small densiometer quadrants (out of 96) that HAVE canopy cover. Measure facing upstream at point 4, 5, or 6.

Collect algal mat sample following DEP SOP FS 7240 if the percentage of total sampled points with a thickness rank of 4, 5, or 6 is >20%.

DEP Form FD 9000-3 Physical/Chemical Characterization Field Sheet

SAMPLE ID _____ ORG ID _____ LATITUDE 30.33795

COUNTY DUVAL STORET # 62NE1233 LONGITUDE -81.53978

DATE 04/25/24 TIME 1230 SAMPLING AGENCY _____

SITE NAME JONES CREEK ABOVE I 295

FIELD ID/NAME _____ RECEIVING BODY OF WATER St. Johns River Above ICWW

RIPARIAN ZONE / STREAM FEATURES

PREDOMINANT LAND-USE IN WATERSHED (specify relative percent in each category):

Forest/Natural	Silviculture	Field/Pasture	Agricultural	Residential	Commercial	Industry	Other (Specify)

Landscape Development Intensity Index (LDI): _____

Local Watershed Erosion (select one): ☐ None ☒ Slight ☐ Moderate ☐ Heavy

Local Watershed NPS Pollution: ☐ No evidence ☒ Slight ☐ Moderate ☐ Heavy

Width of Riparian Vegetation (m) on Each Buffer Side: Left Bank: 18m Right Bank: 18m

Hydrologic Modification Score (per FT 3101): _____

High Water Mark: 0.5 (m) + 0.3 (above present water level) = 0.8 (above bed) (present depth)

Artificially Impounded: ☐ Yes ☒ No

Typical Width (m) Depth (m)/Velocity (m/sec) Transect

2.5 m wide		
m/s	0.18 m/s	m/s
m deep	0.2 m deep	m deep

Artificially Channelized: ☐ No ☒ Mostly recovered, more sinuous ☐ Some recovery ☐ Recent, severe

Canopy Cover %: ☐ Open ☐ Lightly Shaded (11-45%) ☒ Heavily Shaded ☐ Moderate Shaded (46-80%)

SEDIMENT / SUBSTRATE

Sediment Oils: ☒ Absent ☐ Slight ☐ Moderate ☐ Profuse

Sediment Odors: ☒ Normal ☐ Sewage ☐ Petroleum ☐ Chemical ☐ Anaerobic ☐ Other (Specify):

Smothering of Substrates

	None	Slight	Moderate	Severe
Sand Smothering:	☐	☒	☐	☐
Silt Smothering:	☐	☒	☐	☐
Algae Smothering:	☒	☐	☐	☐

SUBSTRATE TYPE

Assessment Tool: ☒ SCI ☒ RPS ☒ LVS ☐ LCI ☐ BioRecon

	% Coverage	INVERT # Times Sampled	PERI # Times Sampled
Woody Debris (Snags)	<1.0	3	
Undercut Banks / Roots	4.5	10	
Leaf Packs or Mat	<1.0	1	
Aquatic Vegetation			
Rock or Shell Rubble..			
Sand.....	93	6	
Mud / Muck / Silt			
Other			
Other			

WATER QUALITY

	Depth (M)	Temp. (°C)	pH (SU)	D.O. (MG/L)	D.O. Sat (%)	Cond. (UMHO/CM)	Salinity (PPT)	SECCHI (M)
Top:	0.2	19.4	7.19	7.73	84.1	267.9	0.13	0.2
Mid:								☒ VOB
Bottom								TOTAL DEPTH
Meter ID:	DESI							0.2

Water Odors Normal ☒ Petroleum ☐ Sewage ☐ Chemical ☐ Other ☐

Water Surface Oils Normal ☒ Sheen ☐ Globs ☐ Slick ☐ Other ☐

Water Sample Taken? ☒ Yes ☐ No

Sample Preserved? ☒ Yes ☐ No

Lot Number: _____ Exp: _____

Color Tannic ☐ Green (Algae) ☐ Clear ☐ Other (Specify) ☒ _____

Algae Sample Taken? ☐ Yes ☒ No

Sample Preserved? ☐ Yes ☒ No

Lot Number: _____ Exp: _____

Clarity Clear ☐ Slightly Turbid ☒ Turbid ☐ Opaque ☐

ABUNDANCE

	Not Obs.	Rare	Common	Abundant
Periphyton:	☒	☐	☐	☐
Fish:	☐	☐	☒	☐
Aquatic Plants:	☒	☐	☐	☐
Iron/Sulfur Bacteria:	☒	☐	☐	☐

System Type: Stream ☒ Lake ☐ Wetland ☐ Estuary ☐ Other(Specify) ☐ _____

AMBIENT FIELD CONDITIONS / NOTES:

☐ The antecedent hydrologic conditions have been met to my best knowledge.

SAMPLING TEAM Jerry Parr

SIGNATURE: Jerry Parr

DATE: 4/25/2024

0

DEP FORM FD 9000-32: LINEAR VEGETATION SURVEY FIELD SHEET

Waterbody: Ionea Creek above 295	Date: 4/25/2[illegible]	County: Duval	Storet Number: 62NE1233
Analyst: J Bunch		Signature: [signature]	
Comments:			

Instructions: Note taxa growing in the water with a checkmark if present, "D" if dominant, and "C" if codominant (dominance only if 1 m^2 of taxa present). Note in the boxes below if no dominant are selected, and note total macrophyte abundance rank for each section. Only the most common taxa are listed, so use blank spaces for additional taxa names.

HERBACEOUS SPECIES	Meter Mark 0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Specimen collected (check)
Alternanthera philoxeroides											
Bacopa caroliniana											
Bacopa monneri											
Bidens mitis											
Boehmeria cylindrica											
Centella asiatica											
Ceratophyllum demersum											
Chara											
Cicuta maculata											
Cladium jamaicense											
Colocasia esculenta											
Commelina diffusa											
Commelina virginica											
Crinum americanum											
Diodia virginiana											
Eichhomia crassipes											
Eleocharis (wispy viviparous)											
Hydrilla verticillata											
Hydrocotle											
Hygrophila polysperma											
Hymenocallis											
Lachnanthes caroliniana											
Landoltia punctata											
Lemna											
Limnophila sessiflora											
Ludwigia leptocarpa											
Ludwigia palustris											
Ludwigia peruviana											
Ludwigia repens											
Luziola fluitans											
If no Dominant or Co-Dominant were selected, indicate with "X"											
Indicate % cover macrophytes per section											
0-5% Macrophyte Coverage											
>5 and ≤10% Macrophyte Coverage											
>10 and ≤25% Macrophyte Coverage											
>25 and ≤50% Macrophyte Coverage											
> 50% Macrophyte Coverage											

HERBACEOUS SPECIES	Meter Mark 0-10	10-20	20-30	30-40	40-50	50-60	60-70	70-80	80-90	90-100	Specimen collected (check)
Micranthemum glomeratum											
Micranthemum umbrosum											
Myriophyllum aquaticum											
Najas guadelupensis											
Nuphar luteum											
Orontium aquaticum											
Panicum hemitomon											
Panicum repens											
Panicum rigidulum											
Pistia stratioides											
Polygonum glabra											
Polygonum hydropiperoides											
Polygonum punctatum											
Pontedaria cordata											
Potamogeton illinoensis											
Ruellia simplex											
Sacciolepis striata											
Sagittaria kurziana											
Sagittaria lancifolia											
Sagittaria latifolia											
Salvinia minima											
Samolus parviflora											
Saururus cernuus											
Sparganium americanum											
Typha											
Vallisneria americana											
Zizania aquatica											