

Biological Analysis Report

SO-DIST-2024-03-14-01

Florida DEP Laboratory
2600 Blair Stone Road
Tallahassee, FL 32399-2400
DOH Accreditation E31780

Overflow Analyses Performed By:
Benchmark EnviroAnalytical, Inc. - North Port
1001 Corporate Avenue, Suite 102
North Port, FL 34289
DOH Accreditation E85086

Event Description: **2024 SMP: Venice**
Request ID: **RQ-2024-03-11-34**
Customer: **SO-DIST**
Project ID: **SMP**

Send Reports to:
FL Dept. of Environmental Protection
FLDEP South District Office
2295 Victoria Ave. Suite 314
Fort Myers, FL 33901-3381
Attn: Nicole Reistad

For additional information please contact
Cheryl Swanson - Administrator
Sarah Menz, Ph.D. - Bench Biology & Aquatic
Toxicity
Puja Jasrotia, Ph.D. - Molecular Biology & Taxonomy
Thekkekalathil Chandrasekhar, Ph.D, QA Officer
Phone (850) 245-8177

Certified by: Puja Jasrotia, Environmental Administrator

Date Certified: 30-APR-2024 10:57



Case Narrative

Unless otherwise noted, all samples included in this report were received in accordance with protocols referenced in Chapter 62-160, Florida Administrative Code (F.A.C.). Results published in this report pertain only to the samples as submitted to, and received by the laboratory. All times in this report are adjusted to the applicable Eastern Time Zone (EST or EDT).

Results for the following analytical groups are included in this report: Chlorophyll/Grain Size/BOD, Molecular and Overflow.

Scientific notation may be used in reporting very large or small values. Values reported using scientific notation will take the form of the following example: 1.3E+03, which is equivalent to 1.3×10^3 or 1300.

Unless otherwise noted, analytical values for soil and sediment samples are reported on a dry weight basis, and analytical values for waste and tissue samples are reported on a wet weight basis.

Results for TNI accredited tests met requirements established by The NELAC Institute. A double asterisk (**) is used to indicate an analyte/matrix/method for which the laboratory is not TNI accredited by the Florida Department of Health Environmental Laboratory Certification Program or where accreditation for that field of testing is not applicable.

Any significant anomalies or deviations from established protocols are documented in Non-Conformance Reports, which, where appropriate, are included within this analytical report. Additional comments related to specific analytical tests may be included as remarks following the analytical results for each sample. Such comments and remarks are for informational purposes only and are not intended to convey judgement about the usability of the reported data.

A quality control report on the performance of the test method for the submitted samples is included. Uncertainty associated with the analytical results contained in this report can be estimated from the reported quality assurance results and from published quality control acceptance limits for each analytical test. Matrix quality control results (matrix spike recoveries and matrix sample precision) pertain only to the matrix sample tested and do not necessarily reflect test method performance for other samples.

Typical matrix quality control (QC) measurements may include matrix spike recovery, matrix spike duplicate recovery, matrix spike precision and matrix sample precision. Not all matrix QC results may be available or reportable; where they are not an explanation is provided. Typical reasons for unavailable QC results include, but are not limited to, a) insufficient matrix sample to perform some or all QC measurements; b) analyte concentration in the sample replicated was too low for a meaningful measurement of precision and c) analyte concentration in the matrix sample spiked was too high (relative to the amount of analyte spiked) for a meaningful measurement of recovery. Where matrix QC results are unavailable, other method performance metrics (e.g., LCS recovery, LCS precision, surrogate recovery) may be used to assess performance of the method. Comments explaining any missing QC measurements are not intended to convey any adverse conclusions about the quality of the reported data.

Precision is reported as relative percent difference unless otherwise noted.

Quality Control codes as defined below may be used in this report to indicate results that are associated with one or more quality control elements which did not fall within established test method criteria. Such results may be qualified as estimates using a J qualifier as required by 62-160 F.A.C. Explanations are included in the report for any results that were reported as estimates for other reasons.

QC Codes used in this report may include:

- LCS – Recovery for the batch Laboratory Control Sample (LCS) was outside existing control limits;
- MS – Recovery for the batch matrix spike (MS) was outside existing control limits;
- CCV – Recovery for a continuing calibration verification (CCV) standard was outside existing control limits;
- SUR – Recovery of a surrogate (SUR) for associated analytes was outside existing control limits;
- RPD – The precision, measured as relative percent difference (RPD), of batch replicate measurements was outside existing control limits;
- RSD – The precision, measured as relative standard deviation (RSD), of batch replicate measurements was outside existing control limits;
- SMP – Sample - used precision derived from replicate analyses of a sample;

The following data qualifiers are used, where applicable, in this report as specified in 62-160 F.A.C.

- A - Value reported is the mean of two or more determinations.
- B - Results based on colony counts outside the acceptable range.
- I - The reported value is between the laboratory method detection limit and the laboratory practical quantitation limit.
- J - Estimated value and/or the analysis did not meet established quality control criteria.
- K - Actual value is known to be less than value given.
- L - Actual value is known to be greater than value given.
- N - Presumptive evidence of presence of material.
- O - Sampled, but analysis lost or not performed.
- Q - Sample held beyond normal holding time.
- T - Value reported is less than the criterion of detection.
- U - Material was analyzed for but not detected. The reported value is the method detection limit for the sample analyzed.
- V - Analyte was detected in both sample and method blank.
- X - Too few individuals to calculate SCI value.
- Y - The laboratory analysis was from an unpreserved or improperly preserved sample. The data may not be accurate.
- Z - Colonies were too numerous to count (TNTC).

Quality control information from overflow laboratories may not be included in this report. Please refer to the associated report from the overflow laboratory for additional information.

Sample Location: CURRY CREEK (TIDAL) AT ALBEE FARM RD Collection Date/Time: 03/13/2024 09:00

Field ID: G3SD0066 Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2475319	SOP-PCR-1.0	HF183-qPCR**	1.1E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.2	GULL2-qPCR**	1.2E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.3	GFD-qPCR**	3.1E+03		TSC/100 mL	P442509	
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P442509	
2475328	Enterolert/QT	Enterococci-Quanti-Tray	213		MPN/100 mL		

Sample Location: HATCHETT CREEK TIDAL 1 Collection Date/Time: 03/13/2024 09:50

Field ID: G3SD0191 Matrix: W-SURF-SLT

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2475318	SM 10150 B	Chlorophyll-a, Corrected	7.4		ug/L	P443082	
		Phaeophytin-a	0.90	U	ug/L	P443082	
		Chlorophyll-a, Uncorrected	7.9		ug/L	P443082	
2475329	Enterolert/QT	Enterococci-Quanti-Tray	216		MPN/100 mL		

Ref. Method and Comment:
SM 10150 B: Precision data is not available for at least one component due to the small amount of analyte in the QC sample. Refer to QA report for available precision data.

Sample Location: HATCHETT CREEK AT PINEBROOK RD Collection Date/Time: 03/13/2024 10:20

Field ID: G3SD0103 Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2475320	SOP-PCR-1.0	HF183-qPCR**	1.1E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.2	GULL2-qPCR**	1.2E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.3	GFD-qPCR**	3.0E+03		TSC/100 mL	P442509	
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P442509	
2475330	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	583		MPN/100 mL		

Sample Location: ALLIGATOR TIDAL AT US 41 Collection Date/Time: 03/13/2024 10:40

Field ID: G2SD0025 Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2475322	SOP-PCR-1.0	HF183-qPCR**	1.7E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.2	GULL2-qPCR**	1.8E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.3	GFD-qPCR**	2.77E+04		TSC/100 mL	P442509	
	SOP-PCR-1.4	BacR-qPCR**	1.5E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.5	DG3-qPCR**	1.3E+03	U	TSC/100 mL	P442509	
2475332	Enterolert/QT	Enterococci-Quanti-Tray	1124		MPN/100 mL		

Sample Location: ALLIGATOR ATJACARANDA Collection Date/Time: 03/13/2024 11:00

Field ID: G2SD0026 Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2475321	SOP-PCR-1.0	HF183-qPCR**	1.1E+03	U	TSC/100 mL	P442509	

Field ID: G2SD0026

Matrix: W-SURF-FRH

Sample ID	Ref. Method	Component	Result	Code	Units	Batch ID	QC Codes
2475321	SOP-PCR-1.2	GULL2-qPCR**	1.2E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.3	GFD-qPCR**	1.06E+04		TSC/100 mL	P442509	
	SOP-PCR-1.4	BacR-qPCR**	1.0E+03	U	TSC/100 mL	P442509	
	SOP-PCR-1.5	DG3-qPCR**	860	U	TSC/100 mL	P442509	
2475331	SM 9223 Quanti-Tray	Escherichia Coli-Quanti-Tray	31		MPN/100 mL		

Quality Assurance Report
Method Blank Results

Reference Method: SM 10150 B
Batch ID: P443082

Component	Result	Code	Units
Chlorophyll-a, Corrected	0.82	U	ug/L
Chlorophyll-a, Uncorrected	0.60	U	ug/L
Phaeophytin-a	0.90	U	ug/L

Reference Method: SOP-PCR-1.0
Batch ID: P442509

Component	Result	Code	Units
HF183-qPCR	3.3E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.2
Batch ID: P442509

Component	Result	Code	Units
GULL2-qPCR	3.6E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.3
Batch ID: P442509

Component	Result	Code	Units
GFD-qPCR	720	U	TSC/100 mL

Reference Method: SOP-PCR-1.4
Batch ID: P442509

Component	Result	Code	Units
BacR-qPCR	3.0E+03	U	TSC/100 mL

Reference Method: SOP-PCR-1.5
Batch ID: P442509

Component	Result	Code	Units
DG3-qPCR	2.6E+03	U	TSC/100 mL

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: SM 10150 B
Batch ID: P443082

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
-----------	---------	---------	-----------	----------------

Quality Assurance Report
Laboratory Control Sample Accuracy

Reference Method: SM 10150 B
Batch ID: P443082

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
Chlorophyll-a, Corrected	110		P	84 - 116

Reference Method: SOP-PCR-1.0
Batch ID: P442509

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
HF183-qPCR	99.7	98.5	P/P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P442509

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GULL2-qPCR	150	120	P/P	50 - 175

Reference Method: SOP-PCR-1.3
Batch ID: P442509

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
GFD-qPCR	87.7	86.2	P/P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P442509

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
BacR-qPCR	95.8	97.9	P/P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P442509

Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
DG3-qPCR	93.0	91.4	P/P	50 - 175

Quality Assurance Report
Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P442509

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2474260	HF183-qPCR	86.7	94.1	P/P	50 - 175
2475319	HF183-qPCR	90.5		P	50 - 175
2475320	HF183-qPCR	104		P	50 - 175
2475321	HF183-qPCR	111		P	50 - 175
2475322	HF183-qPCR	110		P	50 - 175
2475573	HF183-qPCR	95.7		P	50 - 175
2475729	HF183-qPCR	91.6		P	50 - 175
2475745	HF183-qPCR	86.7		P	50 - 175
2475746	HF183-qPCR	88.3		P	50 - 175
2475937	HF183-qPCR	95.4		P	50 - 175
2475938	HF183-qPCR	98.4		P	50 - 175
2476601	HF183-qPCR	93.9		P	50 - 175

Quality Assurance Report Matrix Spike Accuracy

Reference Method: SOP-PCR-1.0
Batch ID: P442509

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2476602	HF183-qPCR	95.0		P	50 - 175

Reference Method: SOP-PCR-1.2
Batch ID: P442509

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2474260	GULL2-qPCR	159	149	P/P	50 - 175
2475319	GULL2-qPCR	161		P	50 - 175
2475320	GULL2-qPCR	135		P	50 - 175
2475321	GULL2-qPCR	137		P	50 - 175
2475322	GULL2-qPCR	132		P	50 - 175
2475729	GULL2-qPCR	103		P	50 - 175
2475746	GULL2-qPCR	96.7		P	50 - 175
2475937	GULL2-qPCR	120		P	50 - 175
2475938	GULL2-qPCR	149		P	50 - 175

Reference Method: SOP-PCR-1.3
Batch ID: P442509

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2474260	GFD-qPCR	82.3	83.9	P/P	50 - 175
2475319	GFD-qPCR	94.8		P	50 - 175
2475320	GFD-qPCR	89.3		P	50 - 175
2475321	GFD-qPCR	89.3		P	50 - 175
2475322	GFD-qPCR	83.9		P	50 - 175
2475729	GFD-qPCR	90.4		P	50 - 175
2475746	GFD-qPCR	85.9		P	50 - 175
2475937	GFD-qPCR	94.1		P	50 - 175
2475938	GFD-qPCR	88.5		P	50 - 175

Reference Method: SOP-PCR-1.4
Batch ID: P442509

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2474260	BacR-qPCR	81.1	77.9	P/P	50 - 175
2475319	BacR-qPCR	83.8		P	50 - 175
2475320	BacR-qPCR	80.7		P	50 - 175
2475321	BacR-qPCR	85.9		P	50 - 175
2475322	BacR-qPCR	79.7		P	50 - 175
2475573	BacR-qPCR	83.2		P	50 - 175
2475729	BacR-qPCR	69.4		P	50 - 175
2475745	BacR-qPCR	63.4		P	50 - 175
2475746	BacR-qPCR	63.4		P	50 - 175
2475937	BacR-qPCR	79.4		P	50 - 175
2475938	BacR-qPCR	78.7		P	50 - 175
2476601	BacR-qPCR	81.8		P	50 - 175
2476602	BacR-qPCR	79.5		P	50 - 175

Reference Method: SOP-PCR-1.5
Batch ID: P442509

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
---------------	-----------	---------	---------	-----------	----------------

Quality Assurance Report

Matrix Spike Accuracy

Reference Method: SOP-PCR-1.5

Batch ID: P442509

Spiked Sample	Component	% Rec.1	% Rec.2	Pass/Fail	Control Limits
2474260	DG3-qPCR	97.2	96.5	P/P	50 - 175
2475319	DG3-qPCR	92.3		P	50 - 175
2475320	DG3-qPCR	97.7		P	50 - 175
2475321	DG3-qPCR	96.9		P	50 - 175
2475322	DG3-qPCR	94.8		P	50 - 175
2475573	DG3-qPCR	93.5		P	50 - 175
2475729	DG3-qPCR	82.1		P	50 - 175
2475745	DG3-qPCR	80.7		P	50 - 175
2475746	DG3-qPCR	78.3		P	50 - 175
2475937	DG3-qPCR	89.3		P	50 - 175
2475938	DG3-qPCR	117		P	50 - 175
2476601	DG3-qPCR	90.3		P	50 - 175
2476602	DG3-qPCR	85.7		P	50 - 175

Quality Assurance Report

Precision

Reference Method: SOP-PCR-1.0

Batch ID: P442509

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2474260	HF183-qPCR	8.22	Spike	P	0 - 25

Reference Method: SOP-PCR-1.2

Batch ID: P442509

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2474260	GULL2-qPCR	6.34	Spike	P	0 - 25

Reference Method: SOP-PCR-1.3

Batch ID: P442509

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2474260	GFD-qPCR	1.90	Spike	P	0 - 25

Reference Method: SOP-PCR-1.4

Batch ID: P442509

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2474260	BacR-qPCR	4.13	Spike	P	0 - 25

Reference Method: SOP-PCR-1.5

Batch ID: P442509

Replicated Lab Sample	Component	% RSD/RPD	Sample/Spike/LCS*	Pass/Fail	Control Limits
2474260	DG3-qPCR	0.771	Spike	P	0 - 25

Quality Assurance Report

Precision

* Sample, spike and/or laboratory control sample precision (LCS) is reported.

Quality Assurance Report

Surrogates

Lab Sample ID: 2475319

Field Sample ID: G3SD0066

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	105	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	141	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	138	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	122	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	119	P	50 - 300

Lab Sample ID: 2475320

Field Sample ID: G3SD0103

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	94.5	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	130	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	129	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	110	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	102	P	50 - 300

Lab Sample ID: 2475321

Field Sample ID: G2SD0026

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	100	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	113	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	110	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	104	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	108	P	50 - 300

Lab Sample ID: 2475322

Field Sample ID: G2SD0025

Reference Method	Surrogate	% Rec.	Pass/Fail	Control Limits
SOP-PCR-1.0	SKETA-qPCR	89.4	P	50 - 300
SOP-PCR-1.2	SKETA-qPCR	111	P	50 - 300
SOP-PCR-1.3	SKETA-qPCR	108	P	50 - 300
SOP-PCR-1.4	SKETA-qPCR	94.1	P	50 - 300
SOP-PCR-1.5	SKETA-qPCR	99.5	P	50 - 300

Quality Assurance Report

Summary

Ref. Method	Analyte	LCS % Recovery			MS % Recovery			Precision		
								LCS	SMP	MS
SM 10150 B	Chlorophyll-a, Corrected	110								
SOP-PCR-1.0	HF183-qPCR	98.5	99.7		86.7	94.1	90.5			8.22
					104					

Quality Assurance Report

Summary

Ref. Method	Analyte	LCS % Recovery		MS % Recovery			Precision	MS
							SMP	
SOP-PCR-1.2	GULL2-qPCR	120	150	159	149	161		6.34
SOP-PCR-1.3	GFD-qPCR	86.2	87.7	82.3	83.9	94.8		1.90
SOP-PCR-1.4	BacR-qPCR	97.9	95.8	81.1	77.9	83.8		4.13
SOP-PCR-1.5	DG3-qPCR	91.4	93.0	97.2	96.5	92.3		0.771

Reference Method Descriptions

Method	Description	Associated Samples
Enterolert/QT	Enterococci by Enterolert/QT by BEA South in North Port	2475328, 2475329, 2475332
SM 10150 B	Phytoplankton chlorophyll-a corrected, uncorrected, and phaeophytin by spectrophotometry	2475318
SM 9223 Quanti-Tray	E. coli by Colilert/QT by BEA South in North Port	2475330, 2475331
SOP-PCR-1.0	Detection and quantification of human-specific HF183 Bacteroides genetic marker with quantitative polymerase chain reaction	2475319, 2475320, 2475321, 2475322
SOP-PCR-1.2	Detection and quantification of coastal bird specific Catellicoccus marimammalium Gull2 genetic marker with quantitative polymerase chain reaction	2475319, 2475320, 2475321, 2475322
SOP-PCR-1.3	Detection and quantification of bird specific Helicobacter GFD genetic marker with quantitative polymerase chain reaction	2475319, 2475320, 2475321, 2475322
SOP-PCR-1.4	Detection and quantification of Ruminant specific Bacteroidetes BacR genetic marker with quantitative polymerase chain reaction	2475319, 2475320, 2475321, 2475322
SOP-PCR-1.5	Detection and quantification of canine-specific DG3 Bacteroides genetic marker with quantitative polymerase chain reaction	2475319, 2475320, 2475321, 2475322

Preparation and Analysis Log

Ref. Method	Received Date	Prep Date/Time	Prepared By	Analysis Date/Time	Analyzed By	Associated Samples
Enterolert/QT	03/13/2024	03/13/2024 14:18		03/14/2024 15:04	Benchmark EnviroAnalytical in North Port	2475328, 2475329, 2475332
SM 10150 B	03/14/2024	03/14/2024 13:20	Julianna Belitz	03/20/2024 08:50	Megan Higbee	2475318
SM 9223 Quanti-Tray	03/13/2024	03/13/2024 14:27		03/14/2024 14:56	Benchmark EnviroAnalytical in North Port	2475330, 2475331
SOP-PCR-1.0	03/14/2024	03/14/2024 13:32	Jennifer Mihalic	03/28/2024 09:09	Roberta Tatti	2475319, 2475320, 2475321, 2475322
SOP-PCR-1.2	03/14/2024	03/14/2024 13:32	Jennifer Mihalic	04/10/2024 12:07	Madeline Gruver	2475319, 2475320, 2475321, 2475322
SOP-PCR-1.3	03/14/2024	03/14/2024 13:32	Jennifer Mihalic	04/03/2024 17:26	Madeline Gruver	2475319, 2475320, 2475321, 2475322
SOP-PCR-1.4	03/14/2024	03/14/2024 13:32	Jennifer Mihalic	03/29/2024 09:06	Roberta Tatti	2475319, 2475320, 2475321, 2475322
SOP-PCR-1.5	03/14/2024	03/14/2024 13:32	Jennifer Mihalic	03/29/2024 09:54	Roberta Tatti	2475319, 2475320, 2475321, 2475322