

Benchmark EnviroAnalytical, Inc.

1001 Corporate Ave. Suite 102
North Port, FL 34289
(941) 625-3137 / (941) 240-3071 fax

Client Name: FDEP
Address: 2600 Blair Stone Rd.
Tallahassee, FL, 32399
Phone: (850) 245-8085
Email: dep-overflowmicro@dep.state.fl.us

Bill to: Frances Moore
P.O. #: Lab B16970

Project Name: RQ-2020- 06-01-20

Project Run/Location:

Station
ID

Enterococci
E.coli (SM9223B Quantitray)

Laboratory
Sample #

520000244

Sample Type	Surface Water Sample Matrix: (Fresh / Marine)	E. coli = 250 mL ; Entero = 120 mL ; Fecal Coliform = 120 mL	Laboratory Sample #
G3SD0071	LITTLE ALCANTARA	F / M / Grab E.coli / Entero / F.coli Date & Time: 6/9/20 0915	1
G3SD0069	AVELLO CREEK	F / M / Grab E.coli / Entero / F.coli Date & Time: 6/9/20 1025	2
G3SD0070	ROCK CREEK	F / M / Grab E.coli / Entero / F.coli Date & Time: 6/9/20 1100	3
		F / M / Grab E.coli / Entero / F.coli Date & Time:	
		F / M / Grab E.coli / Entero / F.coli Date & Time:	
		F / M / Grab E.coli / Entero / F.coli Date & Time:	
		F / M / Grab E.coli / Entero / F.coli Date & Time:	
		F / M / Grab E.coli / Entero / F.coli Date & Time:	
		F / M / Grab E.coli / Entero / F.coli Date & Time:	
		F / M / Grab E.coli / Entero / F.coli Date & Time:	
		F / M / Grab E.coli / Entero / F.coli Date & Time:	

Sample Type: is used to indicate whether the sample was a grab (G) or whether it was a composite (C).

Sample Matrix: is used to indicate whether the sample is being discarded to dechlorinate water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil sediment (SDMPT), or sludge (SLD).

1. Each bottle has a label identifying sample ID, measurement, location, date, time, sample type, client ID, and parameters for analysis.
2. The following information should be added to each bottle label after collection with pen or marker: Date, time, and time of collection, sample ID, name or initials, and any field number or ID.
3. All bottles containing preservative may be placed with appropriate sample prior to collection.

4. The client is responsible for documentation of the sampling event. Please use special sampling events on Microsample survey form.

1	Collector: Jauu Sparrow	Date: 6/9/20	Time: 1305	Received By: J. J. Sparrow	Date: 6/9/20	Time: 1305
2	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
3	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
4	Relinquished by:	Date:	Time:	Received By:	Date:	Time:
5	Relinquished by:	Date:	Time:	Received By:	Date:	Time:

Laboratory Sample Acceptability:

pH < 2 : 0 BEAS Temperature: 4.0°C