

Bill to: Frances Moore
P.O. #: Lab B95341

52120142

Laboratory Sample #

6350185

E.coli / Entero / F.coliform Date & Time:

17-06121 OF 50

—

E.coli / Entero / F.coliform Date & Time:

E.coli / Entero / F.coli	Date & Time:
--------------------------	--------------

E.coli / Entero / F.coli Date & Time:

E.coli / Entero / F.coli Date & Time:

E.coli / Entero / F.coli Date & Time:

Date & Time: _____

Downloaded from <http://ajph.org/> on November 10, 2015

Laboratory Sample Acceptability:

pH < 2 : 0 BEAS Temperature: 5.4 °C

1. "Sample Matrix" is used to indicate whether the sample is being distinguished to drinking water (DW), groundwater (GW), surface water (SW), fresh surface water (FSW), saline surface water (SSW), soil, sediment (SDMT), or sludge (SLDG).
2. "Container Type" is used to indicate whether the container is plastic (P) or glass (G).
3. Sample must be refrigerated or stored in ice after collection. The maximum temperature during storage should be 6°C (42.8°F). Under "Presence," list any preservatives that were added to the sample container.

Instructions:

1. Each bottle has a label identifying sample ID, premeasured freeze-with-e container ID, client ID, and parameters for analysis.
2. Each bottle containing sample should be subject to each point after collection with permanent black ink: date and time of collection, sample's name or initials, and any field number or ID.
3. All bottles not containing preservative may be mixed with appropriate sample preservation.

The client is responsible for documentation of the sampling event. Please note special sampling events on this sample custody form.

Collector: J. H. S. 24 1

100-215418-1
F10661
0942

Reinquished by: _____
Date: _____
Time: _____
Received By: _____

Relinquished by:	Date:	Time:	Received by:
------------------	-------	-------	--------------

RECEIVED BY: _____
DATE: _____

Relinquished by:	Date:	Time:	Received By:
------------------	-------	-------	--------------

Reinquished by:	Date	Time	Revised By

RECEIVED D.