

- GENERAL NOTES:**
1. ALL NOTES AND DETAILS SHOULD BE CONSIDERED TYPICAL UNLESS OTHERWISE NOTED.
 2. UNLESS OTHERWISE NOTED, PATCH ALL EXISTING FINISHES AFFECTED BY THE WORK TO MATCH ADJACENT SURFACES.
 3. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND INSTALLING ALL NECESSARY PLUMBING AND ELECTRICAL COMPONENTS TO PROVIDE A COMPLETE, CODE COMPLIANT, AND FULLY FUNCTIONAL SYSTEM. GC TO INSPECT THE SITE PRIOR TO BIDDING TO GAIN A FULL UNDERSTANDING OF THE SCOPE OF WORK.
 4. UNLESS OTHERWISE NOTED, REMOVE ALL DEMOLISHED MATERIALS AND WASTE FROM THE PREMISES AND DISPOSE OF IN A LEGAL FASHION.
 5. SEE FINISH SCHEDULE FOR ALL INTERIOR FINISHES.
 6. CONTRACTOR TO FIELD VERIFY ALL AS-BUILT AND AS COMPLETED DIMENSIONS PRIOR TO PURCHASING AND INSTALLING MATERIALS.
 7. ALL ITEMS NOT SPECIFICALLY CALLED OUT TO BE REMOVED SHOULD BE ASSUMED TO REMAIN. CONTRACTOR TO PROTECT ALL ITEMS TO REMAIN. ANY DAMAGE OCCURRING AS A RESULT OF DEMOLITION OR CONSTRUCTION ACTIVITIES ARE TO BE REPAIRED TO MATCH THE CONDITION AT THE START OF THE PROJECT. CONTRACTOR IS ADVISED TO DOCUMENT EXISTING CONDITIONS PRIOR TO COMMENCEMENT OF WORK.
 8. GC TO SELECTIVELY REMOVE SLABS AND/OR WALLS AND/OR CEILINGS AS REQUIRED TO ACCESS UTILITY LINES AS NEEDED. ALL AREAS TO BE PATCHED TO MATCH EXISTING UNLESS NOTED OTHERWISE.
 9. FAILURE BY THE GC TO VISIT THE PREMISES TO ASSESS THE FULL SCOPE OF THE PROJECT WILL NOT BE GROUNDS FOR A CHANGE ORDER. GC MUST VISIT THE SITE PRIOR TO SUBMITTING A BID.
 10. REMOVE ALL ITEMS HANGING ON WALLS WITHIN THE AREA OF WORK. TURN OVER TO THE OWNER FOR THEIR REUSE. REPLACE ANY ITEMS DAMAGED DURING DEMOLITION OR CONSTRUCTION ACTIVITIES TO MATCH EXISTING. REPAIR ANY RESULTING VOIDS IN ANY EXISTING WALLS TO REMAIN. FINISH TO MATCH ADJACENT SURFACES.
 11. REMOVE ALL UTILITY LINES MOUNTED ON OR CONCEALED WITHIN WALLS SLATED FOR REMOVAL. CAP ABANDONED LINES AS REQUIRED BY CODE. MAINTAIN POWER/WATER ETC. TO ITEMS DOWNSTREAM OF ITEMS IDENTIFIED FOR REMOVAL.
 12. INFILL HOLES IN EXISTING TILES w/ NON-SHRINK GROUT. BUFF SMOOTH. PAINT WITH HIGH GLOSS PAINT MATCHING THE COLOR OF THE TILE.
 13. PAINT ANY WALL WHERE TOUCH-UP PAINT IS REQUIRED CORNER-TO-CORNER SO A CONSISTENT FINISH IS ACHIEVED.

USE OF DRAWINGS:

- DODSTONE ARCHITECTS, INC. (DS) MAY TRANSFER TO THE CONTRACTOR BIM FILES, CAD FILES, OR OTHER ELECTRONIC DATA FOR USE IN PREPARING SHOP DRAWINGS. THE CONTRACTOR SHALL EMAIL A REQUEST FOR BIM OR CAD FILES ALONG WITH AN ACKNOWLEDGEMENT THAT THEY HAVE READ AND AGREED TO THE FOLLOWING TERMS AND CONDITIONS:
- A. THIS ELECTRONIC DATA REMAINS THE PROPERTY OF DS, AND IN NO CASE SHALL THE TRANSFER OF THESE FILES BE CONSIDERED A SALE. THE FILES SHALL NOT BE USED FOR OTHER PROJECTS, ADDITIONAL TO THE PROJECT, OR FOR COMPLETION OF THIS PROJECT BY OTHERS.
 - B. THE CONTRACTOR IS RESPONSIBLE FOR ASSURING THAT THE ELECTRONIC DATA ACCURATELY REPRESENTS THE CONTRACT DOCUMENTS. IN THE EVENT OF A CONFLICT, THE CONTRACT DOCUMENTS SHALL GOVERN.
 - C. THE ELECTRONIC DATA IS CURRENT AS OF THE DATE OF TRANSFER BUT MAY SUBSEQUENTLY BE REVISED OR SUPPLEMENTED. IF SO, THEN THE CONTRACTOR MAY REQUEST UPDATED ELECTRONIC DATA.
 - D. THE USE OF THE ELECTRONIC DATA SHALL NOT MODIFY CONTRACTOR'S RESPONSIBILITY FOR COORDINATION WITH OTHER TRADES, OR FOR THE PROPER CHECKING AND COORDINATION OF DIMENSIONS, DETAILS, MEMBER SIZES, AND GAGE, AND QUANTITIES OF MATERIALS TO FACILITATE COMPLETE AND ACCURATE FABRICATION AND ERECTION.
 - E. DO NOT SCALE DIMENSIONS SINCE THE ELECTRONIC DATA MAY NOT BE PRECISE AND, IN SOME CASES, HAVE BEEN INTENTIONALLY ALTERED FOR PRESENTATION PURPOSES.
 - F. CONTRACTOR SHALL INDEMNIFY, DEFEND AND HOLD HARMLESS DS FROM ALL CLAIMS, DAMAGES, LOSSES, EXPENSES, PENALTIES, INCLUDING ATTORNEYS' FEES, ARISING OUT OR RESULTING FROM THE USE OF THE ELECTRONIC DATA BY CONTRACTOR OR OTHERS.


DEMO PLAN KEYNOTES:	
#	DESCRIPTION:
D01	REMOVE ALL PARTITIONS & URINAL SCREENS ALONG WITH ALL ASSOCIATED ATTACHMENT DEVICES. PATCH RESULTING VOIDS IN FLOOR, WALLS, & CEILINGS TO MATCH EXISTING.
D02	REMOVE TOILET, TURN OVER TO OWNER FOR THEIR USE. CLEAN FLOOR TO REMOVE GROUT, SEALANT, ETC. REMOVE ANY DAMAGED TILES AND REPLACE TO MATCH EXISTING.
D03	REMOVE EXISTING LAVATORY, MILLWORK, AND ALL ASSOCIATED ATTACHMENT DEVICES. SALVAGE PLUMBING LINES SUITABLE FOR REUSE. SEE PLUMBING DRAWINGS.
D04	REMOVE EXISTING WASTE DISPOSAL BINS. TURN OVER TO OWNER FOR THEIR USE.
D05	REMOVE EXISTING MIRROR. TURN OVER TO OWNER FOR THEIR USE.
D06	REMOVE EXISTING SOAP DISPENSER. TURN OVER TO OWNER FOR THEIR USE.
D07	REMOVE TOILET PAPER DISPENSER. TURN OVER TO OWNER FOR THEIR USE.
D08	REMOVE GRAB BARS. TURN OVER TO OWNER FOR THEIR USE.
D09	REMOVE EXISTING FLOOR SLAB AS REQUIRED TO INSTALL NEW PLUMBING LINES. AT CONTRACTOR'S OPTION, BOUNDING INTERIOR WALLS CAN BE REMOVED AND REPLACED TO MATCH EXISTING (INCLUDING ALL FINISHES).
D10	REMOVE EXISTING FLOOR SLAB AND ASSOCIATED CONCRETE FLOOR SLAB. INSTALL NEW SLAB AND FOUNDATION AS INDICATED ON THE STRUCTURAL DRAWINGS w/ 1/2" EXPANSION JOINT WHERE SHOWN ON DETAILS.
D11	PROVIDE CLEAN SAWCUT EDGE ALONG AREAS WHERE EXISTING CONCRETE IS TO REMAIN.
D12	REMOVE WATER FOUNTAIN w/ BOTTLE FILLER AND TURN OVER TO THE PARK FOR THEIR USE.
D13	REMOVE EXISTING FLOOR FINISHES AND PREP SUBSTRATE FOR NEW FINISHES. REMOVE CONCRETE SLAB ONLY TO THE EXTENT NECESSARY TO ACCESS PLUMBING LINES BELOW THE SLAB. PATCH SLAB AS SHOWN ON STRUCTURAL DRAWINGS. SALVAGE FLOOR TILE TO PATCH OTHER AREAS.
D14	REMOVE EXISTING RAILING & ASSOCIATED FASTENERS. PATCH ANY RESULTING VOIDS TO MATCH EXISTING.
D15	REMOVE EXISTING HOT WATER HEATER. SEE PLUMBING DRAWINGS.
D16	CAREFULLY REMOVE THE EXISTING IRON RANGER AND TURN OVER TO OWNER FOR THEIR USE. INFILL VOID USING MATERIALS MATCHING THE EXISTING ADJACENT SURFACES.
D17	REMOVE AND SALVAGE EXISTING PAPER TOWEL DISPENSER. TURN OVER TO THE OWNER FOR THEIR USE.
E01	EXISTING MIRROR TO REMAIN.
E02	EXISTING SOAP DISPENSER TO REMAIN.
E03	EXISTING URINAL TO REMAIN.
E04	EXISTING FLOOR DRAIN TO REMAIN. SEE PLUMBING DRAWINGS.
E05	EXISTING WALL w/ TILE FINISH. REPLACE ALL TILE THAT IS DAMAGED AS A RESULT OF REMOVING EXISTING ACCESSORIES AND FIXTURES. ANY TILE THAT IS REPLACED TO MATCH EXISTING. SUBMIT SAMPLES FOR APPROVAL. UNDAAGED TILE SALVAGED FROM OTHER AREAS IN THE RESTROOM CAN BE USED FOR REPAIRS.
E06	EXISTING COMPRESSORS. SEE MECHANICAL DRAWINGS.
E07	EXISTING EQUIPMENT TO REMAIN.
E08	EXISTING VENDING MACHINE. SEE ELECTRICAL FOR NEW OUTLET. RELOCATE AS REQUIRED. PROTECT DURING CONSTRUCTION.
RR01	REMOVE AND SALVAGE EXISTING SINK. INSTALL AT NEW LOCATION.
RR02	REMOVE AND SALVAGE EXISTING TOILET PAPER DISPENSER. INSTALL AT NEW LOCATION.
RR03	REMOVE AND SALVAGE EXISTING MIRROR. INSTALL AT NEW LOCATION.
RR04	REMOVE AND SALVAGE EXISTING SANITARY NAPKIN DISPOSAL. INSTALL AT NEW LOCATION.
RR05	REMOVE AND SALVAGE EXISTING COAT HOOK. INSTALL AT NEW LOCATION.
RR06	REMOVE AND SALVAGE EXISTING DOOR FOR REUSE. REMOVE RESTROOM SIGNAGE AND TURN OVER TO OWNER FOR THEIR USE. REMOVE PANEL BLANKING OFF EXISTING LOUVER. PATCH AND REPAIR HOLES AS NEEDED, PAINT TO MATCH EXISTING LEAF COLOR (BASE BID).

ADD ALTERNATES

- ADD ALTERNATE 1 - RESTROOM DOORS:**
BASE BID - REUSE EXISTING DOORS, REMOVE BLANK-OFF PANEL FROM LOUVER, REMOVE RESTROOM SIGNAGE, AND INCORPORATE NEW HARDWARE AS LISTED ON SHEET A601.
ADD ALT. - INSTALL NEW DOORS, TO MATCH EXISTING w/ LOUVER & WITH HARDWARE AS LISTED ON SHEET A601.
- ADD ALTERNATE 2 - WATER TANK:**
BASE BID - LEAVE EXISTING WATER TANK & SUPPORTS TO REMAIN.
ADD ALT. - REMOVE EXISTING WATER TANK & SUPPORTS.

LEGEND

- FLOOR FINISH AND/OR SLAB TO BE REMOVED. SEE KEYNOTES.
- EXISTING WALL TO REMAIN
- WALL TO BE REMOVED
- RAILING TO BE REMOVED
- NEW WALL
- EXISTING ELEMENTS KEYNOTE CALLOUT
- DEMO ELEMENTS KEYNOTE CALLOUT
- REMOVE AND RELOCATE ELEMENTS KEYNOTE CALLOUT
- NEW ELEMENTS KEYNOTE CALLOUT



1

DEMO PLAN KEYNOTES

2

DEMO FLOOR PLAN

SCALE: 1/4" = 1'-0"

WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK	SHEET NO.	A101	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION  JOEL DODSON AROO15211	DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE	DATE	
SHEET TITLE	DEMO FLOOR PLAN	PROJECT TITLE	ADA RESTROOM & BOARDWALK	PROFESSIONAL REGISTRATION							

A101

- GENERAL NOTES:**
1. ALL NOTES AND DETAILS SHALL BE CONSIDERED TYPICAL UNLESS OTHERWISE NOTED.
 2. UNLESS OTHERWISE NOTED, PATCH ALL EXISTING FINISHES AFFECTED BY THE WORK TO MATCH ADJACENT SURFACES.
 3. CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING AND INSTALLING ALL NECESSARY PLUMBING AND ELECTRICAL COMPONENTS TO PROVIDE A COMPLETE, CODE COMPLIANT, AND FULLY FUNCTIONAL SYSTEM. GC TO INSPECT THE SITE PRIOR TO BIDDING TO GAIN A FULL UNDERSTANDING OF THE SCOPE OF WORK.
 4. UNLESS OTHERWISE NOTED, REMOVE ALL DEMOLISHED MATERIALS AND WASTE FROM THE PREMISES AND DISPOSE OF IN A LEGAL FASHION.
 5. SEE FINISH SCHEDULE FOR ALL INTERIOR FINISHES.
 6. CONTRACTOR TO FIELD VERIFY ALL AS-BUILT AND AS COMPLETED DIMENSIONS PRIOR TO PURCHASING AND INSTALLING MATERIALS.
 7. ALL ITEMS NOT SPECIFICALLY CALLED OUT TO BE REMOVED SHOULD BE ASSUMED TO REMAIN. CONTRACTOR TO PROTECT ALL ITEMS TO REMAIN. ANY DAMAGE OCCURRING AS A RESULT OF DEMOLITION OR CONSTRUCTION ACTIVITIES ARE TO BE REPAIRED TO MATCH THE CONDITION AT THE START OF THE PROJECT. CONTRACTOR IS ADVISED TO DOCUMENT EXISTING CONDITIONS PRIOR TO COMMENCEMENT OF WORK.
 8. GC TO SELECTIVELY REMOVE SLABS AND/OR WALLS AND/OR CEILINGS AS REQUIRED TO ACCESS UTILITY LINES AS NEEDED. ALL AREAS TO BE PATCHED TO MATCH EXISTING UNLESS NOTED OTHERWISE.
 9. FAILURE BY THE GC TO VISIT THE PREMISES TO ASSESS THE FULL SCOPE OF THE PROJECT WILL NOT BE GROUNDS FOR A CHANGE ORDER. GC MUST VISIT THE SITE PRIOR TO SUBMITTING A BID.
 10. REMOVE ALL ITEMS HANGING ON WALLS WITHIN THE AREA OF WORK. TURN OVER TO THE OWNER FOR THEIR REUSE. REPLACE ANY ITEMS DAMAGED DURING DEMOLITION OR CONSTRUCTION ACTIVITIES TO MATCH EXISTING. REPAIR ANY RESULTING VOIDS IN ANY EXISTING WALLS TO REMAIN. FINISH TO MATCH ADJACENT SURFACES.
 11. REMOVE ALL UTILITY LINES MOUNTED ON OR CONCEALED WITHIN WALLS SLATED FOR REMOVAL. CAP ABANDONED LINES AS REQUIRED BY CODE. MAINTAIN POWER/WATER ETC. TO ITEMS DOWNSTREAM OF ITEMS IDENTIFIED FOR REMOVAL.
 12. INFILL HOLES IN EXISTING TILES w/ NON-SHRINK GROUT. BUFF SMOOTH. PAINT WITH HIGH GLOSS PAINT MATCHING THE COLOR OF THE TILE.
 13. PAINT ANY WALL WHERE TOUCH-UP PAINT IS REQUIRED CORNER-TO-CORNER SO A CONSISTENT FINISH IS ACHIEVED.
 14. DOORS LABELED "E" ARE EXISTING TO REMAIN.

FLOOR PLAN KEYNOTES:

#	DESCRIPTION:
E01	EXISTING MIRROR TO REMAIN.
E02	EXISTING SOAP DISPENSER TO REMAIN.
E03	EXISTING URINAL TO REMAIN.
E04	EXISTING FLOOR DRAIN TO REMAIN. SEE PLUMBING DRAWINGS.
E05	EXISTING WALL w/ TILE FINISH. REPLACE ALL TILE THAT IS DAMAGED AS A RESULT OF REMOVING EXISTING ACCESSORIES AND FIXTURES. ANY TILE THAT IS REPLACED TO MATCH EXISTING. SUBMIT SAMPLES FOR APPROVAL. UNDAMAGED TILE SALVAGED FROM OTHER AREAS IN THE RESTROOM CAN BE USED FOR REPAIRS.
E06	EXISTING COMPRESSORS. SEE MECHANICAL DRAWINGS.
E07	EXISTING EQUIPMENT TO REMAIN.
E08	EXISTING VENDING MACHINE. SEE ELECTRICAL FOR NEW OUTLET. RELOCATE AS REQUIRED. PROTECT DURING CONSTRUCTION.
N01	RELOCATED LAVATORY TO MEET ADA CODE REQUIREMENTS.
N02	NEW WALL-HUNG URINAL, INSTALL SO THAT RIM OF URINAL DOES NOT EXCEED 17" AFF.
N03	CONCEAL CONDUIT FOR HAND DRYER EITHER WITHIN THE WALL OR WITHIN THE CHASE. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION.
N04	RELOCATED MIRROR, INSTALL SO THAT THE BOTTOM OF THE REFLECTIVE SURFACE DOES NOT EXCEED 40" A.F.F.
N05	RELOCATED TOILET PAPER DISPENSER, INSTALL SO THAT THE CENTERLINE IS 7" MINIMUM TO 9" MAXIMUM FROM THE LEADING EDGE OF THE TOILET SEAT.
N06	NEW TOILET, INSTALL SO THAT THE CENTERLINE OF TOILET IS 16" MINIMUM TO 18" MAX OFF THE ADJACENT WALL. PATCH FLOOR FINISHES AS REQUIRED, SEE PLUMBING FOR ADDITIONAL INFORMATION.
N07	RELOCATED SANITARY NAPKIN DISPOSAL, INSTALL SO THAT THE TOP OF THE UNIT DOES NOT EXCEED 29" AFF.
N08	RELOCATED COAT HOOK, INSTALL SO THAT CENTERLINE OF HOOK DOES NOT EXCEED 48" AFF.
N09	NEW LOW WATER FOUNTAIN w/ BOTTLE FILLER. SEE PLUMBING DRAWINGS.
N10	NEW HIGH WATER FOUNTAIN. SEE PLUMBING DRAWINGS.
N11	NEW WALL w/ TILE FINISH. TILE TO MATCH EXISTING. SEE FINISH SCHEDULE & 2/A302. USE OF UNDAMAGE SALVAGED TILE IS ACCEPTABLE.
N12	NEW CONCRETE SLAB. SEE STRUCTURAL DRAWINGS FOR MORE INFORMATION.
N13	NEW 42" HIGH VINYL GUARDRAIL, MATCH EXISTING. BASIS-OF-DESIGN: VINYL RAILING HARRINGTON (WHITE) BY DURABLES. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION ABOUT WOOD POST. SEE LIFE SAFETY PLAN FOR ADDITIONAL INFORMATION.
N14	NEW STOREFRONT SYSTEM w/ DOOR. SEE 6/A801 & DOOR SCHEDULE.
N15	RELOCATED DOORS (BASE BID). SEE DOOR SCHEDULE FOR INFORMATION REGARDING DOOR HARDWARE.
N16	NEW CONCRETE ADA COMPLIANT PATH. SEE CIVIL & STRUCTURAL DRAWINGS FOR EXACT LOCATIONS AND SCOPE.
N17	NEW ELEVATOR ADA COMPLIANT WALKWAY. SEE CIVIL & STRUCTURAL DRAWINGS FOR FULL EXTENT AND SCOPE.
N18	NEW 2x4 STUD WING WALLS @ WATER FOUNTAIN. SEE 1/A301 FOR WING WALL CAP DETAIL. SHEATH ALL EXPOSED EDGES OF THE WALL WITH GYPSUM BOARD.
N19	NEW 2x4 STUD WALL. STAGGER STUDS SO THAT EITHER SIDE'S FINISH IS FLUSH WITH THE ADJACENT EXISTING WALL'S FINISH. SEE 3/A501.
N20	PROVIDE ALUMINUM ADA COMPLIANT TRANSITION STRIP IF REQUIRED TO ACCOUNT FOR ANY CHANGE IN FLOOR FINISHES.
N21	NEW CHASE WALL @ WATER FOUNTAIN. SEE 1/A302. EXTEND FLOOR TO CEILING. SHEATH ALL EXPOSED EDGES WITH GYPSUM BOARD.
N22	NEW AND/OR RELOCATED IRON RANGER. SEE DETAIL 7/A501. CONFIRM EXACT LOCATION WITH PARK STAFF BEFORE INSTALLING.

LEGEND

- FLOOR FINISH AND/OR SLAB TO BE REMOVED. SEE KEYNOTES.
- EXISTING WALL TO REMAIN
- WALL TO BE REMOVED
- RAILING TO BE REMOVED
- NEW WALL
- EXISTING ELEMENTS KEYNOTE CALLOUT
- DEMO ELEMENTS KEYNOTE CALLOUT
- REMOVE AND RELOCATE ELEMENTS KEYNOTE CALLOUT
- NEW ELEMENTS KEYNOTE CALLOUT


1 FLOOR PLAN KEYNOTES

TAG	DESCRIPTION	QTY.	MFR.	MODEL	NOTE
A1	ADA COMPLIANT UNISEX RESTROOM SIGN	2	BESTSIGNS SYSTEMS	ADA UNISEX/ FAMILY	ADA COMPLIANT UNISEX/FAMILY RESTROOM SIGNAGE BY BESTSIGNS OR ARCHITECT APPROVED EQUAL. INCLUDE MEN'S & WOMEN'S SYMBOL, HANDICAP SYMBOL, & BRAILLE. INSTALL AT UNISEX BATHROOMS. INSTALL SO THAT BOTTOM OF TACTILE CHARACTERS ARE 48" A.F.F.
B1	BABY CHANGING STATION	2	KOALA KARE	KB300	SURFACE MOUNT AS RECOMMENDED BY MANUFACTURER AND AS REQUIRED FOR ADA COMPLIANCE. INSTALL SO THAT TOP OF UNIT CLOSED IS 48" A.F.F. INSTALL AS REQUIRED BY MANUFACTURER SO UNIT IS CAPABLE OF SUPPORTING 200LBS.
G36	36" LONG GRAB BAR	2	BOBRICK	B-6806 x 36	1-1/2" DIAMETER SS GBAR BAR w/ EXPOSED FLANGE. INSTALL AS RECOMMENDED BY THE MANUFACTURER AND AS REQUIRED SO BARS CAN RESIST A MINIMUM OF 250 LBS. EXERTED HORIZONTALLY OR VERTICALLY. INSTALL SO CENTERLINE IS 34.5" A.F.F.
G48	48" LONG GRAB BAR	2	BOBRICK	B-6806 x 48	1-1/2" DIAMETER SS GBAR BAR w/ EXPOSED FLANGE. INSTALL AS RECOMMENDED BY THE MANUFACTURER AND AS REQUIRED SO BARS CAN RESIST A MINIMUM OF 250 LBS. EXERTED HORIZONTALLY OR VERTICALLY. INSTALL SO CENTERLINE IS 34.5" A.F.F.
H1	COLLAPSABLE HOOK	1	BOBRICK	B-983	SURFACE MOUNT AS RECOMMENDED BY MANUFACTURER AND AS REQUIRED FOR ADA COMPLIANCE. CENTERLINE OF OPERATOR MUST NOT BE MORE THAN 48" A.F.F.
HD	HAND DRYER	2	BOBRICK	B7180	SURFACE MOUNTED, ADA COMPLIANT HARD WIRED HAND DRYER. HANDS-FREE OPERATIONS. COORDINATE VOLTAGE OF UNIT WITH AVAILABILITY ON SITE. MOUNT SO BOTTOM OF UNIT IS 46" A.F.F.
N1	SANITARY NAPKIN DISPOSAL	1	BOBRICK	B-270	SURFACE MOUNTED SANITARY NAPKIN DISPOSAL. INSTALL SO TOP OF UNIT IS 2'-5" A.F.F.

2 ACCESSORY SCHEDULE

3 NEW FLOOR PLAN

SCALE: 1/4" = 1'-0"



DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE
DRAWN BY: NS, KZ	COMP. FILE NO:			
REVIEWED BY: KZ, JD	STATE PROJECT NO.: 61531C			
Consultant:				

PROFESSIONAL REGISTRATION

STATE OF FLORIDA
JOEL DODSON
REGISTERED ARCHITECT
AR0015211
JOEL DODSON AR0015211

WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK

NEW FLOOR PLAN

ADA RESTROOM & BOARDWALK

Department of Environmental Protection
Division of Recreation and Parks
Bureau of Design and Construction
3800 Commonwealth Blvd., Tallahassee, FL 32399 (850) 245-2300


A102

100% CONSTRUCTION DOCUMENTS

LEGEND			
	EXISTING EXHAUST AIR DIFFUSER TO BE REMOVED. PATCH CEILING TO MATCH EXISTING.		EXISTING RETURN AIR DIFFUSER TO REMAIN
	EXISTING RETURN AIR DIFFUSER TO BE REMOVED. PATCH CEILING TO MATCH EXISTING.		NEW SUPPLY AIR DIFFUSER
	EXISTING EXHAUST AIR DIFFUSER TO REMAIN		NEW EXHAUST AIR DIFFUSER
	EXISTING SUPPLY AIR DIFFUSER TO REMAIN		EXISTING EXIT SIGN
	EXISTING ACCESS HATCH TO REMAIN		NEW EXIT SIGN
	EXISTING SUPPLY AIR VENT		EXISTING CEILING TO REMAIN
	EXISTING WALL-MOUNTED LIGHT		NEW CEILING, PATCH TO MATCH EXISTING
	EXISTING CEILING-MOUNTED LIGHT		EXISTING T&G CEILING TO REMAIN
	EXISTING TRACK LIGHT		DEMO EXISTING T&G CEILING
	EXISTING SURFACE-MOUNTED LIGHT		NEW T&G CEILING, MATCH EXISTING
	DEMO EXISTING RECESSED CAN FIXTURE		OPEN TO ABOVE
	EXISTING WALL-MOUNTED LIGHT		
	NEW RECESSED CAN FIXTURE		


2

REFLECTED CEILING PLAN LEGEND
SCALE: 1/4" = 1'-0"




1

DEMO REFLECTED CEILING PLAN
SCALE: 1/4" = 1'-0"




WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK		ISSUE DATE: 02/25/2025		DESIGNER: JODIE DODSON	DATE	REVISION	SYMBOL	DATE	REVISION	SYMBOL	DATE	REVISION	SYMBOL	DATE	REVISION	SYMBOL
SHEET TITLE		COMP. FILE No:		DRAWN BY: NS, KZ												
PROJECT TITLE		STATE PROJECT No: 61531C		REVIEWED BY: KZ, JD												
A103		DODSTONE ARCHITECTS		CONSULTANT:		Department of Environmental Protection		Division of Recreation and Parks		Bureau of Design and Construction		3800 Commonwealth Blvd., Tallahassee, FL 32399		(850) 245-2300		

100% CONSTRUCTION DOCUMENTS




2 SOUTHWEST ELEVATION
SCALE: 3/16" = 1'-0"



4 NORTHEAST ELEVATION
SCALE: 3/16" = 1'-0"

ELEVATION KEYNOTES:	
#	DESCRIPTION:
E06	EXISTING COMPRESSORS. SEE MECHANICAL DRAWINGS.
E07	EXISTING VENDING MACHINE. SEE ELECTRICAL FOR NEW OUTLET. RELOCATE AS REQUIRED.
E08	EXISTING VENDING MACHINE. SEE ELECTRICAL FOR NEW OUTLET. RELOCATE AS REQUIRED. PROTECT DURING CONSTRUCTION.
N13	NEW 42" HIGH VINYL GUARDRAIL. MATCH EXISTING. BASIS-OF-DESIGN: VINYL RAILING HARRINGTON (WHITE) BY DURABLES. INSTALL PER MANUFACTURER'S RECOMMENDATIONS. SEE STRUCTURAL DRAWINGS FOR ADDITIONAL INFORMATION ABOUT WOOD POST. SEE LIFE SAFETY PLAN FOR ADDITIONAL INFORMATION.
N14	NEW STOREFRONT SYSTEM w/ DOOR. SEE 6/A601 & DOOR SCHEDULE.
N22	NEW AND/OR RELOCATED IRON RANGER. SEE DETAIL 7/A501. CONFIRM EXACT LOCATION WITH PARK STAFF BEFORE INSTALLING.

1 ELEVATION KEYNOTES



3 SOUTHEAST ELEVATION
SCALE: 3/16" = 1'-0"



5 NORTHWEST ELEVATION
SCALE: 3/16" = 1'-0"

NOTE
NUMBERS IN THE KEYNOTE SCHEDULE MAY BE SKIPPED AS THE KEYNOTES ARE RELATED TO THE PROJECT AS A WHOLE. THIS LISTS KEYNOTES RELEVANT TO THIS SHEET ONLY.

ALL ITEMS ON THIS PAGE THAT DO NOT HAVE A KEYNOTE ARE ASSUMED EXISTING TO REMAIN, UNLESS NOTED OTHERWISE ELSEWHERE.

DATE	REVISION	SYMBOL	DATE	REVISION	SYMBOL	ISSUE DATE	COMP. FILE NO.	STATE PROJECT NO.	DESIGNER	DRAWN BY	REVIEWED BY	CONSULTANT
						02/25/2025		61531C	JODIE DODSON	NS, KZ	KZ, JD	
Department of Environmental Protection Division of Recreation and Parks Bureau of Design and Construction 3800 Commonwealth Blvd., Tallahassee, FL 32399 (850) 245-2300												
DODSTONE ARCHITECTS 3011-1 Powell Road, Tallahassee, FL 32308 850.656.7296 ARO015211												
PROFESSIONAL REGISTRATION STATE OF FLORIDA JOEL DODSON ★ AR0015211 REGISTERED ARCHITECT JOEL DODSON AR0015211												
WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK SHEET TITLE EXTERIOR ELEVATIONS PROJECT TITLE ADA RESTROOM & BOARDWALK												
SHEET NO. A201												




NUMBERS IN THE KEYNOTE SCHEDULE MAY BE SKIPPED AS THE KEYNOTES ARE RELATED TO THE PROJECT AS A WHOLE. THIS LISTS KEYNOTES RELEVANT TO THIS SHEET ONLY.

#	DESCRIPTION:
E06	EXISTING COMPRESSORS, SEE MECHANICAL DRAWINGS.
E07	EXISTING EQUIPMENT TO REMAIN.
E08	EXISTING VENDING MACHINE, SEE ELECTRICAL FOR NEW OUTLET. RELOCATE AS REQUIRED. PROTECT DURING CONSTRUCTION.
N09	NEW LOW WATER FOUNTAIN w/ BOTTLE FILLER, SEE PLUMBING DRAWINGS.
N10	NEW HIGH WATER FOUNTAIN, SEE PLUMBING DRAWINGS.
N11	NEW WALL w/ TILE FINISH. TILE TO MATCH EXISTING, SEE FINISH SCHEDULE & 2/A302. USE OF UNDAMAGE SALVAGED TILE IS ACCEPTABLE.
N12	NEW CONCRETE SLAB, SEE STRUCTURAL DRAWINGS FOR MORE INFORMATION.
N14	NEW STOREFRONT SYSTEM w/ DOOR, SEE 6/A601 & DOOR SCHEDULE.
N15	RELOCATED DOORS (BASE BID), SEE DOOR SCHEDULE FOR INFORMATION REGARDING DOOR HARDWARE.
N18	NEW 2x4 STUD WING WALLS @ WATER FOUNTAIN. SEE 1/A301 FOR WING WALL CAP DETAIL. SHEATH ALL EXPOSED EDGES OF THE WALL WITH GYPSUM BOARD.
N19	NEW 2x4 STUD WALL. STAGGER STUDS SO THAT EITHER SIDE'S FINISH IS FLUSH WITH THE ADJACENT EXISTING WALL'S FINISH, SEE 3/A501.
N21	NEW CHASE WALL @ WATER FOUNTAIN, SEE 1/A302. EXTEND FLOOR TO CEILING. SHEATH ALL EXPOSED EDGES WITH GYPSUM BOARD.


3 SECTION KEYNOTES




SHEET NO.	WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK			DODSTONE ARCHITECTS 3011-1 Powell Road Tallahassee, FL 32308 (850) 556-7328 #ARO15211		ISSUE DATE: 02/25/2025		SYMBOL	REVISION	DATE	
	SHEET TITLE					COMP FILE NO.					
	BUILDING SECTIONS					STATE PROJECT NO.: 61531C					
PROJECT TITLE	ADA RESTROOM & BOARDWALK		DESIGNER: JODIE DODSON		DRAWN BY: NS, KZ		REVIEWED BY: KZ, JD		Consultant: <i>Department of Environmental Protection</i>		
									<i>Division of Recreation and Parks</i>		
									<i>Bureau of Design and Construction</i>		
								<i>3800 Commonwealth Blvd., Tallahassee, FL 32309 (850) 245-2300</i>			

100% CONSTRUCTION DOCUMENTS

NOTE
ALL METAL FASTENERS TO BE STAINLESS STEEL.




1 CHASE WALL @ WATERFOUNTAIN
SCALE: 1 1/2"= 1'-0"




2 STUD WALL

SCALE: 1 1/2" = 1'-0"





3 STOREFRONT WALL @ DOOR
SCALE: 1 1/2" = 1'-0"



4 STOREFRONT WALL

SCALE: 1 1/2"= 1'-0"

SHEET NO.		WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK		PROFESSIONAL REGISTRATION		JODIE DODSON		ISSUE DATE: 02/25/2025		SYMBOL		REVISION		DATE	
SHEET TITLE		WALL SECTIONS				DRAWN BY: NS, KZ		COMP. FILE NO.:				DATE		SYMBOL	
PROJECT TITLE		ADA RESTROOM & BOARDWALK		JOEL DODSON AROO15211		REVIEWED BY: KZ, JD		STATE PROJECT NO.: 61531C							
						Consultant: DODSTONE ARCHITECTS		Department of Environmental Protection Division of Recreation and Parks Bureau of Design and Construction 3800 Commonwealth Blvd., Tallahassee, FL 32399 (850) 245-2300							


NOTE
NOT ALL RESTROOM ACCESSORIES ARE SHOWN ON THE ELEVATIONS, SEE FLOOR PLANS.

PROVIDE BULLNOSED TILE AT ALL EXPOSED EDGES. EXISTING WALL TILE NOT SHOWN.


ALL METAL FASTENERS TO BE STAINLESS STEEL.

TAG	DESCRIPTION	QTY.	MFR.	MODEL	NOTE
A1	ADA COMPLIANT UNISEX RESTROOM SIGN	2	BESTSIGNS SYSTEMS	ADA UNISEX/ FAMILY	ADA COMPLIANT UNISEX/FAMILY RESTROOM SIGNAGE BY BESTSIGNS OR ARCHITECT APPROVED EQUAL. INCLUDE MEN'S & WOMEN'S SYMBOL, HANDICAP SYMBOL, & BRAILLE. INSTALL AT UNISEX BATHROOMS. INSTALL SO THAT BOTTOM OF TACTILE CHARACTERS ARE 48" A.F.F.
B1	BABY CHANGING STATION	2	KOALA KARE	KB300	SURFACE MOUNT AS RECOMMENDED BY MANUFACTURER AND AS REQUIRED FOR ADA COMPLIANCE. INSTALL SO THAT TOP OF UNIT CLOSED IS 48" A.F.F. INSTALL AS REQUIRED BY MANUFACTURER SO UNIT IS CAPABLE OF SUPPORTING 200LBS
G36	36" LONG GRAB BAR	2	BOBRICK	B-6806 x 36	1-1/2" DIAMETER SS GBAR BAR w/ EXPOSED FLANGE. INSTALL AS RECOMMENDED BY THE MANUFACTURER AND AS REQUIRED SO BARS CAN RESIST A MINIMUM OF 250 LBS. EXERTED HORIZONTALLY OR VERTICALLY. INSTALL SO CENTERLINE IS 34.5" A.F.F.
G48	48" LONG GRAB BAR	2	BOBRICK	B-6806 x 48	1-1/2" DIAMETER SS GBAR BAR w/ EXPOSED FLANGE. INSTALL AS RECOMMENDED BY THE MANUFACTURER AND AS REQUIRED SO BARS CAN RESIST A MINIMUM OF 250 LBS. EXERTED HORIZONTALLY OR VERTICALLY. INSTALL SO CENTERLINE IS 34.5" A.F.F.
H1	COLLAPSABLE HOOK	1	BOBRICK	B-983	SURFACE MOUNT AS RECOMMENDED BY MANUFACTURER AND AS REQUIRED FOR ADA COMPLIANCE. CENTERLINE OF OPERATOR MUST NOT BE MORE THAN 48" A.F.F.
HD	HAND DRYER	2	BOBRICK	B7180	SURFACE MOUNTED, ADA COMPLIANT HARD WIRED HAND DRYER. HANDS-FREE OPERATIONS. COORDINATE VOLTAGE OF UNIT WITH AVAILABILITY ON SITE. MOUNT SO BOTTOM OF UNIT IS 46" A.F.F.
N1	SANITARY NAPKIN DISPOSAL	1	BOBRICK	B-270	SURFACE MOUNTED SANITARY NAPKIN DISPOSAL. INSTALL SO TOP OF UNIT IS 2'-5" A.F.F.

1 ACCESSORY SCHEDULE



3 01 UNISEX - E
SCALE: 1/2" = 1'-0"




5 03 UNISEX - W
SCALE: 1/2" = 1'-0"

NOTE
NUMBERS IN THE KEYNOTE SCHEDULE MAY BE SKIPPED AS THE KEYNOTES ARE RELATED TO THE PROJECT AS A WHOLE. THIS LISTS KEYNOTES RELEVANT TO THIS SHEET ONLY.


ALL ITEMS ON THIS PAGE THAT DO NOT HAVE A KEYNOTE ARE ASSUMED EXISTING TO REMAIN, UNLESS NOTED OTHERWISE ELSEWHERE.

INTERIOR ELEVATION KEYNOTES:	
#	DESCRIPTION:
E01	EXISTING MIRROR TO REMAIN.
E02	EXISTING SOAP DISPENSER TO REMAIN.
E03	EXISTING URINAL TO REMAIN.
E05	EXISTING WALL w/ TILE FINISH. REPLACE ALL TILE THAT IS DAMAGED AS A RESULT OF REMOVING EXISTING ACCESSORIES AND FIXTURES. ANY TILE THAT IS REPLACED TO MATCH EXISTING. SUBMIT SAMPLES FOR APPROVAL. UNDAMAGED TILE SALVAGED FROM OTHER AREAS IN THE RESTROOM CAN BE USED FOR REPAIRS.
N01	RELOCATED LAVATORY TO MEET ADA CODE REQUIREMENTS.
N02	NEW WALL-HUNG URINAL, INSTALL SO THAT RIM OF URINAL DOES NOT EXCEED 17" AFF.
N03	CONCEAL CONDUIT FOR HAND DRYER EITHER WITHIN THE WALL OR WITHIN THE CHASE. SEE ELECTRICAL DRAWINGS FOR ADDITIONAL INFORMATION
N04	RELOCATED MIRROR, INSTALL SO THAT THE BOTTOM OF THE REFLECTIVE SURFACE DOES NOT EXCEED 40" A.F.F.
N05	RELOCATED TOILET PAPER DISPENSER, INSTALL SO THAT THE CENTERLINE IS 7" MINIMUM TO 9" MAXIMUM FROM THE LEADING EDGE OF THE TOILET SEAT.
N06	NEW TOILET, INSTALL SO THAT THE CENTERLINE OF TOILET IS 16" MINIMUM TO 18" MAX OFF THE ADJACENT WALL. PATCH FLOOR FINISHES AS REQUIRED, SEE PLUMBING FOR ADDITIONAL INFORMATION.
N07	RELOCATED SANITARY NAPKIN DISPOSAL, INSTALL SO THAT THE TOP OF THE UNIT DOES NOT EXCEED 29" AFF.
N11	NEW WALL w/ TILE FINISH. TILE TO MATCH EXISTING, SEE FINISH SCHEDULE & 2/A302. USE OF UNDAMAGE SALVAGED TILE IS ACCEPTABLE.
N15	RELOCATED DOORS (BASE BID). SEE DOOR SCHEDULE FOR INFORMATION REGARDING DOOR HARDWARE.

2 INTERIOR ELEVATION KEYNOTES



4 01 UNISEX - S
SCALE: 1/2" = 1'-0"



6 03 UNISEX - S
SCALE: 1/2" = 1'-0"

DESIGNER: JODIE DODSON	ISSUE DATE: 02/25/2025	SYMBOL	REVISION	DATE
DRAWN BY: NS, KZ	COMP. FILE NO:	SYMBOL	REVISION	DATE
REVIEWED BY: KZ, JD	STATE PROJECT NO.: 61531C	SYMBOL	REVISION	DATE
Consultant:		SYMBOL	REVISION	DATE

DODSTONE ARCHITECTS

3011-1 Powell Road, Tallahassee, FL 32308
850.656.7236 | #AF0015211

STATE OF FLORIDA

JOEL DODSON
REGISTERED ARCHITECT
AR0015211

PROFESSIONAL REGISTRATION

JOEL DODSON AR0015211

WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK


INTERIOR ELEVATIONS

ADA RESTROOM & BOARDWALK


SHEET NO.

A401



NOTE
ALL METAL FASTENERS TO BE STAINLESS STEEL.




1 HM DOOR HEAD DETAIL
SCALE: 3" = 1'-0"




2 HM DOOR JAMB DETAIL
SCALE: 3" = 1'-0"




3 STAGGERED STUD WALL DETAIL
SCALE: 3" = 1'-0"




4 STOREFRONT JAMB @ STUCCO
SCALE: 3" = 1'-0"



5 STOREFRONT JAMB @ STONE VENEER
SCALE: 3" = 1'-0"



6 ALUMINUM DOOR SILL DETAIL
SCALE: 3" = 1'-0"



7 IRON RANGER
SCALE: 1/2" = 1'-0"

DESIGNER:	JODIE DODSON	ISSUE DATE:	02/25/2025	REVISION		DATE	
DRAWN BY:	NS, KZ	COMP. FILE NO.:		SYMBOL		DATE	
REVIEWED BY:	KZ, JD	STATE PROJECT NO.:	61531C	SYMBOL		DATE	
Consultant:							
PROFESSIONAL REGISTRATION				STATE OF FLORIDA			
JOEL DODSON AR0015211				REGISTERED ARCHITECT			
WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK				PROJECT TITLE			
STOREFRONT & DOOR DETAILS				PROJECT TITLE			
ADA RESTROOM & BOARDWALK				PROJECT TITLE			
SHEET NO.				A501			

Department of Environmental Protection
Division of Recreation and Parks
Bureau of Design and Construction
3800 Commonwealth Blvd., Tallahassee, FL 32399 (850) 245-2300

DODSTONE ARCHITECTS
3011-1 Powell Road, Tallahassee, FL 32308
850.656.7256 | AFR0015211


NOTE
ALL METAL FASTENERS TO BE STAINLESS STEEL.

INTERIOR SELECTIONS

FLOORING	
LVT	TERRAIN II 20 MIL BY SHAW CONTRACT. COLOR TO BE SELECTED BY ARCHITECT FROM MANUFACTURER'S FULL RANGE.
FLOOR TILE A & TILE BASE	2"x2" FLOOR TILE COLOR STORY BY AMERICAN OLEAN. COLOR TO BE SELECTED BY ARCHITECT FROM MANUFACTURER'S FULL RANGE.
SEALED	CLEAR
WALLS	
GYPSUM BOARD	PAINTED TO MATCH EXISTING STUCCO
WALL TILE	4"x4" #61 (MATTE), DESIGNER WHITE BY AMERICAN OLEAN
BASE	
WOOD BASE w/ 3/4" QUATER ROUND	BASE PROFILE TO MATCH EXISTING BASE IN EXHIBIT ROOM. PAINT TO MATCH ADJACENT WALL COLOR.
CEILING / SOFFIT	
GYPSUM BOARD	PAINTED TO MATCH EXISTING
TOUNGE & GROOVE (T&G)	COLOR AND PATTERN TO MATCH EXISTING
WALL CAP	
SOLID SURFACE	1/2" SOLID SURFACE (PRICE GROUP 1 / 2) BY WILSONART. COLOR TO BE SELECTED BY ARCHITECT FROM MANUFACTURER'S FULL RANGE WITHIN THE INDICATED PRICE RANGE.

DURING SHOP PHASE, CONTRACTOR TO PROVIDE BOTH OF THE FOLLOWING TO THE ARCHITECT'S OFFICE FOR THEIR REVIEW, APPROVAL, AND SELECTION OF COLORS:
1. PHYSICAL SAMPLE OF MANUFACTURER'S FULL RANGE
2. EMAIL PHOTOS OF PHYSICAL SAMPLES AGAINST ADJACENT SURFACES WHERE COLOR IS BEING MATCHED OR COORDINATED.

FINISH PLAN LEGEND



ABBREVIATIONS:
GYP = GYPSUM BOARD
LVT = LUXURY VYNIL TILE
MECH = MECHANICAL ROOM
STOR = STORAGE ROOM

GENERAL FINISH COMMENTS:
1. PER NFPA 100, FINISH FLOOR SURFACE ON BOTH SIDES OF ALL DOORS SHALL NOT VARY BY MORE THAN 1/2" FOR A DISTANCE NOT LESS THAN THE WIDEST DOOR LEAF.
2. PROTECT ALL EXISTING FINISHES DURING CONSTRUCTION. PATCH ANY AREAS DAMAGED DURING CONSTRUCTION TO MATCH EXISTING. CONTRACTOR ADVISED TO PHOTOGRAPH OR VIDEO THE EXISTING CONDITIONS PRIOR TO THE START OF CONSTRUCTION ACTIVITIES.
3. NEW TILE BASE TO BE INSTALLED ALONG FLOOR TILE A EDGES @ WALLS IN UNISEX RESTROOMS. HEIGHT OF BASE TO MATCH ADJACENT EXISTING BASE.

FINISH SCHEDULE NOTES:
1. USE CEMENT BACKBOARD BEHIND TILE AREAS.
2. EXISTING FINISHES TO REMAIN. PROTECT AS NECESSARY. PATCH ANY AREAS THAT ARE DAMAGED DURING CONSTRUCTION ACTIVITIES TO MATCH EXISTING.
3. CAP WING WALLS @ WATER FOUNTAIN WITH SOLID SURFACE. SEE DETAIL 1/A301.
4. PROVIDE BULLNOSED TILE AT ALL EXPOSED EDGES.


SPECIFICATIONS/BASIS-OF-DESIGN:
ALL PRODUCTS LISTED ARE 'BASIS-OF-DESIGN'. PRODUCTS DETERMINED TO BE 'EQUAL' BY THE ARCHITECT OR BY DEP'S DESIGNATED REPRESENTATIVE WILL ALSO BE ACCEPTED.



1 FINISH FLOOR PLAN
SCALE: 1/4" = 1'-0"

ROOM NO.	ROOM NAME	FLOOR		WALL		CEILING	NOTE
		FINISH	BASE	MATERIAL	FINISH		
01	UNISEX	TILE; EXISTING	TILE; EXISTING	TILE; EXISTING	TILE; EXISTING	GYP; EXISTING	1, 2, 4
02	CHASE		NONE	EXISTING	EXISTING	EXISTING	2
03	UNISEX	TILE; EXISTING	TILE; EXISTING	TILE; EXISTING	TILE; EXISTING	GYP; EXISTING	1, 2, 4
04	MECH.	EXISTING	EXISTING	EXISTING	EXISTING	EXISTING	2
05	STOR.	EXISTING	EXISTING	EXISTING	EXISTING	EXISTING	2
06	CORRIDOR	TILE; LVT	WOOD	GYP; EXISTING	PAINT; EXISTING	EXISTING	2, 3
07	MECH.	EXISTING	EXISTING	EXISTING	EXISTING	EXISTING	2
08	EXISTING EXHIBIT	EXISTING	EXISTING	EXISTING	EXISTING	EXISTING	2

2 FINISH SCHEDULE



3 TILE BASE DETAIL
SCALE: 3" = 1'-0"

HARDWARE SET #1.0a (BASE BID)				
EA	DESCRIPTION	PRODUCT #	FINISH	MANUFACTURER
3	HINGES	TA2314	US32D	McKINNEY
1	DEADBOLT w/ INDIC.	D2912/292	US26D	ACCENTRA
1	MORTISE CYLINDER	AS REQUIRED	US32D	SARGENT
1	*PULL PLATE	111x70C	US32D	ROCKWOOD
1	*PUSH PLATE	70C-RKW	US32D	ROCKWOOD
1	SURFACE CLOSER	8501	689	NORTON
1	DOOR STOP	460	ALUM	ROCKWOOD
3	SILENCERS	608-RKW		ROCKWOOD

HARDWARE SET #1.0b (ADD ALTERNATE)				
EA	DESCRIPTION	PRODUCT #	FINISH	MANUFACTURER
3	HINGES	TA2314	US32D	McKINNEY
1	DEADBOLT w/ INDIC.	D2911/292	US26D	ASSA ABLOY
1	SURFACE CLOSER	8501	689	NORTON
1	DOOR STOP	460	ALUM	ROCKWOOD
3	SILENCERS	608-RKW		ROCKWOOD

GENERAL DOOR COMMENTS:
1. ALL DOORS TO HAVE ADA COMPLIANT LEVER STYLE HANDLES.
2. SEE HARDWARE SCHEDULE LISTED ELSEWHERE ON THIS PAGE.
3. SET ALL SILL FLASHING IN A FULL BED OF SEALANT.
4. PER NFPA 100, FINISHED FLOOR SURFACE ON BOTH SIDES OF ALL DOORS SHALL NOT VARY BY MORE THAN 1/2" FOR A DISTANCE NOT LESS THAN THE WIDEST DOOR LEAF.
5. FIELD VERIFY ALL OPENING SIZES PRIOR TO MANUFACTURING NEW DOORS. FIELD VERIFY ALL OPENING SIZES PRIOR TO REINSTALLING EXISTING DOORS.
6. PROVIDE AND INSTALL TEMPERED GLASS WHERE INDICATED ON THE DRAWINGS AND WHERE REQUIRED BY CODE.
7. DOOR MANUFACTURER TO ENGINEER STOREFRONT WALL SYSTEMS TO COMPLY WITH DESIGN PRESSURES AND ENCLOSURE REQUIREMENTS INDICATED ON THE STRUCTURAL DRAWINGS AND/ OR AS REQUIRED BY CODE, WHICHEVER IS MORE STRINGENT.
8. DOORS LABELED "E" ARE EXISTING TO REMAIN.
9. DOOR LABELED "E1" IS EXISTING TO BE REUSED AT SAME LOCATION. CONTRACTOR MAY REMOVE AND REINSTALL TO FACILITATE SLAB REMOVAL.


HARDWARE SET #2.0				
EA	DESCRIPTION	PRODUCT #	FINISH	MANUFACTURER
4	HINGES, HVY WT	T4A3386 NRP	US32D	McKINNEY
1	PUSH BAR w/ Rod	a08410 106 x LESS PULL	US32D	ROCKWOOD
1	RM CYLINDER	AS REQUIRED	US32D	SARGENT
1	DOOR PULL	BF156	US32D	ROCKWOOD
1	SURFACE CLOSER	CPS8501	689	NORTON
1	DOOR STOP	466	BLACK	ROCKWOOD
1	ADA THRESHOLD	AS LISTED IN STOREFRONT SYSTEM SPECIFICATION		

DOOR SCHEDULED NOTES:
1. **BASE BID:** SALVAGE DOOR & FRAME (TYPE F1a). REINSTALL IN NEW LOCATION. UPDATE HARDWARE ACCORDINGLY AS LISTED ELSEWHERE ON THIS PAGE. REMOVE RESTROOM SIGNAGE, REMOVE PANEL(S) FROM LOUVER. PATCH AND REPAIR HOLES AS NEEDED, PAINT TO MATCH EXISTING LEAF COLOR.
ADD ALTERNATE #1: REPLACE DOOR w/ NEW DOOR (TYPE F1b).
2. **BASE BID:** USE HARDWARE SET 1.0a.
ADD ALTERNATE #1: USE HARDWARE SET 1.0b.
3. DOOR IS PART OF A STOREFRONT WALL SYSTEM. SEE 6/A601 FOR INFORMATION REGARDING THE FRAME. SUBMIT FLORIDA APPROVAL NUMBER OR ENGINEERING DATA PREPARED BY A FLORIDA LICENSED ENGINEER DEMONSTRATING COMPLIANCE WITH THE FLORIDA BUILDING CODE'S DESIGN PRESSURE REQUIREMENTS AS LISTED ON THE STRUCTURAL DRAWINGS. ALL EXTERIOR DOORS MUST BE IMPACT RESISTANT. BASIS-OF-DESIGN: K2 SUMMIT OUTSWING DOOR BY ALDORA. FL-17682
4. FIELD VERIFY OPENING HEIGHT. ADJUST DOOR HEIGHT AS REQUIRED.


ABBREVIATIONS:
ALUM = ALUMINUM
ANOD = ANODIZED
F = FLUSH
FV = FULL VIEW PANEL
HM = HOLLOW METAL
SF = STOREFRONT (SEE 6/A601)

ID	DOOR LEAF PROPERTIES						DOOR FRAME PROPERTIES			DETAILS			HW SET	NOTE
	TYPE	W x H	THICKNESS	MATERIAL	FINISH		TYPE	MATERIAL	FINISH	HEAD	JAMB	SILL		
D1	F1a / F1b	3'-0"x6'-8"	1 3/4"	EXISTING	EXISTING		HM	EXISTING	EXISTING	1/A501	2/A501 & 3/A501	-	1.0a / 1.0b	1, 2
D3	F1a / F1b	3'-0"x6'-8"	1 3/4"	EXISTING	EXISITING		HM	EXISTING	EXISTING	1/A501	2/A501 & 3/A501	-	1.0a / 1.0b	1, 2
D6a	FV	3'-0"x7'-7 1/4"	1 3/4"	ALUM	ANODIZED		SF	ALUM	ANODIZED	-	-	6/A501	2.0	3, 4
D6b	FV	3'-0"x7'-7 1/4"	1 3/4"	ALUM	ANODIZED		SF	ALUM	ANODIZED	-	-	6/A501	2.0	3, 4

4 DOOR SCHEDULE



5 DOOR LEAF & FRAME TYPES
SCALE: 1/4" = 1'-0"



6 EXTERIOR STOREFRONT WALL
SCALE: 1/2" = 1'-0"

BASIS-OF-DESIGN
STOREFRONT: FS300 FRONT SET SYSTEM BY ALDORA. FL-19973. OR ARCHITECT APPROVED EQUAL. SYSTEM MUST BE IMPACT RESISTANT AND WITHSTAND DESIGN PRESSURES AS LISTED ON THE STRUCTURAL DRAWINGS.

GLAZING REQUIREMENTS
GLAZING MUST BE IMPACT RESISTANT AND WITHSTAND DESIGN PRESSURES LISTED ON THE STRUCTURAL DRAWINGS WHEN INSTALLED IN STOREFRONT SYSTEM. IN ADDITION, GLAZING IS TO BE INSULATED AND BE TEMPERED WHERE REQUIRED BY CODE.
BASIS-OF-DESIGN:
- 1 5/16" THICK INSULATED LAMINATED CONSISTING OF UVEKOL LAMINATED 1/4" HEAT STRENGTHENED GLASS, 1/2" AIR SPACE, 1/4" TEMPERED GLASS

STOREFRONT WALL LEGEND
A IMPACT RESISTANT, INSULATED GLAZING, TEMPERED
B 2-1/4" +/- MANUFACTURER'S STANDARD PERIMETER MULLION
C 3" +/- MANUFACTURER'S STANDARD MULLION
D 1-3/4" +/- MANUFACTURER'S STANDARD DOOR MULLION
E OUTSWING DOOR BY STOREFRONT MANUFACTURER

WINDLEY KEY FOSSIL REEF GEOLOGICAL STATE PARK

SHEET TITLE
SCHEDULES

PROJECT TITLE
ADA RESTROOM & BOARDWALK

DESIGNER: JODIE DODSON

DRAWN BY: NS, KZ

REVIEWED BY: KZ, JD

Consultant:

ISSUE DATE: 02/25/2025

COMP. FILE NO:

STATE PROJECT NO.: 61531C

REVISION

SYMBOL

DATE

REVISION

SYMBOL

DATE

PROFESSIONAL REGISTRATION

JOEL DODSON
REGISTERED ARCHITECT
AR0015211

JOEL DODSON AR0015211

Department of Environmental Protection

Division of Recreation and Parks

Bureau of Design and Construction

3800 Commonwealth Blvd., Tallahassee, FL 32399 (850) 245-2300

SHEET NO.

A601