

Alfred B. Maclay Gardens State Park

ADVISORY GROUP DRAFT Unit Management Plan

**STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL
PROTECTION**

**Division of Recreation and Parks
July 12, 2013**



TABLE OF CONTENTS

INTRODUCTION.....	1
PURPOSE AND SIGNIFICANCE OF THE PARK.....	1
PURPOSE AND SCOPE OF THE PLAN.....	2
MANAGEMENT PROGRAM OVERVIEW.....	8
Management Authority and Responsibility	8
Park Management Goals	9
Management Coordination.....	9
Public Participation.....	9
Other Designations.....	10
 RESOURCE MANAGEMENT COMPONENT	
INTRODUCTION.....	11
RESOURCE DESCRIPTION AND ASSESSMENT.....	12
Natural Resources	12
Topography	12
Geology	17
Soils.....	17
Minerals	21
Hydrology.....	21
Natural Communities (FNAI).....	23
Imperiled Species.....	34
Exotic Species	39
Special Natural Features.....	44
Cultural Resources	45
Condition Assessment	45
Level of Significance.....	45
Pre-Historic and Historic Archaeological Sites.....	46
Historic Structures.....	50
Collections	55
RESOURCE MANAGEMENT PROGRAM.....	65
Management Goals, Objectives and Actions.....	65
Natural Resource Management.....	66
Imperiled Species Management	66
Exotic Species Management.....	68
Special Management Considerations	69
Timber Management Analysis.....	69
Cultural Resource Management.....	70
Cultural Resource Management.....	70

Resource Management Schedule	72
Land Management Review	72

LAND USE COMPONENT

INTRODUCTION	73
EXTERNAL CONDITIONS	73
Existing Use of Adjacent Lands.....	74
Planned Use of Adjacent Lands	74
PROPERTY ANALYSIS	75
Recreation Resource Elements.....	75
Land Area	75
Water Area.....	76
Shoreline	76
Natural Scenery	76
Significant Habitat.....	76
Natural Features	77
Archaeological and Historic Features	77
Assessment of Use.....	77
Past Uses	78
Future Land Use and Zoning.....	78
Current Recreation Use and Visitor Programs.....	78
Other Uses	81
Protected Zones	82
Existing Facilities	82
Recreation Facilities.....	82
Support Facilities	82
CONCEPTUAL LAND USE PLAN	83
Potential Uses.....	84
Public Access and Recreational Opportunities	84
Proposed Facilities.....	89
Capital Facilities and Infrastructure	89
Facilities Development.....	92
Recreational Carrying Capacity	93
Optimum Boundary	94

IMPLEMENTATION COMPONENT

MANAGEMENT PROGRESS	99
Acquisition	99
Park Administration and Operations.....	99
Resource Management.....	100

Natural Resources.....	100
Cultural Resources.....	100
Recreation and Visitor Services	100
Park Facilities	101
MANAGEMENT PLAN IMPLEMENTATION	101

TABLES

TABLE 1 – State Park Management Zones Acreage.....	12
TABLE 2 – Imperiled Species Inventory	36
TABLE 3 – Inventory of FLEPPC Category I and II Exotic Plant Species	42
TABLE 4 – Cultural Sites Listed in the Florida Master Site File	57
TABLE 5 – Existing Use and Optimum Carrying Capacity	94
TABLE 6 – Implementation Schedule and Cost Estimates	103

LIST OF ADDENDA

ADDENDUM 1

Acquisition History.....	A 1 - 1
--------------------------	---------

ADDENDUM 2

Advisory Group List and Report.....	A 2 - 1
-------------------------------------	---------

ADDENDUM 3

References Cited	A 3 - 1
------------------------	---------

ADDENDUM 4

Soil Descriptions.....	A 4 - 1
------------------------	---------

ADDENDUM 5

Plant and Animal List.....	A 5 - 1
----------------------------	---------

ADDENDUM 6

Imperiled Species Ranking Definitions	A 6 - 1
---	---------

ADDENDUM 7

Cultural Information.....	A 7 - 1
---------------------------	---------

ADDENDUM 8

Current Land Management Review	A 8 - 1
--------------------------------------	---------

MAPS

Vicinity Map.....	3
Reference Map	5
Management Zones Map	13
Topographic Map.....	15
Soils Map	19
Natural Communities Map.....	25
Base Map	79
Conceptual Land Use Plan.....	85
Optimum Boundary Map	95

INTRODUCTION

Alfred B. Maclay Gardens State Park is located in Leon County (see Vicinity Map) within the city limits of Tallahassee. Access to the park is reached from U.S. Highway 319, one mile to the north of the intersection of U.S. Interstate 10. The vicinity map also reflects significant land and water resources existing near the park.

The park is nationally known for its distinctive gardens, which cover some 28 acres. The natural areas of the park are forested with mixed hardwoods and pines, and include beautiful, slope forested ravines, which harbor a number of imperiled plants. Lakes Hall and Overstreet provide habitat for a variety of freshwater fish, wildlife and migrating fowl.

Mrs. Alfred B. Maclay donated the original Alfred B. Maclay Gardens State Park to the state of Florida in 1953. In 1994, the adjacent Lake Overstreet property was purchased in partnership with the City of Tallahassee with funding from the Preservation 2000 program. The Board of Trustees of the Internal Improvement Trust Fund (Trustees) hold fee simple title to the park. On January 31, 1968, the Trustees leased (Lease Number 2324) the property to Florida Board of Parks and Historic Memorials (FBPHM), predecessor to the Division of Recreation and Parks (DRP) under a 99-year generic lease. In 1988, the Trustees assigned a new lease number (Lease Number 3607) to Alfred B. Maclay Gardens State Park, without changing any terms and conditions of the original lease. Currently the park contains 1,169 acres.

At Alfred B. Maclay Gardens State Park, public outdoor recreation and conservation is the designated single use of the property. There are no legislative or executive directives that constrain the use of this property (see Addendum 1).

PURPOSE AND SIGNIFICANCE OF THE PARK

The original State Park property was donated by Mrs. Alfred B. Maclay to be managed as an ornamental garden by the State of Florida as a place of beauty, peace and serenity for the use and enjoyment of the people of Florida and their guests, and remain as a memorial to Alfred B. Maclay. The purpose of the Overstreet addition is to enhance the management and protection of the state gardens, to provide appropriate outdoor recreation, to protect historic and prehistoric archaeological sites, and to help establish a continuous greenway area of public land between the state gardens and Lake Jackson to the west.

Park Significance

- The Maclay Estate, including the main house, gardens, and outbuildings, represents the historical period of the late 1800's and early twentieth century when the Red


Hills landscape was transformed by the conversion of farms and cotton plantations into the pleasure grounds and winter retreats of wealthy, northern industrialists.


- The abundant archeological and historic era sites within the park represent a remarkable complex of inter-related cultural resources and provide a unique opportunity to interpret the long history of human habitation that has unfolded in the Red Hills region of Florida over the past 10,000 years.
- The Lake Overstreet addition, with its historic house sites, represents the tangible remains of an African-American community whose subsistence and tenancy shifted between enslavement, tenant farming/sharecropping, land ownership and paid employment.
- The steephead ravines on the Overstreet addition, an uncommon natural feature in the Tallahassee area, provide moist microclimates that support a high diversity of native plants including trillium, trout lily, bloodroot, southern lady fern, and the rare bay star vine.
- Located entirely within the park boundary, Lake Overstreet is one of the last remaining lakes in Leon County with a completely undeveloped shoreline. It supports a diverse assemblage of native, aquatic flora and is free of exotic plant species.
- Surrounded by suburban development, the park provides outstanding resource-based recreational opportunities in a densely populated section of Tallahassee and Leon County.

Alfred B. Maclay Gardens State Park is classified as a state gardens in the DRP's unit classification system. In the management of a state gardens, major emphasis is placed on the maintenance and enhancement of the gardens. Recreational uses are generally passive, related to the aesthetic enjoyment of the gardens; however, the unit also provides active recreational activities such as swimming, fishing, boating, hiking, biking, and horseback riding. Development in the park has been limited to picnicking and swimming facilities, and support facilities for trail based activities. Park programs emphasize interpretation of the natural and cultural attributes of the park.


PURPOSE AND SCOPE OF THE PLAN

This plan serves as the basic statement of policy and direction for the management of Alfred B. Maclay Gardens State Park as a unit of Florida's state park system. It identifies the goals, objectives, actions and criteria or standards that guide each aspect of park administration, and sets forth the specific measures that will be implemented to meet management objectives and provide balanced public utilization. The plan is intended to meet the requirements of Sections 253.034 and 259.032, Florida Statutes, Chapter 18-2, Florida Administrative Code, and is intended to be consistent with the State Lands Management Plan. With approval, this management plan will replace the 2003 approved plan.





ALFRED B. MACLAY GARDENS STATE PARK



REFERENCE MAP

The plan consists of three interrelated components: the Resource Management Component, the Land Use Component and the Implementation Component. The Resource Management Component provides a detailed inventory and assessment of the natural and cultural resources of the park. Resource management needs and issues are identified, and measurable management objectives are established for each of the park's management goals and resource types. This component provides guidance on the application of such measures as prescribed burning, exotic species removal, imperiled species management, cultural resource management and restoration of natural conditions.

The Land Use Component is the recreational resource allocation plan for the park. Based on considerations such as access, population, adjacent land uses, the natural and cultural resources of the park, current public uses and existing development, measurable objectives are set to achieve the desired allocation of the physical space of the park. These objectives locate use areas and propose the types of facilities and programs and the volume of public use to be provided.

The Implementation Component consolidates the measurable objectives and actions for each of the park's management goals. An implementation schedule and cost estimates are included for each objective and action. Included in this table are (1) measures that will be used to evaluate the DRP's implementation progress, (2) timeframes for completing actions and objectives and (3) estimated costs to complete each action and objective.

All development and resource alteration proposed in this plan is subject to the granting of appropriate permits, easements, licenses, and other required legal instruments. Approval of the management plan does not constitute an exemption from complying with the appropriate local, state or federal agencies.

In the development of this plan, the potential of the park to accommodate secondary management purposes was analyzed. These secondary purposes were considered within the context of the DRP's statutory responsibilities and the resource needs and values of the park. This analysis considered the park natural and cultural resources, management needs, aesthetic values, visitation and visitor experiences. For this park, it was determined that no secondary purposes could be accommodated in a manner that would not interfere with the primary purpose of resource-based outdoor recreation and conservation. Uses such as water resource development projects, water supply projects, stormwater management projects, linear facilities and sustainable agriculture and forestry (other than those forest management activities specifically identified in this plan) are not consistent with this plan.

The potential for generating revenue to enhance management was also analyzed. Visitor fees and charges are the principal source of revenue generated by the park. It

was determined that multiple-use management activities would not be appropriate as a means of generating revenues for land management. Instead, techniques such as entrance fees, concessions and similar measures will be employed on a case-by-case basis as a means of supplementing park management funding.

The use of private land managers to facilitate restoration and management of this park was also analyzed. Decisions regarding this type of management (such as outsourcing, contracting with the private sector, use of volunteers, etc.) will be made on a case-by-case basis as necessity dictates.

MANAGEMENT PROGRAM OVERVIEW

Management Authority and Responsibility

In accordance with Chapter 258, Florida Statutes and Chapter 62D-2, Florida Administrative Code, the Division of Recreation and Parks (DRP) is charged with the responsibility of developing and operating Florida's recreation and parks system. These are administered in accordance with the following policy:

It shall be the policy of the Division of Recreation and Parks to promote the state park system for the use, enjoyment, and benefit of the people of Florida and visitors; to acquire typical portions of the original domain of the state which will be accessible to all of the people, and of such character as to emblemize the state's natural values; conserve these natural values for all time; administer the development, use and maintenance of these lands and render such public service in so doing, in such a manner as to enable the people of Florida and visitors to enjoy these values without depleting them; to contribute materially to the development of a strong mental, moral, and physical fiber in the people; to provide for perpetual preservation of historic sites and memorials of statewide significance and interpretation of their history to the people; to contribute to the tourist appeal of Florida.

The Board of Trustees of the Internal Improvement Trust Fund (Trustees) has granted management authority of certain sovereign submerged lands to the DRP under Management Agreement MA 68-086 (as amended January 19, 1988). The management area includes a 400-foot zone from the edge of mean high water where a park boundary borders sovereign submerged lands fronting beaches, bays, estuarine areas, rivers or streams. Where emergent wetland vegetation exists, the zone extends waterward 400 feet beyond the vegetation. The agreement is intended to provide additional protection to resources of the park and nearshore areas and to provide authority to manage activities that could adversely affect public recreational uses.

Many operating procedures are standardized system-wide and are set by internal direction. These procedures are outlined in the DRP's Operations Manual (OM) that covers such areas as personnel management, uniforms and personal appearance, training, signs, communications, fiscal procedures, interpretation, concessions, public use regulations, resource management, law enforcement, protection, safety and maintenance.

Park Management Goals

The following park goals express the DRP's long-term intent in managing the state park.

1. Provide administrative support for all park functions.
2. Protect water quality and quantity in the park, restore hydrology to the extent feasible and maintain the restored condition.
3. Restore and maintain the natural communities/habitats of the park.
4. Maintain, improve or restore imperiled species populations and habitats in the park.
5. Remove exotic and invasive plants and animals from the park and conduct needed maintenance-control.
6. Protect, preserve and maintain the cultural resources of the park.
7. Provide public access and recreational opportunities in the park.
8. Develop and maintain the capital facilities and infrastructure necessary to meet the goals and objectives of this management plan.

Management Coordination

The park is managed in accordance with all applicable laws and administrative rules. Agencies having a major or direct role in the management of the park are discussed in this plan.

The Florida Department of Agriculture and Consumer Services (FDACS), Division of Forestry (DOF), assists DRP staff in the development of wildfire emergency plans and provides the authorization required for prescribed burning. The Florida Fish and Wildlife Conservation Commission (FFWCC), assists staff in the enforcement of state laws pertaining to wildlife, freshwater fish and other aquatic life existing within the park. In addition, the FFWCC aids the DRP with wildlife management programs, including imperiled species management and Watchable Wildlife programs. The Florida Department of State (FDOS), Division of Historical Resources (DHR) assists staff to ensure protection of archaeological and historical sites.

Public Participation

The DRP provided an opportunity for public input by conducting a public workshop and an Advisory Group Meeting to present the draft management plan to the public. These meetings were held on [\[INSERT DATES\]](#), respectively. Meeting notices were published in the Florida Administrative Weekly, [\[INSERT publication date\]\[VOL/ISSUE\]](#), included on the Department internet calendar, posted in clear view

at the park, and promoted locally. The purpose of the Advisory Group meeting is to provide the Advisory Group members an opportunity to discuss the draft management plan (see Addendum 2).

Other Designations

Alfred B. Maclay Gardens State Park is not within an Area of Critical State Concern as defined in Section 380.05, Florida Statutes, and it is not presently under study for such designation. The park is listed on the National Register of Historic Places and is a component of the Florida Greenways and Trails System, administered by the Department's Office of Greenways and Trails. The park is also a designated stop on the Panhandle Section of the Great Florida Birding Trail..

All waters within the park have been designated as Outstanding Florida Waters, pursuant to Chapter 62-302, Florida Administrative Code. Surface waters in this park are also classified as Class III waters by the Department. This park is not within or adjacent to an aquatic preserve as designated under the Florida Aquatic Preserve Act of 1975 (Section 258.35, Florida Statutes).

RESOURCE MANAGEMENT COMPONENT

INTRODUCTION

The Florida Department of Environmental Protection (DEP), Division of Recreation and Parks (DRP) in accordance with Chapter 258, Florida Statutes, has implemented resource management programs for preserving for all time the representative examples of natural and cultural resources of statewide significance under its administration. This component of the unit plan describes the natural and cultural resources of the park and identifies the methods that will be used to manage them. Management measures expressed in this plan are consistent with the DEP's overall mission in ecosystem management. Cited references are contained in Addendum 3.

The DRP's philosophy of resource management is natural systems management. Primary emphasis is placed on restoring and maintaining, to the degree possible, the natural processes that shaped the structure, function and species composition of Florida's diverse natural communities as they occurred in the original domain. Single species management for imperiled species is appropriate in state parks when the maintenance, recovery or restoration of a species or population is complicated due to constraints associated with long-term restoration efforts, unnaturally high mortality or insufficient habitat. Single species management should be compatible with the maintenance and restoration of natural processes, and should not imperil other native species or seriously compromise park values.

The DRP's management goal for cultural resources is to preserve sites and objects that represent Florida's cultural periods, significant historic events or persons. This goal often entails active measures to stabilize, reconstruct or restore resources, or to rehabilitate them for appropriate public use.

Because park units are often components of larger ecosystems, their proper management can be affected by conditions and events that occur beyond park boundaries. Ecosystem management is implemented through a resource management evaluation program that assesses resource conditions, evaluates management activities and refines management actions, and reviews local comprehensive plans and development permit applications for park/ecosystem impacts.

The entire park is divided into management zones that delineate areas on the ground that are used to reference management activities (see Management Zones Map). The shape and size of each zone may be based on natural community type, burn zone, and the location of existing roads and natural fire breaks. It is important to note that all burn zones are management zones; however, not all management zones include fire-

dependent natural communities. Table 1 reflects the management zones with the acres of each zone.


Table 1: Maclay Gardens State Park Management Zones			
Management Zone	Acreage	Managed with Prescribed Fire	Contains Cultural Resources
MG-A	79.2	N	Y
MG-B	37.5	N	N
MG-C	27.3	N	N
MG-D	36.6	N	Y
MG-E	24.5	N	Y
MG-F	142.5	N	Y
MG-G	49.2	N	Y
MG-H	120	N	Y
MG-I	212.5	N	Y
MG-J	38.1	N	Y
MG-K	82	N	Y
MG-L	115.3	N	Y
MG-M	124	N	N
MG-N	38.4	N	Y
MG-O	30.5	N	N
MG-P	11.4	N	N

RESOURCE DESCRIPTION AND ASSESSMENT

Natural Resources

Topography


Alfred B. Maclay Gardens State Park is located within the Florida physiographic province of the Northern Highlands, known as the Tallahassee Hills. The topography in the park is characterized by rolling hills, deep ravine systems, and two relatively large lakes (see Topographic Map). Particularly on the Overstreet Tract in the western portion of the park, the landscape can be quite dramatic as upland hardwood forest abruptly gives way to steep ravines about 60 feet below. Topographic extremes at the park range from about 138 feet to more than 230 feet above sea level west of Gum Pond and the central and northerly ravines. The sandy clay hills are erosional remnants, having been shaped over the millennia by ancient streams. Karst processes have been instrumental in the formation of the sinkholes and other solution features. Lakes and ephemeral ponds form in low-lying areas over impermeable clayey sediments.




ALFRED B. MACLAY GARDENS STATE PARK

0 500 1,000 2,000 Feet
Florida Department of Environmental Protection
Division of Recreation and Parks
Date of aerial, 2011

MANAGEMENT ZONES MAP



ALFRED B. MACLAY GARDENS STATE PARK



TOPOGRAPHIC MAP

Geology

Suwannee Limestone underlies the entirety of Leon County and was formed during the Oligocene epoch, which dates from about 34 to 23 million years before the present day. Suwannee Limestone is generally pale orange, partially recrystallized into a finely crystalline matrix, and often contains abundant microfossils; this stratum typically undergoes partial dolomitization to some degree, which entails the process by which magnesium ions replace calcium ions in calcite often as a result of water evaporation and may reduce the extent of observable microfossil content. Since this layer is significantly porous and permeable, it is the principle aquifer from which many wells draw groundwater, particularly on the county's eastern portion.

The St. Marks Formation overlies the Suwannee Limestone and developed during the Tampa Stage of the early Miocene epoch (beginning about 23 million years before the present). The St. Marks Formation consists of silty to sandy limestone that varies from pale orange to grayish orange in color, has undergone some degree of secondary dolomitization, and contains lower abundances of microfossils that are generally less identifiable than those found in its underlying stratum. Across the county, it is almost exclusively a subsurface formation with little surface exposure, however, its thickness is highly variable on account of its diminution by erosion or solution; in fact, it is currently absent from the basins of Lake Iamonia and Miccosukee a short distance from the park on account of these processes.

The Hawthorne Formation overlies the St. Marks Formation, having been deposited later in the Miocene epoch. It consists of a variety of minerals that often display intra-formation layering in the northern portion of Leon County with sandy, clayey, and phosphoritic silt overlying sand and sandy phosphoritic clays overtopping sandy phosphoritic limestone in the lower reaches (Hendry and Sproul 1966).


Soils

The fertile soils overlying the Tallahassee Hills supported the productive agricultural fields used by the pre-Columbian Apalachee people, antebellum planters, and the tenant farmers of the early 20th century. The majority of the park's acreage lying to the west of the powerline corridor and to the north of Lake Overstreet is dominated by Orangeburg fine sandy loam soils of various slopes ranging from 2 to 15 percent, which comprise much of the most dramatic topography. Orangeburg soils may also be found along portions of the eastern and southern boundaries. These soils are well drained with permeability that is moderately rapid and moderate in the surface and subsoil layers, respectively, contributing to a water table generally 72 inches below the surface throughout the year; water capacity is low and medium in the surface and subsoil layers, respectively.

At the other end of the spectrum are the Plummer fine sand soils, which fringe the lakeshores and underlie Gum Pond and most of the lower elevation bottomland forests. This is a relatively level, poorly drained soil with a water table occurring within 15 inches of the surface for 3 to 6 months during most years; permeability is moderately rapid and moderate in the surface and subsoil layers, respectively. Lucy fine sand, characterized by slopes between 0 and 8 percent, occupy most of the intervening land between these two extremes. Permeability is rapid and moderate in the surface and subsoil layers, respectively, contributing to a depth to the water table of typically 80 inches or more; available water capacity is low and moderate in the surface and subsoil layers, respectively. Addendum 4 contains complete soil descriptions.

The dramatic topography of the park lends itself to natural erosive processes over geological time scales. Adequate vegetative cover binds the soil with its root networks in order to ensure that this natural erosion proceeds at a very gradual rate so that nutrient rich topsoil is retained as organic matter decomposes. Since this area had experienced a long history of cultivation, it is unknown to what extent prehistoric and historic agricultural practices may have altered properties of surface soils. Some trails and primitive roads currently observed in the park have been recently created while others follow courses established in pre-Columbian times. In fact, the multi-use trail on the Overstreet Tract was the main road traversing this landscape since antebellum times; in contrast to newer trails, it is generally cut inches or even more than a foot below the surrounding soil surface. Park staff monitors these trails for signs of active erosion and implements corrective actions to mitigate this soil loss. A variety of approaches have been employed for this purpose. A particularly successful technique currently in use involves the creation of water diversion bars to channel flow away from the trail; these bars are composed of bags of crushed concrete overlain with loose crushed concrete material. The bag paper decomposes over time and the crushed concrete remains firm enough to remain in place yet permit percolation.

Steep trail and road grades should especially be monitored for soil loss. The most problematic section occurs where the bicycle trail in north-central zone I crosses the northerly ravine, particularly on the relatively steep north-facing slope. This has resulted in an uneven surface contour evident even during the short time since it was created. In order to determine the rate and pattern of soil loss from this feature, the park staff should initiate a photo point documentation program from fixed vantage points along the length of the problematic portions. The DRP should arrange for a professional contractor to assess this situation and provide recommendations so that a suitably effective remedy can be instituted. Depending on the situation, this expert would likely recommend the rerouting of (non-historic) trails, the resurfacing of trails with protective fabrics or materials, or the restriction of public use for chronically erosive areas. Other particularly problematic access road segments include the steep slopes on the north-south road leading down to the Lake Overstreet-Gum Pond canal



ALFRED B. MACLAY GARDENS STATE PARK

0 500 1,000 2,000 Feet
 Florida Department of Environmental Protection
 Division of Recreation and Parks
 Date of aerial, 2011

SOILS MAP

and the east-west road between the powerline corridor and the Three Oaks homesite; park staff monitors and repairs these areas as necessary.

Minerals

No mineral deposits of commercial value are found within the park.

Hydrology

Surface water flows toward the Lake Jackson drainage basin off park property with Lake Overstreet and Lake Hall dominating the surface hydrology in the park. Both are fed primarily by surface runoff from surrounding habitats, though relatively persistent water levels during times of severe drought may indicate the contribution of a subterranean water source. The deepest holes at Lake Hall are over 50 feet in depth. The lakes are not known to have ever dried up, which is rather atypical for lakes northern Leon County that are generally characterized by recession and recharge on a nearly cyclical basis. Lake Overstreet remains undeveloped while residential neighborhoods occupy the northern shoreline of Lake Hall; the park's main recreation / swimming area is also located on Lake Hall's southern shore. After significant storm events, high-level surface water historically flowed from Lake Hall through an artificial ditch that then sheet-flowed through a thin strip of bottomland forest into the southeast portion of Lake Overstreet; since the ditch's original construction, sediment deposition has raised the surface level of the canal so that mass water movement along this course is now relatively uncommon except in unusually high water events. Where an access road crosses this canal about midway between the two lakes, the original culvert is now submerged in the soil out of view and a latter day culvert sits above it.

Historically, water also overflowed south from Lake Elizabeth partially through a manmade ditch to then sheet flow through bottomland forest into the north end of Gum Pond; a water retention structure now occurs along the park boundary that blocks this water flow in the majority of cases at present. As the water level rises in Gum Pond, it overflows through bottomland forest, also channeled through an artificial ditch, into Lake Overstreet. The Little Gum Pond contributes additional water through an artificial ditch to the central ravine, occasionally augmenting the flow of a seepage stream, all of which flows into Gum Pond. Little Gum Pond was originally an isolated depression ephemerally flooded and with no outflow before construction of this ditch; other ditches in the park serve to amplify existing hydrological connections. Water from Lake Overstreet overflows through yet another artificial ditch passing through bottomland forest at the extreme southwestern end of the lake. This surface flow meanders along an ephemeral drainage and passes beyond the park boundary to ultimately enter the southeastern portion of Lake Jackson.

The Floridan aquifer underlies the entire Big Bend region, occurring primarily within the Suwannee Limestone but also flowing through permeable portions of the overlying St. Marks and Hawthorn Formations. Recharge to the aquifer comes from rainfall to

Leon County and southern Georgia. Shallow, perched water table aquifers are irregularly distributed throughout much of the Hawthorn and Miccosukee strata and can be depleted during prolonged droughts or through excessive withdrawals. These systems are characterized by water that is soft, turbid, and can be somewhat stained by high iron content.

All permanent water bodies within the park are designated as Outstanding Florida Waters and are managed as natural areas. Littoral zone disturbances outside of designated recreational areas are prohibited in an effort to deter unnatural erosion and help maintain the natural vegetative buffer vital to the water quality of the lakes. Park staff restrict the use of public boats on Lake Overstreet in order to prevent the introduction of invasive exotic vegetation, such as hydrilla or water hyacinth, that often occurs abundantly in other local lakes. The staff uses a boat with an outboard motor for various activities on both lakes, and this boat is thoroughly inspected for exotic vegetation prior to its infrequent launching on Lake Overstreet.

Ongoing baseline water quality monitoring is conducted through Florida Lakewatch in association with the University of Florida, Institute of Food and Agricultural Sciences. Lake Hall and Lake Overstreet are tested multiple times per year for total phosphorus, total nitrogen, total chlorophyll, and turbidity. From this data, spikes related to nutrient loading and increased turbidity related to runoff may be observed. The city of Tallahassee also conducts quarterly water testing from both lakes with the data being compiled into periodic reports; the most recent report was released in September 2009 and the next one is expected soon. This testing program has been ongoing since 1992 for Lake Hall and since 1998 for Lake Overstreet. The former has shown a trend of increasing water quality over an approximately 15 year period ending in 2008 (Lake Condition Index, or LCI, in the “Very Good” range); LCI for Lake Overstreet has been stable with an LCI in the “Good” range. Water quality in the park is potentially impacted through stormwater runoff from nearby residential and commercial property. Storm runoff structures in the vicinity of Thomasville Road, which runs along the park’s eastern boundary, serve to direct much of this flow toward a retention area less than one mile to the north.

The ditches connecting the lakes and basin swamps (Gum Pond and Little Gum Pond) represent alterations of the natural hydrological regime, primarily in terms of flow rates rather than redirection with the exception of Little Gum Pond. However, these canals are important cultural features, having been excavated in antebellum times likely with slave labor, which are registered in the Florida Master Site File. Given their historic status and the park’s emphasis on preserving the cultural landscape, restoration of the area’s hydrology through reburial of the canals is not an option.

Natural Communities

This section of the management plan describes and assesses each of the natural communities found in the state park. It also describes the desired future condition (DFC) of each natural community and identifies the actions that will be required to bring the community to its desired future condition. Specific management objectives and actions for natural community management, exotic species management, imperiled species management are discussed in the Resource Management Program section of this component.

The system of classifying natural communities employed in this plan was developed by the Florida Natural Areas Inventory (FNAI). The premise of this system is that physical factors such as climate, geology, soil, hydrology and fire frequency generally determine the species composition of an area, and that areas that are similar with respect to those factors will tend to have natural communities with similar species compositions. Obvious differences in species composition can occur, however, despite similar physical conditions. In other instances, physical factors are substantially different, yet the species compositions are quite similar. For example, coastal strand and scrub--two communities with similar species compositions--generally have quite different climatic environments, and these necessitate different management programs. Some physical influences, such as fire frequency, may vary from FNAI's descriptions for certain natural communities in this plan.

When a natural community within a park reaches the desired future condition, it is considered to be in a "maintenance condition." Required actions for sustaining a community's maintenance condition may include, maintaining optimal fire return intervals for fire dependent communities, ongoing control of non-native plant and animal species, maintaining natural hydrological functions (including historic water flows and water quality), preserving a community's biodiversity and vegetative structure, protecting viable populations of plant and animal species (including those that are imperiled or endemic), and preserving intact ecotones linking natural communities across the landscape.

The park contains seven distinct natural communities as well as developed areas (see Natural Communities Map). A list of known plants and animals occurring in the park is contained in Addendum 5.


UPLAND HARDWOOD FOREST

Desired future condition: Mature, closed canopy hardwood forest typically occurring on slopes and rolling hills with generally mesic conditions. Overstory tree species may consist of southern magnolia (*Magnolia grandiflora*), sweetgum (*Liquidambar styraciflua*), live oak (*Quercus virginiana*), laurel oak (*Quercus laurifolia*), Florida maple (*Acer saccharinum* subsp. *floridanum*), white oak (*Quercus alba*), and swamp chestnut oak

(*Quercus michauxii*). Understory species would include trees and shrubs such as American holly (*Ilex opaca*), flowering dogwood (*Cornus florida*), eastern redbud (*Cercis canadensis*), and beautyberry (*Callicarpa americana*). Ground cover would be comprised of shade tolerant herbaceous species, sedges and vines.

Description and Assessment: The majority of the terrestrial habitats in the park consist of upland hardwood forest. These areas had experienced extensive land use, especially agriculture, from the pre-Columbian era until the first half of the 20th century. As indicated in the Cultural Landscape Master Plan (CLMP; Jaeger and Penton 1999a), land use at any given time was far from uniform so that some areas were farmed as others were left fallow and succeeded to forest at different times. Consequently, one may observe a diversity of conditions in different regions of the park. For example, mature pines, such as longleaf and shortleaf pine (*Pinus palustris* and *Pinus echinata*), occur widely scattered throughout zones A and C amidst many species of hardwood trees. This area had been part of John Law's Lac-Cal quail hunting plantation around the turn of the 20th century, when it would have presumably been managed toward conditions favoring quail occupancy. Loblolly pines (*Pinus taeda*) had recruited in patches to some areas in proximity to Meridian Road when these areas were abandoned old fields decades ago, but they are now mature canopy-level individuals scattered among hardwood species with no significant growth of seedlings and hence minimal population regeneration. Isolated longleaf pine individuals may be occasionally observed scattered throughout the Overstreet Tract's upland hardwood forest. Despite the localized presence of pines occasionally encountered in this habitat, this community was here designated as upland hardwood forest instead of upland mixed forest given the complete absence of fire at this time as well as the lack of fine fuels to carry a fire, lack of pine recruitment, more mesic character predominant in the community, and the closed canopy condition in the majority of areas providing varying degrees of shade to understory vegetation. Some of the plant species that may be observed here include water oak (*Quercus nigra*), laurel oak (*Quercus hemisphaerica*), southern red oak (*Quercus falcata*), sweetgum (*Liquidambar styraciflua*), Southern Magnolia (*Magnolia grandiflora*), American holly (*Ilex opaca*), pignut hickory (*Carya glabra*), American beech (*Fagus grandifolia*), beauty berry (*Callicarpa americana*), deer berry (*Vaccinium stamineum*), wax myrtle (*Myrica cerifera*), yaupon (*Ilex vomitoria*), sparkleberry (*Vaccinium arboreum*), grape (*Vitis* sp.), greenbriar (*Smilax* sp.), Virginia creeper (*Parthenocissus quinquefolia*), partridge pea (*Chamaecrista fasciculata*), slender woodoats (*Chasmanthium laxum*), poison ivy (*Toxicodendron radicans*), yellow jessamine (*Gelsemium sempervirens*), trumpet vine (*Campsis radicans*), peppervine (*Ampelopsis arborea*), and basket grass (*Oplismenus hirtellus*).

Prior to the revisions of the FNAI natural community classification system in 2010, several stands now referred to as upland hardwood forest were then considered to be slope forests, and they occur in two general areas: along the three ravines in the



Legend

- UHF - Upland Hardwood Forest 823.83 ac.
- AF - Alluvial Forest 35.29 ac.
- BS - Basin Swamp 14.88 ac.
- BF - Bottomland Forest 38.62 ac.
- CULK - Clastic Upland Lake 172.86 ac.
- SKLK - Sinkhole Lake 1.16 ac.
- SST - Seepage Stream 2.76 ac.
- DV - Developed 79.53 ac.

ALFRED B. MACLAY GARDENS STATE PARK

0 500 1,000 2,000 Feet
Florida Department of Environmental Protection
Division of Recreation and Parks
Date of aerial, 2011

NATURAL COMMUNITIES MAP

western portion of the Overstreet Tract and along the steep slopes at the boundary with Thomasville Road. The central ravine contains the most well preserved of these forests in the park, a condition particularly remarkable given the long history of land use in this area. These slopes have a significant grade along most of this ravine's length, even attaining a relatively steep angle in some locations. Many of the trees are quite large, forming a dense canopy furnishing sufficient shade to maintain humid conditions to the understory. This enables a rich assemblage of herbaceous plants to thrive, including bloodroot, wakerobins, southern lady fern (*Athyrium asplenoides*), trout lilies (*Erythronium umbilicatum*), and green dragon. The only sign of significant past disturbance evident in this stand appears to have been the selective timbering of scattered trees.

The northerly ravine environment is drier than the central ravine, containing a more ephemeral seepage stream with typically limited water flow. The northern slope of this ravine supports a distinctive stand dominated by southern magnolia trees occupying about an acre that cover the ground surface in a thick layer of waxy leaves, hindering a thicker growth of groundcover herbs in the immediate vicinity. While this ravine achieves a significant grade in some locations, it is dominated by a much shallower slope than the central ravine. The southerly ravine is intermediate between the other two, but it is heavily infested with coral ardisia, bamboo, and other exotic plants.

The slope forests that occur in the vicinity of the sinkholes near Thomasville Road have a somewhat degraded understory, though there are many mature trees in this area that grow to impressive dimensions. The exotic plant infestation in this general vicinity, and throughout the eastern portion of zone A, was one of the most extensive in the park and this zone is adjacent to relatively dense suburban neighborhoods and a commercial area; contractors have treated this area in the recent past and dramatically reduced the abundance of exotic plants with follow up treatments provided by park staff.

General management measures: Exotic plant control is the most significant management concern for this community. Especially given their unique conditions and the presence of rare plant species, the central and northern ravines are high priority areas for treating exotic plants when they are encountered to preserve habitat quality. Work should continue to reduce the infestations in the southerly ravine and adjacent to Thomasville Road.

Erosion is also an issue affecting the Thomasville Road slope forests. A major drainage structure was constructed at the site of a deep and spreading gully leading into the filled and now dry sinkhole; another gully is located to the south but the surrounding vegetation appears to be containing its spread. Erosion has also occurred from a bicycle trail crossing the northerly ravine. These areas and other steep slopes should be

monitored for progressive loss of soil and corrective actions taken if deemed necessary to correct problem zones.

Otherwise, the upland hardwood forest requires minimal management measures since it does not typically burn and gap dynamics would serve to provide recruitment opportunities as the forest ages. Development, such as trail construction, should be minimized in portions of the park that currently lack significant penetration in order to maintain refugia for wildlife, especially in the north central areas of the park above Lake Overstreet and north of the multi-use trail that circles this lake.

CLASTIC UPLAND LAKE

Desired future condition: Clastic upland lakes are depressions or basins that occur over clay and organic substrates in upland environments. They range from shallow to relatively deep and are lentic (non-flowing) with surface water inflows but without significant regular outflows. The water is generally clear to colored, circum-neutral to slightly acidic, with low mineral content. Nutrient levels range from low (oligotrophic) to high (eutrophic) with corresponding levels of biological productivity depending on their geologic age and the surrounding upland habitats. Vegetation potentially associated with the shorelines or waters of these lakes includes bald cypress (*Taxodium distichum*), water hickory (*Carya aquatica*), water oak (*Quercus nigra*), sweetbay (*Magnolia virginiana*), sweetgum (*Liquidambar styraciflua*), Virginia willow (*Itea virginica*), wax myrtle (*Myrica cerifera*), St. John's wort (*Hypericum* spp.), elderberry (*Sambucus nigra* ssp. *canadensis*), sweetpepperbush (*Clethra alnifolia*), pickerelweed (*Pontederia cordata*), arrowheads (*Sagittaria* spp.), yellow waterlily (*Nymphaea mexicana*), American lotus (*Nelumbo lutea*), coontail (*Ceratophyllum demersum*), water milfoil (*Myriophyllum* spp.), bladderworts (*Utricularia* spp.), and pondweeds (*Potamogeton* spp.).

Description and Assessment: There are three clastic upland lakes occurring at least in part on park property: Lake Overstreet, Lake Hall, and Lake Elizabeth. Lake Hall is a 160 acre clastic upland lake of which approximately 56 acres are within park boundaries. Overall, the water of the lake is clear throughout most of the year, except after heavy rains and during periods of high visitation immediately around the swimming area. The lake is clay-bottomed with substantial organic deposits accumulating in deeper water. Submergent and emergent aquatic vegetation is thick along the shoreline. Substantial efforts are made by park staff to minimize the effect of fertilizers, pesticides, and herbicides from the ornamental garden along the Lake Hall shoreline. In addition, the swimming area on Lake Hall is a regionally important recreational resource and is heavily used on weekends during the summer. In the past, sand has been placed along the shoreline over the natural clay substrate to accommodate the recreational demand for a beach. The rare plant slender naiad (*Najas filifolia*) occurs in Lake Hall; this species is only known to occur in a relatively small assemblage of lakes in northern Florida and southern Georgia. The Invasive Plant

Management Section (IPMS) of the Florida Fish and Wildlife Conservation Commission (FWC) monitors and treats Lake Hall for exotic plant species, especially hydrilla (*Hydrilla verticillata*).

Lake Overstreet, which is entirely on park property, is one of the last remaining lakes in Leon County with a completely undeveloped shoreline. In the perimeter shallows, the lake supports a diverse assemblage of native, aquatic flora. No exotic plant species have been yet observed in the lake. In February 2010, park staff observed that an eagle nest had been constructed along the western shoreline of Lake Overstreet. It was tended by a mating pair, which appeared to have successfully reared chicks and were seen to have carried food up to them. After a period of inactivity, the eagles apparently have returned during January 2013. Staff plan to continue to maintain a conservation buffer around the nesting area in order to prevent human interference to the eagles' behavior. Only the extreme southern tip of Lake Elizabeth, about 1.5 acres, falls within the park boundary; much of this is now usually dry following the construction of the retention structure in the vicinity of the park boundary. All lakes are linked by historic canals excavated during antebellum times that facilitate water flow down the elevation gradient to eventually end up in Lake Jackson.

General management measures: Exotic plant control is a very important measure undertaken for the lakes. As mentioned, Lake Hall is treated by the IPMS across jurisdictional boundaries as needed for aquatic exotic plant species. There is one boat available to park staff for access to Lake Overstreet; all other boats are prohibited from embarking on this lake in order to protect it from exotic plant infestation. Water quality is measured by Florida Lakewatch and should be preserved by limiting development on the lake shores. While the canals represent very significant alterations to the existing hydrological regime of the lakes, their status as important cultural features dating back more than a century and a half preclude any possibility or desirability for hydrological restoration of these ground features.

SINKHOLE LAKE

Desired future condition: Relatively permanent and typically deep lake characterized by clear water with a high mineral content formed in depressions within a limestone base. Vegetative cover may range from being completely absent, consist of a fringe of emergent species, or be completely covered with floating plants. Typical plant species may include smartweed (*Polygonum* spp.), duckweed (*Lemna* spp.), bladderwort (*Utricularia* spp.), and rushes (*Juncus* spp.). Desired conditions include minimizing disturbances that cause unnatural erosion and minimizing pollution to the connected aquifer system.

Description and Assessment: Three unaltered sinkhole lakes occur in the park surrounded by forest cover and away from areas receiving typical public visitation.

One is located in the strip of land between the ornamental garden and Lake Overstreet, just west of the Bureau of Design and Construction complex; it is a substantial depression that is usually filled with water, but visitation during winter 2012 revealed it to be dry for the first time in park staffers' memory on account of an ongoing drought. Two others occur just downslope from Thomasville Road near the park's easternmost boundary; these lakes occasionally contain murky water and lacked significant coverage of aquatic vegetation at time of observation.

A couple years ago, the adjacent slopes below Thomasville Road had been extensively treated with herbicide by contractors for dense stands of exotic woody plants, such as coral ardisia (*Ardisia crenata*), camphor tree (*Cinnamomum camphora*), silverthorn (*Elaeagnus pungens*), nandina (*Nandina domestica*) as well as Japanese climbing fern (*Lygodium japonicum*). The treatment appears to have been rather effective as most targeted plants showed no significant sign of regrowth, though the groundcover vegetation is now sparse in areas. Once the native vegetation is able to reestablish in these areas, the water clarity may improve as sediment transport would decrease down the grade. Litter from the leaf fall may reduce to some degree the sediment reaching the water. There is a sizeable gully that extends along the slope and terminates in one of the lakes; it is fringed with extensive vegetation, including large trees, that anchors the soil around it and does not appear to have increased in recent times. The lake shoreline opposite the slope is heavily vegetated with typical upland hardwood forest species.

A third sinkhole along Thomasville Road had been severely impacted by the deposition of slope sediment from a different gully that had been enlarging at an alarming rate as it quickly lost soil. That sinkhole had been filled with enough material that it is currently a dry, sandy depression so lacking in sinkhole characteristics that it can now be considered a developed area. That erosion problem and the associated gully has been corrected with an extensive stormwater diversion structure in its place so that there now appears to be no significant loss of soil along that slope.

General management measures: As the surrounding habitat is treated for exotic plants and native vegetation replaces them over time, the area of exposed soil should decrease and deposit lower quantities of sediment into the water, which should improve water clarity. The sinkholes will continue to receive some degree of stormwater runoff from the well-traveled six-lane Thomasville Road; as mentioned above, county water diversion structures serve to decrease the quantity of stormwater flow down the slope so that much of this volume is transported to a retention pond north of this location off park property.

BASIN SWAMP

Desired future condition: These communities are highly variable in size, shape and species composition and may have an extended hydroperiod of up to 200-300 days.

While mixed species canopies are common, the dominant trees will be pond cypress and swamp tupelo. Canopy species may include pond cypress (*Taxodium ascendens*), black gum (*Nyssa biflora*), slash pine (*Pinus elliottii*), red maple (*Acer rubrum*), sweetbay (*Magnolia virginiana*), loblolly bay (*Gordonia lasianthus*), and sweetgum (*Liquidambar styraciflua*). Depending upon hydroperiod, the understory shrub component can be throughout or concentrated around the perimeter. Shrub species can include a variety of species including Virginia willow (*Itea virginica*), swamp dogwood (*Cornus foemina*), wax myrtle (*Myrica cerifera*), and titi (*Cyrilla racemiflora*). The herbaceous component is also variable and may include a wide variety of species such as maidencane (*Panicum hemitomon*), ferns, arrowheads (*Sagittaria* spp.), lizard's tail (*Saururus cernuus*), false nettle (*Boehmeria cylindrica*), and sphagnum moss (*Sphagnum* spp.). Soils will be typically acidic, nutrient poor peats often overlying a clay lens or other impervious layer.

Description and Assessment: Two areas west of the powerline corridor may be described as basin swamps, which are named Gum Pond and Little Gum Pond. Gum Pond is linked to a complex hydrological system accepting water flow from two of the ravines and Lake Elizabeth overflow with the water flowing on to Lake Overstreet. Mature, buttressed black gum (*Nyssa biflora*) grows on the western portion of Gum Pond and red maple and sweet bay is common along its fringe. Water loosestrife (*Decodon verticillatus*) is common in the standing water of the swamp. Gum Pond has been observed over the years to support a rookery with great blue heron and anhinga nests. Little Gum Pond was naturally more isolated than Gum Pond and, being much shallower and gradual in relief, had a more ephemeral character. The overstory is dominated by sweetgum with red maple also present. Understory species include a scattering of persimmon, buttonbush, smartweed, meadow beauty, maidencane, big cord grass, peppervine, and St. John's Wort. The exotic tree Chinese tallow may also be observed in varying age classes distributed around the basin. Distinctive features common to both swamps are the artificially excavated canals initially constructed during antebellum times in order to facilitate the drainage of surface water, thus increasing acreage available for productive agricultural fields or grazing. While the canals associated with Gum Pond promoted drainage through existing bottomland forest stands from Lake Elizabeth to Lake Overstreet, a deep canal linking Little Gum Pond to the western portion of the central ravine established a hydrological connection not previously present.

General management measures: While the canals represent very significant alterations to the existing hydrological regime of the basin swamps, their status as important cultural features dating back more than a century and a half preclude any possibility or desirability for hydrological restoration of these communities. The main management goal for these swamps is to control or prevent exotic plant establishment in these areas.

BOTTOMLAND FOREST

Desired future condition: A fairly low lying, mesic community prone to periodic flooding. Vegetation will consist of a mature closed canopy of deciduous and evergreen trees. Overstory species may consist of species such as sweetgum (*Liquidambar styraciflua*), sweetbay (*Magnolia virginiana*), water oak (*Quercus nigra*), live oak (*Quercus virginiana*), swamp chestnut oak (*Quercus michauxii*), loblolly pine (*Pinus taeda*), red maple (*Acer rubrum*), and spruce pine (*Pinus glabra*). Under story may be open or dense. Understory species would typically include wax myrtle (*Myrica cerifera*), dwarf palmetto (*Sabal minor*), and swamp dogwood (*Cornus foemina*). Presence of groundcover is variable and may consist of witchgrass (*Dicanthelium* sp.) and various sedges (*Carex* spp.).

Description and Assessment: Bottomland forests occur along linear troughs that connect and ultimately drain the various water bodies during periods of high rainfall. Bottomland forest forms the natural high water connection via surface flow between Lake Hall, Lake Overstreet, Lake Elizabeth, Gum Pond, and Lake Jackson (off park property). All water bodies are now connected by excavated canals to facilitate water flow and drainage, ultimately exiting the park just west of the powerline corridor to eventually end up in Lake Jackson. It should be noted that hydrological alterations, most significantly the channeling of surface water flow within the canals, have most likely reduced the frequency of flooding over these soils so that it is now a relatively uncommon event. The prior character of this habitat was likely much wetter than it is now as sheet flow following rainy periods would have saturated the substrate.

Water flowing from the seepage streams passes from the northerly two ravines into the flat topography of the bottomland forest. From there, it enters Gum Pond on its way toward Lake Jackson. Two other relatively small areas of bottomland forest occur along the park boundary near the northern end of the powerline corridor and near the southernmost ravine. The understory here is variable: some portions are occupied by tall trees with a thick canopy creating a moist environment for abundant herbaceous groundcover while other portions are dense with vegetation so as to be practically impenetrable. Plant species observed in this community type include black gum (*Nyssa biflora*), red maple (*Acer rubrum*), sugarberry (*Celtis laevigata*), sweetgum (*Liquidambar styraciflua*), laurel oak (*Quercus hemisphaerica*), ironwood (*Carpinus caroliniana*), Virginia willow (*Itea virginica*), sweetbay (*Magnolia virginiana*), horse sugar (*Symplocos tinctoria*), basswood (*Tilia americana*), lizard's tail (*Saururus cernuus*), royal fern (*Osmunda regalis*), netted chain fern (*Woodwardia areolata*), bog hemp (*Boehmeria cylindrica*), and sensitive fern (*Onoclea sensibilis*).

General management measures: While the canals represent very significant alterations to the existing hydrological regime of the alluvial forests, their status as important cultural features dating back more than a century and a half preclude any possibility or

desirability for hydrological restoration of these communities. The main management goal for these forests is to control or prevent exotic plant establishment in these areas. Exotic plants, including coral ardisia, camphor tree, and Japanese honeysuckle, occur in sections of this community type, particularly adjacent to the canal between Lake Overstreet and Gum Pond.

SEEPAGE STREAM

Desired future condition: Narrow, relatively short perennial or intermittent stream formed by percolating water from adjacent uplands. Water color will be clear to slightly colored, with a fairly slow flow rate and fairly constant temperature. Bottom substrate is typically sandy, but may include gravel or limestone.

Description and Assessment: Rain falling on the uplands percolates over time through the semi-permeable soils to supply several seepage streams. These watercourses have been instrumental in shaping the dramatic topography of the ravines located in the western half of the park. There are three ravines in this area: two are north of the multi-use trail and flow into bottomland forest and then into the Gum Pond, and one south of this trail which flows off park property at the southern boundary. The central ravine, which receives water flow from the Little Gum Pond canal during heavy rains, carries the most water regardless of the canal input and usually has surface flow to some degree. The other two streams are of a lower magnitude and are more likely to lack surface flow during drier conditions, particularly the northerly one. The clear waters flow over sandy bottoms in most places, though in some locations the water has cut down to limestone bedrock to create a picturesque series of short waterfalls. The steeper banks adjacent to the streams support cool, moist conditions, allowing draperies of ferns such as southern lady fern and ebony spleenwort. Other plants found within or adjacent to the streams include sphagnum moss, sensitive fern, chain ferns, partridge berry, Christmas fern, liverwort, cinnamon fern, and giant cane.

General management measures: The main management goal for these streams is to control or prevent exotic plant establishment. Control efforts have reduced the frequency and abundance of exotic plants in the vicinity of the central ravine's stream while establishment of exotic plants along the northerly stream had proceeded more slowly than the other two. However, the southerly stream is occupied by extremely dense stands of coral ardisia and, to a lesser extent, other species such as wild taro; dense infestations occur beyond the park boundary. Control efforts are currently focusing on the southerly ravine to reduce these infestations. The banks of the streams should be monitored for signs of erosion, particularly as the coral ardisia is treated along the southerly ravine.

DEVELOPED

Desired future condition: The developed areas within the park will be managed to minimize their effect on adjacent natural areas. Priority invasive plant species (FLEPPC Category I and II species) will be removed from developed areas. Stormwater management is another priority in these areas.

Description and Assessment: Developed areas include the picnic area, ornamental gardens, the Maclay estate, maintenance buildings, and vernacular homes as well as the Bureau of Design and Construction building complex. A north-south running powerline right-of-way, about 30 acres in size, cuts across upland hardwood forest, bottomland forest, and a portion of Lake Overstreet. A major erosional gully leading downslope from Thomasville Road into a sinkhole has been replaced with an elaborate stormwater diversion structure that has arrested soil loss on the slope.

General management measures: Park staff should continue to monitor developed areas for exotic plant species and stormwater flooding issues and provide treatment or corrective actions, respectively, as necessary.

Imperiled Species

Imperiled species are those that are (1) tracked by FNAI as critically imperiled (G1, S1) or imperiled (G2, S2); or (2) listed by the U.S. Fish and Wildlife Service (USFWS), Florida Fish and Wildlife Conservation Commission (FFWCC) or the Florida Department of Agriculture and Consumer Services (FDACS) as endangered, threatened or of special concern.

Alfred B. Maclay Gardens State Park supports 14 imperiled plant species occurring in a variety of habitats. Most of the naturally occurring species occur in the ravines and, for some taxa, the adjacent bottomland forests to a lesser extent, including southern lady fern (*Athyrium filix-femina*), dimpled trout lily (*Erythronium umbilicatum*), heartleaf wild ginger (*Hexastylis arifolia*), and green adder's mouth (*Malaxis unifolia*). The management imperative for most of these species is to maintain and/or enhance the habitat quality of the ravines by controlling exotic plant infestations, monitoring for erosion, and preserving natural buffers by minimizing foot disturbance off of existing trails. No signs of significant foot traffic were evident at the time of survey; if park staff observes unofficial trails penetrating this habitat, they should erect signage and try to divert this entry.

Bay starvine is particularly rare at this time where it is known to occur in the central ravine. Four mature individuals were identified in the last five years at specific locations. Unfortunately, the tall southern magnolia supporting the largest specimen toppled over a couple years ago and almost the entire aboveground portion died in the following months; several small runners were observed in summer 2011 to have

sprouted from its base. Two very small recruits were identified just downslope from the fallen vine and their locations have been marked. The other three known mature individuals have not been observed for several years and are believed to have died. In 2009, park staff collected seed and have grown seedlings in the park greenhouse for eventual reintroduction. Exotic plant control technicians are shown where the surviving vines occurred and instructed to use extreme caution when treating infestations to avoid non-target damage. Since the bay starvine may appear somewhat similar to the exotic Japanese honeysuckle (*Lonicera japonica*), these employees should be particularly aware of the difference between these species in order to avoid harming the imperiled plant. A search during fall 2012 failed to find any surviving individuals, which may be attributable to drought conditions prevalent during this time. Four potted seedlings, introduced to the vicinity during February 2012, also died and wire rings placed around them had been disturbed by wildlife. The staff continues to maintain seedlings in the greenhouse for future introductions and future stock plants.

The shallows of Lake Hall provide habitat for the rare aquatic species, the slender naiad (*Najas filifolia*), which infrequently occurs in a small assemblage of north Florida and south Georgia lakes. Active monitoring of this species during the growing season would assist with monitoring its persistence. Unfortunately, Lake Hall also harbors recurring infestations of aquatic exotic plants, particularly hydrilla. When IPMS personnel treat these infestations, they should survey for its presence and provide for its protection in the course of their herbicide applications in order to prevent non-target damage.

Other plants featured in Table 2 below are planted in the ornamental garden and are not currently known to occur naturally in the undeveloped habitats of the park. They are cared for and maintained as part of the routine upkeep of the garden. Many of these individuals, particularly the endangered Torreya trees (*Torreya taxifolia*), are quite healthy and robust even in comparison with their natural conspecifics occurring in other locations in the region. There are 100 Torreya individuals planted and incorporated into the ornamental gardens, which are carefully monitored and tended by the park staff; in the past, various staff members have conducted research involving seed propagation and fungal infestations in the Torreya trees.

There is also a variety of imperiled animal species occurring in the park. The wading birds may be commonly observed foraging or perched along the lakes or Gum Pond. Preserving the undeveloped condition along the shorelines, particularly Lake Overstreet, as well as retaining dead snags for perches in these locations assists in their persistence. Gopher tortoises are occasionally observed foraging on the grass along the powerline corridor; there have even been intermittent reports of burrows existing along this right-of-way. Staff operating mowers over this ground should watch for tortoises and avoid damage to the burrows. Observations of tortoises or suspected burrows are

recorded by park staff in a log. There have been several reports over the past decade of Sherman's fox squirrels being observed in the park; it is not known whether these squirrels currently inhabit the park or may have been transients from nearby undeveloped parcels north of the park boundary.

There have also been isolated accounts of black bears being observed in the park or in the surrounding parcels; preservation of undeveloped woodland would benefit these bears when they happen to wander onto the property. Education and outreach on all imperiled species and efforts undertaken for their conservation would be a positive way in which to provide interpretation to the park visitors.

Table 2 contains a list of all known imperiled species within the park and identifies their status as defined by various entities. It also identifies the types of management actions that are currently being taken by DRP staff or others, and identifies the current level of monitoring effort. The codes used under the column headings for management actions and monitoring level are defined following the table. Explanations for federal and state status as well as FNAI global and state rank are provided in Addendum 6.

Table 2: Imperiled Species Inventory						
Common and Scientific Name	Imperiled Species Status				Management Actions	Monitoring Level
	FFWCC	USFWS	FDAC S	FNAI		
PLANTS						
Southern lady fern <i>Athyrium filix-femina</i>			LT		2, 10, 13	Tier 1
Dimpled trout lily <i>Erythronium umbilicatum</i>			LE	S2,G5	2, 10, 13	Tier 1
Heartleaf wild ginger <i>Hexastylis arifolia</i>			LT	S3,G5	2, 10, 13	Tier 1
Mountain laurel <i>Kalmia latifolia</i>			LT	S3,G5	13	Tier 1
Ashe's magnolia <i>Magnolia ashei</i>			LE	S2,G2	2, 10, 13	Tier 1
Green adder's mouth <i>Malaxis unifolia</i>			LE	S3,G5	2, 10, 13	Tier 1
Southern crabapple <i>Malus angustifolia</i>			LT		2, 10, 13	Tier 1

Table 2: Imperiled Species Inventory						
Common and Scientific Name	Imperiled Species Status				Management Actions	Monitoring Level
	FFWCC	USFWS	FDAC S	FNAI		
Slender naiad <i>Najas filifolia</i>			LT	S1,G1	2, 13	Tier 2
Alabama azalea <i>Rhododendron alabamense</i>			LE	S2,G4	13	Tier 1
Orange azalea <i>Rhododendron austrinum</i>			LE	S3,G3 G4	13	Tier 1
Chapman's rhododendron <i>Rhododendron chapmanii</i>		LE	LE	S1,G1	13	Tier 1
Bay starvine <i>Schisandra glabra</i>			LE		2, 3, 13	Tier 2
Florida yew <i>Taxus floridana</i>			LE	S2,G2	13	Tier 1
Florida torreya <i>Torreya taxifolia</i>		LE	LE	S1,G1	13	Tier 1
REPTILES						
American alligator <i>Alligator mississippiensis</i>		FT(S/A)		S4, G5	2, 10, 13	Tier 1
Gopher tortoise <i>Gopherus polyphemus</i>	ST			S3, G3	10, 13	Tier 1
BIRDS						
Little blue heron <i>Egretta caerulea</i>	SSC			S4	2, 10, 13	Tier 1
Snowy egret <i>Egretta thula</i>	SSC			S4	2, 10, 13	Tier 1
Tricolored heron <i>Egretta tricolor</i>	SSC			S4	2, 10, 13	Tier 1
Southeastern American kestrel <i>Falco sparverius paulus</i>	ST			S3	2, 13	Tier 1
Wood stork <i>Mycteria americana</i>		FE		S2, G4	2, 10, 13	Tier 1
MAMMALS						

Table 2: Imperiled Species Inventory						
Common and Scientific Name	Imperiled Species Status				Management Actions	Monitoring Level
	FFWCC	USFWS	FDACS	FNAI		
Florida black bear <i>Ursus americanus floridanus</i>	ST			S2	10, 13	Tier 1
Sherman's fox squirrel <i>Sciurus niger shermani</i>	SSC			S2,G5 T2	10, 13	Tier 1

Management Actions:

1. Prescribed Fire
2. Exotic Plant Removal
3. Population Translocation/ Augmentation/ Restocking
4. Hydrological Maintenance/ Restoration
5. Nest Boxes/ Artificial Cavities
6. Hardwood Removal
7. Mechanical Treatment
8. Predator Control
9. Erosion Control
10. Protection from visitor impacts (establish buffers)/law enforcement
11. Decoys (shorebirds)
12. Vegetation planting
13. Outreach and Education
14. Other [If referenced in table, provide discussion in narrative]

Monitoring Level:

- Tier 1.** Non-Targeted Observation/Documentation: includes documentation of species presence through casual/ passive observation during routine park activities (i.e. not conducting species-specific searches). Documentation may be in the form of *Wildlife Observation Forms*, or other district specific methods used to communicate observations.
- Tier 2.** Targeted Presence/Absence: includes monitoring methods/activities that are specifically intended to document presence/absence of a particular species or suite of species.
- Tier 3.** Population Estimate/Index: an approximation of the true population size or population index based on a widely accepted method of sampling.

- Tier 4.** Population Census: A complete count of an entire population with demographic analysis, including mortality, reproduction, emigration, and immigration.
- Tier 5.** Other: may include habitat assessments for a particular species or suite of species or any other specific methods used as indicators to gather information about a particular species.

Detailed management goals, objectives and actions for imperiled species in this park are discussed in the Resource Management Program section of this component and the Implementation Component of this plan.

Exotic Species

Exotic species are plants or animals not native to Florida. Invasive exotic species are able to out-compete, displace or destroy native species and their habitats, often because they have been released from the natural controls of their native range, such as diseases, predatory insects, etc. If left unchecked, invasive exotic plants and animals alter the character, productivity and conservation values of the natural areas they invade.

By far, the most significant threat to the integrity of natural habitats and imperiled species at the park consists of exotic plant infestation. The park, by virtue of its location near Tallahassee at a regional nexus of infestation and likely as a side effect of its long history of human habitation and agriculture, has a serious problem with these invasive plants. In some areas, the plants grow very dense and even achieve the dominant ground coverage in some stands. There is a general gradient in exotic plant infestation whereby frequency, abundance, and diversity of these pest plants increases from Meridian Road in the west to Thomasville Road in the east. Notable and unfortunate exceptions to this trend are the infestations that have at some time affected the most valuable habitat in the park, the ravines. The relatively cool, moist conditions so favorable for native plant growth in these habitats also have very productive potential for invasive plant growth and expansion once established. At present, vigorous treatment with herbicides or hand pulls has greatly reduced the occurrence of these plants in the central ravine. On the other end of the spectrum, the southerly ravine, proximal to very thick stands of exotic plants across the park boundary, supports extremely high densities of these species, especially monocultures of coral ardisia and dense areas of bamboo (*Bambusa* sp.; not a FLEPPC species); this area is currently the primary target of intensive efforts to control these infestations. The northerly ravine supports a scattering of exotic plants, including coral ardisia, Japanese climbing fern, and Mariana maiden fern (*Macrothelypteris torresiana*; not currently a FLEPPC invasive species).

The prioritization of exotic plant control is based on treating or preventing infestations from particular areas or distinctive habitats. Given the importance of the ravines in terms of rare plant presence and maintaining habitat quality in general, these areas have

the highest priority. Maintaining past progress in reducing infestations, and treating scattered exotic plants before they increase in abundance and become serious problems, in the northern and central ravines has the highest priority; surveillance and treatment when necessary should continue on an ongoing basis. The next highest priorities would entail long term efforts extending over the next planning cycle and includes: (1) reducing the very high densities of coral ardisia and other pest plants growing on and around the southerly ravine (zone L), (2) continuing to monitor and treat areas that had been intensively treated by IPMS or DRP staff in the recent past (zones A, B, C, F) in order to retain gains, and (3) targeting along and around corridors (trails, access roads, rights of way) where the likelihood of spreading propagules is higher. Predominant species occurring in these areas include coral ardisia, Japanese climbing fern, camphor tree, glossy privet, and nandina. Given the scale of the problem, these items are pursued in parallel throughout the year in order to prevent losing ground on any one item.

Up until a few years ago, staffing shortages have meant that making significant progress on treating these infestations was extremely challenging. At that time, a budgetary allocation dedicated toward exotic species control has enabled the hiring of multiple technicians solely committed to treatment efforts as well as the purchase of adequate equipment and herbicides to confront the problem. This has been an enormous boon in terms of reducing these infestations. These employees work in a variety of zones in the park, but effort is most concentrated at the sites with the highest need as a result of the most urgent threat to the valuable natural resources, the ravines. An exotic plant management plan is in effect to provide guidance toward establishing priorities for control.

Other labor sources are also utilized in order to combat the infestations. Every year, a proposal has been submitted to the Invasive Plant Management Section (IPMS) of FWC in order to seek contractor assistance on exotic plant control for selected target zones. While budget reductions in the last few years affecting IPMS have impacted its ability to fund all projects submitted, the contracted labor has been very helpful in confronting the exotic plant problem at the park. Most notably, these contractors have extensively treated exotic plants in zones A, B, and C to greatly reduce the extent of monocultures present in portions of these areas. Labor sources also utilized in this effort include AmeriCorps volunteers as well as nonaffiliated volunteers living in the vicinity. IPMS employees have also treated aquatic invasive plants occurring on Lake Hall, especially the aggressive weed, hydrilla; they monitor the quantity of exotic infestation on the lake every year and treat it as needed, achieving significant control. They remain vigilant to avoid impacts to the imperiled species slender naiad (*Najas filifolia*), which also occurs in Lake Hall. Fortunately, aquatic exotic plants have not been observed so far on Lake Overstreet, which retains its high habitat quality; in order to preserve this condition, park staff restrict access on these waters and non-park watercraft are not permitted.

They will continue to monitor this lake for exotic plants and arrange for control if necessary. Efforts to inform neighbors and the public at large about prevention of aquatic exotic plant spread between lakes are ongoing, including signage on site, educational handouts, incorporation into interpretive programs, and discussion at public meetings.

In the course of treating these dense infestations, several considerations must be kept in mind. Given the abundance of these exotic plants and the herbicide application necessary to control them, prevention of non-target effects on adjacent native plants should continue to be practiced. Thus far, no significant deleterious effects have been observed for the over- and understory in high intensity treatment areas; declines in native plants in the vicinity should always be monitored for so that adjustments to strategy can be implemented. Also, herbicides determined to have potentially damaging effects on water resources and the creatures that inhabit them (e.g. Garlon-4, Roundup) should not be applied in proximity to surface waters; a suitable herbicide safe for aquatic applications (e.g. Rodeo) should be used instead. In areas with intensive treatment and subsequent extermination of high densities of exotic plants, park staff should monitor for soil erosion, particularly along slopes or areas with flowing water, and provide corrective action if necessary.

Some of the same exotic plants currently impacting natural areas are included in portions of the ornamental garden and its vicinity, including about half a dozen very massive camphor trees. Given their longevity and original planting by the Maclays, they are now considered to be part of the cultural heritage of the park and its garden. The park staff work to ensure that these plants do not spread propagules to the surrounding landscape by closely monitoring the developed and natural areas in the vicinity of the gardens for seedlings and treating or hand pulling them when encountered. Park and district staff will collaborate on drafting a plan that seeks to remove the FLEPPC invasive exotic plant species from the ornamental gardens as part of an incremental approach over the next planning cycle.

Table 3 contains a list of the Florida Exotic Pest Plant Council (FLEPPC) Category I and II invasive, exotic plant species found within the park (FLEPPC, 2009). The table also identifies relative distribution for each species and the management zones in which they are known to occur. An explanation of the codes is provided following the table. For an inventory of all exotic species found within the park, see Addendum 5.

Table 3: Inventory of FLEPPC Category I and II Exotic Plant Species			
Common and Scientific Name	FLEPPC Category	Distribution	Management Zone (s)
PLANTS			
Mimosa Albizia julibrissin	I	2	A, B
Tung oil tree Aleurites fordii	II	2	K, L
Coral ardisia Ardisia crenata	I	2,3,4	A, B, C, D, E, F, G, H, I, J, K, L, N
Camphor tree Cinnamomum camphora	I	2,3,4	F, I, K, M
Wild taro Colocasia esculenta	I	2,3	L
Silverthorn Elaeagnus pungens	II	2,3	A, F, H
Water hyacinth Eichhornia crassipes	I	3	M, O, P
Japanese privet Ligustrum japonicum	I	2	A
Glossy privet Ligustrum lucidum	I	2,3	D, F, G
Chinese privet Ligustrum sinense	I	2,3	A, B, C, D, E, F, I
Japanese honeysuckle Lonicera japonica	I	2	A, B, C, E, F, G, H, I, K, L, N
Japanese climbing fern Lygodium japonicum	I	2,3	A, B, C, E, F, G, H, I, K, L, N
Cat claw vine Macfadyena unguis-cati	I	2	N
Nandina Nandina domestica	I	2	C, E, F, G, H, J, L, N
Skunk vine Paederia foetida	I	2,3	N
Golden bamboo Phyllostachys aurea	II	3	A, D, F, H, L

Table 3: Inventory of FLEPPC Category I and II Exotic Plant Species			
Common and Scientific Name	FLEPPC Category	Distribution	Management Zone (s)
Kudzu <i>Pueria montana</i>	I	2,3	I
Chinese tallow tree <i>Sapium sebiferum</i>	I	2,3	B, K, L, N
Tropical soda apple <i>Solanum viarum</i>	I	2	A, C
Chinese wisteria <i>Wisteria sinensis</i>	II	2	A

Distribution Categories:

- 0 No current infestation: All known sites have been treated and no plants are currently evident.
- 1 Single plant or clump: One individual plant or one small clump of a single species.
- 2 Scattered plants or clumps: Multiple individual plants or small clumps of a single species scattered within the gross area infested.
- 3 Scattered dense patches: Dense patches of a single species scattered within the gross area infested.
- 4 Dominant cover: Multiple plants or clumps of a single species that occupy a majority of the gross area infested.
- 5 Dense monoculture: Generally, a dense stand of a single dominant species that not only occupies more than a majority of the gross area infested, but also covers/excludes other plants.
- 6 Linearly scattered: Plants or clumps of a single species generally scattered along a linear feature, such as a road, trail, property line, ditch, ridge, slough, etc. within the gross area infested.

Exotic animal species include non-native wildlife species, free ranging domesticated pets or livestock, and feral animals. Because of the negative impacts to natural systems attributed to exotic animals, the DRP actively removes exotic animals from state parks, with priority being given to those species causing the greatest ecological damage.

In some cases, native wildlife may also pose management problems or nuisances within state parks. A nuisance animal describes a native animal whose presence or activities create special management problems. Examples of animal species from which nuisance cases may arise include raccoons, venomous snakes, and alligators that are in public areas. Nuisance animals are dealt with on a case-by-case basis in accordance with the DRP's Nuisance and Exotic Animal Removal Standard.

There are four exotic animals present in the park. Armadillos are considered an exotic species east of Louisiana. Armadillos are largely nocturnal but are occasionally seen foraging by day. These omnivorous mammals prey upon salamanders and compete with native fauna for insects and other forest invertebrates. Additionally, their rooting can affect sensitive slope forest and ravine herbs. Armadillos are a particular concern within the ornamental gardens where their rooting disturbs groundcover and deteriorates the cultural landscape. Especially given its developed surroundings, cats occasionally prowl within the park. They are capable of impacting native fauna by killing birds and small mammals and reptiles. Rats can be problematic to the park when they inhabit buildings by causing structural damage over time, thus accelerating deterioration and increasing maintenance issues; capable of carrying diseases affecting humans, they can also present health hazards. Coyotes have also been observed occasionally in sections of the Overstreet tract and around Lake Hall.

Native species such as southern pine beetles and alligators can be problematic within the park. Southern pine beetles have been known to attack some of the pines on a small scale. Of particular concern is the small area of mature longleaf pines above Lake Hall. Lightning struck pines in or near this area should be promptly removed in order to minimize the risk of infestation in adjacent longleaf pines. Beetle infested tree removals would be conducted in coordination with Florida Forest Service. Alligators occasionally move into the swimming areas. Interpretative signs have been erected to warn visitors not to feed the alligators. Alligators are removed only when staff efforts to discourage them from entering the swimming area prove unsuccessful.

Detailed management goals, objectives and actions for management of invasive exotic plants and exotic and nuisance animals are discussed in the Resource Management Program section of this component.

Special Natural Features

The clastic upland lakes (Lake Hall and Lake Overstreet), sinkhole lakes, and ravines are considered special natural features at this park. Lake Overstreet is one of the last lakes of this size in Leon County with a completely forested and undeveloped shoreline, and it is unique in this area for not containing exotic plant infestations. Both Lake Overstreet and Lake Hall are important natural resources providing excellent habitat for freshwater fish, otters, alligators, turtles, and migratory wildfowl. The ravines are scenic drop-offs at the bases of which are natural seepage streams. The park's dramatic

ravines and associated biota should be regarded as special natural features. These topographical features are unusual within the state of Florida and harbor a distinct habitat highly reminiscent of the Appalachian region.

It should be noted that one of the primary emphases of the park is to preserve and interpret the cultural resources and history of human habitation, both from indigenous and modern historical times.

Cultural Resources

This section addresses the cultural resources present in the park that may include archaeological sites, historic buildings and structures, cultural landscapes and collections. The Florida Department of State (FDOS) maintains the master inventory of such resources through the Florida Master Site File (FMSF). State law requires that all state agencies locate, inventory and evaluate cultural resources that appear to be eligible for listing in the National Register of Historic Places. Addendum 7 contains the FDOS, Division of Historical Resources (DHR) management procedures for archaeological and historical sites and properties on state-owned or controlled properties; the criteria used for evaluating eligibility for listing in the National Register of Historic Places, and the Secretary of Interior's definitions for the various preservation treatments (restoration, rehabilitation, stabilization and preservation). For the purposes of this plan, significant archaeological site, significant structure and significant landscape means those cultural resources listed or eligible for listing in the National Register of Historic Places. The terms archaeological site, historic structure or historic landscape refer to all resources that will become 50 years old during the term of this plan.

Condition Assessment

Evaluating the condition of cultural resources is accomplished using a three-part evaluation scale, expressed as good, fair and poor. These terms describe the present condition, rather than comparing what exists to the ideal condition. Good describes a condition of structural stability and physical wholeness, where no obvious deterioration other than normal occurs. Fair describes a condition in which there is a discernible decline in condition between inspections, and the wholeness or physical integrity is and continues to be threatened by factors other than normal wear. A fair assessment is usually a cause for concern. Poor describes an unstable condition where there is palpable, accelerating decline, and physical integrity is being compromised quickly. A resource in poor condition suffers obvious declines in physical integrity from year to year. A poor condition suggests immediate action is needed to reestablish physical stability.

Level of Significance

Applying the criteria for listing in the National Register of Historic Places involves the use of contexts as well as an evaluation of integrity of the site. A cultural resource's significance derives from its historical, architectural, ethnographic or archaeological

context. Evaluation of cultural resources will result in a designation of NRL (National Register or National Landmark Listed or located in an NR district), NR (National Register eligible), NE (not evaluated) or NS (not significant) as indicated in the table at the end of this section.

There are no criteria for use in determining the significance of collections or archival material. Usually, significance of a collection is based on what or whom it may represent. For instance, a collection of furniture from a single family and a particular era in connection with a significant historic site would be considered highly significant. In the same way, a high quality collection of artifacts from a significant archaeological site would be of important significance. A large herbarium collected from a specific park over many decades could be valuable to resource management efforts. Archival records are most significant as a research source. Any records depicting critical events in the park's history, including construction and resource management efforts, would all be significant.

The following is a summary of the FMSF inventory. In addition, this inventory contains the evaluation of significance.

Pre-Historic and Historic Archaeological Sites

Desired future condition: All significant archaeological sites within the park that represent Florida's cultural periods or significant historic events or persons are preserved in good condition in perpetuity, protected from physical threats and interpreted to the public.

Description: The park encompasses a landscape with a long history of pre-Columbian inhabitation, which has left many traces still evident in a multitude of archaeological sites (Doran 1992; Jaeger and Penton 1999a, 1999b; Keel 1999). The park property occupies an area known as the Tallahassee Hills, which is a subset of the wider region of the Red Hills and it contains some of its highest elevations. This rolling terrain is highly atypical of the rest of the landscape dominating the state and contains soils chiefly composed of clayey and sandy components, which provided productive land for agriculture. These soils, along with plentiful rain and abundant lakes formed in underlying limestone depressions, had permitted indigenous people, the Apalachee, to thrive and raise crops long before the arrival of the European explorers. Investigations thus far in the park have uncovered archaeological sites of camps and villages dating through the Deptford, Weeden Island, Fort Walton, and Leon-Jefferson periods as well as a number of prehistoric sites of uncertain age, representing a known span of about 2,000 to 3,000 years. Many of these sites were located by conducting shovel tests of areas deemed likely to have been utilized by prehistoric people based on their location in relation to significant landforms or resources, such as in proximity to lakes or on raised ground yielding good vantage points for the surroundings. Other sites have been located as a result of monitored construction activities or along existing trails. Still

other archaeological artifacts were uncovered while studying historic structures and sites. While archaeological sites at this park may contain artifacts from a wide variety of past periods, the sites can often be generally described as having elements that are primarily dominated by prehistoric versus historic times (e.g. tenant house site with a diffuse scattering of pottery shards, likely Apalachee village site overlain with sparse glass bottle fragments); of the park's 50 recorded archaeological sites, 32 are primarily prehistoric in nature and 18 are primarily dominated by a historic component.

The majority of prehistoric sites recorded to date consist of low-density artifact lithic and pottery scatters found throughout the park property. Tesar and Jones (Tesar et. al. 1995) have noted the possibility of more deeply buried Woodland and Late Archaic period deposits. In fact, given the abundance of rich natural resources in the vicinity that would have been available to prehistoric people for thousands of years, it is very likely that a wider variety of pre-Columbian artifacts and habitation sites exist than is currently known. Furthermore, while most artifacts discovered so far in terrestrial habitats have been hard items resistant to decomposition (e.g. shells, rocks, bones), several known sites segue into bodies of water, presenting the possibility that organic materials (e.g. wood, fabric, netting) may be someday uncovered as preserved in the oxygen-poor wet mucky soils.

Additionally, there are a number of historic sites scattered throughout the park, including the Three Oaks homesite, Ravine Road homesite, Purple Brick homesite, North Lake Overstreet dump, Gum Pond homesite, Near Dock homesite, Cedar Shake homesite, and Smith homesite. At the time of park property acquisition, some of these sites contained decrepit structures judged to be of such a poor condition and potential safety hazards to park visitors that it was determined that careful documentation followed by demolition was the best course of action. At the current time, supporting piers, staircase fragments, chimney bases and brick falls, other structural elements, and artifact scatters are still apparent aboveground; historic artifact scatters presumably remain beneath the soil surface around many of these locations. Remnants of the original landscaping vegetation are still present at some sites, which include both invasive and non-invasive exotic plants (e.g. hedge bamboo, palms versus coral ardisia, Chinese wisteria, nandina).

As mentioned above, there are multiple ditches excavated in the 19th century in order to facilitate drainage between the lakes and basin swamps on the property, including the Little Gum Pond-Lake Overstreet Drain, Lake Elizabeth-Gum Pond ditch, Gum Pond-Lake Overstreet ditch, and Lake Hall-Lake Overstreet ditch. There is a high likelihood that these drainage structures, at least in part, were excavated during antebellum times using slave labor. Other historic archaeological sites known to occur on park property include roads dating to pre-20th century times (many based on extant access trails established by pre-Columbian inhabitants) and trash dumps used as far back as the 19th

century. Three of the historic buildings in the maintenance complex (the pull-through barn, Delia's cottage and the laundry building) burned down in a fire in December 2004; the structures were completely lost with only support piers still present. These sites are now treated as archaeological sites.

Development of a predictive model intended to elucidate likely areas for further investigation has been completed by the University of South Florida for District 1 state parks, which includes Alfred B. Maclay Gardens State Park. Preliminary results include the identification of nine new sites, which USF will record with the Florida Master Site File, and six previously recorded sites that could not be relocated via visual inspection by DRP staff members. A Phase I archaeological survey has been undertaken as one segment of the preparation of the Cultural Landscape Master Plan (Keel 1999).

Condition Assessment: Of those archaeological sites in the park that were evaluated, they are generally in good condition. As long as the soil has not been disturbed or is not actively eroding, the configuration and content of artifacts within the soil profile should be intact for resources below ground. Of course, the actual contents found from shovel tests or past construction (e.g. modern roads, powerline corridor elements) were excavated, analyzed, and recorded in the course of studying these sites. The artifacts have been retained into the State of Florida's archaeological collections and the knowledge and context have been preserved. The survey undertaken to reconnoiter these sites for this plan did not locate all of the exact positions as the past FMSF files were variable in the amount of detail provided for where the excavations took place; however, no signs of ground disturbance of any kind, including soil removal from erosion or looting, were evident in the vicinity.

All historic ditches linking the lakes and basin swamps are in good condition overall and are fringed with woody and herbaceous vegetation in most locations, which serves to anchor the soil in place. In localized positions, tree falls or generalized erosive wear have somewhat diminished the integrity of the original canal morphology, such as along limited areas of the Little Gum Pond canal; park staff should monitor the condition of the canals over time, provide corrective action if necessary, and remove large dead trees at risk of imminent falls and substrate displacement.

The historic sites scattered throughout the Overstreet Tract are considered to be in good condition. As mentioned, the tenant houses were removed prior to the drafting of this plan following expert analysis. Thus, the structures themselves are gone, but the soil surface, pilings, brickfall, some of the ornamental vegetation, and other structural features associated with these sites are intact. The grounds surrounding the Cedar Shake house are mowed twice annually in order to maintain a clearing, which had been covered with a dense thicket prior to 2008; this area may be developed into an interpretative site given its proximity to the garden and the quality of its remaining

elements. The Near Dock homesite is located very close to the multi-use trail fringing Lake Overstreet and represents another interpretive opportunity for park visitors; it has been lined with a wooden fence to protect it from impacts and some of the original wooden beams have been laid across floor pilings to creating a “ghosting” effect for where the house once stood. Other homesites have variable quantities of remnant elements or may show little trace of their previous occupants, as is the case with the Smith homesite. In general, vandalism or looting is very rare at this park, which is particularly remarkable given its urbanized surroundings and the seclusion afforded at many sites in the Overstreet Tract.

Level of Significance: The Killearn Plantation Archaeological and Historic District (LE04303), listed on the National Register of Historic Places on August 16, 2002, includes twenty-seven contributing prehistoric archaeological sites and six contributing historic archaeological house sites. The District also included four contributing structures – irrigation ditches around Gum Pond, Lake Hall, and Lake Overstreet, which today are managed as archaeological sites. All of these archaeological sites are significant as an aggregate under Criterion D for their research potential.

The District’s aboriginal archaeological sites span from the prehistoric Deptford to the protohistoric Leon-Jefferson periods. Together they offer the opportunity to learn more about changing land use and flora and fauna over thousands of years of fluctuating climate and evolving cultural development. Some of these sites possess the potential to contain subsurface features related to house sites and special use areas, as well as older more deeply buried components and preserved organics in wetland areas. Additionally, many of the sites possess a relatively high degree of integrity as they are located outside of areas previously used for agriculture.

The District’s historic archaeological sites span from 1824 to 1953, when the area was first surveyed by the Federal Land Office to the State of Florida’s purchase of the property from the Maclay family. Together they offer the opportunity to learn more about the ante- and post-bellum plantation agricultural practices, labor systems, and social hierarchies that persisted through the mid-twentieth century (NRHP 2002). Of note, these house sites represent the tangible remains of an African-American community whose subsistence and tenancy repeatedly shifted between enslavement, tenant farming and sharecropping, land ownership, and paid employment.

General management measures: In order to ensure their preservation, park staff should monitor these sites periodically for signs of disturbance and looting and provide remedies if necessary. Also, it is Division of Historic Resources policy that ground disturbance for construction or other development be observed by a trained Archaeological Resource Management Certified Monitor in order to protect and record archaeological sites uncovered in those locations.

Historic Structures

Desired future condition: All significant historic structures and landscapes that represent Florida's cultural periods or significant historic events or persons are preserved in good condition in perpetuity, protected from physical threats and interpreted to the public.

Description: The park property represents a vivid snapshot of the recorded history impacting the wider region (Jaeger and Penton 1999a, 1999b; Lindstrom 2008; U.S. Department of Interior 2007; Yates 2008). American settlement of the Tallahassee Hills followed the surveying of Leon County in the 1820s with most land in private ownership by the end of the 1830s. Lake Overstreet and Lake Hall were named after the original settlers in this vicinity. The park property was a portion of larger landholdings that passed through the ownership of various people, who planted most of their acreages in the antebellum staple crop, cotton.

With the Civil War virtually halting cotton exports and ending slavery, the plantation economy was disrupted. Many of the former slaves remained on the plantation lands and raised crops on scattered homesteads in exchange for a fixed price or proportion of their total harvest. These sharecroppers and tenant farmers usually worked about 40 acre allotments scattered around the planter's holdings. Few tenant farmers were able to buy their own land and were usually consigned to indebtedness to the large landowners; a notable exception was Spencer Robinson, who was able to purchase a parcel east of Lake Overstreet. His property was located in the vicinity of an African American community north of Lake Hall that eventually would support churches and several businesses; other portions of what would become park property also supported tenant farms. Despite attempts by the planters to diversify the crops raised in their fields in response to declining cotton production, the plantation economy languished.

By the end of the 19th century, wealthy northerners were beginning to buy up large tracts of land in order to establish quail hunting plantations. John Law established the 2000 acre Lac-Cal quail plantation and built its facilities along the western shore of Lake Hall; he originally constructed some of the focal buildings now associated with the maintenance complex and ornamental gardens, including the Maclay House.

Alfred Barmore Maclay purchased Law's plantation in 1923 and used his Killearn Plantation primarily as a winter retreat. It was he who designed and constructed the ornamental gardens with a goal of incorporating native and exotic plants into an impressive display, adapting and adding features over the next two decades. The current garden configuration represents the culmination of his vision with aesthetic elements incorporating sculpture and structural improvements (e.g. walled garden with gated entrances, fountains, reflecting pool to capture the Lake Hall vista), themed sections showcasing different assemblages of landscaping plants (e.g. azaleas,

camellias), and wide walkways topped with bricks. He employed many of the African Americans living on the plantation and their employment gradually shifted from primarily agriculture to wage labor. After his death in 1944, his wife, Louise Fleischmann Maclay, assumed management of the gardens. Following an attempt to convert the gardens into a self sustaining tourist destination, she donated 307 acres centered on the gardens to the state for development of a state park in 1953. In 1965, Killearn Gardens was renamed Alfred B. Maclay State Gardens. Mrs. Maclay's nephew, John Mettler, sold the 877 acre Overstreet Tract to the state in 1996 to form the park as it is now constituted.

The Killearn Plantation Historic District National Register status was bestowed upon the park in 2002 in recognition of the cultural importance preserved on this property. In fact, the HDNR nomination form stipulates that the gardens and associated features, as well as the historic and prehistoric resources on the Overstreet Tract, are part of a significant cultural landscape. While the ornamental gardens are currently described as a significant component of the HDNR, the gardens themselves are not listed in their own right in the Florida Master Site File (FMSF); the park staff are working to have the gardens as a whole as well as noteworthy components to be featured individually in the FMSF. There is a wide variety of historic buildings dating to the early 20th century associated with the ornamental gardens and the maintenance complex that are still in use by the park staff.

The Maclay House was the original residence of Alfred and Louise Maclay and is currently used as a museum, which contains furniture owned by the Maclays as well as a series of exhibits showcasing the history of the garden and its owners. The park office and park manager's residence were initially built to be guest houses and were later adapted for utilitarian purposes when the parcel became a state park, as with many other buildings in this complex. The carriage house is now used for a wood shop, the horse stables is used as a maintenance shop, the pump house is used for storage, and the Gilliam residence (employee of the Maclays) is used as an office building in the Bureau of Design and Construction complex to the northwest of the park maintenance complex. The gardener's cottage had been rehabilitated in 1999 for use as a meeting and reception facility for use by the public by appointment. Other historic buildings dating from the Maclay's ownership period include a large tractor barn with loft, a small tractor barn, a mower equipment shed, a tool shed, a fertilizer shed, a lumber storage shed, and a greenhouse. There is also an assemblage of buildings dating to shortly after the property became a state park for visitor use that are now historic, including the garden's entrance building and pavilion, lakeside pavilion, and a barbeque pit shelter and four picnic shelters located in the public use / swimming area along the southern shore of Lake Hall.

Condition Assessment: Most buildings associated with the park maintenance complex and visitor facilities are in good condition. This is primarily the result of vigorous maintenance and rehabilitation efforts on the part of the park staff. Actions undertaken in support of maintaining the various buildings in good condition over the past decade since the 2003 Unit Management Plan include replacing air conditioning / heating systems and duct work, replacing or repairing roofs, repainting exterior and interior walls, work on foundations, replacement of electrical systems and plumbing, maintenance to masonry and mortar, repairs and refinishing to flooring, replacement of windows and shutters, cleaning or replacement of cedar shakes, and clearing of woody vegetation from contacting buildings in order to retard deterioration. Several structures had been previously considered to be in fair condition, including the large and the small tractor barns, the lumber storage shed, and the greenhouse. Work projects to rehabilitate these structures were completed recently, so these features may now be described as being in good condition. Asbestos and lead paint analyses (Thakkar and DeLoach 2005) have determined that these substances are present on select components representing a small proportion of several buildings; however, if left undisturbed, these components pose an insignificant hazard to human health. If these components are altered or replaced, then appropriate safeguards would be observed to protect those involved in the work. The ornamental garden, the main attraction for the park, is in good condition and maintenance is addressed in the General Management Measures section.

Unfortunately, a fire caused by a utility transformer ignited and burned three historic structures to such an extent that they and their contents were almost completely lost: Delia's Cottage, the Laundry building, and the pull-through barn (Johnson Peterson Architects, Inc. 2006). A significant quantity of DRP records and objects also pertaining to other parks across the panhandle were stored in the pull-through barn and were subsequently destroyed. The only remnant of these buildings today is scattered foundational structures and short concrete pilings. These sites are now managed as archaeological sites.

Level of Significance: The Killearn Plantation Archaeological and Historic District (LE04303) was listed on the National Register of Historic Places on August 16, 2002. The district is considered significant under National Register Criteria A (Event), C (Design/Construction) and D (Information Potential) in the following areas of significance: landscape architecture, African American ethnic heritage, agriculture, architecture, historic (non-aboriginal) archaeology and prehistoric archaeology. Eighteen historic structures contribute to the National Register district. They are:

Maclay House (LE04304)
Guest House 1 /Park Office (LE04305)
Guest House 2/Park Manager Residence (LE04306)

Servant's Quarters/Delia's Cottage (LE04307)
Pump House/Storage Building (LE04308)
Laundry House (LE04309)
Garage/Wood Shop / Carriage Shop (LE04310)
Stables/Maintenance Shop (LE04311)
Gardener's Cottage (LE04312)
Metal Garage/Small Tractor Barn (LE05885)
Large Tractor Barn /Vehicle Shed with Loft (LE05886)
Tool Shed/Equipment Storage (LE05887)
Tool Storage/Tool Shed/Mower Shed (LE05888)
Seed & Fertilizer Storage Building (LE05889)
Lumber Shed (LE05890)
Greenhouse (LE05900)
Storage Building (LE05977)
Drive-Through Barn (LE05978)

In addition to the buildings noted above and several prehistoric and historic archaeological sites previously mentioned within this plan, the National Register listing also includes the designed Maclay Gardens; three of its associated objects: the Century Plant Sculpture, the Della Robbia Plaque, and the Janet Scudder Fountain; the historic road and trail system and the "Lac-Cal" gate column. The contributing buildings, structures, objects and sites combine to create an assemblage of agricultural resources which reflect the Red Hills region in the 19th and early to mid-20th centuries, in particular resort plantation era architecture, formal planned gardens, and the lifeways and structures associated with both tenant farming and operating a resort plantation.

The Servant's Quarters/Delia's Cottage (LE04307), the Laundry House (LE04309), and Drive-Through Barn (LE05978) were destroyed by fire in 2004. The remains of these three structures and their associated artifacts should be assessed for National Register eligibility as archaeological sites.

In consultation with DHR, the remains of two historic structures, the Near Dock House (LE01946B) and the Cedar Shake House (LE01947B) were demolished in 2009 due safety concerns. As these ruins were associated with contributing archaeological sites in the National Register District (LE01946 and LE01947), their removal was considered to as an adverse affect to the district by the State Historic Preservation Officer (SHPO). A condition of mitigation of the adverse affect was development of an interpretative plan for the two structures. The Lake Overstreet Trail Interpretive Plan was completed in 2008 as a cooperative effort of the Bureau of Operational Services, the Bureau of Natural and Cultural Resources and the park.

The remaining historic buildings in the park are considered as non-contributing structures to the Killearn Plantation Archaeological and Historic District. Most of these buildings were designed for the Florida Park Service after the Maclay occupancy of the property and do not appear to meet the criteria for National Register eligibility either individually or combined within a new historic district. An exception is the Gilliam Residence/Design & Rec. Building 1 (LE05901). The original portion of this structure is a tenant house from the Maclay period; however, it is currently considered non-contributing due to extensive additions and alterations. Plans are underway to return the building to more of its historic appearance as it is the last remaining tenant house on park property. At the completion of this process, a reevaluation of its National Register significance will need to be made to determine whether it then meets the criteria necessary for its inclusion as a contributing structure to the Killearn Plantation Archaeological and Historic District.

General management measures: Multiple reports have been created by various entities in order to formally assess some of the more significant structures and advise the staff on possible courses of action (Huffman / Tarmey Architecture P.A. 2003, Jaeger and Penton 1999a, Lindstrom 2008, Thakkar and DeLoach 2005, U.S. Department of Interior 2007, Yates et al. 2008). The Cultural Landscape Master Plan (Jaeger and Penton 1999a) was commissioned as a result of the need for such as expressed in the 2003 Unit Management Plan, which describes a holistic approach suggested for the management and interpretation of the rich cultural heritage and structures in Maclay Gardens State Park as well as the adjacent Elinor Klapp-Phipps Park owned by the Northwest Florida Water Management District and managed by the city of Tallahassee.

A long term objective is to construct separate facilities to support the necessary administrative and maintenance needs of the park that are currently performed in some of the historic buildings. This would enable those historic structures to be adapted toward public visitation and cultural interpretation. At present, maintenance and rehabilitation efforts need to focus on providing a balance between historic preservation and staff utility.

As demonstrated by the Condition Assessment section, maintaining the historic buildings in good condition is an ongoing endeavor requiring significant effort to identify and provide corrective action to deteriorating components. Park staff will continue to perform or contract for pressing maintenance requirements. Another necessity is to evaluate for and construct elements that would permit visitor access in compliance with the Americans with Disabilities Act of 1990. Public restrooms in the maintenance complex area currently are located in the Maclay House and Pump House; construction of separate facilities would be favorable toward the goal of future interpretive uses for these buildings.

Pest control is an important additional requirement. General insect treatment is performed monthly at the Gardener's Cottage, given the public use of this building for events such as wedding receptions, and quarterly at the other structures. Termite inspections occur annually at all buildings with treatment performed if it is determined necessary. Rodent control is also conducted as required. Park staff should monitor historic sites in the Overstreet Tract to ensure that their integrity is not compromised by vandalism, looting, or erosion; efforts to locate and study further historic sites, including unknown tenant farmer homesites, should continue. Park staff should also strive to preserve the culturally significant landscaping plants still remaining on these sites, including the non-invasive exotic species such as hedge bamboo and various palms.

The park staff devotes much of its available effort toward maintaining the ornamental garden. Many of these tasks are ongoing with regard to the care focused on the vegetation, including the pulling of weeds, monitoring and treating for pests and pathogens, pruning of woody plants (especially camellias and azaleas) to remove dead limbs or prevent accidents involving park visitors, pruning of ivy and other vines covering some of the brick walls, and rotating of annual plants in some planters with the seasons and for variety. The iconic Aunt Jenny heritage camellia died and was extracted in August 2011; park staff has replanted a clone in its place. Repairs to the brick walks are an ongoing activity as necessary, which must be done using historically compatible materials. For example, a cedar tree fell from the center of the Camellia Walk in the 1980s, resulting in a recurring problem with mortar cracking around the bricks as the ground settles. Some of the sculptures and brick walls need cleaning periodically. Also, since the shaded brickwalks may become slick over time, park staff treat these surfaces with a very diluted HTH solution as needed to regain traction. The Reflecting Pool is drained weekly into the garden pond, cleaned, and refilled. It is then treated with Aqua-Shade blue dye in order to prevent algal growth; this chemical is very diluted and nontoxic enough to occasionally support tadpoles and insects. Fertilizers are applied judiciously in order to prevent the flow of excess nutrients in Lake Hall. The irrigation system was recently redesigned, adding a 5 horsepower pump to draw water from The Pond in the gardens to distribute water through the irrigation water lines. The 60 hp water pump previously operating the irrigation system is now used to refill The Pond as the water level drops.

In some cases, the DRP may elect to demolish or otherwise remove a historic structure. In these cases, a specific case shall be made to justify the park's removal of the structure. Measures to document the structure prior to removal will also be discussed therein. Those historic structures slated for demolition shall be so indicated in the table below.

Collections

Desired future condition: All historic, natural history and archaeological objects within the park that represent Florida's cultural periods, significant historic events or

persons, or natural history specimens are preserved in good condition in perpetuity, protected from physical threats and interpreted to the public.

Description: The park possesses a wealth of collections objects harkening back to the Maclay era. These items include various types of furniture present in the Maclay House when Mrs. Maclay donated them to the state (e.g. living room, library, bedroom articles), rugs and carpets, drapes and blinds, artistic wall displays, photographs, and other miscellaneous items (e.g. awards and trophies currently on exhibition). There are also books and archival items on display in Alfred Maclay's library and in storage in other park offices.

Condition Assessment: The collections objects range from fair to good condition. The furniture located within the interior of the Maclay House (e.g. chairs, couches, tables, desks, lighting fixtures) is generally in good condition. Since the bedroom is currently occupied by a series of display cases showcasing aspects of the Maclays' lives and the garden, this furniture set is in storage within the Pump House; when new visitor facilities are constructed as planned near the garden entrance, these displays can be moved to that location and the bedroom arranged with various original furniture articles in order to represent this room in a fashion similar to how it may have appeared during the Maclay era. The blinds and drapes, more exposed to sunlight, are in fair condition and need restructuring and fabric cleansing / minor tear repairs, respectively. Some of the articles on display in the cases are in fair condition. Restoring them to good condition would be a very delicate operation given their fragility and age; a possible solution would be to create replicas for exhibition while preserving the originals in storage. Some of the stuffed bird specimens also on display are in fair condition and could be replaced with better specimens if available.

Level of Significance: It should be noted that there are no established standards for collection items comparable to those for cultural sites and structures according to the National Register of Historic Places. Collection items possessed by the park include those related to the lifestyle and hobbies of the Maclay household as well as multiple Native American artifacts. Aside from their inherent cultural value, these items are significant in terms of their utility for interpreting the history and prehistory of this area as well as for their connection to the Maclay family.

General management measures: A Scope of Collections statement has been drafted for the items preserved in the park. Management of the collections was assisted by advice provided in 2001 by a Collections Conservation Assessment written by Alexandra Klingelhofer, Objects Conservator, as part of the Heritage Preservation Conservation Assessment Program. Dehumidifiers are used in the exhibition area to prevent the growth of mold. The Maclay House is a climate controlled environment with the summer and winter temperatures set on 77 and 68 degrees F, respectively. The Maclay

house is subjected to a deep cleaning once per month with lighter cleaning once per week. This house is open to public visitation between January and April. In the off season, the living room furniture is clustered in the middle of the room and covered with the large carpet rolled up and stored in the dining room. The blinds are also drawn to avoid UV light damage to collections objects. Archival material is stored in the Maclay House as well as the park administrative office, which is also climate controlled.

Detailed management goals, objectives and actions for the management of cultural resources in this park are discussed in the Cultural Resource Management Program section of this component. Table 4 contains the name, reference number, culture or period, and brief description of all the cultural sites within the park that are listed in the Florida Master Site File. The table also summarizes each site's level of significance, existing condition and recommended management treatment. An explanation of the codes is provided following the table.

Table 4: Cultural Sites Listed in the Florida Master Site File					
Site Name and FMSF #	Culture/Period	Description	Significance	Condition	Treatment
Lake Hall LE00041	Fort Walton – Leon-Jefferson	Archaeologic al Site	NE	G	P
Andalusia Road LE00133	Leon-Jefferson – 19 th century	Archaeologic al Site	NE	NE	P
NN LE00541		Archaeologic al Site	NE	NE	P
Maclay #1 LE02339	Weeden Island	Archaeologic al Site	NR L	NE	P
Lake Overstreet #1 LE02340	Weeden Island	Archaeologic al Site	NR L	N A	P
Three Oaks Homesite LE 01867	19 th / 20 th century	Archaeologic al Site	NR L	G	P
Big Medial Biface Fragment LE 01868	Prehistoric	Archaeologic al Site	NR L	G	P

Table 4: Cultural Sites Listed in the Florida Master Site File					
Site Name and FMSF #	Culture/Period	Description	Significance	Condition	Treatment
Ravine Road LE01869	19 th / 20 th century	Archaeological Site	NR L	G	P
Deer Stand Nine LE01870	Prehistoric - 20 th century	Archaeological Site	NR L	G	P
Deer Stand Eight LE01871	Prehistoric	Archaeological Site	NR L	G	P
Sandy Flat LE01928	Prehistoric - 19 th century	Archaeological Site	NR L	G	P
Dock LE01929	Prehistoric	Archaeological Site	NR L	G	P
Lake Connection LE01930	Prehistoric	Archaeological Site	NR L	G	P
Deer Stand Three LE01931	Prehistoric - 20 th century	Archaeological Site	NR L	N A	P
Southwest Shore LE01932	Prehistoric	Archaeological Site	NR L	G	P
Just West of Ditch LE01933	Prehistoric	Archaeological Site	NR L	N A	P
Border LE01934	Prehistoric	Archaeological Site	NR L	N A	P
Southeast Overstreet LE01935	Prehistoric	Archaeological Site	NR L	G	P
East Southeast Overstreet LE01936	Prehistoric / Deptford	Archaeological Site	NR L	G	P
Knob LE01937	Prehistoric	Archaeological Site	NR L	G	P

Table 4: Cultural Sites Listed in the Florida Master Site File					
Site Name and FMSF #	Culture/Period	Description	Significance	Condition	Treatment
Northeast Overstreet LE01938	Prehistoric	Archaeological Site	NR L	G	P
Little Gum Pond Ditch LE01940	19 th century	Archaeological Site	NR L	G	P
Overstreet Drain Ditch LE01941	19 th century	Archaeological Site	NR L	G	P
Overstreet Drain Ditch Post WWII LE01941B	19 th - 20 th century	Archaeological Site	NR L	G	P
Purple Brick LE01942	20 th century	Archaeological Site	NR L	G	P
North Lake Overstreet Dump LE01943	20 th century	Archaeological Site	NS	G	P
Gum Pond House LE01945	20 th century	Archaeological Site	NR L	G	P
Near Dock House LE01946	19 th - 20 th century	Archaeological Site	NR L	G	P
Near Dock House LE01946B	19 th - 20 th century	Historic Structure (Demolished 2009)	NR L	P	N/A
Cedar Shake House LE01947A	19 th - 20 th century	Archaeological Site	NR L	G	P

Table 4: Cultural Sites Listed in the Florida Master Site File					
Site Name and FMSF #	Culture/Period	Description	Significance	Condition	Treatment
Cedar Shake House LE01947B	19 th – 20 th century	Historic Structure (Demolished 2009)	NR L	P	N/A
Bureau of Design & Rec. Services LE02045	Ft. Walton – Leon-Jefferson	Archaeologic al Site	NR L	NE	P
Across-the-Ditch LE02205	Prehistoric	Archaeologic al Site	NR L	G	P
Powerline LE02206	Prehistoric	Archaeologic al Site	NR L	G	P
Fenceline LE02207	Weeden Island	Archaeologic al Site	NR L	G	P
NELO LE02208	Weeden Island	Archaeologic al Site	NR L	G	P
Duck's Head LE02209	Leon-Jefferson	Archaeologic al Site	NR L	G	P
Gum Pond North LE02210	Leon-Jefferson	Archaeologic al Site	NR L	G	P
Gardener's Cottage Site LE02211	Prehistoric / 20 th century	Archaeologic al Site	NE	NE	P
Lake Hall – Lake Overstreet Ditch LE02212	19 th – 20 th century	Archaeologic al Site	NR L	G	P
Lake Elizabeth – Gum Pond Ditch LE02213	19 th – 20 th century	Archaeologic al Site	NR L	G	P

Table 4: Cultural Sites Listed in the Florida Master Site File					
Site Name and FMSF #	Culture/Period	Description	Significance	Condition	Treatment
Nursery LE02214	Leon-Jefferson - Weeden Island	Archaeologic al Site	NS	NE	P
Smith House Site LE02215	Prehistoric / 20 th century	Archaeologic al Site	NS	NE	P
North Corridor Bend LE02216	Prehistoric – 20 th century	Archaeologic al Site	NS	N A	P
Osprey Nest #2 LE02217	Prehistoric	Archaeologic al Site	NS	NE	P
Stinging Hornet's Nest LE02341	Deptford	Archaeologic al Site	NR L	N A	P
Ilex Vomitoria LE02342	Deptford – Ft. Walton	Archaeologic al Site	NR L	G	P
Maclay Bathhouse LE02413	Prehistoric – Leon-Jefferson	Archaeologic al Site	NR L	NE	P
Killearn Plantation Archaeological and Historic District LE04303	Archaic, Deptford, Weeden Island, Late Fort Walton, Leon-Jefferson, 19 th - 20 th century	District	NR L	G	P
Maclay House LE04304	American 20 th Century	Historic Structure	NR L	G	P
Guest House 1 /Park Office LE04305	American 20 th Century	Historic Structure	NR L	G	P
Guest House 2/Park Manager Residence LE04306	American 20 th Century	Historic Structure	NR L	G	P

Table 4: Cultural Sites Listed in the Florida Master Site File					
Site Name and FMSF #	Culture/Period	Description	Significance	Condition	Treatment
Servant's Quarters/Delia's Cottage LE04307	American 20 th Century	Historic Structure (Burned 2004)	NR L	P	N/ A
Pump House/ Storage Building LE04308	American 20 th Century	Historic Structure	NR L	G	P
Laundry House LE04309	American 20 th Century	Historic Structure (Burned 2004)	NR L	P	N/ A
Garage/Wood Shop / Carriage Shop LE04310	American 20 th Century	Historic Structure	NR L	G	P
Stables / Maintenance Shop LE04311	American 20 th Century	Historic Structure	NR L	G	P
Gardener's Cottage LE04312	American 20 th Century	Historic Structure	NR L	G	P
Metal Garage/Small Tractor Barn LE05885	American 20 th Century	Historic Structure	NR L	G	P
Large Tractor Barn /Vehicle Shed with Loft LE05886	American 20 th Century	Historic Structure	NR L	G	P
Tool Shed /Equipment Storage LE05887	American 20 th Century	Historic Structure	NR L	G	P

Table 4: Cultural Sites Listed in the Florida Master Site File					
Site Name and FMSF #	Culture/Period	Description	Significance	Condition	Treatment
Tool Storage/Tool Shed/Mower Shed LE05888	American 20 th Century	Historic Structure	NR L	G	P
Seed & Fertilizer Storage Building LE05889	American 20 th Century	Historic Structure	NR L	G	P
Lumber Shed LE05890	American 20 th Century	Historic Structure	NR L	G	P
Garden Entrance & Gift Shop LE05891	American 20 th Century	Historic Structure	NS	G	RH
Garden Pavilion LE05892	American 20 th Century	Historic Structure	NS	G	RH
Lakeside Pavilion LE05893	American 20 th Century	Historic Structure	NS	G	RH
Duplex Picnic Shelter 1 LE05894	American 20 th Century	Historic Structure	NS	G	RH
Duplex Picnic Shelter 2 LE05895	American 20 th Century	Historic Structure	NS	G	RH
Duplex Picnic Shelter 3 LE05896	American 20 th Century	Historic Structure	NS	G	RH
Duplex Picnic Shelter 4 LE05897	American 20 th Century	Historic Structure	NS	G	RH

Table 4: Cultural Sites Listed in the Florida Master Site File					
Site Name and FMSF #	Culture/Period	Description	Significance	Condition	Treatment
Barbecue Pit Shelter LE05898	American 20 th Century	Historic Structure	NS	G	RH
Entrance Station/Ranger Station LE05899	American 20 th Century	Historic Structure	NS	G	RH
Greenhouse LE05900	American 20 th Century	Historic Structure	NR L	G	P
Gilliam Residence/Design & Rec. Building 1 LE05901	American 20 th Century	Historic Structure	NS	G	RH
Historic Refuse #1 LE05990	American 20 th Century	Archaeological Site	NE	G	P
Historic Refuse #2 LE05991	American 20 th Century	Archaeological Site	NE	G	P
Historic Refuse #3 LE05992	American 20 th Century	Archaeological Site	NE	G	P
Pony Barn Remains LE05993	American 20 th Century	Historic Structure	NE	P	P
Historic Refuse #4 LE05994	American 20 th Century	Archaeological Site	NE	G	P
Lake Overstreet Inn LE05995	American 20 th Century	Historic Structure	NE	F	P
The Juke Joint LE05996	American 20 th Century	Historic Structure	NE	F	P

Significance:

NRL National Register listed
NR National Register eligible
NE not evaluated
NS not significant

Condition

G Good
F Fair
P Poor
NA Not accessible
NE Not evaluated

Recommended Treatment:

RS Restoration
RH Rehabilitation
ST Stabilization
P Preservation
R Removal
N/A Not applicable

RESOURCE MANAGEMENT PROGRAM**Management Goals, Objectives and Actions**

Measurable objectives and actions have been identified for each of the DRP's management goals for Maclay Gardens State Park. Please refer to the Implementation Schedule and Cost Estimates in the Implementation Component of this plan for a consolidated spreadsheet of the recommended actions, measures of progress, target year for completion and estimated costs to fulfill the management goals and objectives of this park.

While, the DRP utilizes the ten-year management plan to serve as the basic statement of policy and future direction for each park, a number of annual work plans provide more specific guidance for DRP staff to accomplish many of the resource management goals and objectives of the park. Where such detailed planning is appropriate to the character and scale of the park's natural resources, annual work plans are developed for prescribed fire management, exotic plant management and imperiled species management. Annual or longer- term work plans are developed for natural community restoration and hydrological restoration. The work plans provide the DRP with crucial flexibility in its efforts to generate and implement adaptive resource management practices in the state park system.

The work plans are reviewed and updated annually. Through this process, the DRP's resource management strategies are systematically evaluated to determine their effectiveness. The process and the information collected is used to refine techniques, methodologies and strategies, and ensures that each park's prescribed management actions are monitored and reported as required by Sections 253.034 and 259.037, Florida Statutes.

The goals, objectives and actions identified in this management plan will serve as the basis for developing annual work plans for the park. The ten-year management plan is based on conditions that exist at the time the plan is developed, and the annual work provide the flexibility needed to adapt to future conditions as they change during the ten-year management planning cycle. As the park's annual work plans are implemented through the ten-year cycle, it may become necessary to adjust the management plan's priority schedules and cost estimates to reflect these changing conditions.

Natural Resource Management

Imperiled Species Management

Goal: Maintain, improve or restore imperiled species populations and habitats in the park.

The DRP strives to maintain and restore viable populations of imperiled plant and animal species primarily by implementing effective management of natural systems. Single species management is appropriate in state parks when the maintenance, recovery or restoration of a species or population is complicated due to constraints associated with long-term restoration efforts, unnaturally high mortality or insufficient habitat. Single species management should be compatible with the maintenance and restoration of natural processes, and should not imperil other native species or seriously compromise park values.

In the preparation of this management plan, DRP staff consulted with staff of the FFWCC's Imperiled Species Management or that agency's Regional Biologist and other appropriate federal, state and local agencies for assistance in developing imperiled animal species management objectives and actions. Likewise, for imperiled plant species, DRP staff consulted with FDACS. Data collected by the USFWS, FFWCC, FDACS and FNAI as part of their ongoing research and monitoring programs will be reviewed by park staff periodically to inform management of decisions that may have an impact on imperiled species at the park.

Ongoing inventory and monitoring of imperiled species in the state park system is necessary to meet the DRP's mission. Long-term monitoring is also essential to ensure

the effectiveness of resource management programs. Monitoring efforts must be prioritized so that the data collected provides information that can be used to improve or confirm the effectiveness of management actions on conservation priorities. Monitoring intensity must at least be at a level that provides the minimum data needed to make informed decisions to meet conservation goals. Not all imperiled species require intensive monitoring efforts on a regular interval. Priority must be given to those species that can provide valuable data to guide adaptive management practices. Those species selected for specific management action and those that will provide management guidance through regular monitoring are addressed in the objectives below.

Objective: Update baseline imperiled species occurrence inventory lists for plants and animals.

Plant and animal species within the park have been observed on multiple occasions in preparation of the species lists included in this plan. However, there remains an ongoing necessity to survey the property for additional imperiled species that may be present in the park. There is also the necessity to note cases for those rare taxa that have not been observed at the park for an appreciable interval. Except for those species noted elsewhere, imperiled plant and animal species will be monitored and documented by DRP staff at a Tier 1 (Non-Targeted Observation/Documentation) level as they are encountered at the park.

Objective: Monitor and document two selected imperiled plant species in the park.

Annual monitoring for the slender naiad and the bay starvine should be undertaken in order to document the persistence of these rare species. The slender naiad has been known to occur in Lake Hall, which also happens to be a location with recurring infestations of aquatic exotic plants, especially hydrilla. It is necessary to treat these infestations when evident in order to preserve the water quality and prevent a bloom that would have the potential of occupying a large proportion of open water, however, non-target effects could adversely impact the slender naiad if provision is not made for its exclusion from herbicidal treatment. IPMS, which is responsible for treating exotic aquatic plant species in Lake Hall, is careful to avoid damage to the slender naiad and it takes account of this possibility when planning operations. Exotic plant control is also a priority for the central ravine where the bay starvine had occurred. Reintroduction of seedlings from the stock plants in the greenhouse will proceed in order to reestablish the population of this imperiled species. Subsequently, park staff will continue to monitor these individuals for persistence, provide for protective measures if possible, and remove exotic plant species from the vicinity while taking care to prevent non-target effects.

Exotic Species Management

Goal: Remove exotic and invasive plants and animals from the park and conduct needed maintenance control.

The DRP actively removes invasive exotic species from state parks, with priority being given to those causing the ecological damage. Removal techniques may include mechanical treatment, herbicides or biocontrol agents.

Objective: Annually treat 15 acres of exotic plant species in the park.

Exotic plant control is a pressing need in this park and a DRP natural resource priority. The last few years have provided valuable opportunities to reduce exotic plant infestations with several sources of labor. However, particularly given the budget issues affecting the state when this plan was written, the extent to whether these sources will be available over the next decade is uncertain. Other park staff members are stretched thin to cover all the obligations associated with other aspects of managing the park, especially maintenance of the ornamental garden. Additionally, treatment of very dense infestations is very time intensive so that literally thousands of exotic plants may occupy a relatively small acreage. For this reason, a minimum of 15 gross acres on average will be targeted annually, though current resources at hand will likely exceed this area. See the narrative description for more information on specifics and priorities involved with this objective. Predominant species occurring in targeted areas include coral ardisia, Japanese climbing fern, camphor tree, glossy privet, and nandina.

Objective: Implement control measures on three nuisance and exotic animal species in the park.

Control of the three nuisance and exotic animal species identified above (armadillos, cats, and rats) is an ongoing activity and conducted according to DRP policies.

Objective: Develop a plan to phase out and remove invasive exotic plants from the ornamental gardens over time.

Park and district staff will collaborate on drafting a plan that seeks to remove the FLEPPC invasive exotic plant species from the ornamental gardens as part of an incremental approach over the next planning cycle. The first step in the shorter term would be to remove the shorter-stature shrubby exotic species (e.g. coral ardisia, nandina) and replace them with other ornamental species that would optimally be similar in size or appearance so as to preserve the structural / aesthetic quality originally designed by the Maclays. Over the longer term, the park staff would seek to remove the larger exotic tree species, especially the camphor trees, starting with any diseased or unsightly specimens, progressing through those that are in locations less visible to the public, and ultimately including the more prominent individuals. The park would interpret the intentions and actions of this plan to the public and would continue to pass on the caveat that the DRP encourages the planting of noninvasive

plant species in their own personal gardens at home while striving to preserve the cultural heritage of the ornamental gardens at the park.

Special Management Considerations

While it is true that some localized sections of the park display scattered canopy indications of periodic burning, which possibly originated during the quail hunting era in the late 19th / early 20th century when management would have been directed toward prescribed burning for game habitat (though remnant long leaf pines also may be volunteers into cleared areas in the past), there are no plans at this time to initiate a prescribed burning program at this park. One of the main reasons for this strategy is that the park emphasizes the preservation and interpretation of the significant cultural landscape and its elements. Cultural artifacts from currently unknown sites are continually being located at the park and burning these areas would risk destroying the tangible evidence and reminders of this parcel's very long experience with substantial human occupation and land use extending back for well over a thousand years. This park provides a unique opportunity to learn about the past and potentially showcase an important era, particularly the decades prior to and following the Civil War, in the local and regional heritage. To restore the natural system into fire dependent community types would require enormous preparatory effort, including the construction and maintenance of an adequate fire infrastructure as well as the likely planting of pyric plant species that could effectively carry the fire and that are currently lacking in appreciable densities. It is true that there are scattered long leaf pines occasionally encountered in the canopy, but with the notable exception of a small hilltop stand in zone A, these remnant long leaf pines are not sufficiently clustered to form stands. Also, all known long leaf pine individuals are very mature and there is no evidence of population recruitment occurring. The zone A stand lacks the ground cover species or structure typical of a pyric community and is now primarily ruderal in nature. Another major impediment to a prescribed fire program would be the fact that the park is now surrounded by urban land covers, which would be classified as Critical Smoke Sensitive Areas (CSSAs). Even small acreage burns in heavy leaf litter would deliver significant smoke that would have to be sent into a direction that would not impact too many people, which does not appear to be possible anymore particularly with the zone A stand a very short distance from the densely populated Thomasville Road area.

Timber Management Analysis

Chapters 253 and 259, Florida Statutes, require an assessment of the feasibility of managing timber in land management plans for parcels greater than 1,000 acres if the lead agency determines that timber management is not in conflict with the primary management objectives of the land. The feasibility of harvesting timber at this park during the period covered by this plan was considered in context of the DRP's statutory responsibilities and an analysis of the park's resource needs and values. The long-term management goal for forest communities in the state park system is to maintain or re-

establish old-growth characteristics to the degree practicable, with the exception of those communities specifically managed as early successional.

During the development of this plan, an analysis was made regarding the feasibility of timber management activities in the park. It was determined that the primary management objectives of the unit could be met without conducting timber management activities for this management plan cycle. Timber management will be re-evaluated during the next revision of the management plan.

Cultural Resource Management

Cultural Resource Management

Cultural resources are individually unique, and collectively, very challenging for the public land manager whose goal is to preserve and protect them in perpetuity. The DRP is implementing the following goals, objectives and actions, as funding becomes available, to preserve the cultural resources found in Alfred B. Maclay Gardens State Park.

Goal: Protect, preserve and maintain the cultural resources of the park.

The management of cultural resources is often complicated because these resources are irreplaceable and extremely vulnerable to disturbances. The advice of historical and archaeological experts is required in this effort. All activities related to land clearing, ground disturbing activities, major repairs or additions to historic structures listed or eligible for listing in the National Register of Historic Places must be submitted to the FDOS, Division of Historical Resources (DHR) for review and comment prior to undertaking the proposed project. Recommendations may include, but are not limited to concurrence with the project as submitted, pre-testing of the project site by a certified archaeological monitor, cultural resource assessment survey by a qualified professional archaeologist, modifications to the proposed project to avoid or mitigate potential adverse effect. In addition, any demolition or substantial alteration to any historic structure or resource must be submitted to DHR for consultation and the DRP must demonstrate that there is no feasible alternative to removal and must provide a strategy for documentation or salvage of the resource. Florida law further requires that the DRP consider the reuse of historic buildings in the park in lieu of new construction and must undertake a cost comparison of new development versus rehabilitation of a building before electing to construct a new or replacement building. This comparison must be accomplished with the assistance of DHR.

Objective: Assess and evaluate 63 of 75 recorded cultural resources in the park.

Given the long history of human habitation and the rich cultural heritage of this park, there are many archaeological and historical sites currently recorded in the FMSF. Over the next planning cycle, park staff will assess and evaluate 63 of the total 75 cultural sites in order to document current condition and describe needed management

measures. Of the 63 sites of interest indicated here, 48 are archaeological sites and 15 are historic buildings currently standing and possessing cultural significance integral to the interpretation of the park's past. For the archaeological sites, the most significant challenge would be to locate those with vague position descriptions and scant aboveground evidence; if not found, this attempt should be noted in the documentation. Once located, assessment of archaeological sites would emphasize whatever specific steps would be necessary for stabilization and preservation. DRP staff would work to complete Historic Structure Reports (HSRs) for the 15 historic buildings on park property that are contributing structures as listed in the National Register of Historic Places; these HSRs would prioritize stabilization, restoration, and rehabilitation projects needed to preserve these buildings. If possible, this effort should include the visual documentation of the condition via the cataloging of a photographic record and the completion of the appropriate forms.

Note that the 12 cultural resources not included in this assessment include the cultural landscape as a whole (containing the component sites and structures referred to above), several structures that are no longer standing due to demolition (Cedar Shake, Near Dock, Shorty's Barn) or fire damage (Delia's Cottage, Laundry, Pull-Through Barn), and other structures erected by the DRP when the park was established that do not significantly contribute to the National Register designation (e.g. administrative buildings, picnic shelters, pavilion, barbeque pit shelter).

Objective: Compile reliable documentation for all recorded historic and archaeological resources.

The park staff expends ongoing effort to procure, provide, and research additional information describing the cultural resources on the property. They will work to ensure that all known cultural sites are recorded or the relevant information is updated as necessary in the Florida Master Site File (FMSF). Collins et al. (2012) at the University of South Florida have recently completed their Archaeological Resource Modeling project for District 1 state parks, which created geodatabases for each park based on a host of spatially-explicit datasets in order to generate predictive models intended to indicate locations with low, medium, and high probability of harboring unknown cultural sites. This report is expected to be valuable by suggesting worthwhile areas to locate future excavations to researchers studying the park's cultural heritage. Since this property has been subject to multiple surveys and exploratory digs over the years, emphasis would be most productively placed at those areas that had not previously been scrutinized for archaeological or historical excavation projects.

The park staff plans to update their Scope of Collections statement draft and seek approval of this document. Staffers will also continue to seek out people, or relatives / acquaintances of those people, that had contributed to the cultural history of the park (e.g. previous DRP or Killearn plantation employees, descendants of the tenant farmers that had lived and worked on the property) and request to interview them in order to

record further information about the park's past. Through exhaustive efforts over the years, the park staff has compiled a wealth of written documentation that describes various elements of the park's cultural heritage. While they have obtained virtually all information known by the DRP for their files, locating and cataloguing further resources is a continual need. Finally, as suggested by Lindstrom (2008), a major research need is to more fully explore the culture and interrelationships of the people inhabiting the Killearn Plantation and its antecedents, particularly the generations of African American tenant farmers that lived and worked here.

Objective: Bring 1 of 75 recorded cultural resources into good condition.

In order to maintain or improve the condition of cultural features, a crucial initial step is for the park staff to track how each feature's state may change over time in order to gauge the rate of deterioration and identify components needing repair or upgrade. Staffers will continue to monitor, or develop new protocols if necessary, all 75 cultural resources in the park. Related to this item, a cyclic maintenance program for historic structures will also be developed, continued, or modified so that all such buildings would be maintained into the future. Most of the structures needing restoration work have already been addressed in recent years by various projects to bring them into good condition. One historic structure, the seed and fertilizer storage building, is planned to be restored to good condition over the next planning cycle.

Resource Management Schedule

A priority schedule for conducting all management activities that is based on the purposes for which these lands were acquired, and to enhance the resource values, is located in the Implementation Component of this management plan.

Land Management Review

Section 259.036, Florida Statutes, established land management review teams to determine whether conservation, preservation and recreation lands titled in the name of the Board of Trustees are being managed for the purposes for which they were acquired and in accordance with their approved land management plans. The DRP considered recommendations of the land management review team and updated this plan accordingly.

Alfred B. Maclay Gardens State Park was subject to a land management review on August 24, 2011. The review team made the following determinations: The land is being managed for the purpose for which it was acquired. The actual management practices, including public access, complied with the management plan for this site.

LAND USE COMPONENT

INTRODUCTION

Land use planning and park development decisions for the state park system are based on the dual responsibilities of the Florida Department of Environmental Protection (DEP), Division of Recreation and Parks (DRP). These responsibilities are to preserve representative examples of original natural Florida and its cultural resources, and to provide outdoor recreation opportunities for Florida's citizens and visitors.

The general planning and design process begins with an analysis of the natural and cultural resources of the unit, and then proceeds through the creation of a conceptual land use plan that culminates in the actual design and construction of park facilities. Input to the plan is provided by experts in environmental sciences, cultural resources, park operation and management, through public workshops, and environmental groups. With this approach, DRP objective is to provide quality development for resource-based recreation throughout the state with a high level of sensitivity to the natural and cultural resources at each park.

This component of the unit plan includes a brief inventory of the external conditions and the recreational potential of the unit. Existing uses, facilities, special conditions on use, and specific areas within the park that will be given special protection, are identified. The land use component then summarizes the current conceptual land use plan for the park, identifying the existing or proposed activities suited to the resource base of the park. Any new facilities needed to support the proposed activities are described and located in general terms.

EXTERNAL CONDITIONS

An assessment of the conditions that exist beyond the boundaries of the unit can identify any special development problems or opportunities that exist because of the unit's unique setting or environment. This also provides an opportunity to deal systematically with various planning issues such as location, regional demographics, adjacent land uses and park interaction with other facilities

Alfred B. Maclay Gardens State Park is located within Leon County, in the City of Tallahassee in the northwest part of the state. The park is located within the Tallahassee Metropolitan Statistical Area (MSA) that includes Leon, Gadsden, Jefferson and Wakulla Counties.

There are many resource-based recreation areas within ten miles of the park, including Elinor Klapp-Phipps Park, Lake Jackson Aquatic Preserve, Lake Jackson Mounds Archaeological State Park, the Ochlockonee River and Lake Talquin, Lake Talquin State Forest, Apalachicola National Forest, and a network of smaller parks

and greenways managed by the City of Tallahassee and Leon County (see vicinity map). Together, these areas provide an array of resource-based outdoor activities including hiking, biking, horseback riding, boating, fishing, hunting, and wildlife viewing.

Existing Use of Adjacent Lands

Meridian Road (County Road 155) runs along the western park boundary, Thomasville Road (US 319) parallels the east boundary, and Maclay Road is aligned with the park's southern boundary. Extensive single-family residential development now occurs along the north, east and southern boundaries of the park. Immediately south of the park entrance, extending to Interstate Highway 10, is an extensive commercial district serving the surrounding residential areas. The Maclay School is situated along Meridian Road and the southwest boundary.

Maclay Road parallels the southern park boundary. In 2005 it was realigned to intersect Thomasville Road directly across from Killearny Way, the entrance road to Killearn Estates subdivision to the east of the park. As part of the realignment project, the park entrance was relocated from Thomasville Road to Maclay Road at a point closer to the entrance station.

Meridian Road, adjacent to the western boundary of the park is a designated canopy road with special management guidelines to protect the roadside vegetation and scenic qualities of this historic corridor. Meridian Road is also significant in that its location is on the prime meridian from which all surveys of Florida land are based.

To the west of the park boundary, across Meridian Road, is the Elinor Klapp-Phipps Park owned and operated by the City of Tallahassee and the Northwest Florida Water Management District. This 685-acre park provides 20 miles of recreational trails with seven miles dedicated to hiking, three miles dedicated to biking and ten miles of shared-use trails that are open to hikers, bicyclists and horseback riders. Phipps Park also includes athletic fields and the Forest Meadows Athletic Center, located immediately west of the state park, across Meridian Road. The state park property and Elinor Klapp-Phipps Park comprise the Maclay-Phipps Heritage Greenway; a five-mile connected public open space from Thomasville Road west to Lake Jackson.

Planned Use of Adjacent Lands

The Florida Statistical Abstract 2011 reported nearly 367,413 residents in the Tallahassee Metropolitan Statistical Area (MSA) in 2010 -- a 14.7 percent increase from 2000 (BEBR, 2011). Leon County's 275,487 residents account for the majority of this population growth. The City of Tallahassee, with a population of 181,376, is the largest urban area within the MSA. The northeast district, where the park is

located, accounts for approximately 30 percent of the City's population. While the growth rate in this sector has slowed in recent years with the economic downturn of 2008, a substantial increase in population is expected as the development of the 2,000 acre planned community of Welaunee gets underway. The projected population for this development is approximately 10,000 at build out (Glatting Jackson, et. al., 2002).

According to the Tallahassee-Leon Comprehensive plan, the future land uses adjacent to the park will remain as currently designated with recreation/open space to the west, residential development to the north, east, and south and a commercial activity center from the southeast corner of the park down to the intersection of Thomasville Road and Interstate 10.

PROPERTY ANALYSIS

Effective planning requires a thorough understanding of the unit's natural and cultural resources. This section describes the resource characteristics and existing uses of the property. The unit's recreation resource elements are examined to identify the opportunities and constraints they present for recreational development. Past and present uses are assessed for their effects on the property, compatibility with the site, and relation to the unit's classification.

Recreation Resource Elements

This section assesses the unit's recreation resource elements those physical qualities that, either singly or in certain combinations, supports the various resource-based recreation activities. Breaking down the property into such elements provides a means for measuring the property's capability to support individual recreation activities. This process also analyzes the existing spatial factors that either favor or limit the provision of each activity.

Land Area

The park contains nearly 800 acres of upland communities, including developed roads and public use areas. The park has been used for agricultural purposes over the past century and in various stages of succession. The property is characterized as rolling woodlands that are well suited for hiking, biking, horseback riding, and nature study.

The park contains about 28 acres of developed, ornamental gardens. The gardens have been well maintained since their donation to the state, and are heavily visited throughout the year, particularly during March and April when peak flowering season occurs. Native trees and shrubs, as well as a variety of exotic ornamental species have attained specimen proportions throughout the gardens. Planted pines and second or third growth upland mixed forest make up the vegetative cover of the remaining undeveloped portions of the property.

Water Area

Nearly one third of Lake Hall's 160-acres is within the boundary of the park. Lake Hall is a deep, relatively clear, clastic lake that provides opportunities for swimming, fishing and non-motorized boating. A designated swimming area has been established near the picnic area.

Lake Overstreet is approximately 124 acres, all of which is within the park boundaries. The lake is an excellent example of a pristine, freshwater lake with an undeveloped shoreline. No boating is allowed on Lake Overstreet, other than for water quality monitoring by park and county officials. The southern tip of Lake Elizabeth extends into the park along the northern boundary. There is no public access to this lake within the park. The park also contains several seepage streams, and wetland communities that are connected to the open water areas. These are very sensitive to impacts from recreational use. The small sinkhole lakes of the park are not accessible to the public.

Shoreline

The park contains over 7,000 linear feet of shoreline along Lake Hall. About 150 feet of shoreline has been designated as a swimming area, providing recreational opportunities for a large number of visitors. Most of the shoreline of Lake Hall adjacent the picnic area is accessible for fishing. The Lake Hall shoreline adjacent to the gardens and the Maclay house serves as a scenic backdrop to the landscape of the park. Lake Overstreet has approximately 14,000 linear feet of shoreline, all of which is within the park, yet largely inaccessible to the public due to the presence of wetlands.

Natural Scenery

The park's rolling topography, forested landscape and access to open water provides high quality scenic value. The most outstanding natural scenery at this park are the views across Lake Hall and the clear, pristine waters of Lake Overstreet. Views of the slope forest along the central ravine system of the Lake Overstreet addition are also outstanding. At the base of these scenic drop-offs are natural seepage streams that add visual interest. Another excellent source of scenery at this park is the ornamental gardens, especially during the seasonal blooming periods. From late winter to mid-spring, numerous varieties of azaleas and camellias provide showy displays throughout the gardens. Several well-designed vistas look outward over Lake Hall, and a large reflection pool in the interior of the gardens creates additional visual interest.

Significant Habitat

Both Lake Overstreet and Lake Hall provide an important habitat for freshwater fish, otters, alligators, turtles, ospreys, bald eagles, wading birds and migratory waterfowl. The undeveloped shoreline of Lake Overstreet and lack of public use make it the most significant wildlife habitat in the park. Deer, turkey, grey fox, and

bobcat are also present on the park property. The small sinkhole lakes of the park provide additional aquatic habitat for a variety of species including wood ducks, alligators, and amphibians. The dense residential and commercial development surrounding the park has reduced or destroyed a great deal of wildlife habitat making this park even more important as a refuge for local wildlife populations. Although wildlife observation opportunities are important to park visitors, great care should be taken to avoid human disturbance of wildlife and their habitat.

The steep ravines and adjacent bottomland forests on the Lake Overstreet tract provide habitat for a number of imperiled species including southern lady fern, dimpled trout lily, heartleaf wild ginger, green adder's mouth, cinnamon fern, royal fern, and bay starvine.

Natural Features

The most significant natural features of the park are Lake Overstreet and Lake Hall, both clastic upland lakes that support an abundance of native vegetation and thriving fish, waterfowl, and wading bird populations. Lake Overstreet is one of the few lakes in the area with a vegetated, undeveloped shoreline, providing unique opportunities for nature observation and wildlife viewing in an urban context. Lake Hall is the focal point for picnicking, swimming, and boating. The ravine system and associated slope forest are also important natural features. Controlled access for interpretive purposes is suitable for these sensitive areas.

Archaeological and Historical Features

The property has played an important role in Florida's history dating back to the archaic period, as discussed in the resource management component of this plan. The prehistoric and historic cultural sites found on this property are fragile resources that require specialized investigation and management planning. Completed archaeological surveys and the Cultural Landscape Management Plan (CLMP) (Jaeger and Penton, 1999) have provided important guidance for the management of these resources and the planning of recreation activities within the Maclay-Phipps Heritage Greenway.

The nearly continuous interaction of human societies with the natural systems of the state property and the adjacent Elinor Klapp-Phipps Park provides a rich source for interpretive experiences for visitors. The cultural landscape theme proposed by this plan is intended to focus future planning, resource management and development efforts with a priority toward the conservation of these irreplaceable cultural resources.

Assessment of Use

All legal boundaries, significant natural features, structures, facilities, roads and trails existing in the unit are delineated on the base map (see Base Map). Specific uses made of the unit are briefly described in the following sections.

Past Uses

The fertile soils in this area have been used for farming from the time of the Apalachee Indians until the early 1900s. The park property later became part of a much larger plantation belonging to Alfred B. Maclay. Mr. Maclay designed the formal gardens, which are now the prominent cultural feature of the park. The property surrounding the gardens was used as a game plantation, with deer stands, roads, trails, and planted food plots. The land around Lake Overstreet has been in single ownership for many years, thus maintaining its undeveloped condition in a rapidly developing urban area.


Future Land Use and Zoning

DRP works with local governments to establish designations that provide both consistency between comprehensive plans and zoning codes and permit typical state park uses and facilities necessary for the provision of resource-based recreation opportunities.


Two future land use (FLU) designations exist within the park boundary – Lake Protection (LP) and Recreation/Open Space (R/OS). The Lake Protection category was established to protect the water quality in Lake Jackson. It allows residential uses of one unit per two acres. The Recreation/Open Space category pertains to government owned lands which have active or passive recreational facilities, historic sites, forests, cemeteries, or wildlife management areas. Park zoning includes Lake Protection (LP) and Residential Preservation (RP-1). As with the FLU, the Lake Protection zoning category is intended to protect Lake Jackson. It allows residential uses of one unit per two acres. The purpose of the Residential Preservation category is to protect existing residential areas from incompatible land uses and density intrusions. Up to six dwelling units per acre are allowed under this designation. Typical park uses and facilities are permissible within the future land use and zoning categories. No conflicts to park development and management are anticipated (Harden, 2012, personal communication) .

Current Recreational Use and Visitor Programs

The park offers opportunities for swimming, picnicking, fishing and boating at the Lake Hall Day Use Area. Swimming is a popular activity, especially during summer weekends. Reservations may be made for daytime and after-hours use of the large picnic pavilion. A boat ramp and floating dock near the swimming area provide access to Lake Hall. Boats launched in the park are prohibited from using internal-combustion engines with the exception of vessels used for park purposes, scientific research or water quality monitoring, and to serve as safety/rescue support for local student and adult crew teams, that use Lake Hall and the Recreation Area for training practices. Additional powerboat activity occurs through private access on the lake. After-hours fishing on Lake Hall is provided by permit. Two short nature



ALFRED B. MACLAY GARDENS STATE PARK



BASE MAP

trails provide access to the Lake Hall shoreline.

The Maclay house and gardens are the focus of much of the visitation to the park. The historic Maclay House is open to the public from January through April. The gardens are open to the public year-round. December through April is the prime blooming season and the time of peak visitation. Open lawns, a lakeside pavilion, walled gardens and pools serve to enhance the scenic quality of the gardens. The interior of the Maclay House is much as it was when used by the Maclays, includes family memorabilia, and exhibits on the gardens. The gardens provide an idyllic setting for weddings or similar events and the Gardener's Cottage is available for receptions and meetings. Reservations can be made through a concessionaire.

The Lake Overstreet Trail is a roughly five-mile, double-loop, shared-use trail that winds through hardwood forests and around Lake Overstreet following the historic natural-surfaced roads of this property. In addition, nearly five miles of off-road biking trails have been constructed in the western portion of the park. These trails provide a variety of hiking, bicycling, and horseback riding experiences, as well as nature study and wildlife observation opportunities. The trails are also used by local schools and track clubs for cross country training.

Trail users can access park trails by way of the main park entrance on Maclay Road, at the Lake Overstreet Entrance along the northwest boundary by parking at the Forest Meadows Athletic Center. A signed crosswalk on Meridian Road serves as the current Greenway connection for cyclists and pedestrians. Trails are also accessible at the Bobbin Brook Entrance off Maclay Road, and the High Grove Entrance on the eastern boundary. These latter two locations provide access for adjacent neighborhoods and provide no parking.

The park hosts several special events and programs. Annual events include "Tour of Gardens" in May and "Camellia Christmas" in December. Monthly programs include plant care workshops and park interpretive programs including a wide range of natural and cultural history topics and recreational programs. Concerts are offered in the park on occasion. Kayak and paddle boat rentals and a weekend food concession are provided at Lake Hall.

Alfred B. Maclay Gardens State Park recorded 159,391 visitors in FY 2011/2012. By DRP estimates, the FY 2011/2012 visitors contributed \$7,702,071 million in direct economic impact and the equivalent of 154 jobs to the local economy (Florida Department of Environmental Protection, 2012).

Other Uses

A 100 foot wide power line right-of-way cuts across the property from north to south on the West Side of Lake Overstreet. The right-of-way is maintained by periodic mowing. The offices for the Division's Bureau of Design and Recreation Services are located within the park, in an area that is closed to the public. The

Bureau offices occupy one of the historic structures and several modular structures connected with a series of covered walkways.

Protected Zones

A protected zone is an area of high sensitivity or outstanding character from which most types of development are excluded as a protective measure. Generally, facilities requiring extensive land alteration or resulting in intensive resource use, such as parking lots, camping areas, shops or maintenance areas, are not permitted in protected zones. Facilities with minimal resource impacts, such as trails, interpretive signs and boardwalks are generally allowed. All decisions involving the use of protected zones are made on a case-by-case basis after careful site planning and analysis.

At Alfred B. Maclay Gardens State Park over 300 acres, including the sinkhole lakes, slope forest, basin swamp, bottomland forest, floodplain forest, upland lakes and seepage streams, have been designated as protected zones as delineated on the Conceptual Land Use Plan.

Existing Facilities

Recreation Facilities

Two short nature trails as well as picnicking, swimming, fishing, and boating facilities are provided at the Lake Hall Day Use Area. Visitors enjoy the Formal Gardens via the visitor center, paved and grassy trails through the gardens, and interpretive displays in the Maclay House museum. Shared-use and biking trails are provided in the Lake Overstreet Area. Picnicking and wildlife viewing facilities are also located here.

Support Facilities

The existing ranger station serves as the primary contact point for visitors arriving to the park. Multiple structures of the Maclay complex of buildings provide maintenance, support and housing functions. The following is a comprehensive listing of existing recreation and support facilities. The precise locations of these facilities are indicated on the Base Map.

Lake Hall

Large picnic pavilion
Restroom
Small picnic shelters (4)
BBQ shelter
Playground equipment
Scattered tables (80) and grills (12)
Drinking fountains (4)
Boat ramp and floating dock

Swim area
Kiosk
Big Pine and Boy Scout Nature Trail (.5 and .25 miles)
Bike rack
Paved parking (86 spaces)
Crew teams storage racks and shed

The Formal Gardens

Maclay House
Gardener's Cottage
Pavilions (2)
Ticket office and restroom
Paved parking (77 spaces)

Lake Overstreet

Shared-use trails (5 miles)
Off-road biking trails (5 miles)
Medium picnic shelter – 4 picnic tables
Composting restroom
Kiosks (4)
Viewing platform
Hitching posts 2
Benches (8)
Honor box fee collection stations (3)
Striped bicycle/pedestrian crossing
Trailhead - stabilized parking

Support Facilities

Entrance station
Residences (2)
Guest Houses (2)
Pump room (restroom/storage)
Stable (maintenance shop)
Carriage house (wood shop)
Barns (2) (storage)
Greenhouse
Lumber shed
Tool shed
Storage buildings (3)
Host RV sites (2)
RV staff resident site (1)

CONCEPTUAL LAND USE PLAN

The following narrative represents the current conceptual land use proposal for this park. The conceptual land use plan is the long-term, optimal development plan for

the park, based on current conditions and knowledge of the park's resources, landscape and social setting (see Conceptual Land Use Plan). The conceptual land use plan will be reassessed during the next update of the park management plan. As new information is provided regarding the environment of the park, cultural resources, recreational use, and as new land is acquired, the conceptual land use plan may be amended to address the new conditions as needed. A detailed development plan for the park and a site plan for specific facilities will be developed based on this conceptual land use plan, as funding becomes available.

During the development of the conceptual land use plan, DRP assessed the potential impacts of proposed uses or development on the park resources and applied that analysis to decisions for the future physical plan of the park as well as the scale and character of proposed development. Potential impacts are more thoroughly identified and assessed as part of the site planning process once funding is available for facility development. At that stage, design elements (such as existing topography and vegetation, sewage disposal and stormwater management) and design constraints (such as imperiled species or cultural site locations) are more thoroughly investigated. Municipal sewer connections, advanced wastewater treatment or best available technology systems are applied for on-site sewage disposal. Stormwater management systems are designed to minimize impervious surfaces to the greatest extent feasible, and all facilities are designed and constructed using best management practices to limit and avoid resource impacts. Federal, state and local permit and regulatory requirements are addressed during facility development. This includes the design of all new park facilities consistent with the universal access requirements of the Americans with Disabilities Act (ADA). After new facilities are constructed, the park staff monitors conditions to ensure that impacts remain within acceptable levels.

Potential Uses


Public Access and Recreational Opportunities

Goal: Provide public access and recreational opportunities in the park.


The existing recreational activities and programs of this state park are appropriate to the natural and cultural resources contained in the park and should be continued. New and improved activities and programs are also recommended and discussed below.

Objective: Maintain the park's current recreational carrying capacity of 2,428 users per day.

The park will continue to provide opportunities for swimming, boating, fishing, picnicking, garden visitation, hiking, biking, horseback riding, and nature observation. Interpretive exhibits and programs will continue to be offered at the gardens.



ALFRED B. MACLAY GARDENS STATE PARK



CONCEPTUAL LAND USE PLAN

Objective: Expand the park's recreational carrying capacity by 360 users per day.

Lake Hall is a very popular recreation area and can become crowded with swimmer, picnickers, boaters, and anglers, particularly on weekends during the warmer months. Conflicts between boaters and anglers can occur at the floating dock and boat ramp if launching boats become entangled in fishing lines. To relieve pressure on the floating dock, fishing opportunities will be expanded on the north side of the swimming area.

There is a need for a comprehensive redesign of the Gardens entrance and creation of a multi-use Visitor Center. The design and placement of the existing ticket building limits the functionality and detracts from the visual character of the entrance itself. Visitors rarely use the nearby pavilion and enter the Gardens in a manner that fails to take advantage of the symmetry of the gated entrance. The ticket building should be removed, visitor circulation redirected, and a Visitor Center constructed nearby that would provide multi-purpose spaces for meetings, special functions, interpretive programs, and exhibitions to support the various public activities of the state gardens. Permanent exhibits and special event displays, historical and horticultural lectures, agency meetings, educational classes, receptions, a gift shop and book store, park offices, and a horticultural library are a few of the functions this facility could accommodate. The Visitor Center would provide meeting space to support the functions of local garden clubs, historic societies, The Friends of Maclay Gardens and other civic organizations. The operation of the Visitor Center by a concessionaire may be considered. The building has been designed in an architectural style that complements the existing historic structures, with site design and permitting completed, and only awaiting funding for construction. Environmental and all other permits (except a building permit, which would be drawn by a contractor upon beginning construction) have been extended through January 1, 2014.

The formal garden area is a very popular wedding venue. The high number of weddings is causing problems in terms of soil compaction, turf degradation, and conflicts that arise when wedding ceremonies affect the experience of other garden visitors. To protect the health and integrity of the formal gardens, the development of a designated wedding garden is proposed for a grassy clearing just outside of the historic area near the main entrance.

The Maclay house and the surrounding outbuildings are significant historic features with the potential for more effective interpretation of the lives and times of the former owners and their employees. Critical needs regarding the future use of the Maclay estate buildings include the removal of park operational uses, consistent

maintenance programs, and planning for better interpretive treatment of the complex.

The Maclay-Phipps Heritage Greenway, as proposed in the 1999 CLMP, has not yet achieved its full potential as a regional recreation and interpretive corridor. Coordination between the City of Tallahassee and DRP will be important to promote and manage the Greenway effectively. Consistency in signage and interpretive design elements will foster an understanding of the historic linkages between the properties, add a sense of identity and importance to the Greenway, and provide a seamless visitor experience as one moves through the landscape. Major and potential interpretive sites, as identified in the CLMP should guide the development and location of interpretive stations linked to the trail system.

It is expected that the Bureau of Design and Construction will move from the park to another location at some point in the future, possibly during this ten year planning period. Once the move is completed, it is recommended that the Lake Overstreet Trailhead be moved to this area. This location provides very good connectivity to the trails making it easier for visitors to orient and find their way. Proximity to the Gillam residence, the last remaining tenant house in the park, provides an opportunity to create an interpretive gateway to the Lake Overstreet trails where the history of tenant farming on the property can be presented. Also, there are existing utilities, structures, restrooms, and parking that can be utilized to accommodate all trail user including hikers, cyclists, and equestrians.

The construction of a shared-use trail from the park entrance to the new Lake Overstreet trailhead will enhance the Greenway experience by providing an uninterrupted trail linkage from Thomasville Road to Lake Jackson.

Objective: Continue to provide the current repertoire of 6 interpretive, educational and recreational programs on a regular basis.

Guided tours of the gardens offered on weekends through the blooming season (January through April) and by request year round. The Maclay House Museum is open for touring with docents on duty January through April, seven days a week. Monthly plant care workshops presented at the gardens by horticultural staff. Monthly ranger interpretive programs, including nature and history hikes, are offered on a wide range of natural and cultural history topics. Recreational skills programs are regularly offered covering such topics as kayaking, fishing, photography, star gazing, flower arranging, plant propagation and other garden related skills. The park and citizen support organization promote several special events each year including the annual Camellia Christmas event, the annual tour of private gardens, an annual concert, and other special events from time to time.

Objective: Develop 3 new interpretive, educational and recreational programs.

As recommended in the 1999 Cultural Landscape Master Plan (CLMP), there is a need to link the interpretive function of the Maclay house with the complex of outbuildings to stories about the Maclays and the African-American community that lived and worked on the estate over time. Interpretive kiosks should be developed at all entrances and trailheads to provide an understanding of the historic linkage of the park with the adjacent Phipps property and to promote the concept of the Maclay-Phipps Heritage Greenway within the larger Red Hills landscape. The Gillam residence at the Lake Overstreet Trailhead should be developed to serve as the interpretive gateway to the Lake Overstreet trails. Interpretive programming at this location could tell the story of the tenant farmers on the Maclay property, their association with the Maclay family and development of the Gardens, and the significance of the tenant farming system within the larger Red Hills region. The story introduced at the trailhead will be reinforced by a series of self-guided interpretive stations along the trail network. The stations will be located at major cultural sites as identified in the CLMP to highlight the sequence of historic periods that have shaped the park's landscape over time. Interpretive exhibits for the Maclay family and gardens will be updated and improved and relocated from the Maclay house to the new visitor center at the gardens entrance.

Proposed Facilities

Capital Facilities and Infrastructure

Goal: Develop and maintain the capital facilities and infrastructure necessary to implement the recommendations of the management plan.

The existing facilities of this state park are appropriate to the natural and cultural resources contained in the park and should be maintained. New construction, as discussed further below, is recommended to improve the quality and safety of the recreational opportunities, to improve the protection of park resources, and to streamline the efficiency of park operations. The following is a summary of improved, renovated and/or new facilities needed to implement the conceptual land use plan for Alfred B. Maclay Gardens State Park.

Objective: Maintain all public and support facilities in the park.

All capital facilities, trails and roads within the park will be kept in proper condition through the daily or regular work of park staff and/or contracted help.

Objective: Improve/repair 5 existing facilities and 10 miles of trails.

Major repair projects for park facilities may be accomplished within the ten-year term of this management plan, if funding is made available. These include the modification of existing park facilities to bring them into compliance with the Americans with Disabilities Act (a top priority for all facilities maintained by DRP).

The following discussion of other recommended improvements and repairs are organized by use area within the park.

Lake Hall Day Use Area: A new fishing dock will be constructed on Lake Hall to the north of the swimming area. This facility should relieve pressure from the existing dock on high use days.

Maclay House Interpretive Area: The Maclay house will be improved by removing some museum exhibits for gardens interpretation and relocating to the new Visitor Center when constructed. Museum exhibits about the Maclay Family need to be updated and renovated, if they are to remain in the Maclay House. It is proposed to re-introduce some pieces of the original bedroom furnishings, currently in storage, to enhance interpretation of the family and their lives in the park. Historic structures including the stable, carriage house, gardener's cottage, and two guest houses, currently used for the manager's residence and the park office, will be renovated and adapted to provide interpretive functions.

Lake Overstreet Trailhead Area: Should the Lake Overstreet trailhead be relocated to the current Bureau of Design and Construction office area, the new trailhead can incorporate the existing utilities, structures, restrooms, and parking. It will also feature the Gillam residence to provide an interpretive gateway to the Lake Overstreet Trails and the larger Maclay-Phipps Heritage Greenway.

Lake Overstreet Trails: No changes to the existing shared-use trail system are proposed for this planning cycle. Equestrian use on the shared use trail has been relatively low with very few conflicts occurring between user groups. Equestrian demand is not expected to increase during the planning period. For this reason, the dedicated 5 mile equestrian trail that was proposed in 2003 will not be incorporated into this plan update.

The dedicated hiking trail segment and boardwalk on Lake Overstreet that was proposed in the 2003 UMP will not be incorporated in this plan update. Bald eagles have recently constructed a nest on the lakeshore within the proposed trail alignment. The possibility of nest disturbance of this imperiled species makes the establishment of this trail problematic. It is recommended that the current pattern of usage on the Lake Overstreet trails be maintained. No changes are proposed for this planning period.

Two new observations platforms will be constructed to enhance wildlife viewing opportunities on Lake Overstreet. Six interpretive wayside stations will be constructed at significant interpretive sites as identified in the CLMP. These will be equipped with interpretive panels seating bike stands and hitching posts.

Park staff monitor the trails for signs of active erosion and implement corrective actions to mitigate soil loss where necessary. The installation of water bars has been effective in many areas and should continue. However, there are some challenging sections which need additional treatments (see soils description in the Resource Management Component). In these problem areas, it is recommended that photo documentation be implemented to record the rate and pattern of soil loss. A study should be conducted to assess the problem and provide recommendations for long-term mitigation.

Support Facilities: The ranger station is proposed to be renovated or replaced to provide safer and more accessible conditions for park visitors.

Objective: Construct 3 new facilities and 1 mile of trail.

Formal Gardens Area: A new visitor center will be constructed at the gardens entrance. This facility will provide multi-purpose spaces for meetings, administrative functions, interpretive programs, and exhibitions to support the various public activities of the gardens. The building has been designed in an architectural style that complements the existing historic structures and sited in a manner that preserves the character of the gated entryway.

The number of weddings in the gardens has increased dramatically in recent years to levels that are potentially damaging to paths and plantings. A new wedding garden is proposed for an area outside the formal gardens to prevent visitor conflicts and protect the integrity of this historic site.

The recommendation in the previous Unit Management Plan, for construction of a permanent stage for performances, is being deleted from this plan, based on the Market Analysis Study completed by ArtsMarket in 2000, with conclusion that such a facility would not be in keeping with the mission of the park, and would not be economically viable.

Entrance Trailhead Area: A trailhead will be constructed near the main entrance at the intersection of the main park drive and the road to Lake Hall. A large picnic pavilion, interpretive kiosk, restroom and parking for up to twenty vehicles will be provided. The trailhead will be linked to the gardens and the Lake Overstreet Trailhead by a new shared-use trail segment to be constructed parallel to the main park drive. A spur trail will link the area to the Big Pine Trail along Lake Hall. The existing volunteer campsites in this area will be relocated.

Support Facilities: Due to space constraints, the current park office, manager's residence, and shop facilities are located in historic buildings in the Maclay complex. To improve the overall functionality of the park, it is recommended that

these uses be moved to their own dedicated area. This will allow the historic buildings to be converted to interpretive facilities to better tell the story of the Maclays and their employees. It is recommended that the park office be moved into the buildings that will be vacated by the Bureau of Design and Construction. The new office location will require fencing and screening to physically and visually separate it from the new Lake Overstreet Trailhead next to the Gillam residence. A new shop building, two staff residences and four volunteer campsites are proposed for an area just east of the new office. These should be accessed from the driveway that currently services the Bureau of Design and Construction to keep park vehicles from routinely driving through the Maclay Interpretive Area.

If the existing Lake Overstreet Trailhead is relocated, the area can be used to provide additional shop, administrative, and/or residence facilities as necessary. Crew team boat parking and storage should also be moved to this area once the trailhead is relocated. This would allow the current crew team boat parking area to be used as an overflow parking lot for special events. A service road is recommended to connect the main park drive to Maclay Road through the existing Lake Overstreet Trailhead Area. This would provide a back entrance into the park for staff use, service vehicles, and traffic management during special events.

Facilities Development

Preliminary cost estimates for these recommended facilities and improvements are provided in the Ten-Year Implementation Schedule and Cost Estimates (Table 6) located in the Implementation Component of this plan. These cost estimates are based on the most cost-effective construction standards available at this time. The preliminary estimates are provided to assist DRP in budgeting future park improvements, and may be revised as more information is collected through the planning and design processes. New facilities and improvements to existing facilities recommended by the plan include:

Lake Hall Day Use Area

Fishing dock

Entrance Trailhead Area

Parking (20 vehicles)

Trailhead kiosk (1)

Restroom

Picnic pavilion (large)

Formal Gardens Area

Visitor center

Wedding garden (facility)

Maclay House Interpretive Area

Adaptive reuse of historic structures

Lake Overstreet Trailhead Area:

Trailhead kiosk (1)

Viewing platforms (2)

Restroom and water source

Gillam residence interpretive renovation

Driveway and parking reconfiguration

Interpretive wayside stations (6)

Parkwide

Shared-use trail (1 mile)

Support Facilities

Entrance station

Residences (2)

Volunteer campsites (4)

Large shop building

Service road (.25 miles)

Recreational Carrying Capacity

Carrying capacity is an estimate of the number of users a recreation resource or facility can accommodate and still provide a high quality recreational experience and preserve the natural values of the site. The carrying capacity of a unit is determined by identifying the land and water requirements for each recreation activity at the unit, and then applying these requirements to the unit's land and water base. Next, guidelines are applied which estimate the physical capacity of the unit's natural communities to withstand recreational uses without significant degradation. This analysis identifies a range within which the carrying capacity most appropriate to the specific activity, the activity site and the unit's classification is selected (see Table 6).


The recreational carrying capacity for this park is a preliminary estimate of the number of users the unit could accommodate after the current conceptual development program has been implemented. When developed, the proposed new facilities would approximately increase the unit's carrying capacity as shown in Table 6.

Table 5--Existing Use and Recreational Carrying Capacity						
	Existing Capacity*		Proposed Additional Capacity		Estimated Recreational Capacity	
	One Time	Daily	One Time	Daily	One Time	Daily
Trails						
Big Pine Nature Trail	20	80			20	80
Lk. Overstreet Trail	50	200	10	40	60	240
Bike Trails	50	200			50	200
Picnicking/Swimming	375	750			375	750
Fishing						
Shoreline	15	30			15	30
Dock			10	20	10	20
Boating						
Rowing	120	180			120	180
Canoeing/kayaking	32	64			32	64
The Formal Gardens	308	924			308	924
Visitor Center			300	300	300	300
TOTAL	970	2428	320	360	1290	2788
*Existing capacity revised from approved plan to better DRP guidelines.						


Optimum Boundary

The optimum boundary map reflects lands that have been identified as desirable for direct management by DRP as part of the state park. These parcels may include public as well as privately owned lands that improve the continuity of existing parklands, provide the most efficient boundary configuration, improve access to the park, provide additional natural and cultural resource protection or allow for future expansion of recreational activities. The map also identifies lands that are potentially surplus to the management needs of DRP. As additional needs are identified through park use, development, or research, and changes to land use on adjacent private property occurs, modification of the park's optimum boundary may be necessary.

Identification of parcels on the optimum boundary map is intended solely for planning purposes. It is not to be used in connection with any regulatory purposes. Any party or governmental entity should not use a property's identification on the optimum boundary map to reduce or restrict the lawful rights of private



ALFRED B. MACLAY GARDENS STATE PARK



OPTIMUM BOUNDARY MAP

landowners. Identification on the map does not empower or suggest that any government entity should impose additional or more restrictive environmental land use or zoning regulations. Identification should not be used as the basis for permit denial or the imposition of permit conditions.

The proposed optimum boundary, which includes the western half of Lake Hall, would provide additional lake and shoreline protection. The two small parcels near the southeast corner of the park, separated from the main park boundary by Thomasville and Maclay Roads, have been identified for surplus.

IMPLEMENTATION COMPONENT

The resource management and land use components of this management plan provide a thorough inventory of the park's natural, cultural and recreational resources. They outline the park's management needs and problems, and recommend both short and long-term objectives and actions to meet those needs. The implementation component addresses the administrative goal for the park and reports on the Division of Recreation and Parks (DRP) progress toward achieving resource management, operational and capital improvement goals and objectives since approval of the previous management plan for this park. This component also compiles the management goals, objectives and actions expressed in the separate parts of this management plan for easy review. Estimated costs for the ten-year period of this plan are provided for each action and objective, and the costs are summarized under standard categories of land management activities.

MANAGEMENT PROGRESS

Since the approval of the last management plan for Alfred B. Maclay Gardens State Park in 2003, significant work has been accomplished and progress made towards meeting the DRP's management objectives for the park. These accomplishments fall within three of the five general categories that encompass the mission of the park and the DRP.

Acquisition

- A quit-claim deed to approximately 2 acres was given to the park by a Lake Hall developer ca. 2000, as the survey done for new development showed him to own land traditionally included within the Gardens.

Park Administration and Operations

- The park's CSO has remained very active, continuing to conduct fund-raising and other activities to benefit the park, and to attract new members and retain long-term members. They have expended up to \$15,000 per year to meet park needs.
- Volunteer hours donated to the park average over 8,000 per year, equivalent to approximately 4 full time position equivalents per year. The park continues to recruit new volunteers as well as to retain long-term volunteers.
- The park has established effective partnerships with other area entities, including Florida A & M University, Florida State University (both providing interns and student volunteer projects), and the local Institute of Food and Agricultural Services, through the County Extension Office, for ongoing assistance with volunteers and research.
- Funded and completed a market analysis study, done by ArtsMarket, Inc., to determine feasibility of building a permanent stage for more frequent presentation of concerts.
- Visitation increased significantly.

- Park staff contribute to local publications, including the Tallahassee Democrat, on topics related to gardening, local history, and other related topics.

Resource Management

Natural Resources

- Increased Management Zones brought into maintenance condition for exotic plant control, through utilization of grants, Americorps members and OPS staffing provided by Exotics project funding, to supplement park staff efforts.
- Identified, documented and provided protective measures for 100+ endangered *Torreya taxifolia* seedling trees.
- Implemented restoration measures for Bay Star vine, *Schisandra glabra*, by propagation of plants to be re-introduced into the ravine habitat.

Cultural Resources

- Renovated several planting beds and areas within the historical gardens.
- Installed a new well and renovated the irrigation system for more effective watering of gardens plantings.
- Extensive renovations of Maclay House including replacement of cypress siding, rehabilitation of windows, structural foundation repairs, etc.
- Rewiring of several historical buildings, including Maclay House, the stables (currently used as maintenance shop), carriage shed (woodworking shop), Pump/barracks/men's restroom (supply storage), and greenhouse.
- Completed historical studies for African-American historical sites, including the Near Dock House, the Cedar Shake House and analysis of the Purple Brick site, with funding in part from a grant provided by DHR.
- Completed Historical Structures Reports for Maclay House and Guest Cottage (current Park Office), with funding in part from a DHR grant.
- Completed assessment and detailed drawings for documentation of three buildings that burned in December, 2004; the Drive-through Barn, the Servant's Cottage, and the laundry, with funding in part provided by a grant from DHR.
- Completed stabilization and structural repairs to three historical barns, The Tractor Barn, the Small Tractor Barn, and the Lumber Shed.
- Renovated three wrought-iron sculptures within the Gardens.
- The historical greenhouse was renovated to facilitate plant propagation efforts for the Gardens.

Recreation and Visitor Services

- Increased park and CSO special events offered annually, and increased interpretive program offerings.
- Completed a ramp to provide accessibility to the Maclay House.
- Established a contract with a concessionaire for provision of wedding rentals and other rental usage of the Gardener's Cottage and Gardens.

- The concessionaire expanded services to include a food concession at the Lake Hall Recreation area during summer weekends and holidays.
- Acquired equipment and implemented park rentals of kayaks, pedal boats and bikes.
- Developed two additional designated bike trails, the Southern Connector and the Northern Connector, both designed according to International Mountain Biking Association standards, for sustainability.
- The Lake Overstreet trailhead, accessed from the park Ranger Station, was realigned to create a more scenic entrance onto the shared-use and bike trails, rather than entering along the power-line right of way.
- ADA facilities, including picnic tables, grills, and an accessible walkway were added to the Recreation Area to facilitate circulation throughout the area by people with disabilities.
- A beach wheelchair, an electric wheelchair, and additional staff-driven golf carts were acquired to facilitate accessibility for all.
- Continued service provided to area rowing (crew) teams and cross-country running teams, by way of Non-exclusive Land Use Agreements.

Park Facilities

- Designed and permitted a new Visitor Center for the Gardens Entrance, that is awaiting funding, and that will also serve the Maclay/Overstreet/Phipps Heritage Greenway, when built.
- Constructed new large rental picnic pavilion and restrooms at Lake Hall Recreation Area.
- Provided safer trailhead crossing of Meridian Road, from City of Tallahassee Phipps Park at Forest Meadows, with funding in part from DOT grant.
- New park entrance developed as Maclay Road realignment completed.
- The Northern park boundary from Lake Hall to Meridian Road was re-fenced.
- The Southern park boundary was re-surveyed to clearly identify the property line.
- The shade house in the plant nursery was renovated to facilitate plant propagation.
- Completed landscape improvements to provide a stabilized pathway from the Gardener's Cottage to the Walled Garden.
- Renovated a culvert between Gum Pond and Lake Overstreet subsequent to damage done by Hurricane Dennis.

MANAGEMENT PLAN IMPLEMENTATION

This management plan is written for a timeframe of ten years, as required by Section 253.034 Florida Statutes. The Ten-Year Implementation Schedule and Cost Estimates (Table 7) summarizes the management goals, objectives and actions that are recommended for implementation over this period, and beyond. Measures are

identified for assessing progress toward completing each objective and action. A time frame for completing each objective and action is provided. Preliminary cost estimates for each action are provided and the estimated total costs to complete each objective are computed. Finally, all costs are consolidated under the following five standard land management categories: Resource Management, Administration and Support, Capital Improvements, Recreation Visitor Services and Law Enforcement.

Many of the actions identified in the plan can be implemented using existing staff and funding. However, a number of continuing activities and new activities with measurable quantity targets and projected completion dates are identified that cannot be completed during the life of this plan unless additional resources for these purposes are provided. The plan's recommended actions, time frames and cost estimates will guide the DRP's planning and budgeting activities over the period of this plan. It must be noted that these recommendations are based on the information that exists at the time the plan was prepared. A high degree of adaptability and flexibility must be built into this process to ensure that the DRP can adjust to changes in the availability of funds, improved understanding of the park's natural and cultural resources, and changes in statewide land management issues, priorities and policies.

Statewide priorities for all aspects of land management are evaluated each year as part of the process for developing the DRP's annual legislative budget requests. When preparing these annual requests, the DRP considers the needs and priorities of the entire state park system and the projected availability of funding from all sources during the upcoming fiscal year. In addition to annual legislative appropriations, the DRP pursues supplemental sources of funds and staff resources wherever possible, including grants, volunteers and partnerships with other entities. The DRP's ability to accomplish the specific actions identified in the plan will be determined largely by the availability of funds and staff for these purposes, which may vary from year to year. Consequently, the target schedules and estimated costs identified in Table 7 may need to be adjusted during the ten-year management planning cycle.

Table 6
Park Name Ten-Year Implementation Schedule and Cost Estimates
Sheet 1 of 3

NOTE: THE DIVISION'S ABILITY TO COMPLETE THE OBJECTIVES OUTLINED BY THE MANAGEMENT PLAN IS CONTINGENT ON THE AVAILABILITY OF FUNDING AND OTHER RESOURCES FOR THESE PURPOSES.

Goal I: Provide administrative support for all park functions.		Measure	Planning Period	Estimated Manpower and Expense Cost* (10-years)
Objective A	Continue day-to-day administrative support at current levels.	Administrative support ongoing	C	\$1,070,000
Objective B	Expand administrative support as new lands are acquired, new facilities are developed, or as other needs arise.	Administrative support expanded	UFN	\$150,000
Goal II: Maintain, improve or restore imperiled species populations and habitats in the park.		Measure	Planning Period	Estimated Manpower and Expense Cost* (10-years)
Objective A	Update baseline imperiled species occurrence inventory lists for plants and animals, as needed.	List updated	C	\$10,000
Objective B	Monitor and document 2 selected imperiled plant species in the park.	# Species monitored	C	\$11,000
Action 1	Develop monitoring protocols for 2 selected imperiled plant species including slender naiad and bay starvine.	# Protocols developed	ST	\$1,000
Action 2	Implement monitoring protocols for 2 imperiled plant species including those listed in Action 1 above.	# Species monitored	C	\$6,000
Action 3	Propagate bay star vine individuals in greenhouse and plant in ravine(s)	# complete procedures implemented	LT	\$4,000
Goal III: Remove exotic and invasive plants and animals from the park and conduct needed maintenance-control.		Measure	Planning Period	Estimated Manpower and Expense Cost* (10-years)
Objective A	Annually treat 15 acres of exotic plant species in the park.	# Acres treated	C	\$46,000
Action 1	Annually update exotic plant management work plan.	Plan updated	C	\$16,000
Action 2	Implement annual work plan by treating 15 acres in park, annually, and continuing maintenance and follow-up treatments, as needed.	Plan implemented	C	\$30,000
Objective B	Implement control measures on 5 exotic and nuisance animal species in the park.	# Species for which control measures implemented	C	\$5,000
Goal IV: Protect, preserve and maintain the cultural resources of the park.		Measure	Planning Period	Estimated Manpower and Expense Cost* (10-years)
Objective A	Assess and evaluate 63 of 75 recorded cultural resources in the park.	Documentation complete	LT	\$234,000
Action 1	Complete 48 assessments/evaluations of archaeological sites. Prioritize preservation and stabilization projects.	Assessments complete	ST	\$4,000

* 2013 Dollars
ST = actions within 2 years
LT = actions within 10 years
C = long term or short term actions that are continuous or cyclical
UFN = currently unfunded need

Table 6
Park Name Ten-Year Implementation Schedule and Cost Estimates
Sheet 2 of 3

NOTE: THE DIVISION'S ABILITY TO COMPLETE THE OBJECTIVES OUTLINED BY THE MANAGEMENT PLAN IS CONTINGENT ON THE AVAILABILITY OF FUNDING AND OTHER RESOURCES FOR THESE PURPOSES.				
Action 2	Complete 15 Historic Structures Reports (HSR's) for historic buildings and cultural landscapes. Prioritize stabilization, restoration and rehabilitation projects.	Reports and priority lists completed	UFN	\$230,000
Objective B	Compile reliable documentation for all recorded historic and archaeological sites.	Documentation complete	LT	\$89,000
Action 1	Ensure all known sites are recorded or updated in the Florida Master Site File.	# Sites recorded or updated	ST	\$5,000
Action 2	Conduct Phase 1 archaeological survey for 11 priority areas planned for development which occur in high and medium sensitivity areas.	Survey completed	UFN	\$44,000
Action 3	Develop and adopt a Scope of Collections Statement.	Document completed	ST	\$2,000
Action 4	Conduct oral history interviews .	Interviews complete	ST	\$4,000
Action 5	Compile documentation of park history.	Documentation compiled	C	\$4,000
Action 6	Conduct ethnographic research to explore the culture and interrelationships of the people inhabiting Killearn Plantation.	Reseach conducted	UFN	\$30,000
Objective C	Bring 1 of 75 recorded cultural resources into good condition	# Sites in good condition	LT	\$1,232,000
Action 1	Design and implement regular monitoring programs for 75 cultural sites.	# Sites monitored	C	\$2,000
Action 2	Create and implement a cyclical maintenance program for each historic building.	Programs implemented	C	\$1,220,000
Action 3	Bring 1 priority historic sites into good condition including the seed and fertilizer storage building.	Projects completed	ST	\$10,000
Goal V: Provide public access and recreational opportunities in the park.		Measure	Planning Period	Estimated Manpower and Expense Cost* (10-years)
Objective A	Maintain the park's current recreational carrying capacity of 2,548 users per day.	# Recreation/visitor	C	\$2,140,000
Objective B	Expand the park's recreational carrying capacity by 360 users per day.	# Recreation/visitor	UFN	\$300,000
Objective C	Continue to provide the current repertoire of 6 interpretive, educational and recreational programs on a regular basis.	# Interpretive/education programs	C	\$180,000
Objective D	Develop 3 new interpretive, educational and recreational programs.	# Interpretive/education programs	UFN	\$230,000
Goal VI: Develop and maintain the capital facilities and infrastructure necessary to meet the goals and objectives of this management plan.		Measure	Planning Period	Estimated Manpower and Expense Cost* (10-years)
Objective A	Maintain all public and support facilities in the park.	Facilities maintained	C	\$1,780,000
Objective B	Continue to implement the park's transition plan to ensure facilities are accessible in accordance with the American with Disabilities Act of 1990.	Plan implemented	LT	\$320,000

H:\OPP\NON-PURGED\LAND USE INFORMATION\Parks\Alfred B Maclay SG\2013_Management Plan Update\WS_AG Draft\Original Files\ABMGSP_Spreadsheet_20130708

* 2013 Dollars
ST = actions within 2 years
LT = actions within 10 years
C = long term or short term actions that are continuous or cyclical
UFN = currently unfunded need

Table 6
Park Name Ten-Year Implementation Schedule and Cost Estimates
Sheet 3 of 3

NOTE: THE DIVISION'S ABILITY TO COMPLETE THE OBJECTIVES OUTLINED BY THE MANAGEMENT PLAN IS CONTINGENT ON THE AVAILABILITY OF FUNDING AND OTHER RESOURCES FOR THESE PURPOSES.				
Objective C	Improve and/or repair 5 existing facilites and 10 miles of trails.	# Facilities/Miles of Trail	UFN	\$1,050,000
Action 1	Improve and/or repair 5 existing facilites	# Facilities	UFN	\$1,005,000
Action 2	Implement photo monitoring to document trail erosion	Monitoring implemented	UFN	\$5,000
Action 3	Continue to implement corrective actions including water bars in problem areas	Corrective actions implemented	C	\$20,000
Action 4	Conduct study to assess erosion problem and provide long term recommendations	Study conducted	UFN	\$20,000
Objective D	Construct 3 new facilities and 1 mile of trail.	# Facilities/Miles of Trail	UFN	\$2,850,000
Objective E	Expand maintenance activities as existing facilities are improved and new facilities are developed.	Facilities maintained	UFN	\$60,000
Summary of Estimated Costs				
Management Categories				Total Estimated Manpower and Expense Cost* (10-years)
Resource Management				\$1,627,000
Administration and Support				\$1,220,000
Capital Improvements				\$4,220,000
Recreation Visitor Services				\$4,690,000
Law Enforcement Activities ¹				
		1Law enforcement activities in Florida State Parks are conducted by the FWC Division of Law Enforcement and by local law enforcement agencies.		

H:\OPP\NON-PURGED\LAND USE INFORMATION\Parks\Alfred B Maclay SG\2013_Management Plan Update\WS_AG Draft\Original Files\ABMGSP_Spreadsheet_20130708

* 2013 Dollars
ST = actions within 2 years
LT = actions within 10 years
C = long term or short term actions that are continuous or cyclical
UFN = currently unfunded need

Addendum 1 – Acquisition History

Purpose of Acquisition:

The State of Florida ("State") acquired Alfred B. Maclay Gardens State Park to maintain this property as a public state park.

Sequence of Acquisition:

On March 31, 1953, the State obtained title to a 307.6-acre property constituting the initial area of Alfred B. Maclay Gardens State Park. The State received the property from Trustees of Killearn Gardens, Inc. as a donation. The purpose of this donation was for the property to be used for the use and benefit of the Florida Board of Parks and Historic Memorials ("FBPHM"), predecessor in interest to the State of Florida Department of Environmental Protection, Division of Recreation and Parks ("DRP"), as a public park.

Since the 1953 initial donation, the State acquired one property, commonly referred to as "Lake Overstreet Property," and added it to Alfred B. Maclay Gardens State Park. This approximately 878-acre property was purchased from The Trust for Public Land Corporation for \$5,278,000. The City of Tallahassee contributed \$868,000 towards the purchase of the Lake Overstreet property, and the remaining amount was paid by the Board of Trustees of the Internal Improvement Trust Fund of the State of Florida ("Trustees"). The Trustees' portion (share) of the purchase was funded through Preservation 2000 Additions and Inholdings ("P2000/ A & I").

Management Leases:

On January 31, 1968, the Trustees leased Alfred B. Maclay Gardens State Park to FBPHM under a ninety-nine (99) generic lease, sometimes referred to as "Grand Father Lease," Lease No. 2324. In 1988, the Trustees assigned a new lease number, Lease No. 3607, to Alfred B. Maclay Gardens State Park, without changing any of the terms and conditions of Lease No. 2324.

According to Lease No. 3607, DRP manages Alfred B. Maclay Gardens State Park for the specific purpose of outdoor recreational, park, conservation, historic and related purposes.

Title Interest

The Trustees holds fee simple title to Alfred B. Maclay Gardens State Park.

Special Conditions on Use

Alfred B. Maclay Gardens State Park is designated single-use to provide resource-based public outdoor recreation and other park related uses. Uses such as water resource development projects, water supply projects, storm-water management projects, and linear facilities and sustainable agriculture and forestry are not consistent with the purposes for which DRP manages the park. For this reason, such activities are not

Alfred B. Maclay Gardens State Park Acquisition History

allowed in Alfred B. Maclay Gardens State Park unless they are specifically identified in the park's Unit Management Plan.

Outstanding Reservations

Following is a listing of outstanding rights and reservations that apply to Alfred B. Maclay Gardens State Park:

Type of Instrument:	Deed
Grantor:	Trustees of Killearn Gardens, Inc.
Grantee:	Trustees
Beginning Date:	March 31, 1953
Ending Date:	so long as the property is used for the intended purpose.

Outstanding Reservation and Restriction: The deed reserves to the grantor, its successors and assigns in title, a right-of-way for ingress and egress purpose. The deed is also subject to that said lands are used and maintained as a state park for exhibit and display to and use by the public. If the property is not used for the public use as stated in the deed, the title to the property shall revert to the grantors, their successors in trust, or assigns.

Type of Instrument:	Easement and Corrective Easement No. 29744.
Grantor:	Trustees
Grantee:	City of Tallahassee
Beginning Date:	July 30, 1996 and corrected on March 10, 1998
Ending Date:	August 1, 2046
Outstanding Rights:	The easement allows the City of Tallahassee to construct and maintain the realigned section of Maclay Road that passes through a portion of Alfred B. Maclay Gardens State Park. The corrective easement makes two minor revisions to the original easement.

Addendum 2 – Advisory Group Members and Report

Alfred B. Maclay Gardens State Park Advisory Group Members and Report

List

Alfred B. Maclay Gardens State Park Advisory Group Members and Report

Report

Addendum 3 – References Cited

Alfred B. Maclay Gardens State Park References Cited

- Bureau of Economic and Business Research, Warrington College of Business Administration, University of Florida. 2011. Florida Statistical Abstract.
- Collins, L.D., S. Fernandez, J. DuVernay, K. Driscoll, and T. Doering. 2012. Archaeological resource sensitivity modeling in Florida State Parks District 1: the northwest Florida region. Alliance for Integrated Spatial Technologies, University of South Florida. DEP contract number RP733.
- Doran, G.H. 1992. Archaeological Investigations of the Lake Overstreet Property, Leon County, Florida. Prepared for the Trust for Public Lands, Southeast Regional Office, Tallahassee, FL.
- Florida Department of Environmental Protection. 2011. Florida State Park System Economic Impact Assessment for Fiscal Year 2010/2011. Tallahassee, Florida.
- Glatting, Jackson, Kercher, Anglin, Lopez, Rinehart, Inc. 2002. Welaunee Critical Area Plan.
- Hardman, Greg. 2012. Pers. Comm. City of Tallahassee, Growth Management Department.
- Hendry, C.W. and C.R. Sproul. 1966. Geology and groundwater resources of Leon County, Florida. Florida Geologic Survey Bulletin 47.
- Huffman / Tarmey Architecture P.A. 2003. Alfred B. Maclay Gardens State Park: Historic Research Report. Tallahassee, Florida.
- Jaeger, D., and D. Penton. 1999a. Cultural Landscape Master Plan for the Maclay-Phipps Heritage Greenway: Leon County, Florida. The Jaeger Company: Gainesville, Georgia.
- Jaeger, D., and D. Penton. 1999b. From Plantation to Park: the Evolving Cultural Landscape of the Maclay - Phipps Heritage Greenway. The Jaeger Company: Gainesville, Georgia.
- Johnson Peterson Architects, Inc. 2006. Documentation of Burned Buildings at Maclay State Gardens. Tallahassee, Florida.
- Keel, F. 1999. An Archaeological Assessment of the Maclay-Phipps Heritage Greenway Leon County, Florida. The Jaeger Company: Gainesville, Georgia.
- Klingelhofer, A. 2001. Collections Conservation Assessment: Maclay Gardens State Park. Heritage Preservation Conservation Assessment Program.

Alfred B. Maclay Gardens State Park References Cited

Leon County. 2010. Leon County Comprehensive Plan 2010. Leon County, Florida.

Lindstrom, T. E. 2008. Historical Archaeology at the Cedar Shake House (8LE1947): the African-American Heritage of Alfred B. Maclay Gardens State Park. Master of Arts thesis report, Florida State University.

Tesar, L.D., B.C. Jones, J.M. Warzeski, and S. Martin. 1995. Alfred B. Maclay Gardens State Park / Lake Overstreet addition unit management plan revision, Leon County, Florida; June 7 1995 field trip results. Report. Florida Division of Historical Resources, Tallahassee, Florida.

Thakkar, S. and J. DeLoach. 2005. Asbestos and Lead Based Paint Survey Report: Park Office. Mihir Environics, Inc.: Tallahassee, Florida.

U.S. Department of the Interior, National Park Service. 2007. Historic Structure Assessment Report: Cedar Shake House and Near Dock House, Alfred B. Maclay Gardens State Park. Frederick, Maryland.

Yates, E. M., et al. 2008. Archaeological Site Testing and Evaluation of 8LE1942, 8LE1946, and 8LE1947: Alfred B. Maclay Gardens State Park, Leon County, Florida. Southeast Archaeological Center, National Park Service: Tallahassee, Florida.

Addendum 4 – Soil Descriptions

Alfred B. Maclay Gardens State Park

Soil Descriptions

Albany Loamy sand 0 to 2 percent slopes - This nearly level, somewhat poorly drained soil is on lower elevations of uplands. Included with this soil in mapping are small areas of Troup and Plummer soils. This Albany soil has a seasonal high water 12 to 30 inches below the surface for 1 to 2 months in most years. Available water capacity is very low in the surface and subsurface layers and medium in the subsoil. Permeability is rapid in the surface and subsurface layers and moderate in the subsoil. Natural fertility is low. The vegetation includes longleaf and slash pines and mixed hardwoods-white oak, live oak, laurel oak, sweetgum, hickory, dogwood, and persimmon tree. The understory consists of native grasses and shrubs including huckleberry, briers, and pineland threeawn.

Typically, the surface layer is very dark grayish brown loamy sand about 4 inches thick. The subsurface layer is loamy sand about 46 inches thick – the upper 17 inches is pale brown, the next 15 inches is very pale brown, and the lower 14 inches is mottled very pale brown, yellow and brownish yellow. The subsoil extends to a depth of 78 inches – the upper 13 inches is mottled light gray and yellowish brown sandy loam and the lower 15 inches is light yellowish brown sandy clay loam. Below 78 inches is light gray very fine sandy loam that had yellow and reddish yellow mottles.

Lucy fine sand, 0 to 5 percent slopes - This well drained, nearly level to gently sloping soil is on upland ridges. Slopes are smooth and uniform to irregular in shape. This Lucy soil does not have a water table within a depth of 80 inches. The available water capacity is low in the surface layers and medium in the subsoil. Permeability is rapid in the surface and subsurface layers and moderate in the subsoil. The vegetation includes slash and longleaf pines, live oak, post oak, red oak, and dogwood tree. The understory consists of native grasses and shrubs including huckleberry, southern dewberry, muscadine grape, yaupon, and sparse pineland threeawn.

Typically, the surface layer is dark grayish brown fine sand 5 inches thick. The subsurface layer is fine sand and extends to a depth of 26 inches – the upper 4 inches is dark yellowish brown, the next 7 inches is dark brown, and the lower 10 inches is strong brown. The subsoil is yellowish red sandy clay loam to a depth of 80 inches or more. Included with this soil in mapping are small areas of Orangeburg and Troup soils on the same slope positions as this Lucy soil. Small areas of Wagram and Blanton soils are on some top slopes. Also included in mapping are small areas where the surface layer is sand or loamy sand.

Lucy fine sand, 5 to 8 percent slopes - This sloping, well-drained soil is on upland hillsides. This Lucy soil has a water table below depths of 80 inches throughout the year. The available water capacity is low in the surface and subsurface layers and medium in the subsoil. Permeability and vegetation is as Lucy fine sand, 0 to 5 percent slopes.

Typically, the surface layer is dark brown fine sand about 5 inches thick. The next 8

Alfred B. Maclay Gardens State Park
Soil Descriptions

inches is brown fine sand; extending to a depth of 30 inches is reddish yellow and strong brown fine sand. The subsoil extends to a depth of 80 inches or more – the upper 6 inches is yellowish red fine sandy loam, the next 39 inches is red sandy clay loam, and the lower 5 inches is yellowish red fine sandy loam.

Lynchburg fine sandy loam - This somewhat poorly drained, nearly level soil is in shallow depressional areas and on broad interstream divides. Slopes range from 0 to 2 percent. This Lynchburg soil has a water table that is 6 to 20 inches below the surface for 1 to 3 months during spring and winter months in most years.

Permeability is rapid in the surface and subsurface layers and moderate in the subsoil. Native trees include sweetgum, blackgum, dogwood, longleaf pine, slash pine, loblolly pine; the understory is inkberry and pineland threeawn.

Typically, the surface layer is very dark grayish brown fine sand y loam about 8 inches thick. The subsurface is grayish brown fine sandy loam about 10 inches thick. The subsoil is sandy clay loam to a depth of about 65 inches. The upper 12 inches is brown that has gray and yellowish brown mottles. The substratum is gray sandy clay loam that had brownish yellow mottles. Included with this soil in mapping are small areas of Rains and Ocilla soils.

Ocilla fine sand - This somewhat poorly drained, nearly level soil is on moderately low uplands. Slopes range from 0 to 2 percent and are slightly convex. The water table is at a depth of 15 to 30 inches for 2 to 6 months. Soil reaction is strongly too extremely acid. The available water capacity is low in the surface and subsurface layers and medium in the subsoil. Permeability is rapid to moderately rapid in the surface and subsurface layers. Vegetation includes laurel oak, live oak, pin oak, and slash and loblolly pine. The understory includes greenbrier, honeysuckle, muscadine grapes, waxmyrtle, saw palmetto, inkberry, wild mulberry, and pineland threeawn.

Typically, the surface layer is dark gray fine sand about 3 inches thick. The subsurface layer extends to a depth of about 29 inches – the upper 3 inches is pale olive fine sand, the next 16 inches is light yellowish brown loamy fine sands, and the lower 7 inches is brownish yellow loamy fine sand. The subsoil extending to 80 inches or more is yellowish brown sandy clay loam that has gray mottles in the upper part and is dominantly gray sandy clay loam in the lower part. Included with this soil in mapping are small areas of Lynchburg, Albany, Plummer, Pelham, Blanton, and Chipley soils.

Orangeburg fine sandy loam, 2 to 5 percent slopes - This is a well drained, gently sloping soil that occurs on uplands. The water table of this Orangeburg soil is below 72 inches throughout the year. The available water capacity is low in the surface layer and medium in the subsoil. Permeability is moderately rapid in the surface layer and moderate in the subsoil. Native trees include longleaf pine, slash pine, and loblolly pine, and mixed hardwoods – white oak, re oak, live oak, laurel oak, sweetgum, hickory, dogwood, and persimmon. The understory is native grasses and shrubs including huckleberry, briers and pineland threeawn.

Alfred B. Maclay Gardens State Park

Soil Descriptions

Typically, the surface and subsurface layers are fine sandy loam about 10 inches thick. The upper 5 inches is brown and the lower 5 inches is yellowish red. The subsoil that extends to a depth of 80 inches or more is yellowish red and red sandy clay loam. Included with this soil are small areas of Blanton, Lucy, and Troup soils.

Orangeburg fine sandy loam, 5 to 8 percent slopes - This well drained, sloping soil is on small areas on uplands. Slopes are irregularly shaped. The water table, permeability, and vegetation are as Orangeburg 2 to 5 percent slopes.

Typically, the surface layer is very dark grayish brown fine sandy loam about 6 inches thick. The subsurface layer is yellowish brown fine sandy loam about 12 inches thick. The subsoil is yellowish red sandy clay loam that extends to 80 inches or more. Included with this soil are small areas of Blanton, Lucy, and Troup soils.

Orangeburg fine sandy loam, 8 to 12 percent slopes - This well drained, strongly sloping soil is on upland hillsides. The water table, permeability, and vegetation is as Orangeburg.

Typically, the surface layer is very dark grayish brown fine sandy loam about 5 inches thick. The subsurface layer is yellowish brown fine sandy loam to a depth of about 19 inches. The subsoil is yellowish red sandy clay loam to about 64 inches. The substratum is mottled reddish yellow and red sandy clay loam that extends to 80 inches or more. Included with this soil are small areas of Blanton, Lucy, and Troup soils.

Pelham fine sand - This poorly drained, nearly level soil is on broad flatwoods, in depressional areas, and in some drainageways on uplands. Slopes range from 0 to 2 percent. The water table of this Pelham soil is within 15 inches of the surface for 3 to 6 months in most years. Permeability is rapid in the surface and subsurface layers and moderate in the subsoil. Vegetation includes slash and loblolly pine, sweetgum, blackgum, and water oak. The understory includes greenbrier, waxmyrtle, and inkberry.

Typically, the surface layer is very dark gray fine sand about 5 inches thick. The subsurface layer is dark gray, light brownish gray, and light gray fine sand about 21 inches thick. The subsoil is sandy clay loam that extends to a depth of 80 inches or more. The upper 6 inches of the subsoil is gray that has brown mottles, and the lower part is light gray that has yellow, brown, and red mottles.

Plummer fine sand - This poorly drained, nearly level soil is in broad low areas and in poorly defined drainageways. Slopes range from 0 to 2 percent. The water table is within a depth of 15 inches for 3 to 6 months in most years. Permeability is moderately rapid in surface and subsurface layers and moderate in the subsoil. The native trees include loblolly pine and slash pine, sweetgum, black gum, and cypress. The understory includes inkberry, waxmyrtle, ferns, and pineland threeawn.

Typically, the surface layer is fine sand about 17 inches thick. The upper 6 inches is

Alfred B. Maclay Gardens State Park
Soil Descriptions

very dark grayish brown, and the lower 11 inches is dark grayish brown. The subsurface layer is fine sand to a depth of about 61 inches – the upper 11 inches is gray, the next 8 inches is gray that has strong brown mottles, and the lower 25 inches is light gray. The subsoil extending to 80 inches or more is light gray fine sandy loam that has yellowish red mottles.

Orangeburg Urban land complex, 2 to 12 percent slopes - This map unit consists of Orangeburg fine sandy loam and Urban land. The Orangeburg soil and Urban Land are so intermingled that separating them was not practical at the scale used mapping. Much of this soil has been reworked or reshaped but is still recognizable as Orangeburg soil. The only occurrence of this soil type at Maclay State Gardens is a ruderal sliver of land along the eastern side of Thomasville Road. Typically, Orangeburg soil has a 6-inch thick very dark grayish brown fine sandy loam surface layer and a 12-inch thick yellowish brown fine sandy loam subsurface layer. The subsoil is yellowish red sandy clay loam that extends to depths greater than 80 inches. The water table is below a depth of 72 inches throughout the year.

Addendum 5—Plant And Animal List

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Glossy abelia ^{1,2}	<i>Abelia grandiflora</i>	
Three-seeded mercury	<i>Acalypha gracilens</i>	
Box elder	<i>Acer negundo</i>	
Japanese maple ^{1,2}	<i>Acer palmatum</i>	
Broadleaf Japanese maple ^{1,2}	<i>Acer palmatum atropurpureum</i>	
Southern red maple	<i>Acer rubrum</i>	
Florida maple	<i>Acer saccharum floridana</i>	
Red buckeye	<i>Aesculus pavia</i>	
False foxglove	<i>Agalinis fasciculata</i>	
Century plant ^{1,2}	<i>Agave americana</i>	
White snakeroot	<i>Ageratina altissima</i>	
Spring bentgrass	<i>Agrostis hyemalis</i>	
Autumn bentgrass	<i>Agrostis perennans</i>	
Carpet bugle ^{1,2}	<i>Ajuga sp.</i>	
Mimosa ¹	<i>Albizia julibrissin</i>	
Tung-oil tree ¹	<i>Aleurites fordii</i>	
Hazel alder	<i>Alnus serrulata</i>	
Common ragweed	<i>Ambrosia artemisiifolia</i>	
Service berry	<i>Amelanchier arborea</i>	
Pepper vine	<i>Ampelopsis arborea</i>	
American hog-peanut	<i>Amphicarpaea bracteata</i>	
Fringed bluestar	<i>Amsonia ciliata</i>	
Bushy bluestem	<i>Andropogon glomeratus</i>	
Splitbeard bluestem	<i>Andropogon ternarius</i>	
Broomsedge	<i>Andropogon virginicus</i>	
Green silkyscale	<i>Anthaenantia villosa</i>	
Coral vine ¹	<i>Antigonon leptopus</i>	
Nodding-nixie	<i>Apteria aphylla</i>	
Devil's-walkingstick	<i>Aralia spinosa</i>	
Coral ardisia ¹	<i>Ardisia crenata</i>	
Green dragon	<i>Arisaema dracontium</i>	
Jack-in-the-pulpit	<i>Arisaema triphyllum</i>	
Switch cane	<i>Arundinaria gigantea</i>	
Carolina milkweed	<i>Asclepias cinerea</i>	
Swamp milkweed	<i>Asclepias perennis</i>	
Butterfly weed	<i>Asclepias tuberosa</i>	
Slimleaf pawpaw	<i>Asimina angustifolia</i>	
Small-flower pawpaw	<i>Asimina parviflora</i>	
Ebony spleenwort	<i>Asplenium platyneuron</i>	
Florida milk vetch	<i>Astragalus obcordatus</i>	
Southern lady fern	<i>Athyrium filis-femina</i>	
Japanese aucuba ^{1,2}	<i>Aucuba japonica</i>	
Smooth yellow false foxglove	<i>Aureolaria flava</i>	
Fernleaf yellow false foxglove	<i>Aureolaria pedicularia</i>	
Mosquito fern	<i>Azolla caroliniana</i>	
Saltbush	<i>Baccharis halimifolia</i>	
Blue Hyssop	<i>Bacopa caroliniana</i>	
Hedge bamboo ¹	<i>Bambusa multiplex</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
White wild indigo	<i>Baptisia alba</i>	
Gopherweed	<i>Baptisia lanceolata</i>	
Pineland wild indigo	<i>Baptisia lecontei</i>	
Wintergreen barberry ^{1,2}	<i>Berberis julianae</i>	
Japanese barberry ^{1,2}	<i>Berberis thunbergii</i>	
Rattan vine	<i>Berchemia scandens</i>	
Soft greeneyes	<i>Berlandiera pumila</i>	
River birch	<i>Betula nigra</i>	
Cross-vine	<i>Bignonia capreolata</i>	
False nettle, bog hemp	<i>Boehmeria cylindrica</i>	
Southern grape fern	<i>Botrychium biternatum</i>	
Rattlesnake fern	<i>Botrychium virginianum</i>	
Water-shield	<i>Brasenia schreberi</i>	
Buckwheat vine	<i>Brunnichia ovata</i>	
American bluehearts	<i>Buchnera floridana</i>	
Hairsedge	<i>Bulbostylis</i> sp.	
Pindo palm ^{1,2}	<i>Butia capitata</i>	
Boxwood ^{1,2}	<i>Buxus harlandii</i>	
Common boxwood	<i>Buxus sempervirens</i>	
Fanwort	<i>Cabomba caroliniana</i>	
Beautyberry	<i>Callicarpa americana</i>	
Camellia ^{1,2}	<i>Camellia japonica</i>	
Camellia ^{1,2}	<i>Camellia sasanqua</i>	
Trumpet vine	<i>Campsis radicans</i>	
Bandana of the Everglades	<i>Canna flaccida</i>	
Indian shot ^{1,2}	<i>Canna indica</i>	
Sedge	<i>Carex</i> sp.	
Chaffhead	<i>Carphephorus</i> sp.	
Ironwood	<i>Carpinus caroliniana</i>	
Water hickory	<i>Carya aquatica</i>	
Pignut hickory	<i>Carya glabra</i>	
Shellbark hickory ²	<i>Carya laciniosa</i>	
Mockernut hickory	<i>Carya tomentosa</i>	
Wild sensitive plant	<i>Cassia nictitans</i>	
Chinquapin	<i>Castanea pumila</i>	
New Jersey tea	<i>Ceanothus americanus</i>	
Atlas cedar ^{1,2}	<i>Cedrus atlantica</i>	
Deodar cedar ^{1,2}	<i>Cedrus deodara</i>	
Sugarberry	<i>Celtis laevigata</i>	
Asian coinwort	<i>Centella asiatica</i>	
Butterfly-pea	<i>Centrosema virginianum</i>	
Buttonbush	<i>Cephalanthus occidentalis</i>	
Eastern redbud	<i>Cercis canadensis</i>	
Hairyfruit chervil	<i>Chaerophyllum tainturieri</i>	
Partridge pea	<i>Chamaecrista fasciculata</i>	
European fan palm ^{1,2}	<i>Chamaerops humilis</i>	
Hyssopleaf sandmat	<i>Chamaesyce hyssopifolia</i>	
Spotted sandmat	<i>Chamaesyce maculata</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Indian woodoats	<i>Chasmanthium latifolium</i>	
Fringe tree	<i>Chionanthus virginicus</i>	
Golden aster ²	<i>Chrysopsis gossypina</i>	
Maryland golden aster	<i>Chrysopsis mariana</i>	
Water-hemlock	<i>Cicuta mexicana</i>	
Camphor tree ¹	<i>Cinnamomum camphora</i>	
Satincurls	<i>Clematis catesbyana</i>	
Swamp leather flower	<i>Clematis crispa</i>	
Sweet pepperbush	<i>Clethra alnifolia</i>	
Butterfly-pea	<i>Clitoria mariana</i>	
Finger rot	<i>Cnidioscolus stimulosus</i>	
Carolina coralbeads	<i>Cocculus carolinus</i>	
Blueridge horsebalm	<i>Collinsonia serotina</i>	
Wild taro ¹	<i>Colocasia esculenta</i>	
Blue mistflower	<i>Conoclinium coelestinum</i>	
American squaw root	<i>Conopholis americana</i>	
Canadian horseweed	<i>Conyza canadensis</i>	
Purple thistle	<i>Cirsium horridulum</i>	
Lichen	<i>Cladonia sp.</i>	
Flowering dogwood	<i>Cornus florida</i>	
Stiff cornel dogwood	<i>Cornus foemina</i>	
Japanese dogwood ^{1,2}	<i>Cornus kousa</i>	
Pampass grass ^{1,2}	<i>Cortaderia selloana</i>	
Yellowleaf hawthorn	<i>Crataegus flava</i>	
Parsley hawthorn	<i>Crataegus marshallii</i>	
Dwarf-thorn	<i>Crataegus uniflora</i>	
Green hawthorn	<i>Crataegus viridis</i>	
Slender scratch daisy	<i>Croptilon divaricatum</i>	
Rabbit-bells	<i>Crotalaria rotundifolia</i>	
Silver croton	<i>Croton argyranthemus</i>	
Vente conmigo	<i>Croton glandulosus</i>	
Pineland croton	<i>Croton linearis</i>	
Japanese cedar ^{1,2}	<i>Cryptomeria japonica</i>	
Waxweed ^{1,2}	<i>Cuphea carthagenensis</i>	
Portuguese cypress ^{1,2}	<i>Cupressus lusitanica</i>	
Italian cypress ^{1,2}	<i>Cupressus sempervirens</i>	
Sago palm ²	<i>Cycas revoluta</i>	
Flat sedge	<i>Cyperus sp.</i>	
Titi	<i>Cyrilla racemiflora</i>	
Summer farewell	<i>Dalea pinnata</i>	
Water loosestrife	<i>Decodon verticillatus</i>	
Wood vamp, climbing hydrangea	<i>Decumaria barbara</i>	
Beggar's lice	<i>Desmodium sp.</i>	
Pennyroyal	<i>Dicerandra linearifolia</i>	
Pony-foot	<i>Dichondra carolinensis</i>	
Southern crab grass	<i>Digitaria ciliaris</i>	
Carolina crabgrass	<i>Digitaria cognatum</i>	
Shaggy fingergrass	<i>Digitaria villosa</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Poor joe	<i>Diodia teres</i>	
Buttonweed	<i>Diodia virginiana</i>	
Air potato ¹	<i>Dioscorea bulbifera</i>	
Rabbit-bells	<i>Crotalaria rotundifolia</i>	
Flatsedge	<i>Cyperus sp.</i>	
Ticktrefoil	<i>Desmodium sp.</i>	
Persimmon	<i>Diospyros virginiana</i>	
Water hyacinth ¹	<i>Eichhornia crassipes</i>	
Silverthorn ¹	<i>Elaeagnus pungens</i>	
Tall elephant's-foot	<i>Elephantopus elatus</i>	
Carolina elephant's-foot	<i>Elephantopus carolinianus</i>	
Beech drops	<i>Epifagus virginiana</i>	
Prairie fleabane	<i>Erigeron strigosus</i>	
Green-fly orchid	<i>Epidendrum magnoliae</i>	21,33
Button rattlesnake master	<i>Eryngium yuccifolium</i>	
Creeping eryngo	<i>Eryngium prostratum</i>	
Coralbean	<i>Erythrina herbacea</i>	
Dimpled trout lily	<i>Erythronium umbilicatum</i>	
Bursting heart	<i>Euonymus americanus</i>	
Japanese euonymus ^{1,2}	<i>Euonymus japonicus</i>	
Yellow-leaved euonymus ^{1,2}	<i>Euonymus japonicus aureus</i>	
White thoroughwort	<i>Eupatorium album</i>	
Dog fennel	<i>Eupatorium capillifolium</i>	
Greater Florida spurge	<i>Euphorbia floridana</i>	
Eurya ^{1,2}	<i>Eurya emarginata</i>	
Eurya ^{1,2}	<i>Eurya japonica</i>	
Flat-topped goldenrod	<i>Euthamia minor</i>	
American beech	<i>Fagus grandifolia</i>	
Japanese fatsia ^{1,2}	<i>Fatsia japonica</i>	
Pineapple guava ^{1,2}	<i>Feijoa sellowiana</i>	
Climbing fig ^{1,2}	<i>Ficus pumila</i>	
Swamp privet	<i>Forestiera acuminata</i>	
Kumquat ^{1,2}	<i>Fortunella margarita</i>	
White ash	<i>Fraxinus americana</i>	
Popash, Carolina ash	<i>Fraxinus caroliniana</i>	
Green ash	<i>Fraxinus pennsylvanica</i>	
Pumpkin ash	<i>Fraxinus profunda</i>	
Cottonweed	<i>Froelichia floridana</i>	
Elliot's milk-pea	<i>Galactia elliottii</i>	
Goosegrass	<i>Galium aparine</i>	
Hairy bedstraw	<i>Galium pilosum</i>	
Stiff marsh bedstraw	<i>Galium tinctorium</i>	
Cape jasmine ^{1,2}	<i>Gardenia jasminoides</i>	
Dwarf huckleberry	<i>Gaylussacia dumosa</i>	
Blue huckleberry	<i>Gaylussacia frondosa</i>	
Wooly huckleberry	<i>Gaylussacia mosieri</i>	
Yellow jessamine	<i>Gelsemium sempervirens</i>	
Catesby's gentiana	<i>Gentiana catesbaei</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Cranesbill	<i>Geranium carolinianum</i>	
Water locust	<i>Gleditsia aquatica</i>	
Honey locust	<i>Gleditsia triacanthos</i>	
Sweet everlasting	<i>Gnaphalium obtusifolium</i>	
Cudweed	<i>Gnaphalium pensilvanicum</i>	
Cudweed	<i>Gnaphalium purpureum</i>	
Cudweed	<i>Gnaphalium spicatum</i>	
Loblolly bay	<i>Gordonia lasianthus</i>	
Sticky hedgehyssop	<i>Gratiola brevifolia</i>	
Florida hedgehyssop	<i>Gratiola floridana</i>	
Rough hedgehyssop	<i>Gratiola hispida</i>	
Roundfruit hedgehyssop	<i>Gratiola virginiana</i>	
Southern beeblossom	<i>Guara angustifolia</i>	
Slenderstalk beeblossom	<i>Guara filipes</i>	
Bearded skeletongrass	<i>Gymnopogon ambiguus</i>	
Waterspider bog orchid	<i>Habenaria repens</i>	
Carolina silverbell	<i>Halesia carolina</i>	
Two-wing silverbell	<i>Halesia diptera</i>	
Witch hazel	<i>Hamamelis virginiana</i>	
English ivy ^{1,2}	<i>Hedera helix</i>	
Algerian ivy ^{1,2}	<i>Hedera helix canariensis</i>	
Ray's supreme ivy	<i>Hedera helix supremii</i>	
Ginger lily ^{1,2}	<i>Hedychium coronarium</i>	
Tiny bluet	<i>Hedyotis crassifolia</i>	
Common sneezeweed	<i>Helenium autumnale</i>	
Narrow-leaved sunflower	<i>Helianthus angustifolius</i>	
Orange day lily ^{1,2}	<i>Hemerocallis fulva</i>	
Camphor weed	<i>Heterotheca subaxillaris</i>	
Heartleaf wild ginger	<i>Hexastylis arifolia</i>	
Queendevil	<i>Hieracium gronovii</i>	
Bluet	<i>Houstonia sp.</i>	
Garden hyacinth	<i>Hyacinthus orientalis</i>	
Hydrangea ^{1,2}	<i>Hydrangea opuloides</i>	
Oakleaf hydrangea	<i>Hydrangea quercifolia</i>	
Many flowered marsh pennywort	<i>Hydrocotyle umbellata</i>	
Whorled marsh pennywort	<i>Hydrocotyle verticillata</i>	
Waterpod	<i>Hydrolea quadrivalvis</i>	
Spider-lily	<i>Hymenocallis rotata</i>	
Coastalplain St. John's-wort	<i>Hypericum brachyphyllum</i>	
Roundpod St. John's-wort	<i>Hypericum cistifolium</i>	
St. Peter's-wort	<i>Hypericum crux-andreae</i>	
Peelbark St. John's-wort	<i>Hypericum fasciculatum</i>	
Bedstraw St. John's wort	<i>Hypericum galioides</i>	
Pineweed	<i>Hypericum gentianoides</i>	
St. Andrew's cross	<i>Hypericum hypericoides</i>	
Flatwoods St. John's wort	<i>Hypericum microsepalum</i>	
Dwarf St. John's wort	<i>Hypericum mutilum</i>	
Pineland St. John's wort	<i>Hypericum suffruticosum</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Clustered bushmint	<i>Hyptis alata</i>	
Musky mint	<i>Hyptis mutabilis</i>	
Sweet gallberry	<i>Ilex coriacea</i>	
Chinese holly ^{1,2}	<i>Ilex cornuta</i>	
Possumhaw	<i>Ilex decidua</i>	
Mochi tree ^{1,2}	<i>Ilex integra</i>	
Inkberry, Gallberry	<i>Ilex glabra</i>	
Tarajo holly ^{1,2}	<i>Ilex latifolia</i>	
Myrtle dahoon	<i>Ilex myrtifolia</i>	
American holly	<i>Ilex opaca</i>	
Perny's holly	<i>Ilex pernyi</i>	
Yaupon holly	<i>Ilex vomitoria</i>	
Florida anise	<i>Illicium floridanum</i>	
Cogongrass ¹	<i>Imperata cylindrica</i>	
Wild indigo	<i>Indigofera caroliniana</i>	
Man-of-the-Earth	<i>Ipomoea pandurata</i>	
Iris	<i>Iris</i> sp.	
Virginia willow	<i>Itea virginica</i>	
Jacquemontia	<i>Jacquemontia tamnifolia</i>	
Butternut ²	<i>Juglans cinerea</i>	
Black walnut	<i>Juglans nigra</i>	
Leathery rush	<i>Juncus coriaceus</i>	
Soft rush	<i>Juncus effusus</i>	
Chinese juniper ^{1,2}	<i>Juniperus chinensis</i>	
Shore juniper ^{1,2}	<i>Juniperus conferta</i>	
Southern red cedar	<i>Juniperus silicicola</i>	
Himalayan juniper ^{1,2}	<i>Juniperus squamata</i>	
Mountain laurel ²	<i>Kalmia latifolia</i>	
Virginia dwarf dandelion	<i>Krigia virginica</i>	
Crape myrtle ^{1,2}	<i>Lagerstroemia indica</i>	
Hairy pinweed	<i>Lechea mucronata</i>	
Leggett's pinweed	<i>Lechea pulchella</i>	
Pineland pinweed	<i>Lechea sessiliflora</i>	
Little duckweed	<i>Lemna obscura</i>	
Lepedeza	<i>Lepedeza</i> sp.	
Spring snowflake ^{1,2}	<i>Leucojum vernal</i>	
Coastal dog-hobble	<i>Leucothoe axillaris</i>	
Swamp dog-hobble	<i>Eubotrys racemosa</i>	
Chapman's gayfeather	<i>Liatris chapmanii</i>	
Slender gayfeather	<i>Liatris gracilis</i>	
Shortleaf gayfeather	<i>Liatris tenuifolia</i>	
Gopher-apple	<i>Licania michauxii</i>	
Japanese privet ¹	<i>Ligustrum japonicum</i>	
Glossy privet ¹	<i>Ligustrum lucidum</i>	
California privet ^{1,2}	<i>Ligustrum ovalifolium</i>	
Chinese privet ¹	<i>Ligustrum sinense</i>	
Frog's bit	<i>Limnobia spongia</i>	
False pimpernel	<i>Lindernia dubia</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Florida yellow flax	<i>Linum floridanum</i>	
Sweetgum	<i>Liquidambar styraciflua</i>	
Yellow poplar	<i>Liriodendron tulipifera</i>	
Big blue lily turf ¹	<i>Liriope muscari</i>	
Creeping lily turf ¹	<i>Liriope spicata</i>	
Japanese honeysuckle ¹	<i>Lonicera japonicum</i>	
Trumpet honeysuckle	<i>Lonicera sempervirens</i>	
Chinese witch hazel ^{1,2}	<i>Loropetalum chinense</i>	
Winged primrose willow	<i>Ludwigia alata</i>	
Seedbox	<i>Ludwigia alternifolia</i>	
Piedmont primrose willow	<i>Ludwigia arcuata</i>	
Winged primrose willow	<i>Ludwigia decurrens</i>	
Cylindric-fruited primrose willow	<i>Ludwigia glandulosa</i>	
Anglestem primrose willow	<i>Ludwigia leptocarpa</i>	
Narrowleaf primrose willow	<i>Ludwigia linearis</i>	
Smallfruit primrose willow	<i>Ludwigia microcarpa</i>	
Marsh seedbox	<i>Ludwigia palustris</i>	
Hairy primrose willow	<i>Ludwigia pilosa</i>	
Creeping primrose willow	<i>Ludwigia repens</i>	
Globosefruit primrose willow	<i>Ludwigia sphaerocarpa</i>	
Savannah primrose willow	<i>Ludwigia virgata</i>	
Sundial lupine	<i>Lupinus perennis</i>	
Lady lupine	<i>Lupinus villosus</i>	
Golden spider lily ^{1,2}	<i>Lycoris aurea</i>	
Texas skeletonplant	<i>Lygodesmia texana</i>	
Japanese climbing fern ¹	<i>Lygodium japonicum</i>	
Fetterbush	<i>Lyonia lucida</i>	
Cat claw vine ¹	<i>Macfadyena unguis-cati</i>	
Ashe's magnolia ²	<i>Magnolia ashei</i>	
Yulan magnolia ^{1,2}	<i>Magnolia denudata</i>	
Southern magnolia	<i>Magnolia grandiflora</i>	
White ornamental magnolia ^{1,2}	<i>Magnolia heptapeta</i>	
Nigra lily-flowered magnolia ^{1,2}	<i>Magnolia liliflora</i>	
Pyramid magnolia ²	<i>Magnolia pyramidata</i>	
Chinese magnolia ^{1,2}	<i>Magnolia soulangeana</i>	
Star magnolia ^{1,2}	<i>Magnolia stellata</i>	
Sweetbay	<i>Magnolia virginiana</i>	
Leatherleaf mahonia ^{1,2}	<i>Mahonia bealei</i>	
Fortune's mahonia ^{1,2}	<i>Mahonia fortunei</i>	
Chinese holly grape ^{1,2}	<i>Mahonia lomarifolia</i>	
Green adder's mouth	<i>Malaxis unifolia</i>	
Southern crabapple	<i>Malus angustifolia</i>	
Purple crabapple ^{1,2}	<i>Malus purpurea</i>	
Flowering crabapple ^{1,2}	<i>Malus sylvestris alexi</i>	
Angle-pod	<i>Matelea gonocarpa</i>	
Bog-moss	<i>Mayaca fluviatilis</i>	
Mecardonia	<i>Mecardonia acuminata</i>	
Black medic ¹	<i>Medicago lupulina</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Bur-clover ¹	<i>Medicago polymorpha</i>	
Chinaberry ¹	<i>Melia azedarach</i>	
Banana shrub ^{1,2}	<i>Michelia fuscata</i>	
Micranthemum	<i>Micranthemum umbrosum</i>	
Micromeria	<i>Micromeria brownei</i>	
Climbing hempweed	<i>Mikania scandens</i>	
Sensitive brier	<i>Mimosa quadrivalvis</i> var. <i>angustata</i>	
Sharpwing monkeyflower	<i>Mimulus alatus</i>	
Partridge berry	<i>Mitchella repens</i>	
Lax hornpod	<i>Mitreola petiolata</i>	
Swamp hornpod	<i>Mitreola sessilifolia</i>	
Green carpetweed	<i>Mollugo verticillata</i>	
Indian pipe	<i>Monotropa uniflora</i>	
Red mulberry	<i>Morus rubra</i>	
Wax myrtle	<i>Myrica cerifera</i>	
Parrot feather watermilfoil	<i>Myriophyllum aquaticum</i>	
Two leaf water milfoil	<i>Myriophyllum heterophyllum</i>	
Dwarf myrtle ^{1,2}	<i>Myrtus communis</i>	
Slender naiad	<i>Najas filifolia</i>	
Brittle waternymph ¹	<i>Najas minor</i>	
Nandina ¹	<i>Nandina domestica</i>	
Primrose peerless narcissus ^{1,2}	<i>Narcissus biflorus</i>	
Jonquil ^{1,2}	<i>Narcissus jonquilla</i>	
Poet's narcissus ^{1,2}	<i>Narcissus poeticus</i>	
Trumpet daffodil ^{1,2}	<i>Narcissus pseudo-narcissus</i>	
Cream narcissus ^{1,2}	<i>Narcissus tazetta</i>	
Yellow-lotus	<i>Nelumbo lutea</i>	
Canada toad-flax	<i>Nuttallanthus canadensis</i>	
American white waterlily	<i>Nymphaea odorata</i>	
Floating-hearts	<i>Nymphoides aquatica</i>	
Black gum	<i>Nyssa sylvatica</i>	
Weedy evening-primrose	<i>Oenothera biennis</i>	
Primrose	<i>Oenothera curtissii</i>	
Sundrops	<i>Oenothera fruticosa</i>	
Cut-leaved evening-primrose	<i>Oenothera laciniata</i>	
Sensitive fern	<i>Onoclea sensibilis</i>	
Golden club	<i>Orontium aquaticum</i>	
Wild olive	<i>Osmanthus americana</i>	
Fortune's osmanthus ^{1,2}	<i>Osmanthus fortunei</i>	
Tea olive ^{1,2}	<i>Osmanthus fragrans</i>	
Holly osmanthus	<i>Osmanthus heterophyllus</i>	
Holly osmanthus	<i>Osmanthus ilicifolius</i>	
Cinnamon fern	<i>Osmunda cinnamomea</i>	
Royal fern	<i>Osmunda regalis</i>	
Eastern hop-hornbeam	<i>Ostrya virginiana</i>	
Lady's wood-sorrel	<i>Oxalis corniculata</i>	
Sourwood	<i>Oxydendrum arboreum</i>	
Skunk vine ¹	<i>Paederia foetida</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Beaked panicum	<i>Panicum anceps</i>	
Maidencane	<i>Panicum hemitomon</i>	
Switchgrass	<i>Panicum virgatum</i>	
Baldwin's nailwort	<i>Paronychia baldwinii</i>	
Virginia creeper	<i>Parthenocissus quinquefolia</i>	
Japanese tanbark oak ^{1,2}	<i>Pasania glabra</i>	
Maypops, apricot vine	<i>Passiflora incarnata</i>	
Yellow passion-flower	<i>Passiflora lutea</i>	
Green arum	<i>Peltandra virginica</i>	
Eustis lake beardtongue	<i>Penstemon australis</i>	
Manyflower beardtongue	<i>Penstemon multiflorus</i>	
Ditch stonecrop	<i>Penthorum sedoides</i>	
Redbay	<i>Persea borbonia</i>	
Swamp bay	<i>Persea palustris</i>	
Savannah panic grass	<i>Phanopyrum gymnocarpon</i>	
Southern beech fern	<i>Phegopteris hexagonoptera</i>	
Scentless mock orange	<i>Philadelphus inodorus</i>	
Florida phlox	<i>Phlox floridana</i>	
Canary Island date palm ^{1,2}	<i>Phoenix canariensis</i>	
Oak mistletoe	<i>Phoradendron leucarpum</i>	
Red-leaf photinia ^{1,2}	<i>Photinia glabra</i>	
Red chokeberry	<i>Photinia pyrifolia</i>	
Chinese photinia ^{1,2}	<i>Photinia serrulata</i>	
American lop-seed	<i>Phryma leptostachya</i>	
Golden bamboo ¹	<i>Phyllostachys aurea</i>	
Cut-leaf ground cherry	<i>Physalis angulata</i>	
Pokeweed	<i>Phytolacca americana</i>	
Shortleaf pine	<i>Pinus echinata</i>	
Slash pine	<i>Pinus elliottii</i>	
Spruce pine	<i>Pinus glabra</i>	
Longleaf pine	<i>Pinus palustris</i>	
Loblolly pine	<i>Pinus taeda</i>	
Piriqueta	<i>Piriqueta cistoides ssp. caroliniana</i>	
Japanese pittosporum	<i>Pittosporum tobira</i>	
Planer tree	<i>Planera aquatica</i>	
Hoary plantain	<i>Plantago virginica</i>	
Camphor weed	<i>Pluchea camphorata</i>	
Stinking camphor weed	<i>Pluchea foetida</i>	
Yew plum pine ^{1,2}	<i>Podocarpus macrophylla</i>	
Nagi ^{1,2}	<i>Podocarpus nagi</i>	
Showy milkwort	<i>Polygala violacea</i>	
Bog bachelor's button	<i>Polygala lutea</i>	
Candyroot	<i>Polygala nana</i>	
Racemed milkwort	<i>Polygala polygama</i>	
Low pinebarren milkroot	<i>Polygala ramosa</i>	
Smooth Solomon's-seal	<i>Polygonatum biflorum</i>	
Tall jointweed	<i>Polygonella gracilis</i>	
Smartweed	<i>Polygonum densiflorum</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Swamp smartweed	<i>Polygonum hydropiperoides</i>	
Dotted smartweed	<i>Polygonum punctatum</i>	
Jumpseed	<i>Polygonum virginianum</i>	
Resurrection fern	<i>Polypodium polypodioides</i>	
Rustweed	<i>Polypremum procumbens</i>	
Christmas fern	<i>Polystichum acrostichoides</i>	
Trifoliate orange ¹	<i>Poncirus trifoliata</i>	
Pickernelweed	<i>Pontederia cordata</i>	
Cottonwood	<i>Populus deltoides</i>	
Swamp cottonwood	<i>Populus heterophylla</i>	
Mermaid-weed	<i>Proserpinaca palustris</i>	
Proserpinaca	<i>Proserpinaca pectinata</i>	
Wild plum	<i>Prunus americana</i>	
Chickasaw plum	<i>Prunus angustifolia</i>	
Winter flowering cherry ^{1,2}	<i>Prunus campanulata</i>	
Carolina laurelcherry	<i>Prunus caroliniana</i>	
English laurel ^{1,2}	<i>Prunus laurocerasus</i>	
Black cherry	<i>Prunus serotina</i>	
Japanese cherry ^{1,2}	<i>Prunus serrulata</i>	
Flowering peach ^{1,2}	<i>Prunus triloba</i>	
Hog plum	<i>Prunus umbellata</i>	
Buckroot	<i>Pedimelum canescens</i>	
Bracken fern	<i>Pteridium aquilinum</i>	
Mock bishopweed	<i>Ptilimnium capillaceum</i>	
Kudzu ¹	<i>Pueraria lobata</i>	
Whiteleaf mountain mint	<i>Pycnanthemum albescens</i>	
Scarlet firethorn ¹	<i>Pyracantha coccinea</i>	
Flowering pear ¹	<i>Pyrus betulsefolia</i>	
White oak	<i>Quercus alba</i>	
Red oak	<i>Quercus falcata</i>	
Blue Japanese oak ^{1,2}	<i>Quercus glauca</i>	
Laurel oak	<i>Quercus hemisphaerica</i>	
Bluejack oak	<i>Quercus incana</i>	
Diamond oak	<i>Quercus laurifolia</i>	
Overcup oak	<i>Quercus lyrata</i>	
Sand post oak	<i>Quercus margaretta</i>	
Swamp chestnut oak	<i>Quercus michauxii</i>	
Japanese evergreen oak ^{1,2}	<i>Quercus myrsinaefolia</i>	
Water oak	<i>Quercus nigra</i>	
Running oak	<i>Quercus pumila</i>	
Shumard oak	<i>Quercus shumardii</i>	
Post oak	<i>Quercus stellata</i>	
Black oak	<i>Quercus velutina</i>	
Live oak	<i>Quercus virginiana</i>	
Littleleaf buttercup	<i>Ranunculus abortivus</i>	
India hawthorn ^{1,2}	<i>Rhaphiolepis indica</i>	
Yeddo hawthorn	<i>Rhaphiolepis umbellata</i>	
Savannah beauty	<i>Rhexia alifanus</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Pale meadow beauty	<i>Rhexia mariana</i>	
Handsome herry	<i>Rhexia virginica</i>	
Alabama azalea ²	<i>Rhododendron alabamense</i>	
Florida flame azalea ²	<i>Rhododendron austrinum</i>	
Flame azalea ²	<i>Rhododendron calendulaceum</i>	
Piedmont azalea ²	<i>Rhododendron canescens</i>	
Chapman's rhododendron ²	<i>Rhododendron chapmanii</i>	
Multiple hybrids ^{1,2}	<i>Rhododendron indicum</i>	
Multiple hybrids ^{1,2}	<i>Rhododendron obtusum</i>	
Winged sumac	<i>Rhus copallina</i>	
Royal snoutbean	<i>Rhynchosia cytisoides</i>	
Doubleform snoutbean	<i>Rhynchosia difformis</i>	
Michaux's snoutbean	<i>Rhynchosia michauxii</i>	
Dollarleaf	<i>Rhynchosia reniformis</i>	
Twining snout bean	<i>Rhynchosia tomentosa</i>	
Narrowfruit horned beaksedge	<i>Rhynchospora inundata</i>	
Sandyfield beaksedge	<i>Rhynchospora megalocarpa</i>	
South American Mexican clover ¹	<i>Richardia humistrata</i>	
Rough Mexican clover ¹	<i>Richardia scabra</i>	
Cherokee rose ^{1,2}	<i>Rosa laevigata</i>	
Swamp rose	<i>Rosa palustris</i>	
Toothcups	<i>Rotala ramosior</i>	
Sand blackberry	<i>Rubus cuneifolius</i>	
Highbush blackberry	<i>Rubus argutus</i>	
Dewberry	<i>Rubus trivialis</i>	
Carolina wild petunia	<i>Ruellia caroliniensis</i>	
Curled dock ¹	<i>Rumex crispus</i>	
Sourdock	<i>Rumex hastatulus</i>	
Cabbage palm	<i>Sabal palmetto</i>	
Swamp pink	<i>Sabatia calycina</i>	
Trailing pearlwort	<i>Sagina decumbens</i>	
Springtape	<i>Sagittaria kurziana</i>	
Carolina willow	<i>Salix caroliniana</i>	
Black willow	<i>Salix nigra</i>	
Lyre-leaved sage	<i>Salvia lyrata</i>	
Elderberry	<i>Sambucus canadensis</i>	
Pineland pimperel	<i>Samolus valerandi</i> var. <i>parviflorus</i>	
Bloodroot	<i>Sanguinaria canadensis</i>	
Canadian black snakeroot	<i>Sanicula canadensis</i>	
Maryland black snakeroot	<i>Sanicula marilandica</i>	
Small's black snakeroot	<i>Sanicula smallii</i>	
Chinese tallow ¹	<i>Sapium sebiferum</i>	
Sassafras	<i>Sassafras albidum</i>	
Lizard's-tail	<i>Saururus cernuus</i>	
Bay starvine	<i>Schisandra glabra</i>	
Little bluestem	<i>Schizachyrium scoparium</i>	
Woolgrass	<i>Scirpus cyperinus</i>	
Littlehead nutrush	<i>Scleria oligantha</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Hoary skullcap	<i>Scutellaria incana</i>	
Helmet skullcap	<i>Scutellaria integrifolia</i>	
Sebastian bush	<i>Sebastiania fruticosa</i>	
Chinese spike moss ¹	<i>Selaginella braunii</i>	
Spike moss	<i>Selaginella sp.</i>	
Saw palmetto	<i>Serenoa repens</i>	
Chinese boxorange ^{1,2}	<i>Severinia buxifolia</i>	
Yaupon black senna	<i>Seymeria cassioides</i>	
Piedmont black senna	<i>Seymeria pectinata</i>	
Indian hemp	<i>Sida rhombifolia</i>	
Black-haw, gum bumelia	<i>Sideroxylon lanuginosa</i>	
Starry rosin weed	<i>Silphium asteriscus</i>	
Earleaf greenbrier	<i>Smilax auriculata</i>	
Saw greenbrier	<i>Smilax bona-nox</i>	
Wild sarsaparilla	<i>Smilax glauca</i>	
Sarsaparilla vine	<i>Smilax pumila</i>	
Jackson vine	<i>Smilax smallii</i>	
Hogbrier	<i>Smilax tamnoides</i>	
Coral greenbrier	<i>Smilax walteri</i>	
American black nightshade	<i>Solanum americanum</i>	
Tropical soda apple ¹	<i>Solanum viarum</i>	
Canada goldenrod	<i>Solidago altissima</i>	
Sweet goldenrod	<i>Solidago odora</i>	
Texas mountain laurel ^{1,2}	<i>Sophora secundiflora</i>	
Yellow Indiangrass	<i>Sorghastrum nutans</i>	
Lopsided Indiangrass	<i>Sorghastrum secundum</i>	
Woodland false buttonweed	<i>Spermacoce remota</i>	
Roughfruit scale-seed	<i>Spermolepis divaricata</i>	
Indian pink	<i>Spigelia marilandica</i>	
Reeves spirea ^{1,2}	<i>Spiraea cantoniensis</i>	
Bridleweath ^{1,2}	<i>Spiraea prunifolia</i>	
Thunberg spirea ^{1,2}	<i>Spiraea thunbergii</i>	
Vanhoutte spirea ^{1,2}	<i>Spiraea vanhouttei</i>	
Florida hedge nettle	<i>Stachys floridana</i>	
Silky camellia	<i>Stewartia malacodendron</i>	
Queen's delight	<i>Stillingia sylvatica</i>	
Pineland scalypink	<i>Stipulicida setacea</i>	
Southern dawnflower	<i>Stylisma humistrata</i>	
Carolina false vervain	<i>Stylodon carneum</i>	
Sidebeak pencil flower	<i>Stylosanthes biflora</i>	
Storax	<i>Styrax americanus</i>	
Scale-leaf aster	<i>Symphyotrichum adnatum</i>	
Eastern silver aster	<i>Symphyotrichum concolor</i>	
Rice button aster	<i>Symphyotrichum dumosum</i>	
Calico aster	<i>Symphyotrichum lateriflorum</i>	
Horse sugar	<i>Symplocos tinctoria</i>	
Pond cypress	<i>Taxodium ascendens</i>	
Bald cypress	<i>Taxodium distichum</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Hick's yew ^{1,2}	<i>Taxus cuspidata hicksii</i>	
Florida yew	<i>Taxus floridana</i>	
Hybridized yew ^{1,2}	<i>Taxus media</i>	
Spiked hoary pea	<i>Tephrosia spicata</i>	
Japanese cleyera	<i>Ternstroemia gymnanthera</i>	
Pineland nerveray, squarehead	<i>Tetragonotheca helianthoides</i>	
Wood sage	<i>Teucrium canadense</i>	
Carolina basswood	<i>Tilia caroliniana</i>	
Spanish moss	<i>Tillandsia usneoides</i>	
Torreya tree	<i>Torreya taxifolia</i>	
Poison oak	<i>Toxicodendron pubescens</i>	
Poison ivy	<i>Toxicodendron radicans</i>	
Poison sumac	<i>Toxicodendron vernix</i>	
Chinese windmill palm ^{1,2}	<i>Trachycarpus fortunei</i>	
Wavyleaf noseburn	<i>Tragia urens</i>	
Lesser marsh St. John's-wort	<i>Triadenum tubulosum</i>	
Virginia marsh St. John's-wort	<i>Triadenum virginicum</i>	
Greater marsh St. John's-wort	<i>Triadenum walteri</i>	
Forked blue curls	<i>Trichostema dichotomum</i>	
Tall redtop	<i>Tridens flavus</i>	
Longbract wake robin	<i>Trillium underwoodii</i>	
Small venus's looking-glass	<i>Triodanis biflora</i>	
Winged elm	<i>Ulmus alata</i>	
American elm	<i>Ulmus americana</i>	
Bladderwort	<i>Utricularia inflata</i>	
Florida merrybells	<i>Uvularia floridana</i>	
Sparkleberry	<i>Vaccinium arboreum</i>	
Highbush blueberry	<i>Vaccinium corymbosum</i>	
Blueberry	<i>Vaccinium darrowii</i>	
Shiny blueberry	<i>Vaccinium myrsinites</i>	
Sandpaper verbena	<i>Verbena scabra</i>	
Tall ironweed	<i>Vernonia angustifolia</i>	
Giant ironweed	<i>Vernonia gigantea</i>	
Neckweed	<i>Veronica peregrina</i>	
Southern arrow-wood	<i>Viburnum dentatum</i>	
Chindo viburnum ^{1,2}	<i>Viburnum awabuki</i>	
Possum haw	<i>Viburnum nudum</i>	
Walter viburnum	<i>Viburnum obovatum</i>	
Rusty-haw	<i>Viburnum rufidulum</i>	
Sandankwa viburnum ^{1,2}	<i>Viburnum suspensum</i>	
Bigleaf periwinkle ^{1,2}	<i>Vinca major</i>	
Bog white violet	<i>Viola lanceolata</i>	
Early blue violet	<i>Viola palmata</i>	
Primrose-leaf violet	<i>Viola primulifolia</i>	
Common blue violet	<i>Viola sororia</i>	
Prostrate blue violet	<i>Viola walteri</i>	
Summer grape	<i>Vitis aestivalis</i>	
Muscadine grape	<i>Vitis rotundifolia</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Plants

Common Name	Scientific Name	Primary Habitat (For Designated Species)
Frost grape	<i>Vitis vulpina</i>	
Sixweek fescue	<i>Vulpia octoflora</i>	
Sessile-leaf pinelandcress	<i>Warea sessilifolia</i>	
American wisteria	<i>Wisteria frutescens</i>	
Chinese wisteria ¹	<i>Wisteria sinensis</i>	
Bog-mat	<i>Wolffiella sp.</i>	
Netted chain-fern	<i>Woodwardia areolata</i>	
Virginia chain-fern	<i>Woodwardia virginica</i>	
Spanish bayonet	<i>Yucca aloifolia</i>	
Beargrass	<i>Yucca flaccida</i>	
Coontie ²	<i>Zamia floridana</i>	
Atamasco-lily	<i>Zephyranthes atamasca</i>	

¹ Non-native Species

² Ornamental garden only

Alfred B. Maclay Gardens State Park

Animals

Common Name	Scientific Name	Primary Habitat (For All Species)
FISH		
Lake chubsucker	<i>Erimyzon sucetta</i>	43
Scalyhead darter	<i>Etheostoma fusiforme baratti</i>	43
Starhead topminnow	<i>Fundulus notti</i>	43
Mosquitofish	<i>Gambusia affinis</i>	43
Yellow bullhead	<i>Ictalurus natalis</i>	43
Brown bullhead	<i>Ictalurus nebulosus</i>	43
Brook silverside	<i>Labidesthes sicculus</i>	43
Warmouth	<i>Lepomis gulosus</i>	43
Bluegill	<i>Lepomis macrochirus</i>	43
Largemouth bass	<i>Micropterus salmoides</i>	43
Golden shiner	<i>Notemigonus crysoleucas</i>	43
Black crappie	<i>Pomoxis nigromaculatus</i>	43
AMPHIBIANS		
Southern cricket frog	<i>Acris gryllus gryllus</i>	17,25,28,43,54
Marbled salamander	<i>Ambystoma opacum</i>	25,43,54
Southern toad	<i>Bufo terrestris</i>	MTC
Southern dusky salamander	<i>Desmognathus fuscus</i>	25,43,54
Dwarf salamander	<i>Eurycea quadridigitata</i>	25,43,54
Eastern narrow-mouth toad	<i>Gastrophyrne carolinensis</i>	MTC
Green treefrog	<i>Hyla cinerea</i>	MTC
Southern spring peeper	<i>Hyla crucifer</i>	MTC
Barking treefrog	<i>Hyla gratiosa</i>	MTC
Squirrel treefrog	<i>Hyla squirella</i>	MTC
Gray treefrog	<i>Hyla versicolor</i>	MTC
Central newt	<i>Notophthalmus viridescens</i>	25,43,54
Slimy salamander	<i>Plethodon glutinosus</i>	25,43,54
Bullfrog	<i>Rana catesbeiana</i>	25,43
Bronze frog	<i>Rana clamitans</i>	25,43
Pig frog	<i>Rana grylio</i>	25,43
Southern leopard frog	<i>Rana sphenocephala</i>	17,25,43
Eastern spadefoot	<i>Scaphiopus holbrookii</i>	25,43
Greater siren	<i>Siren lacertina</i>	25,43
REPTILES		
Florida cottonmouth	<i>Agkistrodon piscivorus</i>	MTC
American alligator	<i>Alligator mississippiensis</i>	25,43
Green anole	<i>Anolis carolinensis</i>	MTC
Scarlet snake	<i>Cemophora coccinea</i>	MTC
Florida cooter	<i>Chrysemys floridana</i>	17,25,43
Yellow belly slider	<i>Chrysemys scripta</i>	17,25,43
Black racer	<i>Coluber constrictor</i>	MTC
Six-lined racerunner	<i>Cnemidophorus sexlineatus</i>	MTC
Eastern diamondback rattlesnake	<i>Crotalus adamanteus</i>	MTC
Southern ringneck snake	<i>Diadophis punctatus</i>	MTC

1 Non-native Species

2 Ornamental garden only

Alfred B. Maclay Gardens State Park

Animals

Common Name	Scientific Name	Primary Habitat (For All Species)
Red rat snake	<i>Elaphe guttata</i>	MTC
Gray rat snake	<i>Elaphe obsoleta</i>	MTC
Five-lined skink	<i>Eumeces fasciatus</i>	MTC
Broadhead skink	<i>Eumeces laticeps</i>	MTC
Eastern mud snake	<i>Farancia abacura</i>	MTC
Gopher tortoise	<i>Gopherus polyphemus</i>	20,81
Eastern hognose snake	<i>Heterodon platyrhinos</i>	MTC
Eastern mud turtle	<i>Kinosternon subrubrum</i>	MTC
Eastern kingsnake	<i>Lampropeltis getulus</i>	MTC
Scarlet kingsnake	<i>Lampropeltis triangulum</i>	MTC
Redbelly water snake	<i>Nerodia erythrogaster</i>	43
Banded water snake	<i>Nerodia fasciata</i>	43
Rough green snake	<i>Opheodrys aestivus</i>	MTC
Eastern glass lizard	<i>Ophisaurus ventralis</i>	MTC
Southern fence lizard	<i>Sceloporus undulatus</i>	MTC
Ground skink	<i>Scuncella lateralis</i>	MTC
North Florida swamp snake	<i>Seminatrix pygaea</i>	43
Dusky Pigmy Rattlesnake	<i>Sistrurus miliarius barbouri</i>	20
Stinkpot	<i>Sternotherus odoratus</i>	17,25,43
Florida redbelly snake	<i>Storeria occipitomaculata</i>	MTC
Florida box turtle	<i>Terrapene carolina bauri</i>	MTC
Eastern garter snake	<i>Thamnophis sirtalis</i>	MTC
Eastern earth snake	<i>Virginia valeriae</i>	MTC

BIRDS

Sharp-shinned hawk	<i>Accipiter striatus</i>	OF
Spotted sandpiper	<i>Actitis macularia</i>	43
Red-winged blackbird	<i>Agelaius phoeniceus</i>	25,43
Wood duck	<i>Aix sponsa</i>	17,25,43
American wigeon	<i>Anas americana</i>	17,25,43
Green-winged teal	<i>Anas crecca</i>	17,25,43
Blue-winged teal	<i>Anas discors</i>	17,25,43
Mallard	<i>Anas platyrhynchos</i>	43
American black duck	<i>Anas rubripes</i>	43
Gadwall	<i>Anas strepera</i>	43
Anhinga	<i>Anhinga anhinga</i>	17,25,43
American pipit	<i>Anthus spinoletta</i>	25,43
Ruby-throated hummingbird	<i>Archilochus colubris</i>	MTC
Great egret	<i>Ardea alba</i>	43
Great blue heron	<i>Ardea herodias</i>	17,25,43
Lesser scaup	<i>Aythya affinis</i>	25,43
Redhead	<i>Aythya americana</i>	43
Ring-necked duck	<i>Aythya collaris</i>	25,43
Cedar waxwing	<i>Bombycilla cedrorum</i>	MTC
Canada goose	<i>Branta canadensis</i>	OF
Great horned owl	<i>Bubo virginianus</i>	20,28
Cattle egret	<i>Bubulcus ibis</i>	MTC

1 Non-native Species

2 Ornamental garden only

Alfred B. Maclay Gardens State Park

Animals

Common Name	Scientific Name	Primary Habitat (For All Species)
Bufflehead	<i>Bucephala albeola</i>	43
Common goldeneye	<i>Bucephala clangula</i>	43
Red-tailed hawk	<i>Buteo jamaicensis</i>	OF
Red-shouldered hawk	<i>Buteo lineatus</i>	OF
Broad-winged hawk	<i>Buteo platypterus</i>	OF
Green heron	<i>Butorides striatus</i>	17,25,43
Least sandpiper	<i>Calidris minutilla</i>	43
Chuck-will's-widow	<i>Caprimulgus carolinensis</i>	20
Whip-poor-will	<i>Caprimulgus vociferus</i>	20
Canada warbler	<i>Cardellina canadensis</i>	MTC
Northern cardinal	<i>Cardinalis cardinalis</i>	20,28
Pine siskin	<i>Carduelis pinus</i>	20
American goldfinch	<i>Carduelis tristis</i>	20
Purple finch	<i>Carpodacus purpureus</i>	20
Great egret	<i>Casmerodius albus</i>	17,25,43
Turkey vulture	<i>Cathartes aura</i>	OF
Veery	<i>Catharus fuscescens</i>	20
Hermit thrush	<i>Catharus guttatus</i>	20
Gray-cheeked thrush	<i>Catharus minimus</i>	20
Swainson's thrush	<i>Catharus ustulatus</i>	20
Brown creeper	<i>Certhia americana</i>	20
Belted kingfisher	<i>Ceryle alcyon</i>	25,43
Chimney swift	<i>Chaetura pelagica</i>	OF
Killdeer	<i>Charadrius vociferus</i>	43
Black tern	<i>Chlidonias niger</i>	43
Common nighthawk	<i>Chordeiles minor</i>	OF
Northern harrier	<i>Circus cyaneus</i>	OF
Marsh wren	<i>Cistothorus palustris</i>	43
Sedge wren	<i>Cistothorus platensis</i>	43
Yellow-billed cuckoo	<i>Coccyzus americanus</i>	20
Black-billed cuckoo	<i>Coccyzus erythrophthalmus</i>	20
Northern flicker	<i>Colaptes auratus</i>	20,28
Northern bobwhite	<i>Colinus virginianus</i>	20
Common ground dove	<i>Columbina passerina</i>	20
Eastern wood pewee	<i>Contopus virens</i>	20
Black vulture	<i>Coragyps atratus</i>	OF
Common crow	<i>Corvus brachyrhynchos</i>	MTC
Fish crow	<i>Corvus ossifragus</i>	43
Blue jay	<i>Cyanocitta cristata</i>	MTC
Cerulean warbler	<i>Dendroica cerulea</i>	20,28
Yellow-rumped warbler	<i>Dendroica coronata</i>	20,28
Prairie warbler	<i>Dendroica discolor</i>	20
Blackburnian warbler	<i>Dendroica fusca</i>	20,28
Magnolia warbler	<i>Dendroica magnolia</i>	20,28
Palm warbler	<i>Dendroica palmarum</i>	20,28
Chestnut-sided warbler	<i>Dendroica pensylvanica</i>	20,28
Yellow warbler	<i>Dendroica petechia</i>	20,28
Pine warbler	<i>Dendroica pinus</i>	20

1 Non-native Species

2 Ornamental garden only

Alfred B. Maclay Gardens State Park

Animals

Common Name	Scientific Name	Primary Habitat (For All Species)
Black-throated green warbler	<i>Dendroica virens</i>	20
Bobolink	<i>Dolichonyx oryzivorus</i>	20,28
Pileated woodpecker	<i>Dryocopus pileatus</i>	20,28
Gray catbird	<i>Dumetella carolinensis</i>	MTC
Little Blue heron	<i>Egretta caerulea</i>	25,43
Snowy egret	<i>Egretta thula</i>	25,43
Tricolored heron	<i>Egretta tricolor</i>	25,43
Swallow-tailed kite	<i>Elanoides forficatus</i>	MTC
Acadian flycatcher	<i>Empidonax</i>	20
Yellow-bellied flycatcher	<i>Empidonax flaviventris</i>	MTC
Least flycatcher	<i>Empidonax minimus</i>	MTC
White ibis	<i>Eudocimus albus</i>	17,25,43
Rusty blackbird	<i>Euphagus carolinus</i>	MTC
American kestrel	<i>Falco sparverius sparverius</i>	OF
American coot	<i>Fulica americana</i>	43
Common snipe	<i>Gallinago gallinago</i>	25,43
Common moorhen	<i>Gallinula chloropus</i>	43
Common loon	<i>Gavia immer</i>	43
Common yellowthroat	<i>Geothlypis trichas</i>	MTC
Sandhill crane	<i>Grus canadensis</i>	OF
Blue grosbeak	<i>Guiraca coerula</i>	MTC
Bald eagle	<i>Haliaeetus leucocephalus</i>	OF
Worm-eating warbler	<i>Helmitheros vermivorus</i>	MTC
Barn swallow	<i>Hirundo rustica</i>	OF
Wood thrush	<i>Hylocichla mustelina</i>	20
Yellow-breasted chat	<i>Icteria virens</i>	20
Northern oriole	<i>Icterus galbula</i>	20
Orchard oriole	<i>Icterus spurius</i>	20
Mississippi kite	<i>Ictinia mississippiensis</i>	OF
Least bittern	<i>Ixobrychus exilis</i>	43
Dark-eyed junco	<i>Junco hyemalis</i>	MTC
Loggerhead shrike	<i>Lanius ludovicianus</i>	MTC
Herring gull	<i>Larus argentatus</i>	43
Ring-billed gull	<i>Larus delawarensis</i>	43
Bonaparte's gull	<i>Larus philadelphia</i>	43
Laughing gull	<i>Leucophaeus atricilla</i>	43
Swainson's warbler	<i>Limnithlypis swainsonii</i>	MTC
Hooded merganser	<i>Lophodytes cucullatus</i>	43
Red-bellied woodpecker	<i>Melanerpes carolinus</i>	MTC
Red-headed woodpecker	<i>Melanerpes erythrocephalus</i>	MTC
Wild turkey	<i>Meleagris gallopavo</i>	20
Swamp sparrow	<i>Melospiza georgiana</i>	25,28
Song sparrow	<i>Melospiza melodia</i>	MTC
Red-breasted merganser	<i>Mergus serrator</i>	43
Northern mockingbird	<i>Mimus polyglottos</i>	MTC
Black-and-white warbler	<i>Mniotilta varia</i>	MTC
Brown-headed cowbird	<i>Molothus ater</i>	MTC
Wood stork	<i>Mycteria americana</i>	25,43

1 Non-native Species

2 Ornamental garden only

Alfred B. Maclay Gardens State Park

Animals

Common Name	Scientific Name	Primary Habitat (For All Species)
Ash-throated flycatcher	<i>Myiarchus cinerascens</i>	MTC
Great crested flycatcher	<i>Myiarchus crinitus</i>	MTC
Kentucky warbler	<i>Oporornis formosus</i>	MTC
Eastern screech-owl	<i>Otus asio</i>	MTC
Ruddy duck	<i>Oxyura jamaicensis</i>	43
Osprey	<i>Pandion haliaetus</i>	43
Northern parula	<i>Parula americana</i>	MTC
Tufted titmouse	<i>Parus bicolor</i>	20,28
Carolina chickadee	<i>Parus carolinensis</i>	MTC
Savannah sparrow	<i>Passercules sandwichensis</i>	MTC
Fox sparrow	<i>Passerella iliaca</i>	MTC
Indigo bunting	<i>Passerina cyanea</i>	20,28
American white pelican	<i>Pelecanus erythrorhynchos</i>	43
Double-crested cormorant	<i>Phalacrocorax auritus</i>	25,43
Rose-breasted grosbeak	<i>Pheucticus ludovicianus</i>	20,28
Downy woodpecker	<i>Picoides pubescens</i>	MTC
Eastern towhee	<i>Pipilo erythrophthalmus</i>	MTC
Scarlet tanager	<i>Piranga olivacea</i>	MTC
Summer tanager	<i>Piranga rubra</i>	MTC
Glossy ibis	<i>Plegadis falcinellus</i>	43
Horned grebe	<i>Podiceps auritus</i>	25,43
Pied-billed grebe	<i>Podilymbus podiceps</i>	25,43
Blue-gray gnatcatcher	<i>Poliophtila caerulea</i>	20,28
Purple gallinule	<i>Porphyryla martinica</i>	25,43
Purple martin	<i>Progne subis</i>	MTC
Prothonotary warbler	<i>Protonotaria citrea</i>	MTC
Boat-tailed grackle	<i>Quiscalus major</i>	MTC
Common grackle	<i>Quiscalus quiscula</i>	MTC
Ruby-crowned kinglet	<i>Regulus calendula</i>	MTC
Golden-crowned kinglet	<i>Regulus satrapa</i>	MTC
Eastern phoebe	<i>Sayornis phoebe</i>	20
American woodcock	<i>Scolopax minor</i>	MTC
Ovenbird	<i>Seiurus aurocapillus</i>	MTC
Northern waterthrush	<i>Seiurus noveboracensis</i>	25,43
Louisiana waterthrush	<i>Seiurus motacilla</i>	25,43
Cape May warbler	<i>Setophaga tigrina</i>	MTC
Eastern bluebird	<i>Sialia sialis</i>	20
Red-breasted nuthatch	<i>Sitta canadensis</i>	20
Brown-headed nuthatch	<i>Sitta pusilla</i>	20
Yellow-bellied sapsucker	<i>Sphyrapicus varius</i>	MTC
Chipping sparrow	<i>Spizella passerina</i>	MTC
Field sparrow	<i>Spizella pusilla</i>	MTC
Northern rough-winged swallow	<i>Stelgidopteryx serripennis</i>	MTC
Forster's tern	<i>Sterna forsteri</i>	43
Least tern	<i>Sternula antillarum</i>	43
Barred owl	<i>Strix varia</i>	MTC
Eastern meadowlark	<i>Sturnella magna</i>	MTC
Tree swallow	<i>Tachycineta bicolor</i>	20,28

1 Non-native Species

2 Ornamental garden only

Alfred B. Maclay Gardens State Park

Animals

Common Name	Scientific Name	Primary Habitat (For All Species)
Carolina wren	<i>Thryothorus ludovicianus</i>	MTC
Brown thrasher	<i>Toxostoma rufum</i>	MTC
Lesser yellowlegs	<i>Tringa flavipes</i>	25,43
Greater yellowlegs	<i>Tringa melanoleuca</i>	43
Solitary sandpiper	<i>Tringa solitaria</i>	25,43
House wren	<i>Troglodytes aedon</i>	MTC
Winter wren	<i>Troglodytes troglodytes</i>	MTC
American robin	<i>Turdus migratorius</i>	MTC
Eastern kingbird	<i>Tyrannus tyrannus</i>	MTC
Orange-crowned warbler	<i>Vermivora celata</i>	MTC
Golden-winged warbler	<i>Vermivora chrysoptra</i>	MTC
Blue-winged warbler	<i>Vermivora cyanoptera</i>	MTC
Tennessee warbler	<i>Vermivora peregrina</i>	MTC
Yellow-throated vireo	<i>Vireo flavifrons</i>	MTC
White-eyed vireo	<i>Vireo griseus</i>	MTC
Red-eyed vireo	<i>Vireo olivaceus</i>	MTC
Philadelphia vireo	<i>Vireo philadelphicus</i>	MTC
Blue-headed vireo	<i>Vireo solitarius</i>	MTC
Hooded warbler	<i>Wilsonia citrina</i>	MTC
Mourning dove	<i>Zenaida macroura</i>	MTC
White-throated sparrow	<i>Zonotrichia albicollis</i>	MTC

MAMMALS

Short-tailed shrew	<i>Blarina brevicauda</i>	MTC
Nine-banded armadillo ¹	<i>Dasypus novemcinctus</i>	MTC
Virginia opossum	<i>Didelphis virginiana</i>	MTC
Bobcat	<i>Felis rufus</i>	MTC
Southeastern pocket gopher	<i>Geomys pinetis</i>	20
Southern flying squirrel	<i>Glaucomys volans</i>	20
River otter	<i>Lutra canadensis</i>	43
Pine vole	<i>Microtus pinetorum</i>	20
Eastern wood rat	<i>Neotoma floridana</i>	20
White-tailed deer	<i>Odocoileus virginianus</i>	MTC
Cotton mouse	<i>Peromyscus gossypinus gossypinus</i>	MTC
Golden mouse	<i>Peromyscus nuttalli</i>	MTC
Raccoon	<i>Procyon lotor</i>	MTC
Brown rat ¹	<i>Rattus norvegicus</i>	82
Black rat ¹	<i>Rattus rattus</i>	82
Eastern mole	<i>Scalopus aquaticus</i>	MTC
Gray squirrel	<i>Sciurus carolinensis</i>	MTC
Fox squirrel	<i>Sciurus niger shermani</i>	20
Hispid cotton rat	<i>Sigmodon hispidus</i>	MTC
Marsh rabbit	<i>Sylvilagus palustris</i>	MTC
Gray fox	<i>Urocyon cinereoargenteus</i>	MTC
Florida black bear	<i>Ursus americanus floridanus</i>	MTC

¹ Non-native Species

² Ornamental garden only

Habitat Codes

Terrestrial

1. Beach Dune
2. Bluff
3. Coastal Berm
4. Coastal Rock Barren
5. Coastal Strand
6. Dry Prairie
7. Maritime Hammock
8. Mesic Flatwoods
9. Coastal Grasslands
10. Pine Rockland
11. Prairie Hammock
12. Rockland Hammock
13. Sandhill
14. Scrub
15. Scrubby Flatwoods
16. Shell Mound
17. Sinkhole
18. Slope Forest
19. Upland Glade
20. Upland Hardwood Forest
21. Upland Mixed Forest
22. Upland Pine Forest
23. Xeric Hammock

Palustrine

24. Basin Marsh
25. Basin Swamp
26. Baygall
27. Bog
28. Bottomland Forest
29. Depression Marsh
30. Dome
31. Floodplain Forest
32. Floodplain Marsh
33. Floodplain Swamp
34. Freshwater Tidal Swamp
35. Hydric Hammock
36. Marl Prairie
37. Seepage Slope
38. Slough
39. Strand Swamp
40. Swale
41. Wet Flatwoods
42. Wet Prairie

Lacustrine

43. Clastic Upland Lake
44. Coastal Dune Lake
45. Coastal Rockland Lake

Lacustrine—Continued

46. Flatwood/Prairie Lake
47. Marsh Lake
48. River Floodplain Lake
49. Sandhill Upland Lake
50. Sinkhole Lake
51. Swamp Lake

Riverine

52. Alluvial Stream
53. Blackwater Stream
54. Seepage Stream
55. Spring-Run Stream

Estuarine

56. Estuarine Composite Substrate
57. Estuarine Consolidated Substrate
58. Estuarine Coral Reef
59. Estuarine Grass Bed
60. Estuarine Mollusk Reef
61. Estuarine Octocoral Bed
62. Estuarine Sponge Bed
63. Estuarine Tidal Marsh
64. Estuarine Tidal Swamp
65. Estuarine Unconsolidated Substrate
66. Estuarine Worm Reef

Marine

67. Marine Algal Bed
68. Marine Composite Substrate
69. Marine Consolidated Substrate
70. Marine Coral Reef
71. Marine Grass Bed
72. Marine Mollusk Reef
73. Marine Octocoral Bed
74. Marine Sponge Bed
75. Marine Tidal Marsh
76. Marine Tidal Swamp
77. Marine Unconsolidated Substrate
78. Marine Worm Reef

Subterranean

79. Aquatic Cave
80. Terrestrial Cave

Miscellaneous

81. Ruderal
 82. Developed
- MTC** Many Types Of Communities
OF Overflying

Addendum 6 – Imperiled Species Ranking Definitions

Imperiled Species Ranking Definitions

The Nature Conservancy and the Natural Heritage Program Network (of which FNAI is a part) define an element as any exemplary or rare component of the natural environment, such as a species, natural community, bird rookery, spring, sinkhole, cave or other ecological feature. An element occurrence (EO) is a single extant habitat that sustains or otherwise contributes to the survival of a population or a distinct, self-sustaining example of a particular element.

Using a ranking system developed by The Nature Conservancy and the Natural Heritage Program Network, the Florida Natural Areas Inventory assigns two ranks to each element. The global rank is based on an element's worldwide status; the state rank is based on the status of the element in Florida. Element ranks are based on many factors, the most important ones being estimated number of Element occurrences, estimated abundance (number of individuals for species; area for natural communities), range, estimated adequately protected EOs, relative threat of destruction, and ecological fragility.

Federal and State status information is from the U.S. Fish and Wildlife Service; and the Florida Game and Freshwater Fish Commission (animals), and the Florida Department of Agriculture and Consumer Services (plants), respectively.

FNAI GLOBAL RANK DEFINITIONS

- G1.....Critically imperiled globally because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or fabricated factor.
- G2.....Imperiled globally because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.
- G3.....Either very rare or local throughout its range (21-100 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction of other factors.
- G4.....apparently secure globally (may be rare in parts of range)
- G5.....demonstrably secure globally
- GH.....of historical occurrence throughout its range may be rediscovered (e.g., ivory-billed woodpecker)
- GX.....believed to be extinct throughout range
- GXCextirpated from the wild but still known from captivity or cultivation
- G#?Tentative rank (e.g., G2?)
- G#G#range of rank; insufficient data to assign specific global rank (e.g., G2G3)
- G#T#rank of a taxonomic subgroup such as a subspecies or variety; the G portion of the rank refers to the entire species and the T portion refers to the specific subgroup; numbers have same definition as above (e.g., G3T1)
- G#Qrank of questionable species - ranked as species but questionable whether it is species or subspecies; numbers have same definition as above (e.g., G2Q)
- G#T#Qsame as above, but validity as subspecies or variety is questioned.
- GUdue to lack of information, no rank or range can be assigned (e.g., GUT2).
- G?Not yet ranked (temporary)

Imperiled Species Ranking Definitions

- S1Critically imperiled in Florida because of extreme rarity (5 or fewer occurrences or less than 1000 individuals) or because of extreme vulnerability to extinction due to some natural or man-made factor.
- S2Imperiled in Florida because of rarity (6 to 20 occurrences or less than 3000 individuals) or because of vulnerability to extinction due to some natural or man-made factor.
- S3Either very rare or local throughout its range (21-100 occurrences or less than 10,000 individuals) or found locally in a restricted range or vulnerable to extinction of other factors.
- S4apparently secure in Florida (may be rare in parts of range)
- S5demonstrably secure in Florida
- SHof historical occurrence throughout its range, may be rediscovered (e.g., ivory-billed woodpecker)
- SXbelieved to be extinct throughout range
- SAaccidental in Florida, i.e., not part of the established biota
- SE.....an exotic species established in Florida may be native elsewhere in North America
- SNregularly occurring but widely and unreliably distributed; sites for conservation hard to determine
- SUdue to lack of information, no rank or range can be assigned (e.g., SUT2).
- S?Not yet ranked (temporary)
- NNot currently listed, nor currently being considered for listing, by state or federal agencies.

LEGAL STATUS

FEDERAL

(Listed by the U. S. Fish and Wildlife Service - USFWS)

- LE.....Listed as Endangered Species in the List of Endangered and Threatened Wildlife and Plants under the provisions of the Endangered Species Act. Defined as any species that is in danger of extinction throughout all or a significant portion of its range.
- PE.....Proposed for addition to the List of Endangered and Threatened Wildlife and Plants as Endangered Species.
- LT.....Listed as Threatened Species. Defined as any species that is likely to become an endangered species within the near future throughout all or a significant portion of its range.
- PT.....Proposed for listing as Threatened Species.
- CCandidate Species for addition to the list of Endangered and Threatened Wildlife and Plants. Defined as those species for which the USFWS currently has on file sufficient information on biological vulnerability and threats to support proposing to list the species as endangered or threatened.
- E(S/A)Endangered due to similarity of appearance.
- T(S/A)Threatened due to similarity of appearance.

Imperiled Species Ranking Definitions

STATE

ANIMALS(Listed by the Florida Fish and Wildlife Conservation Commission - FFWCC)

ST.....Listed as Threatened Species by the FFWCC. Defined as a species, subspecies, or isolated population, which is acutely vulnerable to environmental alteration, declining in number at a rapid rate, or whose range or habitat, is decreasing in area at a rapid rate and therefore is destined or very likely to become an endangered species within the near future.

SSCListed as Species of Special Concern by the FFWCC. Defined as a population which warrants special protection, recognition or consideration because it has an inherent significant vulnerability to habitat modification, environmental alteration, human disturbance or substantial human exploitation that, in the near future, may result in its becoming a threatened species.

PLANTS(Listed by the Florida Department of Agriculture and Consumer Services - FDACS)

LE.....Listed as Endangered Plants in the Preservation of Native Flora of Florida Act. Defined as species of plants native to the state that are in imminent danger of extinction within the state, the survival of which is unlikely if the causes of a decline in the number of plants continue, and includes all species determined to be endangered or threatened pursuant to the Federal Endangered Species Act of 1973,as amended.

LT.....Listed as Threatened Plants in the Preservation of Native Flora of Florida Act. Defined as species native to the state that are in rapid decline in the number of plants within the state, but which have not so decreased in such number as to cause them to be endangered.

Imperiled Species Ranking Definitions

Addendum 7 – Cultural Information

Management Procedures for Archaeological and Historical Sites and Properties on State-Owned or Controlled Properties (revised February 2007)

These procedures apply to state agencies, local governments and non-profits that manage state-owned properties.

A. General Discussion

Historic resources are both archaeological sites and historic structures. Per Chapter 267, Florida Statutes, "Historic property" or "historic resource" means any prehistoric district, site, building, object, or other real or personal property of historical, architectural or archaeological value, and folklife resources. These properties or resources may include, but are not limited to, monuments, memorials, Indian habitations, ceremonial sites, abandoned settlements, sunken or abandoned ships, engineering works, treasure trove, artifacts, or other objects with intrinsic historical or archaeological value, or any part thereof, relating to the history, government, and culture of the state."

B. Agency Responsibilities

Per State Policy relative to historic properties, state agencies of the executive branch must allow the Division of Historical Resources (Division) the opportunity to comment on any undertakings, whether these undertakings directly involve the state agency, i.e., land management responsibilities, or the state agency has indirect jurisdiction, i.e. permitting authority, grants, etc. No state funds should be expended on the undertaking until the Division has the opportunity to review and comment on the project, permit, grant, etc.

State agencies shall preserve the historic resources that are owned or controlled by the agency.

Regarding proposed demolition or substantial alterations of historic properties, consultation with the Division must occur, and alternatives to demolition must be considered.

State agencies must consult with Division to establish a program to location, inventory and evaluate all historic properties under ownership or controlled by the agency.

C. Statutory Authority

Statutory Authority and more in depth information can be found in the following:

Chapter 253, F.S. – State Lands

Chapter 267, F.S. – Historical Resources

Management Procedures for Archaeological and Historical Sites and Properties on State-Owned or Controlled Properties (revised February 2007)

Chapter 872, F.S. – Offenses Concerning Dead Bodies and Graves

Other helpful citations and references:

Chapter 1A-32, F.A.C. – Archaeological Research

Other helpful citations and references:

Chapter 1A-44, F.A.C. – Procedures for Reporting and Determining Jurisdiction Over Unmarked Human Burials

Chapter 1A-46, F.A.C. – Archaeological and Historical Report Standards and Guidelines

The Secretary of the Interior's Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings

D. Management Implementation

Even though the Division sits on the Acquisition and Restoration Council and approves land management plans, these plans are conceptual. Specific information regarding individual projects must be submitted to the Division for review and recommendations.

Managers of state lands must coordinate any land clearing or ground disturbing activities with the Division to allow for review and comment on the proposed project. Recommendations may include, but are not limited to: approval of the project as submitted, pre-testing of the project site by a certified archaeological monitor, cultural resource assessment survey by a qualified professional archaeologist, modifications to the proposed project to avoid or mitigate potential adverse effects.

Projects such as additions, exterior alteration or related new construction regarding historic structures must also be submitted to the Division of Historical Resources for review and comment by the Division's architects. Projects involving structures fifty years of age or older, must be submitted to this agency for a significance determination. In rare cases, structures under fifty years of age may be deemed historically significant. These must be evaluated on a case-by-case basis.

Adverse impacts to significant sites, either archaeological sites or historic buildings, must be avoided. Furthermore, managers of state property should prepare for locating and evaluating historic resources, both archaeological sites and historic structures.

Management Procedures for Archaeological and Historical Sites and Properties on State-Owned or Controlled Properties (revised February 2007)

E. Minimum Review Documentation Requirements

In order to have a proposed project reviewed by the Division, the following information, at a minimum, must be submitted for comments and recommendations.

Project Description – A detailed description of the proposed project including all related activities. For land clearing or ground disturbing activities, the depth and extent of the disturbance, use of heavy equipment, location of lay down yard, etc. For historic structures, specific details regarding rehabilitation, demolition, etc.

Project Location – The exact location of the project indicated on a USGS Quadrangle map, is preferable. A management base map may be acceptable. Aerial photos indicating the exact project area as supplemental information are helpful.

Photographs – Photographs of the project area are always useful. Photographs of structures are required.

Description of Project Area – Note the acreage of the project; describe the present condition of project area, and any past land uses or disturbances.

Description of Structures – Describe the condition and setting of each building within project area if approximately fifty years of age or older.

Recorded Archaeological Sites or Historic Structures – Provide Florida Master Site File numbers for all recorded historic resources within or adjacent to the project area. This information should be in the current management plan; however, it can be obtained by contacting the Florida Master Site File at (850) 245-6440 or Suncom 205-6440.

Questions relating to the treatment of archaeological and historic resources on state lands should be directed to:

Susan M. Harp
Historic Preservation Planner
Division of Historical Resources
Bureau of Historic Preservation
Compliance and Review Section
R. A. Gray Building
500 South Bronough Street
Tallahassee, FL 32399-0250

Phone: (850) 245-6333
Fax: (850) 245-6438

**Management Procedures for Archaeological and Historical Sites and Properties on
State-Owned or Controlled Properties (revised February 2007)**

Eligibility Criteria for National Register of Historic Places

The criteria to be used for evaluating eligibility for listing in the National Register of Historic Places are as follows:

- 1) Districts, sites, buildings, structures, and objects may be considered to have significance in American history, architecture, archaeology, engineering, and/or culture if they possess integrity of location, design, setting, materials, workmanship, feeling, and association, and:
 - a) are associated with events that have made a significant contribution to the broad patterns of our history; and/or
 - b) are associated with the lives of persons significant in our past; and/or
 - c) embody the distinctive characteristics of type, period, or method of construction, or that represent the work of a master, or that possess high artistic values, or that represent a significant and distinguishable entity whose components may lack individual distinction; and/or
 - d) have yielded, or may be likely to yield, information important in prehistory or history.
- 2) Ordinarily cemeteries, birthplaces, or graves of historical figures; properties owned by religious institutions or used for religious purposes; structures that have been moved from their original locations; reconstructed historic buildings; properties primarily commemorative in nature; and properties that have achieved significance within the past 50 years shall not be considered eligible for the *National Register*. However, such properties will qualify if they are integral parts of districts that do meet the criteria or if they fall within the following categories:
 - a) a religious property deriving its primary significance from architectural or artistic distinction or historical importance; or
 - b) a building or structure removed from its original location but which is significant primarily for architectural value, or which is the surviving structure most importantly associated with a historic person or event; or
 - c) a birthplace or grave of an historical figure of outstanding importance if there is no appropriate site or building directly associated with his productive life; or
 - d) a cemetery which derives its primary significance from graves of persons of transcendent importance, from age, distinctive design features, or association with historic events; or

Eligibility Criteria for National Register of Historic Places

- e) a reconstructed building, when it is accurately executed in a suitable environment and presented in a dignified manner as part of a restoration master plan, and no other building or structure with the same association has survived; or a property primarily commemorative in intent, if design, age, tradition, or symbolic value has invested it with its own exceptional significance; or
- f) a property achieving significance within the past 50 years, if it is of exceptional importance.

Preservation Treatments as Defined by Secretary of Interior's Standards and Guidelines

Restoration is defined as the act or process of accurately depicting the form, features, and character of a property as it appeared at a particular period of time by means of the removal of features from other periods in its history and reconstruction of missing features from the restoration period. The limited and sensitive upgrading of mechanical, electrical and plumbing systems and other code-required work to make properties functional is appropriate within a restoration project.

Rehabilitation is defined as the act or process of making possible a compatible use for a property through repair, alterations and additions while preserving those portions or features that convey its historical, cultural or architectural values.

Stabilization is defined as the act or process of applying measures designed to reestablish a weather resistant enclosure and the structural stability of an unsafe or deteriorated property while maintaining the essential form as it exists at present.

Preservation is defined as the act or process of applying measures necessary to sustain the existing form, integrity and materials of an historic property. Work, including preliminary measures to protect and stabilize the property, generally focuses upon the ongoing maintenance and repair of historic materials and features rather than extensive replacement and new construction. New exterior additions are not within the scope of this treatment; however, the limited and sensitive upgrading of mechanical, electrical and plumbing systems and other code-required work to make properties functional is appropriate within a preservation project.

**Preservation Treatments as Defined by Secretary of Interior's Standards and
Guidelines**

Addendum 8 – Land Management Review

Memorandum

Florida Department of Environmental Protection

October 21, 2011

TO: Marianne Gengenbach, Program Administrator
Division of State Lands

FROM: Parks Small, Chief, Bureau of Natural and Cultural Resources
Division of Recreation and Parks

Albert Gregory, Chief, Office of Park Planning
Division of Recreation and Parks

SUBJECT: Response to Draft Land Management Review (LMR)
Alfred B. Maclay Gardens State Park



The Land Management Review draft report provided to DRP determined that management of Alfred B. Maclay Gardens State Park by the Division of Recreation and Parks met the two tests prescribed by law. Namely, the review team concluded that the land is being managed for the purposes for which it was acquired and in accordance with the land management plan.

Below are Additional Recommendations and Checklist Findings (items the LMR determined should be further addressed in the management plan update) of the draft LMR report, with our Manager's Response to each. The responses were prepared via a coordinated effort of the park, district office, and our offices.

The team recommends the implementation of the planned visitor center. (VOTE: 4+, 0-)
Managing Agency Response: Agree: The proposed Visitor Center has been designed and permitted and funding is being sought for construction.

The team recommends that area parks and managed areas that focus on historical resources, cooperate in the development of a regional history that explains the historical land usage over time. (VOTE: 4+, 0-)
Managing Agency Response: Agree: The park staff are supportive of collaborating with other personnel managing nearby parcels and would participate in inter-agency efforts seeking to improve interpretative features and programs describing the historical usage of the regional landscape.

PLAN REVIEW

Increased protection of listed species, specifically the bay star vine, with documentation in the management plan.

Managing Agency Response: Agree: Measures seeking to provide for the protection of imperiled species will be addressed in the next unit management plan. The current draft of that plan includes mention of known locations of imperiled species (e.g. within the ornamental garden, within the ravines habitat), monitoring for the bay star vine and the slender naiad, and general plans for the planting of bay star vine seedlings propagated from existing individuals located in the central ravine.

Adjacent property concerns regarding the discussion of potential surplus land determination and the surplus lands already identified, with documentation in the management plan.

Managing Agency Response: Agree: The Division will address adjacent property concerns and the determination of surplus lands in the update of the management plan.

Managed area uses, specifically the proposed performance facility, with documentation in the management plan.

Managing Agency Response: Agree: The Division of Recreation and Parks, in cooperation with the Friends of Maclay Gardens, Inc., contracted an independent feasibility study completed in November, 2004, to determine the viability of the proposal to construct a permanent performance facility in the park. The results of the analysis determined that this would not be an economically viable project; the Division will consider these recommendations during the next unit management plan revision.

Thank you for your attention.

GK

CC: Danny Jones, Chief, Bureau of Parks District 1
Tony Tindell, Assistant Chief, Bureau of Parks District 1
Beth Weidner, Park Manager, Alfred B. Maclay Gardens State Park
John Bente, Environmental Specialist, Bureau of Parks District 1