



Florida Department of Environmental Protection

Bob Martinez Center
2600 Blair Stone Road
Tallahassee, Florida 32399-2400

Rick Scott
Governor

Carlos Lopez-Cantera
Lt. Governor

Jonathan P. Steverson
Secretary

VIA ELECTRONIC MAIL

richetti@raptorline.com

Mr. Ryan D. Richetti
Raptor USA, LLC
13220 Panama City Beach Parkway
Panama City Beach, FL 32407

Subject: Approval of the Raptor USA, LLC
Raptor-CO/SC Secondary Containment Coating
File No. EQ-853

Dear Mr. Ryan D. Richetti:

The Office of District and Business Support has concluded its review of the Equipment Approval request dated August 10, 2015, that was submitted by Raptor USA, LLC for its Raptor-CO/SC Secondary Containment Coating, pursuant to Rules 62-762.501(1)(e)3., and 62-762.851(2), Florida Administrative Code (F.A.C.). The Raptor USA, LLC Raptor-CO/SC Secondary Containment Coating is a two-part acrylic co-polymer and epoxy organosilane coating for concrete secondary containment systems.

Based on the information provided by Raptor USA, LLC, the Raptor-CO/SC Secondary Containment Coating provides environmental protection that is equivalent to that provided by compliance with the requirements established in Rule 62-762.501(1)(e)3., F.A.C. The Raptor USA, LLC Raptor-CO/SC Secondary Containment Coating may be used as a coating for concrete secondary containment systems for aboveground storage tanks in accordance with the requirements of Chapter 62-762, F.A.C.

Pursuant to Rule 62-762.851(2), F.A.C., the request for the use of the Raptor USA, LLC Raptor-CO/SC Secondary Containment Coating are approved in the State of Florida as a coating for concrete secondary containment systems in the State of Florida. The surface preparation of the concrete and the application of the coating shall be made in accordance with the manufacturer's recommendations.

Please be advised that the above referenced DEP rules are subject to change. If the above rule standards are modified in the future, this order may be modified or rescinded for future upgrades and installations. Additionally, if the product(s) show a consistent pattern of failure(s), and therefore does not provide substantially equivalent environmental protection, the Department may rescind this order.

The Department's Order shall become final unless a timely petition for an administrative hearing is filed under sections 120.569 and 120.57, F.S., within **21** days of receipt of this Order. Persons who have filed such a petition may seek to mediate the dispute and choosing mediation will not adversely affect the right to a hearing if mediation does not result in a settlement. The procedures for petitioning a hearing and pursuing mediation are set forth below.

Persons affected by this Order have the following options:

- A. If you choose to accept the Department's decision regarding the Order, you do not have to do anything. This Order is final and effective as of the date it is clerked and filed (see page 4).
- B. If you choose to challenge the decision, you may do the following:
 - 1. File a request for an extension of time to file a petition for hearing with the Department's Agency Clerk in the Office of General Counsel within **21** days of receipt of this Order. This request should be made if you wish to meet with the Department in an attempt to resolve any disputes without first filing a petition for hearing or negotiate an agreement to mediate; or
 - 2. File a petition for administrative hearing with the Department's Agency Clerk in the Office of General Counsel within **21** days of receipt of this Order.

In addition to requesting an administrative hearing, any petitioner may elect to pursue mediation under Section 120.573, F.S., and must negotiate an agreement to mediate within **10** days after the deadline for filing a petition.

How to Request an Extension of Time to File a Petition for Hearing

For good cause shown, pursuant to Rule 62-110.106(4), F.A.C., the Department may grant a request for an extension of time to file a petition for hearing. Such a request must be filed (received) by the Agency Clerk in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida, 32399-3000, within **21** days of receipt of this Order. Petitioner, if different from the applicant, shall mail a copy of the request to the applicant at the time of filing. Failure to file a petition within this time period shall waive the right of anyone who may request an administrative hearing under Sections 120.569 and 120.57, F.S.

How to File a Petition for Administrative Hearing

A person whose substantial interests are affected by this Order may petition for an administrative proceeding (hearing) under Sections 120.569 and 120.57, F.S. The petition must contain the information set forth below and must be filed (received) by the Agency Clerk in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, MS 35, Tallahassee, Florida, 32399-3000, within **21** days of receipt of this Order. Petitioner, if different from the applicant shall mail a copy of the petition to the applicant at the time of filing. Failure to file a petition within this time period shall waive the right of anyone who may request an administrative hearing under Sections 120.569 and 120.57, F.S. Pursuant to Subsection 120.569(2), F.S., and Rule 28-106.201, F.A.C., a petition for administrative hearing shall contain the following information.

- a) The name, address, and telephone number of each petitioner; the name, address, and telephone number of the petitioner's representative, if any, the site owner's name and address, if different from the petitioner, the DEP facility number, and the name and address of the facility;
- b) A statement of when and how the petitioner received notice of the Department's action or proposed action;
- c) An explanation of how each petitioner's substantial interests are or will be affected by the Department's action or proposed action;
- d) A statement of the disputed issues of material fact, or a statement that there are no disputed facts;
- e) A concise statement of the ultimate facts alleged, including a statement of the specific facts the petitioner contends warrant reversal or modification of the Department's action or proposed action;
- f) A statement of the specific rules or statutes the petitioner contends requires reversal or modification of the Department's action or proposed action; and

- g) A statement of the relief sought by the petitioner, stating precisely the action petitioner wishes the Department to take with respect to the Department's action or proposed action.

How to Pursue Mediation

In addition to requesting an administrative hearing, any petitioner may elect to pursue mediation. The election may be accomplished by filing with the Department a mediation agreement with all parties to the proceeding (i.e., the applicant, the Department, and any person who has filed a timely and sufficient petition for hearing). The agreement must contain all the information required by Rule 28-106.404, F.A.C. The agreement, signed by all parties, must be received by the Agency Clerk in the Office of General Counsel of the Department at 3900 Commonwealth Boulevard, Mail Station 35, Tallahassee, Florida, 32399-3000 within **10** days after the deadline for filing a petition, as set forth above. Choosing mediation will not adversely affect the right to a hearing if mediation does not result in a settlement.

Pursuant to Rule 28-106.404, F.A.C., an agreement to mediate must include the following.

- (i) The name, address, and telephone number of the persons who may attend the mediation, (also the DEP facility number, the name and address of the facility if applicable);
- (ii) The name, address, and telephone number of the mediator agreed to by the parties;
- (iii) How the costs and fees associated with the mediation will be allocated (the Department will not pay any of the costs of mediation);
- (iv) The agreement of the parties regarding the confidentiality of discussions and documents introduced during mediation to the extent authorized by law;
- (v) The date, time, and place of the first mediation session;
- (vi) The name of the party's representative who shall have authority to settle or recommend settlement; and
- (vii) The signature of the parties.

As provided in Section 120.573, F.S., the timely agreement of all parties to mediate will toll the time limitations imposed by Sections 120.569 and 120.57, F.S., for holding an administrative hearing and issuing a final order. Unless otherwise agreed by the parties, the mediation must be concluded within sixty days of the execution of the agreement. If mediation results in settlement of the administrative dispute, the Department must enter a final order incorporating the agreement of the parties. Persons seeking to protect their substantial interests that would be affected by such a modified final decision must file their petitions within **21** days of receipt of this notice, or they shall be deemed to have waived their right to a proceeding under Sections 120.569 and 120.57, F.S. If mediation terminates without settlement of the dispute, the Department shall notify all parties in writing that the administrative hearing processes under Sections 120.569 and 120.57, F.S., are resumed.

This Order is final and effective as of the date it is clerked and filed (see page 4). Timely filing a petition for administrative hearing postpones the date this Order takes effect until the Department issues either a final order pursuant to an administrative hearing or mediation settlement.

Judicial Review

Any party to this Order has the right to seek judicial review of it under Section 120.68, F.S., by filing a notice of appeal under Rule 9.110 of the Florida Rules of Appellate Procedure with the Agency Clerk of the Department in the Office of General Counsel, Mail Station 35, 3900 Commonwealth Boulevard, Tallahassee, Florida 32399-3000, and by filing a copy of the notice of appeal accompanied by the applicable filing fees with the appropriate district court of appeal. The notice of appeal must be filed within thirty days after this order is filed with the clerk of the Department (see below).

Mr. Ryan D. Richetti

EQ-853

Page 4

Questions

Any questions regarding the Department's review of your equipment approval should be directed to John Svec at (850)245-8845. Questions regarding legal issues should be referred to Betsy Hewett, Office of General Counsel, at (850)245-2267. Contact with any of the above does not constitute a petition for administrative hearing, a request for a time extension to file a petition for hearing or an agreement to mediate.

Sincerely,



John A. Coates, PE, Assistant Division Director
Division of Waste Management

JAC/js

FILING AND ACKNOWLEDGMENT FILED,
on this date, pursuant to §120.52 Florida Statutes,
with the designated Department Clerk, receipt of
which is hereby acknowledged.

10/23/2015

X 

Judith Pennington

Signed by: Penningto_JA

Clerk
(or Deputy Clerk)

Date



Description:	Raptor-Co/SC is a proprietary, two-part acrylic co-polymer and epoxy organosilane developed for coating concrete secondary containment structures that features cross-linking technology and cures at ambient temperature to form an ultra-hard polymeric shell that locks out moisture and environmental contaminants, sealing in a natural and un-weathered appearance while protecting from leaks, permeation and compromise. The cross-linked, cured film exhibits excellent chemical resistance while remaining flexible. This coating contains a semi-conductive photo catalyst titanium dioxide. Once the coating is illuminated by light, grease, dirt and other organic contaminants are decomposed and can be easily cleaned by rain, power washing, and other low-pressure cleaning methods.
Where to Use:	Secondary Containment Solutions Raptor-Co/SC is designed for use on concrete secondary containment structures and other concrete retainer and containment necessities.
Advantages:	Characteristics Very Low VOC Cures at Ambient Temperature Non-Sacrificial Self-Cleaning Photo Catalysis Action pH Neutral UV Protectant Clear Coat (can be pigmented) Resistant to Mold/Fungus Growth
Typical Data:	Packaging Min. Orde 50GL Color/Appearance Clear Solution (Can be formulated as opaque) Coverage 250-300Sqft/GL. Variations in concrete quality, job-site conditions and environment may affect coverage and drying time. Pot Life Binary component pot life indefinite. Combined, 48hr in airtight container. Waiting/Recoat Times Dry to touch in approx. 2hr. Cure Times Approximately 1 Hour: Raptor-Co/SC will achieve water resistance. Approximately 2 Hours: Raptor-Co/SC will achieve a film barrier with over 100 Double Rubs Acetone Resistance. Solid Content 29.0 - 31.0% Potential Hydrogen (pH) 5.0 - 6.0 Specific Gravity 1.0442 Flash Point Same as Water. Freeze/Thaw Stability 5 Cycles



Testing:	Various	
	Heat Seal Test:	
	446° F (230° C) @45psi for 1 second face to face - PASS	
	Hard Tough Mar Resistant Film:	
	Pencil Hardness	Surpasses 6H
	Konig (Pendulum)	163 Seconds
	Konig (Pendulum) addition of Silica to Mix	173 Seconds
	ASTM C868.02(12):	
	Test A: Salt Sea Water	EXCELLENT
	Test B: Diesel Fuel	EXCELLENT
	Test C: Jet Fuel (JP-5)	EXCELLENT
	Chemical Resistance:	
	Test D: Hydrochloric Acid (33% Solution)	EXCELLENT
	Test E: Nitric Acid (40% Concentration)	EXCELLENT

Surface Prep:	Area:
	Protect people, vehicles, property, plants and all other non-targeted areas from overspray. Properly clean surfaces that are to be treated. Do not apply to dirty, wet or frozen surfaces.
	New Concrete:
	Allow freshly placed concrete to cure for 72hr. Ensure all debris has been removed before application.
	Existing Concrete:
	Thoroughly clean area to be treated. Ensure all previous curing agents, greases, oils and debris have been removed.

Surface & Air Temp:	Do not apply to surfaces < 40° F or > 100° F.
---------------------	---

Mixing:	Part A:
	Stir Part A until there is no settlement at the bottom of the container.
	Part B:
	Stir in Part B at the prescribed proportion with Part A. Continue to stir for several minutes before use. (Note) If transferring Part A from a large container to a smaller container i.e. from a tote to a five-gallon bucket, do not introduce Part B until after the transfer is made.
	Prescribed Part B Proportion to Part A:
	The prescribed proportion is 5% of Part B to Part A.
	1 gallon = 6.4 oz. of Part B to 89.6 oz. of Part A
	5 gallon = 32.0 oz. of Part B to 448.0 oz. of Part A

Application:	Apply with low-pressure sprayer fitted with a 0.5 GPM spray tip. Apply sufficient material to wet the surface without creating puddles. Use damp micro-fiber pad to smooth out at control joints.
--------------	---



Application Equip: A) For Spray Application: Use commercial 2.5GL, Bottom-Feed, Double-Regulated, Bottom-Outlet Pressure Tank with Liner and Follow Plate. HVLP Industrial Spray Gun with Air Assist and Airless Pot. (Ex. Binks 2001 Spray Gun with Air Assist or Gravity Feed Cup. Nozzle Tip Size: Use Binks #68 or Equivalent.)

B) Brush or Roller Application: Raptor-Co/SC can be applied using a standard paint roller. NOTE: Additional coats may be necessary to achieve desired coverage and thickness.

C) Jiffy Mixer: Jiffy Mixer can be used. However, ensure that it is powered by fire-resistant electric motor.

Caution: See MSDS

First Aid: See MSDS

Warranty: The information and recommendations herein are based on our own research and the research of others and is believed to be accurate. No guarantee of accuracy is made due to the impossibility of controlling the end users methods, varied conditions, etc. Raptor Cote, LLC only warrants this “product” to be free from defect.

Raptor USA, LLC

A HIVAPRESCO Holdings Company

1.844.RAPTOR8

www.RaptorLine.com





MATERIAL SAFETY DATA SHEET PART "A"

SECTION I PRODUCT IDENTIFICATION

Product Name ----- Part "A" Formula ----- Proprietary
Chemical Family ----- Acrylic Copolymer Health Hazard Phone Number ----- (850) 590-1707
Recommended Use of Chemical ----- Binder or Coating.

SECTION II HAZARD IDENTIFICATION

Hazardous Classification of Chemical ----- Non-Hazardous
Signal Word ----- Not Applicable
Pictograms ----- Not Applicable
Precautionary Statement ----- None Known
Hazards Not Classified ----- None Known
Water ----- 69.3%
Polymer ----- 30.0%
Glacial Acetic Acid 99% ----- 0.7%
Residual Monomer ----- <100 ppm

SECTION III COMPOSITION/INFORMATION ON INGREDIENTS

Substances:

1) Water ----- CAS Number 7732-18-5
2) Acrylic Copolymer ----- CAS Number Proprietary
3) Glacial Acetic Acid 99% ----- CAS Number 64-19-7
4) Residual Monomers ----- CAS Number Proprietary

SECTION IV FIRST AID MEASURES

Inhalation ----- If dizziness or nausea occurs move to fresh air.
Exposure to skin ----- Rinse with cold water.
Exposure to eyes ----- Rinse with cold water.

SECTION V FIRE FIGHTING MEASURES

Special Fire Fighting Procedures ----- Respirator Unusual Fire or Explosion Hazards --- None Known.
Extinguishing Med----- Water, Foam, CO2 Flash Point ----- None PMCC.
Upper Flammable Limits ----- Not Applicable Lower Flammable Limits ----- Not Applicable.

SECTION VI ACCIDENTAL RELEASE MEASURES

In event of a spill:

Absorb material with sand or absorbent material. Put contaminant into DOT approved container. Do not dispose into sewer system. An acceptable method of disposal is to burn in an incinerator in accordance with local state and federal rules and regulations.

Evacuation Procedures ----- Not Applicable.
Protective Clothing ----- Gloves, safety glasses.



SECTION VII HANDLING AND STORAGE

Storage ----- Keep from freezing.
Incompatible Materials ----- Mixing with low pH materials can cause precipitation.
Ventilation ----- Not necessary.

SECTION VIII EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory Protection ----- None needed at ambient or elevated temperatures.
Other Protective Equipment ----- Rubber gloves and safety glasses.
Exposure Limits PELs ----- Not Applicable.
Threshold Limit Values ----- Not Applicable
Ventilation ----- Normally not necessary. If dizziness occurs move to fresh air.
Special Requirements for PPE ----- Safety Glasses

SECTION IX PHYSICAL AND CHEMICAL PROPERTIES

Appearance ----- Semi Clear Liquid.
Upper/Lower Flammability or Exposure Limits ----- None.
Odor ----- Typical Acrylic.
Vapor Pressure ----- Not Applicable.
Odor Threshold ----- Not Applicable.
Vapor Density ----- Not Applicable.
pH ----- Alkaline.
Relative Density ----- 1.0411
Melting Point/Freezing Point ----- Liquid/ 32 F/0 C
Solubility in Water ----- Infinite.
Boiling Point ----- 212 F/ 100 C
Flash Point ----- None.
Auto Ignition Temperature ----- Not Applicable.
Evaporation Rate ----- Same as Water.
Decomposition temperature ----- Not Applicable.
Flammability ----- Not Flammable.
Viscosity ----- <100 cps

SECTION X STABILITY AND REACTIVITY

Reactivity ----- Not Reactive, polymerization will not occur.
Chemically Stable ----- Yes.
Anionic or high pH materials can cause precipitation

SECTION XI TOXICOLOGY INFORMATION

Short term or long exposure ----- Has not been tested.
Acute toxicity lethal dose ----- Has not been tested.
Carcinogenic ----- No.

SECTION XII ECOLOGICAL INFORMATION

The product has not been tested in this area.

SECTION XIII DISPOSAL CONSIDERATIONS

Disposal Container ----- Plastic container, Fiber drum with lining, IBC or tote.
Where to dispose ----- Accredited Disposal Company that can deposit waste in landfill.
Do not dispose to sewer in concentrated form.



SECTION XIV TRANSPORTATION INFORMATION

UN Number ----- Non-hazardous, does not apply.
UN Proper Shipping Name ----- Non-hazardous, does not apply.
International Maritime Dangerous Goods Code (IMDG Code) ----- Non-hazardous.
International Bulk Chemical Code (IBC Code) ----- Non-hazardous.
Land Transport ----- Non-hazardous.
Air Transport ----- Non-hazardous.

SECTION XV REGULATORY INFORMATION

Not Regulated.

SECTION XVI OTHER INFORMATION

TSCA Registered:----- No
Canadian DSL:----- No
Harmonize Code:----- 390610-0000

PREPARATION

Date Prepared ----- 2/24/15
Prepared By ----- Raptor USA, LLC.

THE INFORMATION AND RECOMMENDATIONS HEREIN, ARE TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. NO WARRANTY, EXPRESS OR IMPLIED, IS MADE OR INTENDED. EMPLOYERS SHOULD USE THIS INFORMATION ONLY AS A SUPPLEMENT TO OTHER INFORMATION GATHERED BY THEM AND MUST MAKE INDEPENDENT DETERMINATIONS OF SUITABILITY AND COMPLETENESS FROM ALL OTHER SOURCES TO ASSURE PROPER USE OF THESE MATERIALS AND THE SAFETY AND HEALTH OF EMPLOYEES.

WARRANTY

The information and recommendations herein are based on our own research and the research of others and is believed to be accurate. No guarantee of accuracy is made due to the impossibility of controlling the end users methods, varied conditions, etc.

RAPTOR USA, LLC only warrants this "product" to be free from defect.





MATERIAL SAFETY DATA SHEET PART "B"

SECTION I PRODUCT IDENTITY

Product Name ----- Part "B"
Formula ----- Proprietary
Chemical Family ----- Organosilane
Health Hazard Phone Number ----- (850) 590-1707
Recommended Use of Chemical ----- Binder or Coating
CAS Registry ----- CAS Number Proprietary
24 Hour Emergency Number ----- (800) 424-9300

All ingredients are listed in EPA's TSCA list of chemical substances.

SECTION II HAZARDOUS COMPONENTS/COMPOSITION INFORMATION

CHEMICAL:	CAS #:	USOS:	TWA:	STEL:	PERCENT:
Organosilane	Proprietary				>98

SECTION III PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point ----- 290°C
Specific Gravity (H₂O=1) ----- 1.07
Vapor Pressure ----- N/A
Vapor Density (Air=1) ----- >1
Percent Volatile By Weight ----- 100%
Evaporation Rate ----- (BuAc=1) <1
Solubility in Water ----- Insoluble
Appearance and Odor ----- Light straw transparent liquid with slight odor.

SECTION IV FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used) ----- 149°C (Closed Cup)
Flammable Limits in Air (% By Volume) ----- N.D.
Extinguishing Media ----- Foam, Dry Chemical, CO₂
Special Fire Fighting Procedures: ----- Evacuate personnel to a safe area. Wear self-contained breathing apparatus.
Wear full protective equipment.
Unusual Fire and Explosion Hazard ----- Combustion can produce nitrogen oxides, toxic and corrosive gasses.

SECTION V REACTIVITY DATA

Stability ----- Stable.
Conditions to Avoid -- Store in a well-ventilated place at temperatures below 120°F. Keep container tightly closed.
Keep from freezing.
Incompatibilities -- Will hydrolyze with water, but no hazard. Avoid contact with strong oxidizing agents and acids.
Hazardous Decomposition or By Products -- Combustion may produce CO₂, CO and ethanol (flammable liquid).
Hazardous Polymerization ----- May Not Occur.



SECTION VI HEALTH HAZARD DATA

Primary Routes of Entry Inhalation: ----- NO Dermal: ----- YES
Ingestion: ----- YES Acute Health Hazard: ----- No Info Available.
Chronic Health Hazard: ----- No Info Available. Carcinogenicity: ----- No Info Available.
NTP: ----- NO IARC Monograph: ----- NO
OSHA Regulated: ----- NO

Signs and Symptoms of Exposure.

Skin Contact: Prolonged and repeated contact with skin can cause defatting and drying of the skin resulting in skin irritation and dermatitis. May cause severe irritation.
Eye Contact: Preexisting eye, skin and respiratory disorders may be aggravated by exposure to this product. May cause severe irritation.
Ingestion: Although ingestion is unlikely, liquid may irritate upper digestive tract if swallowed. May cause severe irritation.
Inhalation: May cause severe irritation.

Medical Condition Generally Aggravated by Exposure.
None Known.

Emergency First Aid Procedures.

Eyes: Immediately flush eyes with plenty of water. Seek medical attention.
Skin: Immediately wash skin with soap and water. Wash contaminated clothing before reuse.
Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person.
Call a physician.
Inhalation: Immediately remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen.

* Please note: Symptoms may be delayed; prompt medical attention may be required. Call a physician.

SECTION VII PRECAUTIONS FOR SAFE HANDLING AND USE

Steps to be taken In Case the Material is Released or Spilled:

Turn off ignition sources. Soak up with sand, oil dry or other absorbent material.

Waste Disposal Method:

Dispose of according to State, Local and EPA regulations.

SECTION VIII SPECIAL PRECAUTIONS

Precautions to be taken in Handling and Storage:

Store in a well-ventilated place at temperatures below 120°F. Keep container tightly closed.

Keep from freezing. Agitate contents of container before using.

SECTION IX CONTROL MEASURES

Respiratory Protection: Ventilation.
Local exhaust: Recommended.
Mechanical: Adequate Ventilation System.
Special: None Required.
Other: None.
Eye Protection: Safety glasses should be worn.
Protective Gloves: Rubber or plastic gloves should be worn.
Protective Clothing: Rubber apron.
Other Protective Equip: Eye wash equipment and safety shower should be available.
NIOSH approved respirator as needed.
Other Precautions: Wash hands after use.



SECTION X SARA TITLE III

SECTION 313 SUPPLIER NOTIFICATION

This product contains the following toxic chemicals subject to the reporting requirements of SECTION 313 of the EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT OF 1986 and of 40 CFR 371:

CAS # Chemical Name Percent by Weight.

THIS INFORMATION MUST BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL

SECTION XI TRANSPORTATION INFORMATION

Shipping Information: ----- PART B is considered non-hazardous and is not regulated by DOT.

Hazard Ratings.

Health: ----- 1

Flammability: ----- 1

Reactivity: ----- 1

PREPARATION

Date Prepared ----- 2/24/15

Prepared By ----- Raptor USA, LLC.

THE INFORMATION AND RECOMMENDATIONS HEREIN, ARE TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. NO WARRANTY, EXPRESS OR IMPLIED, IS MADE OR INTENDED. EMPLOYERS SHOULD USE THIS INFORMATION ONLY AS A SUPPLEMENT TO OTHER INFORMATION GATHERED BY THEM AND MUST MAKE INDEPENDENT DETERMINATIONS OF SUITABILITY AND COMPLETENESS FROM ALL OTHER SOURCES TO ASSURE PROPER USE OF THESE MATERIALS AND THE SAFETY AND HEALTH OF EMPLOYEES.

WARRANTY

The information and recommendations herein are based on our own research and the research of others and is believed to be accurate. No guarantee of accuracy is made due to the impossibility of controlling the end users methods, varied conditions, etc.

RAPTOR USA LLC only warrants this "product" to be free from defect.

