

Resource Recovery and Management
Part I: Solid Waste Facilities,
Chapter 17-7, F.A.C.
Department of Environmental Regulation
Effective 05/25/1979

TOWERS OFFICE BUILDING
BLAIR STONE ROAD
TALLAHASSEE, FLORIDA 32301



BOB GRAHAM
GOVERNOR
JACOB D. VARN
SECRETARY

STATE OF FLORIDA
DEPARTMENT OF ENVIRONMENTAL REGULATION

ATTACHED IS A COPY OF CHAPTER 17-7, FLORIDA ADMINISTRATIVE
CODE, AS ADOPTED BY THE ENVIRONMENTAL REGULATION COMMISSION
ON MARCH 28, 1979, AND FILED WITH THE SECRETARY OF STATE
ON MAY 4, 1979. THE EFFECTIVE DATE OF THIS RULE IS
MAY 25, 1979.

IF YOU HAVE ANY QUESTIONS CONCERNING THIS RULE, PLEASE
CONTACT A DEPARTMENT DISTRICT OFFICE OR THE SOLID WASTE
SECTION AT THE LETTERHEAD ADDRESS OR AT TELEPHONE NUMBER
904/488-0300.

100-5-25-79

RULES

OF THE

DEPARTMENT OF ENVIRONMENTAL REGULATION

CHAPTER 17-7

RESOURCE RECOVERY AND MANAGEMENT

PART I: SOLID WASTE FACILITIES

- 17-7.01 Declaration and Intent
- 17-7.02 Definitions
- 17-7.03 Solid Waste Resource Recovery and Management Bond and Permit Requirements
- 17-7.04 Prohibitions
- 17-7.05 Sanitary Landfill Criteria
 - (1) Classification of Sanitary Landfills
 - (2) Location Requirements
 - (3) Operational Plans
 - (4) Operations
- 17-7.06 Special Waste Handling
- 17-7.07 Closing Procedures for All Land Disposal Sites
- 17-7.08 Supervision and Inspection
- 17-7.09 Volume Reduction Plants
- 17-7.091 Transfer Stations
- 17-7.10 Applications for Permit
- 17-7.11 Permit Forms

PART II: STATE RESOURCE RECOVERY AND MANAGEMENT PROGRAM

- 17-7.20 Declaration and Intent
- 17-7.21 Definitions
- 17-7.22 State Agency Responsibilities
- 17-7.23 Guidelines for Resource Recovery and Management Programs
- 17-7.24 Resource Recovery Area Designations
- 17-7.25 Local Agency Responsibilities
- 17-7.251 Guidelines for a Resource Recovery and Management Program
 - (1) Storage of Solid Waste Prior to Collection
 - (2) Collection and Removal of Solid Waste
 - (3) Public Recording of Disposal Sites
 - (4) Hazardous Wastes
 - (5) Special Waste
 - (6) Processing and Recycling of Solid Waste
 - (7) Solid Waste Quantity Guarantees to Resource Recovery Facilities
- 17-7.26 Local Program Submittal
- 17-7.27 Extension Procedures
- 17-7.28 Permitting
- 17-7.29 Amendment to an Approved Program
- 17-7.30 Approval of Local or Regional Resource Recovery and Management Program

PART III: CERTIFICATION OF RESOURCE RECOVERY EQUIPMENT

- 17-7.40 Declaration and Intent
- 17-7.41 Definitions
- 17-7.42 Preliminary Examination of Resource Recovery Equipment
- 17-7.43 Final Examination and Certification of Resource Recovery Equipment
- 17-7.44 Criteria for Resource Recovery Equipment

17-7.01 Declaration and Intent.

It is the intention of the Environmental Regulation Commission that the Department of Environmental Regulation encourage, in all appropriate ways, reclamation processes which will reclaim waste material for beneficial uses.

The Florida Department of Environmental Regulation finds and declares that improper disposal of solid waste and use of open dumps as a means of final disposal results in or contributes to air pollution, water pollution, and land blight. The Department further finds that proper methods of disposal of solid waste will reduce air pollution, water pollution and the use of the land as an uncontrolled receptacle for improperly treated waste. The Department further finds that properly designed, operated and monitored disposal of solid waste enhances the environment.

It is the intent of the Department to require that solid waste disposal be conducted in a manner and under conditions which will reduce the waste of recoverable resources and eliminate the dangerous and deleterious effects of improper solid waste disposal upon air quality, water quality, and human health, safety and welfare.

The purpose of this rule is to implement the provisions of the Florida Resource Recovery and Management Act, which directs the Department to plan for and regulate the storage, collection, transportation, separation, processing, recycling and disposal of solid waste in order to protect the public safety, health and welfare, to enhance the environment for the people of the state, and to recover resources which have the potential for further use, and to assure that the final irreducible residue is disposed of in a manner which enhances the environment.

The Department shall establish, maintain and promote a cooperative state program of planning and technical assistance for resource recovery and management; encourage and require designated counties and municipalities to plan for and provide efficient, environmentally acceptable resource recovery and management; review the design of and issue permits for construction and operation of resource recovery and management facilities; promote the application of resource recovery systems which preserve and enhance the quality of air, water and land resources; and establish a system for the examination and certification of resource recovery equipment.

Pursuant to Sections 403.061 and Sections 403.701 through 403.713, Florida Statutes, the execution and enforcement of any section regarding actual or potential pollution of air or waters is under the jurisdiction of the Department of Environmental Regulation. Chapter 17-7 F.A.C.

replaces all applicable sections of Chapter 10 D-12 F.A.C.

Specific Authority 403.061, 403.704 F.S. Law Implemented 403.021, 403.061, 403.087, 403.701 through 403.715 F.S. History—New 10-1-74, Amended 5-24-79.

17-7.02 Definitions.

The following words, phrases or terms as used in this Chapter, unless the context indicates otherwise, shall have the following meaning:

(1) "Agricultural Wastes" means the solid wastes resulting from the rearing and slaughtering of animals and the processing of animal products, orchard and field crops which are stored, transported or disposed of as an unwanted waste material.

(2) "Aquifer" means a zone below the surface of the earth capable of producing usable quantities of water through wells or springs.

(3) "Available Market" means any person, user or enterprise, willing to enter into a long-term contract or agreement to purchase materials or energy recovered from solid waste.

(4) "Baling" means a method of reducing and restraining solid waste volume by mechanical compaction to achieve high density per unit volume.

(5) "Base Flood" means a flood that has a 1% or greater change of recurring in any year, or a flood of a magnitude equalled or exceeded once in 100 years on the average over a long period. In any given 100 year interval such a flood may not occur, or more than one such flood may occur.

(6) "Bulky Wastes" means items whose large size or weight precludes or complicates their handling by normal collection, processing, or disposal methods.

(7) "Cell" means a volume of solid waste received since the last previous application of initial cover. The compacted waste and subsequent initial cover constitute a cell.

(8) "Composting" means a controlled process of degrading organic matter by micro-organisms which results in a humus material.

(9) "Composting Facility" means a facility where organic matter is processed by natural or mechanical means to aid the microbial decomposition of the organic matter. Processing may include simple exposure resulting in a natural decay or physically turning, windrowing, aerating or other mechanical reduction of the organic matter.

(10) "Construction and Demolition Debris" means non-hazardous material generally considered not to be water soluble, including but not limited to steel, concrete, glass, brick, asphalt roofing material, or lumber from a construction or demolition project. Contamination of construction and demolition debris with any amount of other types of solid waste will cause it to be classified as other than construction and demolition debris.

(11) "Council" means the Florida Resource Recovery Council.

(12) "Designated Counties" means those counties which are designated pursuant to Sections 403.705, 706 and 710, F.S., to plan for and engage in resource recovery and management programs and are listed as follows:

Alachua	Hillsborough	Pinellas
Bay	Lee	Polk
Brevard	Leon	Sarasota
Broward	Manatee	Seminole
Dade	Orange	Volusia
Duval	Palm Beach	
Escambia	Pasco	

(13) "Energy Recovery" means the conversion of solid waste into energy or a marketable fuel.

(14) "Final Cover" means a layer of compacted earth two (2) feet in depth applied to a completed landfill. It may consist of initial cover (6 inches) and intermediate cover (12 inches), with the remaining top six inches being loosely compacted to promote plant growth.

(15) "Garbage" means all kitchen and table food waste, animal or vegetative waste that is attendant with or results from the storage, preparation, cooking or handling of food materials.

(16) "Generation" means the act or process of producing either solid waste or a marketable fuel.

(17) "Ground Water" means water beneath the surface of the ground, whether or not it is flowing through known and definite channels.

(18) "Hazardous Wastes" means materials or combinations of materials which require special management techniques because of their acute or chronic effects on air and water quality, on fish, wildlife, or other biota, and on the health and welfare of the public. These materials may include, but are not limited to, volatile, chemical, biological, explosive, flammable, radioactive and toxic materials.

(19) "Implement" means to carry out, accomplish, give practical effect to and ensure actual fulfillment by concrete means or by providing instruments or means of accomplishment.

(20) "Implementation Schedule" means a timetable for carrying out a local plan.

(21) "Infectious Wastes" means those wastes which may cause disease or reasonably be suspected of harboring pathogenic organisms; included are wastes resulting from the operation of medical clinics, hospitals, and other facilities producing wastes which may consist of, but are not limited to, diseased human and animal parts, contaminated bandages, pathological specimens, hypodermic needles, contaminated clothing, and surgical gloves.

(22) "Initial Cover" means a six (6) inch layer of compacted earth used to enclose a cell prior to intermediate or final cover.

(23) "Intermediate Cover" means a layer of compacted earth one (1) foot in depth applied to either a partially completed landfill where final cover is not to be applied within one year of cell completion or to multiple lifts if an additional lift on the cell is not used within one year.

(24) "Leachate" means a liquid which has emerged from solid waste and contains dissolved or suspended materials.

(25) "Lift" means a completed horizontal series of cells.

(26) "Local Agency" means any special district, authority, a county, a municipality, or any other political subdivision.

(27) "Local Solid Waste Program" means a local resource recovery and management program as described in Part II of this rule which includes a plan and an implementation schedule.

(28) "Materials Recovery" means any process by which one or more of the various components in solid waste was separated, concentrated, and reused.

(29) "Milled Refuse" means refuse that has been mechanically ground, shredded or pulverized.

(30) "Monitoring Wells" are strategically located wells from which water samples are drawn for water quality analysis.

(31) "Non-Designated Areas" means those areas which are not recommended by the Resource Recovery Council to plan for a resource recovery and management program.

(32) "Open Burning" means the burning of any material under such conditions that the products of combustion are emitted directly into the open atmosphere.

(33) "Open Dump" means a site for the disposal of solid waste which does not comply with the criteria of Chapter 17-7, F.A.C.

(34) "Person" means any and all persons, natural or artificial, including any individual, firm, or association; any municipal or private corporation organized or existing under the laws of Florida or any other state; any county of this state; and any governmental agency of this state or the Federal Government.

(35) "Planning Area" means the area defined by a local agency or agencies for solid waste management and resource recovery management planning.

(36) "Promiscuous Dump" means an unauthorized site where indiscriminate deposits of solid waste are made.

(37) "Recovered Materials" means materials which are recovered from the solid waste stream by separation, collection, or other means for reuse or resale.

(38) "Recycling" means the reuse of solid waste in manufacturing, agriculture, power production, or other processes.

(39) "Regional Agency" means one or more public agencies joined together by inter-local agreements for a stated period of time or by special Act of the Legislature, to assume the responsibility for resource recovery and management.

(40) "Resource Management" means the process by which solid waste is collected, transported, stored, separated, processed, or disposed of in any other way according to an orderly, purposeful, and planned program.

(41) "Resource Recovery" means the process by which materials, excluding those under control of the Nuclear Regulatory Commission, which still have useful physical or chemical properties after serving a specific purpose are reused or recycled for the same or other purpose, including use as an energy source.

(42) "Resource Recovery and Management Facility" means any solid waste disposal area, volume reduction plant, or other facility the purpose of which is resource recovery or the disposal, recycling, processing, or storage of solid waste.

(43) "Rural Containerized Collection System" means a collection system which involves

mechanically serviceable containers, strategically located throughout an area, the contents of which are picked up on a regular schedule by a truck and their contents delivered to a transfer station or solid waste processing or disposal facility.

(44) "Sanitary Landfill" means a facility, excluding those exempted under Subsection 17-7.03(2)(a)1. of this rule, for the disposal of solid waste on land which meets the criteria of Chapter 17-7, F.A.C.

(45) "Sanitary Nuisance" means a condition created by any person, or the keeping, maintaining, propagation, existence, or permitting of anything by a person which the health or lives of individuals may be threatened or impaired, or by which disease may be caused or transmitted.

(46) "Shallow Water Supply Well" means any potable water well which pumps water from an unconfined water table aquifer.

(47) "Shredding" means a process of reducing the particle size of solid waste through the use of grinding, shredding, milling or rasping machines.

(48) "Sludge" means an solid, or semi-solid, or liquid generated from any waste water treatment plant, water supply treatment plant, air pollution control facility, septic tank, grease trap, portable toilets and related operations, or any other such waste having similar characteristics or effects.

(49) "Solid Waste" means garbage, rubbish, refuse, or other discharged solid or semi-solid materials resulting from domestic, commercial, industrial, agricultural, and governmental operations, but does not include solids or dissolved material in domestic sewage effluent or other significant pollutants in water resources such as silt, dissolved or suspended solids in industrial waste water effluents, dissolved materials in irrigation return flows or other common water pollutants.

(50) "Source Separation" means the setting aside of separated recyclable waste materials at their point of generation (household or commercial) by the generator.

(51) "Special Wastes" means those wastes that require extraordinary management. They include but are not limited to, abandoned automobiles, white goods, used tires, waste oil, sludges, dead animals, agricultural and industrial wastes, septic tank pumpings, and infectious and hazardous wastes.

(52) "Stabilized" means that biological and chemical decomposition of the wastes has ceased or diminished to a level so that such decomposition no longer poses a pollution, health, or safety hazard.

(53) "State Program" means the Resource Recovery and Management Program described in Chapter 403.705 and 403.706, FS, and this rule.

(54) "Ton" means a short ton, 2000 pounds (.9078 metric tons).

(55) "Transfer Station" means a facility where solid waste from several relatively small vehicles is placed into a larger vehicle before being transferred to a solid waste processing or disposal facility.

(56) "Trash" means combinations of yard trash and construction and demolition debris along with other debris such as paper, cardboard, cloth, glass, white goods, street sweepings, vehicle tires and other like matter.

(57) "Treatment" means the process of

altering the character, or physical or chemical condition of the waste to prevent pollution of water, air or soil, to safeguard the public health or enable the waste to be recycled.

(58) "Vector" means a carrier organism that is capable of transmitting a pathogen from one organism to another.

(59) "Volume Reduction Plant" includes, but is not limited to, incinerators, pulverizers, compactors, shredding and baling plants, composting plants and other plants which accept and process solid waste for recycling or disposal.

(60) "Waste Oil" means all types of waste oils, including waste automotive lubricants, industrial waste oils, and petroleum compounds.

(61) "White Goods" means inoperative and discarded refrigerators, ranges, washers, water heaters, and other similar domestic and commercial appliances.

(62) "Working Face" means that portion of a sanitary landfill where waste is discharged, spread and compacted prior to placement of initial cover.

(63) "Yard Trash" means vegetative matter resulting from landscaping maintenance or land clearing operations and includes materials such as tree and shrub trimmings, grass clippings, palm fronds, trees and tree stumps.

All other definitions found in Chapter 403, F.S., and Chapter 17-7, F.A.C., to the extent that they are consistent with the definitions of this Chapter, are applicable to the terms used in this Chapter.

Specific Authority 403.061, 403.704 F.S. Law Implemented 403.021, 403.031, 403.061, 403.087, 403.701 through 403.715 F.S. History—Transferred from 10D-12.02, 10-1-74, Revised 7-20-76, Amended 5-24-79.

17-7.03 Solid Waste Resource Recovery and Management Bond and Permit Requirements.

(1) Bonds:

All persons engaged in the operation of sanitary landfills other than counties, municipalities or other governmental agencies and persons operating local agency-owned facilities under contract, shall post a performance bond or other approved security with the local agency within whose jurisdiction the site is located in the amount determined by the local agency to be consistent with the estimated cost of properly closing the site in accordance with Chapter 17-7.07, F.A.C. The requirements of this provision may be waived in writing by the local agency within whose jurisdiction the site is located. A copy of such performance bond or other security or the written waiver of same shall be provided to the department as a part of the permit application.

(2) Permit Requirements

(a) No resource recovery and management facility or site shall be operated, maintained, constructed, expanded, or modified without an appropriate and currently valid permit issued by the Department as defined in Chapter 17-4, F.A.C.

1. However, no permit under this section shall be required for the following activities provided that no public nuisance or condition adversely affecting the public health, safety and welfare is created and provided that the activity does not violate other state or local laws, ordinances, rules, regulations or orders including the Florida Air and Water Pollution Control Act, the Florida Safe Drinking Water Act, and standards adopted thereunder.

a. Disposal by persons of solid waste resulting from their own activities on their own property. This exemption shall not apply when solid wastes generated on more than one property are collected and disposed of at one disposal site.

b. Normal farming operations.

c. Solid waste disposal areas limited to the disposal of construction and demolition debris.

2. A determination by the department of whether an activity creates a public nuisance or condition adversely affecting the public health, safety or welfare shall include consideration of whether the activity violates the prohibitions set forth in Section 17-7.04 of this rule.

(b) The person making application for a resource recovery and management facility permit shall submit to the Department four copies of an engineering plan for the proposed construction and operation of the facility prepared by a Professional Engineer registered in the State of Florida in accordance with provisions of Chapter 471, F.S. Said Engineer shall be required to make periodic inspections during construction of the facility to insure that design integrity is maintained. If the person is acting as a public officer employed by the State, a county or a municipality and where that person estimates the initial construction cost is less than ten thousand dollars, this requirement may be waived in accordance with Chapter 471.05(4), F.S. Any law to the contrary notwithstanding, the construction cost of a solid waste disposal area shall not include land acquisition cost or the cost of equipment used to construct and maintain the same.

(c) The department, following a review of the resource recovery and management facility application and plan, shall:

1. Issue a construction or operation permit if the plan provides reasonable assurances that the requirements and standards of Chapter 17-7, F.A.C. and Chapter 403, F.S. will be met.

2. Issue a construction or operation permit which includes conditions and provisions to ensure compliance with Chapter 17-7, F.A.C., and Chapter 403, F.S.

3. Deny the issuance of a construction or operation permit if the plan does not provide reasonable assurances that the requirements of Chapter 17-7, F.A.C., and Chapter 403, F.S. will be met.

Specific Authority 403.061, 403.704 F.S. Law Implemented 403.021, 403.061, 403.087, 403.702, 403.704, 403.705, 403.707, 403.708 F.S. History—Transferred from 10D-12.03, 10D-12.04, 10D-12.07, 10-1-74, Amended 5-24-79.

17-7.04 Prohibitions.

(1) No solid waste shall be disposed of except by sanitary landfill, incineration, recycling process, or other method approved by the Department and consistent with this chapter and applicable approved local agency programs or regulations.

(2) Unless permanent leachate control methods are installed, no solid waste shall be disposed of by being placed:

(a) in an open sink hole or in the immediate area thereof.

(b) in a limestone, or gravel pit.

(c) in an area immediately adjacent to or within 500 feet of an existing or approved shallow water supply well unless disposal takes place in a sanitary landfill which was originally permitted before the shallow water supply well was in

existence.

(d) in a dewatered pit.

(3) No solid waste shall be disposed of:

(a) in an area subject to frequent and periodic flooding unless drainage provisions approved by the Department are installed.

(b) in any natural or artificial body of water including ground water.

(c) within 200 feet of any natural or artificial body of water, except canals used to lower site water tables or bodies of water, contained completely within the site, which do not discharge from the site.

(d) in any area open to public view from any major thoroughfare without proper screening where it can practically be provided.

(e) on the right of way of any public highway, road, or alley.

(f) within the boundaries of any airport property whether such airport be for public, private or limited use.

(g) within ten thousand (10,000) feet of the closest point of any runway at any airport licensed by the State of Florida, owned or operated by the United States, or subject to regulation by the Federal Aviation Administration which may be used by turbo-jet aircraft, or within five thousand (5,000) feet of any runway at any such airport used only by piston engine type aircraft unless it has been determined by the Federal Aviation Administration, the Florida Department of Transportation, or other appropriate federal or state agency charged with preventing airport hazards, that the proposed solid waste facility poses no safety hazard to aircraft in the vicinity.

(4) no open burning of solid waste shall be permitted at any land disposal site except in accordance with the provisions of Chapter 17-5 F.A.C. No burning of solid waste shall be allowed for the purpose of the instruction and training of organized fire fighters or industrial employees.

(5) Hazardous Waste: Any hazardous waste which is intended to be disposed of by land disposal or incineration and which can be reasonably expected to create a condition harmful to human health or air or water quality shall at the owner's expense, be rendered non-hazardous prior to delivery to the disposal facility. Should a hazardous waste be of such composition that it cannot be rendered non-hazardous, the producer of such wastes must confer with the Department to determine a safe disposal or storage method and shall dispose of or store the waste by a method which is approved by the department. The approved method shall be determined on a case by case basis and shall be governed by the nature of the hazardous waste and its potential impact on air and water resources and public health, safety and welfare.

(6) Infectious waste shall be properly incinerated or processed by an alternate method which has been approved by the Department. No untreated infectious waste shall be deposited in any sanitary landfill.

(7) Transportation and disposal of solid wastes into or through the State, into or across county or municipal boundaries shall not be impeded provided such transport and disposal is in accordance with the provisions of this rule, does not degrade the environment, create a physical or

aesthetic nuisance, or endanger or impair the public's health or welfare.

Specific Authority 403.061, 403.704 F.S. Law Implemented 403.021, 403.061, 403.087, 403.702, 403.704, 403.705, 403.707, 403.708 F.S. History—Transferred from 10D-12.06, 10D-12.07, 10-1-74, Amended 5-24-79.

17-7.05 Sanitary Landfill Criteria.

(1) Classification of Sanitary Landfills. Sanitary landfills are classified into three (3) different classes based upon the amount and type of wastes received at the landfill. There are varying requirements throughout this rule depending upon the class of landfill.

(a) Class I landfills are those which receive solid waste, and which receive a monthly average of 20 tons or more of solid waste per day as weighed by scale if available, or 50 cubic yards or more of solid waste per day as measured in place after covering. Such sites shall receive an initial cover at the end of each working day. If such a site is limited to the receipt of only trash or yard trash it shall be classified as a Class III landfill.

(b) Class II landfills are those which receive solid waste, and which receive a monthly average of 20 tons or less of solid waste per day as weighed by scales if available, or less than 50 cubic yards of solid waste per day as measured in place after covering. Such sites shall receive an initial cover at least once every four days. If Class II sites receive sewage or industrial sludges, dead animals, rendering wastes, or other nuisance wastes, Class I covering frequency shall be required. If such a site is limited to the receipt of only trash or yard trash types of solid waste, it shall be classified as a Class III landfill.

(c) Class III landfills are those which receive only trash or yard trash. Such sites are required to apply initial cover once every week. However, Class III sites which are operated as composting facilities are not required to apply initial cover. If trash or yard trash is mixed with other types of solid waste, the disposal site shall be classified as Class I or II landfills, depending upon the amount of wastes received at each site.

(d) More frequent cover may be required at Class II and Class III sites if necessary to prevent health and environmental problems. The department shall consider proximity to nearby residences and wells, evidence of dumping of unauthorized wastes, unlawful fires, littering of nearby property, odor problems, presence of vectors, and any other demonstrable potential or existing problems at such sites when making this determination.

(2) Location Requirements.

(a) Soil Survey

Solid waste shall be disposed of only in areas where a soil survey has been made using the U.S.D.A. Soil Conservation Service taxonomy. The degree of limitation of the soil found shall be rated in accordance with the U.S.D.A. Soil Conservation Service Guide for Interpreting Engineering Uses of Soils. Such requirement may be waived by the Department only after being advised in writing by the Soil Scientist that the soils are such that a determination of soil series is not possible. This information can be included in the hydrogeological survey. The Soil Survey is not required for Class III sites and for sites where this information is included in the hydrogeological survey.

(b) Hydrogeological Survey

Solid waste shall be disposed of only in areas where a hydrogeological survey has been made. For Class I sites the hydrogeological survey shall include but not be limited to the determination of the depth of the water table, direction of groundwater flow and soil characteristics. For all other sites the best available information from Water Management Districts, U.S. Geological Survey, Florida Bureau of Geology or other acceptable sources shall be required.

(c) Site Requirements

The land disposal site location shall:

1. be easily accessible by collection vehicles, automobiles and where applicable, transfer vehicles;
2. safeguard against water pollution originating from the disposal of solid waste;
3. have an adequate quantity of acceptable earth cover available. The cover material shall be easily workable and compactable.
4. conform with the proper zoning.

(3) Operational Plans - The proposed operational plans shall include:

(a) Map or aerial photograph of the area showing land use and zoning within $\frac{1}{4}$ mile of the solid waste disposal site using the Florida Land Use Cover and Forms Classification System, (available from the Department). This map or photograph which shall be taken within one year of permit application, shall be of sufficient scale to show all homes, industrial buildings, wells, watercourses, dry runs, rock out-croppings, roads and other significant details.

(b) Plot plan of the site showing dimensions, location of soil borings, proposed trenching plan and original elevation, cover stock piles, and fencing. Cross sections shall be included on the plot plan or on separate sheets showing both the original and proposed fill elevations. The scale of the plot plan should not be greater than 200 feet to the inch. The plot plan is not required for Class III sites.

(c) The design of the sanitary landfill shall include one or more topographic maps at a scale of not over 200 feet to the inch with 5-foot contour intervals. These maps shall show: the proposed fill area; any borrow area; access roads; grades required for proper drainage of each lift and typical cross section of a lift; special drainage devices if necessary; fencing; equipment facilities; and all other pertinent information.

(d) A report shall accompany the plans indicating:

1. population and area to be served by the proposed site.
2. anticipated type, annual quantity and source of solid waste, expressed in tons or cubic yards of compacted materials.
3. anticipated life of the site.
4. geological formations and groundwater elevations to a depth of at least 10 feet below proposed excavations and lowest elevation of the site. Such data shall be obtained by soil borings or other appropriate means. This information is not required for Class III sites.
5. soil map, interpretive guide sheets, and a report giving the suitability of the site for such an operation.
6. source and characteristics of cover material.

7. contingency plan, including alternate waste handling and disposal methods, in case of an emergency such as equipment failure or natural disaster.

8. persons responsible for actual operation and maintenance of the site and intended operating procedures.

9. A plan for gas control if gas generation from the site is expected.

10. operational plans to direct and control the use of the site.

11. plan for controlling the type of waste received at the site; plans shall specify inspection procedures, number and location of spotters and procedures to be followed if prohibited types of waste are discovered.

(e) All sites shall be designed to meet the water quality standards of Chapter 17-3 and 17-4, F.A.C., at the site's boundary. These design features may incorporate natural hydrogeological conditions, which include biological, chemical and physical systems and dilution factors.

(4) Operations.

(a) Monitoring Wells

1. Within nine (9) months after the effective date of this rule.

a. Class I sanitary landfill sites shall provide a minimum of three (3) monitoring wells. At a new site these wells shall be installed before disposal of solid waste takes place. The location of these wells shall be in accordance with the hydrogeology of the site and the predicted behavior of groundwater flow. At least one monitoring well shall be located upgradient to the landfill site, a second well shall be located at the downstream boundary of the first section filled or to be filled in the landfill site, and a third well shall be installed at the downgradient boundary of the landfill site. These wells shall be screened throughout the saturated trapped thickness of the aquifer. If the hydrogeologic characteristics of the site indicate that more than one downstream well is required to detect leachate generation and movement, the department may require additional downstream monitoring wells.

b. Class II landfill sites shall have at least one (1) monitoring well, which shall be placed at or close to the downstream boundary of the landfill site in the direction of groundwater flow. The Department may require additional monitoring wells at Class II sites no farther than one (1) mile from the site if a significant change in the initial quality of the water has occurred in the downstream monitoring well which may adversely affect the beneficial uses of the water. These additional wells may be public or private water supply wells if they are suitable for use in determining water quality.

2. Construction of monitoring wells and the collection of samples shall be in accordance with EPA recommended methods as contained in "Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Facilities" (EPA/530/SW-611) (available from the Department), which is hereby incorporated by reference into these regulations. The wells shall be deep enough to insure that groundwater samples can be obtained with the groundwater table elevation at its estimated lowest point and shall be protected from damage or destruction. Samples shall be analyzed in accordance with the methods described in Chapter 17-4, F.A.C.,

which are hereby incorporated by reference into these regulations. Analyses shall be performed by laboratories which are approved by the Department of Health and Rehabilitative Services to conduct analyses pursuant to Section 403.863, F.S., the State Public Water Supply Laboratory Certification Program.

3. At the time of original permit application or at the time of renewal of the permit, after the effective date of this rule, all sanitary landfill sites are required to establish the background water quality by testing for the following parameters:

- a. conductivity
- b. nitrates
- c. iron
- d. chemical oxygen demand

e. other parameters if determined necessary by the department depending upon the nature of the waste received or the hydrogeological characteristics of the area or site.

4. Sampling shall be made by the sanitary landfill site operator or his delegated representative at no longer than six (6) month intervals after the background water quality has been established and operation of the site is begun. The samples shall be analyzed for the following key parameters:

- a. Conductivity
- b. Nitrates
- c. Chemical Oxygen Demand
- d. Other parameters, appropriate to a

particular area or site, may be used in lieu of the foregoing provided the applicant demonstrates to the department that the substitutions are adequate indicators of leachate.

5. The disposal facility operator shall be responsible for forwarding the sample analyses reports to the district office within ten (10) working days after the analyses report is received.

6. Additional sampling at more frequent intervals and analyses for extended parameters other than key parameters may be required by the department if a change, other than the normal seasonal changes, is detected in the value of the key parameters when compared with background values. Extended parameters may include any of those leachate indicators which are listed in the EPA publication "Procedures Manual for Ground Water Monitoring at Solid Waste Disposal Facilities (EPA/530/SW-611)" (available from the Department).

7. At least one week before sampling for extended parameters the facility operator or his representative shall inform the department so that a representative of the department may be present to collect a split sample.

(b) Operational design features. The disposal site shall be provided with operation features and appurtenances necessary to maintain a clean and orderly operation. These minimum features are:

1. An effective barrier designed to prevent unauthorized entry and dumping into the landfill site.

2. An all-weather access road to the site. A special area with a stabilized roadway shall be provided within the site for wet weather operations.

3. Signs indicating name of operating authority, traffic flow, hours of operation, and charges for disposal (if any).

4. Scales for weighing solid waste received at the landfill, or in lieu thereof, estimates the number of cubic yards received at all Class I and Class II sites. Quantitative records shall be forwarded to the Department upon request.

5. Dust control methods such as approved chemicals, oils, or water sprays.

6. Litter control devices; portable fences, or other suitable means.

7. Fire protection and fire-fighting facilities adequate to insure the safety of employees and provisions to deal with accidental burning of solid waste within the sanitary landfill.

(c) Personnel and Facilities. In order to insure proper staffing and suitable facilities the following shall be required:

1. During hours of operation, an attendant at Class I sites. The Department may require an attendant at Class II or Class III sites if the Department affirmatively demonstrates that such a requirement is necessary to prevent unlawful fires, unauthorized dumping, or littering of nearby property.

2. Communication facilities for use in emergencies at Class I sites.

(d) Equipment. To insure adequate operation the following is required:

1. Equipment sufficient for excavating, spreading, compacting, covering operations, and other transportation and earthmoving needs.

2. Sufficient reserve equipment, or arrangements to provide alternate equipment within 24 hours following equipment breakdown.

3. Safety devices on equipment to shield and protect the operators from potential hazards during operation.

(e) The Department recommends but does not require:

1. A potable water supply.
2. A suitable employee shelter.
3. Handwashing and toilet facilities.
4. Equipment wash-out facilities.
5. Electric service for operations and repairs.
6. Equipment shelter for maintenance and storage of parts, equipment and tools.

7. Emergency first aid equipment to provide adequate treatment of an injured person in case of an accident.

8. That employees be trained in the proper and safe operation of all equipment and first aid procedures.

(f) Sanitary landfills shall provide for the collection, control and treatment of surface runoff from the site as necessary to meet the water quality standards of Chapters 17-3 and 17-4, F.A.C., for the receiving waters at the boundary of the site. The design of such treatment facility shall be reviewed and approved by the Department as a part of the permit required for the sanitary landfill.

(g) Any leachate emanating from a landfill shall be collected and treated as necessary to meet the water quality standards of Chapters 17-3 and 17-4, F.A.C., for receiving waters at the boundary of the site. The design of the treatment facility shall be reviewed and approved by the Department as a part of the permit required for the sanitary landfill.

(h) The grade of the completed refuse cells and lifts in addition to the final cover shall drain

the surface runoff water to prevent uncontrolled ponding.

(i) All completed portions of sanitary landfills which have received final cover and at which no future vehicular traffic is anticipated shall be planted with grass or acceptable cover vegetation to minimize infiltration, erosion and dust.

(j) All sanitary landfills where gas generated by decomposition of wastes is not readily dispersed into the atmosphere shall be provided with a gas control system. In no case shall emissions from such gas control systems be allowed to result in violation of air quality standards pursuant to Chapter 403, F.S.

(k) All solid waste at Class I and Class II sites shall be spread in layers of approximately two (2) feet in thickness and compacted to approximately one (1) foot in thickness before the next layer is applied. Solid waste at all Class III sites, except those yard trash sites which are operated as composting facilities, shall be spread in layers and compacted once every week using suitable heavy equipment. Bulky materials such as tree stumps or large pieces of concrete which are not easily compacted should be worked into other materials as much as practical. Following such compaction the solid waste at all sites, except Class III sites which are operated as composting facilities shall be covered with initial cover.

(l) All compacted solid waste shall be formed into cells with working face and side grades at a slope of approximately thirty (30) degrees. Cell depth shall be constrained by the type of operation in use (area, trench), the daily volume of waste, width of the working face, and good safety practices.

(m) The working face of a cell shall be kept as narrow as is consistent with the proper operation of trucks and equipment to minimize exposed areas.

(n) An intermediate cover of one (1) foot of compacted earth in addition to six (6) inch initial cover shall be applied within seven (7) days of cell completion if final cover is not to be applied within one (1) year of cell completion.

(o) Pesticides used to control rodents, flies and other insects shall be as specified by the Florida Department of Agriculture and Consumer Services. (Chapter 5E-2, F.A.C.).

(p) Uncontrolled and unauthorized scavenging shall not be permitted at any sanitary landfill site. Controlled salvaging may be permitted by the local authority responsible for the facility.

(q) Alternate procedures not included in this section shall be considered in a variance application submitted pursuant to Section 403.201, F.S., and Chapter 17-1, F.A.C.

Specific Authority 403.061, 403.704 F.S. Law Implemented 403.702, 403.704, 403.705, 403.707, 403.708 F.S. History—Transferred from 10D-12.07, 10-1-74. Revised 5-11-75, 7-20-76, Amended 5-24-79.

17-7.06 Special Waste Handling.

(1) Disposal of waste sludges, including septic tank contents referred to in Chapter 10D-6, F.A.C., shall be consistent with special consideration of potential air and water pollution and the increased threat to the health and safety of landfill employees. Waste sludges shall be disposed of in a sanitary landfill accepting municipal solid waste only where alternate disposal methods are not available and when such disposal does not violate

laws and regulations.

(2) Abandoned vehicles brought to the site may be stored temporarily in a separate area, provided arrangements have been made for frequent removal to an automobile recycler. If such arrangement has not been made all abandoned vehicles, white goods and similar materials shall be compacted to minimize voids before being placed in the fill area.

(3) In the event of a natural disaster, during which large volumes of debris are accumulated (such as trees and buildings that have been destroyed) the debris may be transported to an area remote from habitation, and burned, in accordance with Section 17-5.08(1), F.A.C.

(4) Landfilling milled solid waste without daily soil cover may be an environmentally acceptable method of final disposal. However, the same engineering principles required for a sanitary landfill site must be employed, including a properly designed and operated milling facility. The Department will grant approval for such disposal method contingent upon the following conditions:

(a) Particle size. Seventy percent (70%) of all milled refuse, dry weight, shall be capable of passing through a three (3) inch screen.

(b) Waste shall be spread to a smooth contour and compacted promptly after placement and left undisturbed to prevent odors. Wind blowing of milled refuse and paper shall be controlled.

(c) All solid waste storage areas in the milling facility must be maintained and cleaned at the end of each day's operations, or during continuous operation, as necessary, to prevent fly, rodent or other vector problems. All milling equipment shall be designed and maintained to control spillage and to achieve the required milled product quality.

(d) An operational plan shall include provision for removal and proper disposal of wastes within 24 hours should the mill facility breakdown or operational quality be diminished. The operational plan shall include provision for a stock pile of emergency soil cover material and a plan to convert the operation to a sanitary landfill.

(e) Leachate collection and treatment as necessary to meet water quality standards of Chapters 17-3 and 17-4, F.A.C., shall be provided at all milled solid waste sites. The design of the treatment facility shall be reviewed and approved by the department as a part of the permit required for the milled solid waste site.

(f) Upon completion of the site, it shall be closed, covered with a final one(1) foot thick soil cover and shall be seeded or planted with grass or suitable cover vegetation to minimize erosion.

Specific Authority 403.061, 403.704 F.S. Law Implemented 403.021, 403.061, 403.087, 403.702, 403.704, 403.705, 403.707, 403.708 F.S. History—Transferred from 10D-12.07, 10-1-74. Amended 5-24-79.

17-7.07 Closing Procedure for All Land Disposal Sites.

All land disposal sites (sanitary landfills and open dumps) shall be closed in accordance with the following criteria:

(1) Access to the site shall be restricted by an effective barrier designed to prevent unauthorized entry into the landfill site.

(2) Information signs shall be placed at the entrance to the site and on roads leading to the site

stating that it is closed, the penalty for dumping at the site, the location and hours of operation of the alternate approved site and the name of the operating agency.

(3) A responsible person shall be assigned to supervise the closing procedures on a full time basis during the closing operations.

(4) Two (2) feet of final cover material is required before final closing of the site. The cover material shall be compacted in six (6) inch layers with the final six (6) inches loosely compacted to promote plant growth. The sides of all completed landfills shall have a slope not steeper than one (1) foot vertical to three (3) feet horizontal to minimize erosion.

(5) Upon completion, the closed site shall be seeded or planted with grass or suitable cover vegetation.

(6) Upon completion, the closed site shall be properly maintained. This includes erosion control, maintenance of grass cover, prevention of ponding and prevention of deposited waste from becoming a hazard or nuisance until the site is stabilized.

(7) Continued monitoring of the potential polluting sites is required. This will include collection and treatment of leachates until the site is stabilized.

(8) Upon completion the closed site must be publicly recorded in the county property recording office.

(9) The requirements in Section 17-7.07(1), (2), (3), (4), (5), and (8) shall be completed within one year of the closing of the site to incoming waste.

Specific Authority 403.061, 403.704 FS. Law Implemented 403.021, 403.061, 403.087, 403.702, 403.704, 403.705, 403.707, 403.708 FS. History—New 10-1-74, Amended 5-24-79.

17-7.08 SEE LAST PAGE

17-7.09 Volume Reduction Plants.

(1) Permits shall be required for all volume reduction plants as defined in Section 17-7.02(59)

(2) Volume reduction plants shall be designed and operated to meet all applicable rules of the Department including Chapters 17-2 and 17-3, F.A.C., and shall be reviewed for permitting based on the receipt of comprehensive data on the process and its relative potential as a pollution source.

(3) All volume reduction plants shall provide a suitable system for the collection and treatment necessary to meet water quality standards of all leachate and other liquid wastes such as wash-down water produced as a result of the operation of such a facility.

(4) Volume reduction plants shall be designed so as to divert surface water away from all open storage areas.

(5) Alternate or sufficient overcapacity waste handling capability for proper disposal of solid waste shall be provided in the event of diminished operational quality or overloads due to breakdowns or natural disasters.

(6) Volume reduction plants shall be operated so as to handle solid wastes on a first-in, first-out basis. At no time shall any stored solid waste be allowed to remain unprocessed for more than forty-eight (48) hours unless adequate provisions are made to control flies, rodents and odors.

(7) Adequate fire control facilities shall be provided at all volume reduction plants.

(8) All solid waste storage areas in the volume reduction plant shall be maintained and cleaned at the end of each day's operations or during continuous operation, as necessary, to prevent fly, rodent and other vector problems. All milling equipment must be designed and maintained to control spillage and to achieve the required milled product quality.

(9) All solid waste, recovered materials or residues handled at a volume reduction plant, shall be stored in a manner so as not to constitute a fire or safety hazard or a sanitary nuisance, and shall comply with all applicable local and state regulations.

(10) Recovered resources resulting from such facilities and which may be offered for sale shall comply with applicable regulations of all appropriate State agencies.

(11) Experimental methods and operations will be reviewed by the Department for a permit based on purpose and design effectiveness.

Specific Authority 403.061, 403.704 FS. Law Implemented 403.021, 403.061, 403.087, 403.702, 403.704, 403.705, 403.707, 403.708 FS. History—New 10-1-74, Amended 5-24-79.

17-7.091 Transfer Stations.

(1) Transfer stations shall not be constructed or operated without a permit.

(2) The transfer station shall be provided with operational appurtenances necessary to maintain a clean and orderly operation. These minimum features are:

(a) An effective barrier designed to prevent unauthorized entry and dumping into the transfer station.

(b) Fire protection and fire fighting equipment to insure the safety of employees, and provisions to deal with accidental burning of solid waste within the transfer station.

(c) Communication facilities for use in emergencies.

(d) The transfer station operator shall keep accurate records of materials handled at the station. Such records shall include weights or volumes of waste handled in a manner and form approved by the department. Accurate records shall be kept for operational control and resource recovery planning. The records shall be open for inspection by department representatives, health inspectors and other authorized regulatory and enforcement agencies during normal business hours.

(e) The transfer station shall be properly staffed to deal with all aspects of the station operation and to insure that health, fire or safety problems are not inflicted upon or caused by the public.

(f) Transfer stations shall be operated and maintained to comply with all applicable regulations. Proper operation shall include unloading or wastes to prevent them from becoming a hazard or nuisance; cleaning of all loose materials or litter daily or on a cleaning schedule approved by the department; removal of all solid wastes every 48 hours or in accordance with an approved schedule.

(g) Salvaging in a controlled manner is allowed provided it does not interfere with other aspects of the transfer station operation. Uncontrolled scavenging is prohibited.

(h) Equipment sufficient for operational needs.

(i) The department recommends but does not require:

1. a potable water supply
2. a suitable employee shelter
3. hand washing and toilet facilities
4. equipment washout facilities
5. electric service for operations and repairs
6. equipment shelter for maintenance and storage of parts, equipment and tools.
7. emergency first aid equipment to provide adequate treatment of an injured person in case of an accident.

8. that employees be trained in the proper and safe operation of all equipment and first aid procedures.

(3) Subsection 17-7.091(1) and (2) shall not apply to commercially available standard roll-off containers or similar wheeled containers which are provided to serve as a community or multi-residence receptacles for residential refuse, nor do they apply to storage receptacles for commercial solid wastes or containers used to store salvage materials.

Specific Authority 403.061, 403.7044 FS. Law Implemented 403.021, 403.061, 403.087, 403.702, 403.704, 403.705, 403.707, 403.708 FS. History—New 5-24-79.

17-7.10 Applications for Permit.

Specific Authority 403.061 FS. Law Implemented 403.061, 403.701 through 403.715 FS. History—New 10-1-74, Repealed 5-24-79.

17-7.11 Permit Forms.

Specific Authority 403.061 FS. Law Implemented 403.031, 403.061, 403.071 through 403.715 FS. History—New 10-1-74, Amended 2-18-79, Repealed 5-24-79.

PART II STATE RESOURCE AND MANAGEMENT PROGRAM

17-7.20 Declaration and Intent. The Florida Department of Environmental Regulation does hereby establish a State Resource Recovery and Management Program pursuant to the authority granted by Sections 403.705 and 706, F.S.

Counties and municipalities in areas designated in Section 17-7.24(1) of this rule shall adopt and submit for department approval by July 1, 1979, a local resource recovery and management program. This program shall include a plan and implementation schedule consistent with criteria listed in Sections 17-7.24, 17-7.25, and 17-7.26 of this rule.

Specific Authority 403.061, 403.704(1) FS. Law Implemented 403.705, 403.706 FS. History—New 7-20-76, Amended 5-24-79.

17-7.21 Definitions. The definitions in Part I of this rule are applicable to the terms used in this part.

Specific Authority 403.061, 403.704(1) FS. Law Implemented 403.705, 403.706 FS. History—New 7-20-76, Amended 5-24-79.

17-7.22 State Agency Responsibilities.

(1) Department of Environmental Regulation. The Department shall:

(a) implement and enforce the provisions of the Florida Resource Recovery and Management Act and the requirements of this rule.

(b) provide technical assistance to all local agencies in the development of their local programs.

(c) review and approve or disapprove local resource recovery and management programs submitted in accordance with Chapter 403.706(1)

F.S., using the criteria in Sections 17-7.24, 17-7.25, and 17-7.26 of this rule.

(2) Resource Recovery Council. The Council shall:

(a) specifically recommend to the Department those counties, municipalities, or regions which will generate sufficient solid waste to make it economically practical to plan for recycling of solid waste.

(b) provide technical assistance to those areas designated to plan for resource recovery.

(c) review local programs from the designated areas that are submitted to the Department for approval and make any recommendations and findings it deems necessary.

Specific Authority 403.061, 403.704, 403.710 FS. Law Implemented 403.704, 403.705, 403.706, 403.710 FS. History—New 7-20-76, Amended 5-24-79.

17-7.23 Guidelines for Resource Recovery and Management Programs.

Specific Authority 403.061, 403.704(1) FS. Law Implemented 403.705, 403.706 FS. History—New 7-20-76, Amended and Renumbered as 17-7.251, 5-24-79.

17-7.24 Resource Recovery Area Designations.

(1) By July 1, 1979, the following designated counties shall submit to the department singularly or in coordination with other local or regional governmental entities a local resource recovery and management program as required by Section 403.706(1) F.S.:

Alachua	Hillsborough	Pinellas
Bay	Lee	Polk
Brevard	Leon	Sarasota
Broward	Manatee	Seminole
Dade	Orange	Volusia
Duval	Palm Beach	
Escambia	Pasco	

(2) Each resource recovery and management program shall include an implementation schedule which provides a timetable indicating when the total program as well as its component parts shall be carried out.

(3) None of the designated counties or municipalities therein are required to participate in the resource recovery aspect of the resource recovery and management program if the governing body of such county or municipality has determined that participation in such a program is not economically feasible for that county or municipality. Such a determination shall be made and justified in the local resource recovery and management program to be submitted by July 1, 1979.

(4) A county and its municipalities may jointly determine which local government agency shall administer the local resource recovery and management program. If, by December 1, 1978, no inter-local agreement had been effectuated, the board of county commissioners shall administer and be responsible for the disposal of all solid waste and for the local resource recovery and management program for the entire county.

Specific Authority 403.061, 403.704(1) FS. Law Implemented 403.705, 403.706, 403.710(4) FS. History—New 7-20-76, Amended 11-18-76, 5-24-79.

17-7.25 Local Agency Responsibilities.

(1) The resource recovery and management program shall implement the provisions of the state program for designated counties by adequately

providing for the receiving in bulk, storage, separation, processing, recovery, recycling, or disposal of solid waste generated or existing within boundaries of the county or incorporated limits of the municipality or in the area served thereby.

(2) The resource recovery and management program shall be submitted to the department. The Resource Recovery Council will review and the department will evaluate and approve or disapprove the local or regional resource recovery and management program based upon the information contained in each program. The resource recovery and management program shall include the following:

- (a) Background data:
 1. description of the scope and authority of the planning area.
 2. a description of environmental conditions, geology, soils, climatology, drainage basins, and other pertinent physical features.
- (b) Existing Conditions: description of specific existing conditions affecting management of solid waste.
 1. storage practices, collection practices and routes.
 2. quantities and types of wastes generated and collected; i.e., residential, commercial, hazardous, infectious, industrial, municipal, sludges.
 3. disposal and processing facilities.
 4. general management practices; i.e., manpower, waste collectors (public, private), terms of contracts, equipment utilization.
 5. population served, size and density.
 6. land use and zoning; i.e., residential, commercial industrial, agricultural, extractive, recreational, solid waste facilities and other major land uses.
 7. transportation routes: roads, railroads, bargeways; available for use in solid waste management.
 8. expenditures for solid waste management, collection, transportation, disposal, and costs for each in labor, fuel, maintenance, overhead, capital equipment, supervision.
 9. public finance practices.
 10. status, source and amount of revenues to support the solid waste management system.
 11. other significant conditions related to existing solid waste management practices in the jurisdiction.

(c) Future conditions, problems and requirements: Information obtained in (b) can be used to forecast future conditions, problems that may arise due to those conditions and what may be required to resolve those problems.

1. anticipated conditions:
 - a. population projections
 - b. solid waste generation increase (decrease) by type, source and quantity
 - c. land use changes, zoning modifications
2. future problems defined in terms of location, extent, persistence and control difficulties:
 - a. environmental
 - b. financial
 - c. technical
 - d. institutional
 - e. legal
 - f. political
 - g. other

3. Future requirements or objectives:

- a. solid waste management organizational structure
- b. implementation of state criteria and guidelines
- c. disposal facilities requirements; vehicles operating equipment
- d. land acquisition for future installations; environmental requirements; soil surveys, hydrogeological studies, other.
- e. intergovernmental agreements or special acts to form local agencies or regional authorities to manage solid waste functions.
- f. how municipal plans and county plans complement each other
- g. public relations plan to inform citizens about the solid waste management system
- h. development of local ordinances or regulation to enforce the local program
- i. development of an area disaster plan
- (d) The solid waste management systems preferred by the local agency. Proposed systems may combine several storage, collection, transportation and disposal methods.
- (e) Resource Recovery Program. All designated counties shall include an assessment of the economic feasibility of a resource recovery program to that county. Those designated counties which plan to participate in the resource recovery aspect of a resource recovery and management program shall include the following:
 1. existing resource recovery and recycling activities, both public and private.
 2. a brief description of resource recovery objectives.
 3. an evaluation and selection of markets for the recovery of energy or material, location, type, characteristics, and estimated revenues.
 4. an indication of current waste composition in the planning area.
 5. an analysis of the economics of technology options.
 6. an analysis of the economics of waste reduction options.
 7. selection of a reliable technology compatible with local circumstances.
 8. an assessment of the economic feasibility of the proposed resource recovery program.
 9. an assessment of energy requirements, financing, management, operation, and environmental factors pertinent to the chosen technology.
 10. provision for disposal of residuals, including site location, volume and type of residuals.
- (f) Cost estimates for each element of the local resource recovery and management program shall be included in the program. Include cost estimates for:
 1. background research.
 2. planning efforts.
 3. development of solid waste management organization.
 4. land acquisition.
 - a. capital costs for vehicles, processing equipment, transfer stations.
 - b. operation and maintenance costs; manpower, utilities.
 5. disposal

- a. landfill development.
- b. landfill operation, maintenance, equipment, labor, utilities.
- c. processing equipment.

(3) Programs for non-designated counties shall conform to the requirements of the Local Government Comprehensive Planning Act, Chapter 163.3161 et seq., F.S.

(4) The local resource recovery and management program may be based on an existing solid waste management study providing the study reflects the requirements of this Chapter.

Specific Authority 403.061, 403.704(1) F.S. Law Implemented 403.705, 403.706 F.S. History—New 7-20-76. Amended 5-24-79.

17-7.251 Guidelines for a Resource Recovery and Management Program.

The following are guidelines which should be considered when developing a resource recovery and management program:

- (1) Storage of solid waste prior to collection.
 - (a) In all cases in which garbage and other solid wastes are combined, the criteria for garbage should prevail. The property owner or occupant should store solid waste on his premises or property or should require it to be stored or handled in such a manner as to prevent the propagation, harborage, or attraction of vectors, or the creation of a nuisance.
 - (b) All garbage of garbage mixed with other solid waste should be deposited in containers which are either non-absorbent, watertight, vector resistant, durable, easily cleaned and designed for safe handling; or in paper or plastic bags having sufficient strength and water tightness and which are designed for the containment of refuse.
 - (c) Containers should be of an adequate size and in sufficient numbers to contain without overflowing all the refuse, except yard trash, that a household or other establishment generates within the designated period of time between collections. All containers should be maintained in a sound, clean condition.
 - (d) Containers should be free of all sharp edges and any inside structures which would prevent the free discharge of the contents.
 - (e) External stationary storage bins for garbage should be prohibited from being built or added on to existing or new buildings. New installations of underground receptacles should be prohibited. Existing receptacles may continue in use until they become impractical to repair.
 - (f) Hazardous wastes as defined in Part I of this rule should be stored in such a manner and in such a container as to preclude transmission of disease or cause injury to collection and disposal personnel and the general public.
 - (g) Each refrigerated room and/or refrigerator used for the storage of garbage should be thoroughly cleaned after each removal of garbage. Waste water from such cleaning should be disposed of by a sanitary method.
 - (h) Mechanically serviced containers (bulk containers) should be designed or equipped so as to prevent spillage or leakage during on-site storage and/or transport. The container should be easily cleanable and located on firm, level ground or a concrete pad, and should be easily accessible by the collection vehicle.

(2) Collection and Removal of Solid Waste.

(a) Frequency of solid waste removal. The owner or tenant of any premises, business establishment or industry should be responsible for the satisfactory removal of all solid wastes accumulated by him on his property or his premises. Where a residence is located on the normal route of an organized collection service, public or private, the occupant should subscribe to the service. Excepting disruptions in normal collection schedules, garbage should be collected a minimum of two times per week to prevent propagation, harborage, or attraction of flies, rodents or other vectors, and the creation of nuisances. More frequent removal of garbage may be required by local agencies.

(b) Regulation of Collection Operators. Each person providing residential, commercial, or industrial solid waste collection service should comply with all local government licenses, permits, or written approval requirements applicable to the jurisdiction in which such services are provided. Each local agency, or regional agency, if any should maintain a complete listing of all persons holding written approvals to provide solid waste collection services within their jurisdiction. The listing should contain the name and address of each such person, its office telephone number, and the number and types of vehicles used by such person in providing solid waste collection services.

(c) Collection Operator Qualifications. Local or regional agencies which authorize or designate persons or firms to provide solid waste collection services to the general public within their jurisdiction through contract or franchise, should obtain sufficient information to show that such person or firm has adequate financial resources and experience to properly conduct the operation authorized.

(d) Equipment used in collection and transportation of solid waste should be constructed, operated and maintained in such a manner as to minimize the health and safety hazards to solid waste personnel and the public. Equipment should be maintained in good mechanical condition and kept clean to prevent propagation and attraction of vectors and the creation of nuisances. It is recommended that they meet the standards established by the American National Standards Institute (ANSI Section 245.1, Safety Standards for Refuse Collection Equipment) as of the effective date(s) established in ANSI Section 245.1.

(e) All vehicles and equipment used for collection and transportation of solid waste should be enclosed or adequate provisions should be made for suitable cover to prevent contents from escaping in accordance with Chapter 316 F.S.

(f) When the backyard, carry-out system of collection is used, the common practice of collection personnel dumping garbage at the curb in any manner other than in an acceptable container for household refuse should be prohibited.

(g) All rural collection systems should be operated in a safe, efficient manner, and should be in compliance with all applicable local and state regulations.

(3) Public Recordings of Disposal Sites.

The location of all solid waste disposal sites should be made a matter of record in the county

property recording office for future reference in the event any problem arises concerning the sites.

(4) Hazardous Waste. Hazardous and infectious waste as defined in this rule should be handled and disposed of only in accordance with Section 17-7.04(5)(6) and the following:

(a) Any solid waste facility accepting hazardous waste for treatment, storage or disposal should provide protection for the quality of air, surface and groundwater and the health and welfare of the public.

(b) The owner of hazardous waste that cannot be recycled, reprocessed, or treated to render it innocuous should provide the department with evidence that it cannot be treated and request disposal guidance.

(c) Any facility that disposes of known hazardous wastes following approval by the department should record the date, quantity, chemical and trade names, chemical properties, name and address of the source and transporter of the waste. The facility operator should have authority to reject any waste that is not properly identified.

(d) Records designating the location of buried hazardous wastes within a landfill site should be maintained during the life of the site by the agency responsible for operation of the site. These records should be reviewed by the department during facility inspection. Records should be submitted to the department and appropriate local office of legal jurisdiction upon closing of the site.

(e) At least three (3) monitoring wells should be required at each new hazardous waste disposal site. The location of the wells should be in accordance with the hydrogeology of the site and the predicted behavior of groundwater flow. At least one monitoring well should be located upgradient to the disposal site; the second well should be located in the first section to be filled in the disposal site; thus the well should be installed downgradient and close to or at the boundary of the disposal site; this well should be screened throughout the saturated thickness of the aquifer. The monitoring wells should be constructed in accordance with "Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities" (EPA/530/SW-611).

Sampling should be made by the hazardous waste disposal site operator, or his delegated representative at no longer than six-month intervals after the background water quality has been established and operation of the site is begun. The collection and analysis of samples should be in accordance with USEPA recommended methods as described in "Procedures Manual for Groundwater Monitoring at Solid Waste Disposal Facilities" (EPA/530/SW-611), analyses should be performed for the following parameters by a department approved laboratory:

1. conductivity or chlorides
2. nitrates
3. metals (cadmium, chromium, copper, and lead)
4. total organic carbon or chemical oxygen demand

5. additional tests should be required for specific indicators depending upon the type of hazardous waste being disposed.

The hazardous waste disposal site operator should forward the sample analysis reports to the department district office within ten working days after the analysis report is received. Additional sampling and analysis may be recommended for other parameters and at more frequent intervals if indicated by trends in the foregoing contaminants.

(f) Hazardous waste shipping requirements:

1. When shipping hazardous wastes, the generator or owner of the hazardous wastes should package, identify and label such materials in accordance with the Code of Federal Regulations, Title 49, Transportation, Parts 100-199, Oct. 1, 1974.

2. The generator of hazardous wastes should provide the transporter and driver of any truck, a crew member of any train, or the captain of any vessel or aircraft carrying such hazardous waste with a list setting forth the hazardous waste carried, the amount of such waste and the general physical and chemical properties of such wastes. Such list, when appropriate, should include information on antidotes, first aid, or safety measures to be taken in case of accidental contact with the particular waste being carried. The person carrying or handling the hazardous waste should have the list in his possession while carrying or handling the hazardous waste and should release the list to a person responsible for the treatment or disposal of the hazardous waste at the time of delivery. The list should be a matter of record at the disposal facility. Such list should be shown on demand to any Department official, officer of the Florida Highway Patrol, or any local law enforcement officer.

(g) Hazardous waste storage requirements:

1. Hazardous wastes whose uncontrolled release into the environment would cause acute and/or chronic effects on air and water quality; on fish, wildlife, or other biota; and on the health and welfare of the public should be stored only in special facilities where due regard has been given to the hazardous nature of the waste, protective enclosures, and operating procedures, and where adequate measures are taken to assure personal safety, accident prevention, and detection of potential environmental damages.

2. Rules of the State Fire Marshall Chapter 4A-2, 4A-20, FAC. et al, pertaining to explosives and hazardous chemicals should be consulted where applicable.

(5) Special Wastes.

(a) Dead animals.

1. Dead animals on public property should be collected and disposed of promptly to prevent them from becoming a sanitary nuisance.

2. A service should be established to assure prompt pickup and disposal of dead animals.

3. If an animal is known or suspected to have died of a communicable disease, the handling and disposal of the carcass should be in accordance with Chapter 823.041 F.S.

(b) Abandoned Vehicles. A local agency should provide for the removal of abandoned vehicles from public and private property, title release, pickup and removal authority, the designation of a storage area and a recycle or disposal system.

(c) White goods. A local agency should provide for collection, disposal or recycling of white

goods.

(d) Sludges. Sludges which may be hazardous due to their chemical composition should be disposed of in accordance with Part I, Section 17-7.04(5) of this rule. Other sludges should be disposed of in accordance with Part I, Section 17-7.06(1) of this rule.

(e) Industrial Waste.

The disposal of industrial waste should be the responsibility of the producer of such waste and should be in accordance with Chapter 17-3 FAC and any other applicable state and local regulations.

(6) Processing/Recycling of Solid Waste.

(a) All residual solid wastes resulting from a recovery process should be disposed of in a sanitary landfill or by other approved methods.

(b) All processed water or wastewater should be treated as required by approved methods before discharge into receiving waters.

(c) All gaseous emissions should be in compliance with air quality standards.

(d) Recovered materials should be stored in a controlled area, designed and operated to prevent environmental contamination.

(7) Solid Wastes Quantity Guarantees to Resource Recovery Facilities.

(a) Local agencies that undertake construction and operation of a material or energy resource recovery facility should guarantee delivery of solid wastes generated within their jurisdiction to insure uninterrupted facility operation. Such assurances must be supported by adequate authority, or by contracts with local collection services, or as a condition of inter-local agreements.

Specific Authority 403.061, 403.704(1) FS. Law Implemented 403.705, 403.706 FS. History—New 5-24-79.

17-7.26 Local Program Submittal.

(1) Resource Recovery and Management Programs, prepared and adopted in accordance with Section 17-7.25 and 17-7.24 shall be submitted by local agencies to the Department for approval. Prior to submittal, the programs shall be reviewed by all local and regional planning agencies involved in the programs. Prior to Department approval, the Council shall review the resource recovery and management programs and make recommendations and findings it deems necessary. Upon review by the Council and approval by the Department, the program shall be implemented by the local agency in accordance with the implementation schedule included in the program.

(2) Local agencies shall adopt and submit their respective programs to the Department for approval no later than July 1, 1979. The programs shall be submitted in accordance with the following:

(a) Provide four (4) copies on 8½ by 11 inch paper. Oversize maps or drawings may be folded to this size.

(b) Comments from all appropriate planning agencies and copies of inter-local agreements from involved local agencies shall accompany the programs submitted.

Specific Authority 403.061, 403.704(1) FS. Law Implemented 403.705, 403.706 FS. History—New 7-20-76, Amended 5-24-79.

17-7.27 Extension Procedures. The time limit stated in Section 17-7.24 and 17-7.25 of this rule for the preparation and submittal of a local resource recovery and management plan may be extended upon application to the Department by the local agency. Applications for a time extension shall not be granted unless they are supported by evidence that good faith efforts by the local agency to meet the requirements of this rule have been and are being made. Application for time extensions shall be submitted to the department in writing, shall describe what progress has been made regarding the resource recovery and management plan, and shall provide the expected date of completion of the plan. Specific Authority 403.061, 403.705 FS. Law Implemented 403.705, 403.706 FS. History—New 7-20-76, Amended 5-24-79.

17-7.28 Permitting.

Specific Authority 403.704(1) FS. Law Implemented 403.706(5), 403.707(1) FS. History—New 7-20-76, Repealed 5-24-79.

17-7.29 Amendment to an Approved Program.

(1) The procedure for amendment of a program approved by the Department shall be the same as for approval of the original program. An amendment is one that proposes to change methods of handling, practices, technologies, or financial and management arrangements contained in the program.

(2) Minor corrections, updates, or modifications of the program shall not be considered an amendment.

Specific Authority 403.061, 403.704(1) FS. Law Implemented 403.705, 403.706 FS. History—New 7-20-76, Amended 5-24-79.

17-7.30 Approval of Local or Regional Resource Recovery and Management Programs.

Specific Authority 403.704(1) FS. Law Implemented 403.705(1), 403.706 FS. History—New 11-16-76, Repealed 5-24-79.

PART III: CERTIFICATION OF

RESOURCE RECOVERY EQUIPMENT

17-7.40 Declaration and Intent. The State of Florida Department of Environmental Regulation promulgates this part of this chapter to establish a system for the examination and certification of resource recovery equipment pursuant to Section 403.715, F.S., for the purpose of implementing the tax exemptions provided by Section 212.08(7)(p), F.S. This system shall also reflect the legislative mandate to encourage recycling pursuant to Section 403.702(1)(e), F.S. The system shall consist of a procedure for a preliminary examination of possible resource recovery equipment based on a review of plans, specifications, or other descriptions if the equipment is not available for inspection at the time when tax is due, and a procedure for a final examination and a certification of resource recovery equipment after the equipment is available for inspection.

Specific Authority 403.715 FS. Law Implemented 212.08(7)(p), 403.715, 403.702(1)(e) FS. History—New 5-24-79.

17-7.41 Definitions. The following words, phrases or terms as used in this Part, unless the context indicates otherwise, shall have the following meaning:

(1) "Department" means the Florida Department of Environmental Regulation.

(2) "Resource recovery equipment" means equipment or machinery exclusively and integrally used in the actual process of recovering material or energy resources from solid waste, and which is purchased after July 1, 1978.

Specific Authority 403.703(1), 403.703(8) F.S. Law Implemented 212.08(7)(p), 403.715 F.S. History—New 5-24-79.

17-7.42 Preliminary Examination of Resource Recovery Equipment. When tax may become or has become due pursuant to Chapter 212, F.S., on equipment which may be resource recovery equipment as defined in Section 403.703(8), and such equipment is not available for inspection by the Department of Environmental Regulation, the prospective purchaser or purchaser of such equipment may apply to the department for a preliminary examination report based on a review of plans, specifications, equipment lists, and other descriptions in the application. The preliminary examination report of proposed resource recovery equipment may be considered by the Department of Revenue as a prerequisite for delay of tax due on such equipment as indicated in rules promulgated by the Department of Revenue. The department shall utilize the following procedure when preliminary examining resource recovery equipment:

(1) Application for preliminary examination of resource recovery equipment shall be submitted to the department on a form prescribed by the department. The application must include the following information:

- (a) identity of the applicant.
- (b) identity of county or municipality that will eventually own or benefit from the resource recovery equipment.
- (c) a list and brief description of resource recovery equipment and the estimated cost thereof which the applicant declares is subject to this exemption.
- (d) plans or other descriptions of the resource recovery facility or project for which the resource recovery equipment is to be used. Application will not be complete until these plans or descriptions are of sufficient detail to indicate how the proposed resource recovery equipment is to be integrated into this facility or project.

(2) The department shall issue a written report specifying which equipment on the application may be resource recovery equipment. This report shall be issued within 30 days of receipt of a properly completed application. Copies of the preliminary examination report shall be sent to the applicant and the Department of Revenue.

(3) The results of the preliminary examination shall not preclude granting or denying certification following final examination for the same equipment pursuant to Section 17-7.43, F.A.C. A preliminary examination is not required to obtain certification.

(4) Application for preliminary examination or final examination and certification of all equipment to be used in a resource recovery facility or project should be submitted to the department in one package whenever possible.

Specific Authority 403.715 F.S. Law Implemented 212.08(7)(p), 403.715 F.S. History—New 5-24-79.

17-7.43 Final Examination and Certification of Resource Recovery Equipment. Final examination of resource recovery equipment shall be a requirement for tax exemptions as indicated in Section 212.08(7)(p), F.S. The department shall utilize the following procedure in granting or denying certification of resource recovery equipment:

(1) After equipment is installed, application for final examination and certification of resource recovery equipment shall be submitted to the department on a form prescribed by the department. The application must include the information required in Section 17-7.42(1), and the department shall request additional information if required for proper completion of the application. If the applicant has submitted a preliminary examination application form for the same equipment, submission of an updated copy of the preliminary application form shall satisfy this requirement.

(2) When the proposed resource recovery equipment is installed, a representative of the department shall inspect the equipment within thirty (30) days of receipt of a properly completed application.

(3) Within thirty (30) days of such inspection, the department shall issue a written decision granting or denying certification.

Specific Authority 403.715 F.S. Law Implemented 212.08(7)(p), 403.715 F.S. History—New 5-24-79.

17-7.44 Criteria for Resource Recovery Equipment. The department shall use the following criteria when determining whether equipment shall be certified as resource recovery equipment.

(1) Resource recovery equipment includes all equipment or machinery exclusively and integrally used in the actual process of recovering material or energy resources from solid waste, and which is purchased after July 1, 1978. Resource recovery equipment does not include:

- (a) An article of equipment being used for purposes other than resource recovery, even though such equipment is also used in the resource recovery process.
- (b) Land or buildings. A building includes the walls, roof, ceiling, floor, and all other necessary supporting structures to enclose an area, but excludes structures used exclusively for the support of resource recovery equipment.

(c) Equipment used to transport materials or energy resources recovered from solid waste from the site where the recovery process takes place. Energy resources recovered from solid wastes may include refuse-derived fuel, gas or liquid fuel derived from solid waste, heat or steam derived from solid waste, or electricity derived from solid waste.

(2) Resource recovery equipment shall be a unit which by itself provides a significant function

in the resource recovery process. Examples of such equipment include, but are not limited to, conveyors, pumps, and fans. The department shall not certify components of resource recovery equipment such as nuts, bolts, and belts.

(3) Resource recovery equipment may include fixtures exclusively and integrally used in the actual process of recovering material or energy resources

from solid waste. Examples of such equipment include, but are not limited to, bridge cranes and fixed storage bins.

(4) Resource recovery equipment need not be specifically designed for the recycling process.

Specific Authority 403.715 F.S. Law Implemented 212.08(7)(p), 403.715 F.S. History—New 5-24-79.

17-7.08 Supervision and inspection.

(1) Supervision of the operation shall be the responsibility of a qualified person experienced in the operation of a resource recovery and management facility.

(2) Routine inspections and evaluations of facility operations shall be made by the Department. A notice of deficiencies with recommendations for their correction, shall be provided to the person responsible for the operation.

(3) Inspection of a completed sanitary landfill shall be made by the Department before the earthmoving equipment is removed from the site. Any corrective work shall be performed before the landfill project is accepted by the Department as completed. Arrangements shall be made for the repair or restoration of the final cover as required for at least two years following completion.

Specific Authority 403.061 F.S. Law Implemented 403.021.

403.061, 403.087, 403.702, 403.704, 403.705, 403.707, 403.708.

F.S. History—Transferred from 100-12.07, 10-1-74.