

Fact Sheet for City of Naples Well Exclusion/Restriction Areas, Collier County

1. Description of Exclusion/Restriction Area:

- Physical Description/Natural Bounds
City of Naples Municipal Boundaries
- Incorporated limits
City of Naples Municipal Boundaries
- Multiple Overlapping Exclusion/Restriction Areas
NA

2. Specifics of Exclusion/Restriction Area:

- Types of Wells Excluded/Restricted (Potable, Irrigation, Commercial/Industrial)
All
- Aquifer Zones Excluded/Restricted (Surficial, Intermediate, Floridan, All, etc.)
All
- Does Exclusion/Restriction Apply to New and/or Existing Wells
New
- Potential for Future Modifications of Exclusion/Restricted Areas
Yes
- Mandatory Water Hookup
Yes

3. Type and/or Reason for Exclusion/Restriction Area:

- What is Restriction/Exclusion Based Upon (EDB Delineation, Domestic Supply Well in Area, Superfund Site, Naturally Occurring Water Quality, etc.)
Water Use

4. Cited Authority for Exclusion/Restriction Area:

- Responsible Entities for Enforcement
City of Naples, SFWMD
- Methods of Enforcement
Permitting

5. Ordinance/Code

- Ordinance/Code Number
City of Naples, Mandatory connection as per Ordinance Sec. 30-33
- Responsible Entities for Placement
City of Naples
- Date of Adoption
NA
- Most Recent Revision Date
NA
- Waiver/Exemption Types
NA

NOTES: **Mandatory connection as per Ordinance Sec. 30-33. - Connection to a public system required; Any property within city limits must connect within 90 days of notification to do so, except when property is more than 200 feet from available lines. No wells deeper than 25' may be drilled (to avoid aquifer), and no more than 1 per 10,000 ft² parcel of land.**