

Proceedings of the 1988 U.S. Geological Survey Workshop on the Geology and Geohydrology of the Atlantic Coastal Plain

Edited by GREGORY S. GOHN

A collection of short scientific papers that
discuss research presented at the workshop held
September 28–29, 1988, in Reston, Va.

U.S. GEOLOGICAL SURVEY CIRCULAR 1059

UB/TIB Hannover 89

111 982 529



CONTENTS

Preface, by Gregory S. Gohn III

Workshop Agenda (abridged) IV

REVIEWS OF REGIONAL RESEARCH GOALS

1. Regional Discussion Group 1—The Northern Atlantic Coastal Plain in New Jersey, Pennsylvania, Delaware, and New York
Compiled by James P. Owens and Peter J. Sugarman 1
2. Regional Discussion Group 2—Summary of Research Directions in the Central Atlantic Coastal Plain in the Salisbury Embayment and North Carolina
Compiled by C. Wylie Poag and Robert Shedlock 3
3. Regional Discussion Group 3—Research Needs and Areas for Cooperative Programs in the Southern Carbonate Province
Compiled by Irwin H. Kantrowitz and Henry Trapp, Jr. 4
4. Existing Programs and New Directions in Hydrogeologic Research in the Atlantic Coastal Plain—The West-Central Florida Perspective
By Thomas H. Yorke 7

TECHNICAL PAPERS

New Jersey Coastal Plain

5. Calcareous Nannofossils—Their Use in Interpreting Paleocene and Eocene Geologic Events in the New Jersey Coastal Plain
By Laurel M. Bybell 9
6. Preliminary Ostracode Biostratigraphy of Subsurface Campanian and Maastrichtian Sections of the New Jersey Coastal Plain
By Gregory S. Gohn 15
7. Paleohydrology of Four Watersheds in the New Jersey Coastal Plain
By Wayne L. Newell and John S. Wyckoff 23
8. Geochemical Variation in Pore-Water Samples from the Freehold, New Jersey, Core
By Amleto A. Pucci, Jr., and James P. Owens 29
9. Geologic Controls on Aquifer Distribution in the Coastal Plain of Northern New Jersey
By Peter J. Sugarman 35
10. Silcrete near Woodstown, New Jersey
By John S. Wyckoff and Wayne L. Newell 39
11. Hydrogeologic units in the Coastal Plain of New Jersey and their Delineation by Borehole Geophysical Methods
By Otto S. Zapecza 45

Central Atlantic Coastal Plain

12. A Summary of the Geological Evolution of Chesapeake Bay, Eastern United States
By Steven M. Colman, Jeffrey P. Halka, and C.H. Hobbs III 53
13. Dynamics of Upper Paleocene Deposits in the Salisbury Embayment, Virginia and Maryland
By Lucy E. Edwards 57
14. Late Pleistocene and Holocene Development of Delaware Bay
By Harley J. Knebel 61
15. Nature and Timing of Deformation of Upper Mesozoic and Cenozoic Deposits in the Inner Atlantic Coastal Plain, Virginia and Maryland
By R.B. Mixon, D.S. Powars, and D.L. Daniels 65
16. National Water-Quality Assessment Program Activities on the Delmarva Peninsula in Parts of Delaware, Maryland, and Virginia
By Patrick J. Phillips, Robert J. Shedlock, and Pixie A. Hamilton 75
17. Campanian to Quaternary Depositional Sequences in the Baltimore Canyon Trough and Their Relations to Deposits Underlying the Middle U.S. Atlantic Coastal Plain
By C. Wylie Poag 79
18. Uppermost Mesozoic and Cenozoic Geologic Cross Section, Outer Coastal Plain of Virginia
By D.S. Powars, R.B. Mixon, and Scott Bruce 85
19. Stratigraphic and Structural Controls on Ground-Water Flow in the Coastal Plain Aquifers, North-Central Charles County, Maryland
By John M. Wilson, William B. Fleck, Lucy McCartan, Laurel M. Bybell, George W. Andrews, and Gilbert J. Brenner 103

Southeastern Coastal Plains

20. Lithologic Changes in Fluvial to Marine Depositional Systems in Paleogene Strata of Georgia and Alabama
By Thomas G. Gibson 109
21. Correlation, Age, and Depositional Framework of Subsurface Upper Santonian and Campanian Sediments in East-Central South Carolina
By Gregory S. Gohn 115
22. Magnesium-Rich Clay Minerals in Tertiary Carbonate Rocks of Southwestern Florida
By Lucy McCartan, A.D. Duerr, and R.M. Hawkins 121
23. Celestine (SrSO_4) in Hardee and De Soto Counties, Florida
By Lucy McCartan, L.N. Plummer, J.W. Hosterman, E. Busenberg, E.J. Dwornik, A.D. Duerr, R.L. Miller, and J.L. Kiesler 129
24. Mineralogy of a Sand-Filled Sinkhole Complex in Pinellas County, Florida
By Lucy McCartan, J.T. Trommer, J.P. Owens, and R.M. Hawkins 139
25. Ion-Exchange Control of Radium-226 Activities in Ground Water of Sarasota County, Florida
By Ronald L. Miller 149
26. Sedimentary Cycles and Sequence Stratigraphy in the Eastern Gulf of Mexico Coastal Plain
By Juergen Reinhardt 153

FIGURES

- 3.1. Map showing the location of the southern carbonate province, which is approximately coincident with the areal extent of the Floridan aquifer system 5

- 5.1. Map showing locations of New Jersey wells yielding samples that were examined for calcareous nannofossils **10**
- 5.2. Correlation chart of New Jersey Paleocene and Eocene stratigraphic units **11**
- 6.1. Map showing county boundaries on the New Jersey Coastal Plain and locations of drill holes mentioned in this report **15**
- 6.2. Correlation chart for the Campanian and Maastrichtian cycles of the New Jersey Coastal Plain **16**
- 6.3. Electric log for the Campanian and Maastrichtian sections in the Howell Township corehole 5 **17**
- 6.4. Chart showing stratigraphic positions of the intervals studied from the four coreholes used in this report **17**
- 6.5. Chart showing distribution of selected ostracode species in the subsurface stratigraphic cycles used in this report **18**
- 7.1. Locations of the four studied watersheds plotted on an isopach map of the Kirkwood-Cohansey aquifer system in New Jersey **23**
- 7.2. Map showing sediment yield in New Jersey **24**
- 7.3. Map showing surficial deposits and geomorphology in part of the Newtonville quadrangle, New Jersey **25**
- 7.4. Map showing surficial deposits and geomorphology in the Atsion quadrangle, New Jersey **26**
- 7.5. Photograph showing a frost wedge within the Bridgeton Formation near Hammonton, N.J. **27**
- 7.6. Photograph showing an involution in the Bridgeton Formation near Hammonton, N.J. **27**
- 8.1. Map showing location of the test corehole near Freehold, N.J. **29**
- 8.2. Logs showing geologic units, lithology, and mineralogy in the core from near Freehold, N.J. **30**
- 8.3. Graphs showing variation of selected chemical constituents with depth in the core from near Freehold, N.J. **32**
- 9.1. Map showing locations of studied coreholes and the four quadrangles composing the study area in the northern New Jersey Coastal Plain **35**
- 9.2. Cross section based on five wells from Marlboro to Allaire, N.J. **36**
- 10.1. Map showing distribution of the Kirkwood Formation and the associated silcrete boulders near Woodstown, N.J. **39**
- 10.2. Line drawing of a ground-penetrating radar trace along a traverse just north of Mannington, N.J. **40**
- 10.3. Photograph of a silcrete boulder showing peds and clay skins **40**
- 10.4. Photomicrograph of silcrete in plane-polarized light showing floating fabric and two generations of cement **41**
- 10.5. Photomicrograph of a pyrite-rich zone within silcrete in plane-polarized light **41**
- 10.6. Photograph of a slabbed silcrete boulder containing unoxidized pyrite **41**
- 10.7. Photomicrograph of an argillan in plane-polarized light **42**
- 10.8. Ternary plot of genetic compositional fields for silcrete **42**
- 11.1. Map of the New Jersey Coastal Plain showing lines of hydrogeologic sections shown in figures 11.2, 11.3, and 11.4 **45**
- 11.2. Hydrogeologic section A-A' from Quinton Township, Salem County, N.J., to Red Bank, Monmouth County, based on gamma-ray logs **48**
- 11.3. Hydrogeologic section B-B' from Berkeley Township, Ocean County, N.J., to Avon-by-the-Sea, Monmouth County, based on electric logs **49**

- 11.4. Hydrogeologic section C–C' from Hightstown, Mercer County, N.J., to Dover Township, Ocean County, based on electric and gamma-ray logs **50**
- 12.1. Map showing modern tidal channels in the Chesapeake Bay and the three ancient channel systems of the Susquehanna River **54**
- 13.1. Maps showing data on the Aquia Formation and Marlboro Clay from eight core-holes in the Salisbury embayment, Maryland and Virginia **58**
- 14.1. Maps of Delaware Bay showing tracklines along which seismic-reflection profiles were collected, thalweg locations of ancestral drainage systems of the Delaware River, and paleogeography and sedimentary environments of the ancestral estuary **62**
- 15.1. Map showing alignment of the Stafford and Brandywine fault systems, early Mesozoic basins, and geophysical lineaments **67**
- 15.2. Structure-contour map of the top of Paleocene beds in the area of the Skinkers Neck anticline and Port Royal fault, northeastern Virginia and southwestern Maryland Coastal Plain **68**
- 15.3. Isopach map of lower Eocene beds (Nanjemoy Formation) in the area of the Skinkers Neck anticline and Port Royal fault, northeastern Virginia **69**
- 15.4. Detailed gravity map of the Virginia-Maryland Coastal Plain along the trend of buried western border faults of the early Mesozoic Taylorsville basin **70**
- 15.5. Geologic cross section of the Skinkers Neck anticline and Port Royal fault, Bowling Green area, northeastern Virginia Coastal Plain **71**
- 16.1. Map showing the network of wells in the surficial aquifer planned for the Delmarva pilot project **76**
- 17.1. Map showing locations of principal physiographic and geologic features, selected boreholes, and tracklines along which multichannel seismic-reflection profiles were collected in the Baltimore Canyon trough **80**
- 17.2. Map of selected principal depocenters of the Baltimore Canyon trough and northern Hatteras basin during the Campanian to Quaternary **81**
- 18.1. Map showing structure contours on the top of pre-Cretaceous basement in the Virginia Coastal Plain **86**
- 18.2. Map showing principal basins and arches of the U.S. Atlantic Coastal Plain **87**
- 18.3. Diagrammatic geologic cross section to basement, Outer Coastal Plain of Virginia **88**
- 18.4. Uppermost Mesozoic and Cenozoic geologic cross section, Outer Coastal Plain of Virginia **89**
- 18.5. Lithic and gamma-ray logs of the Fentress corehole **90**
- 18.6. Lithic and gamma-ray logs of the Dismal Swamp corehole **92**
- 18.7. Lithic and gamma-ray logs of the Exmore corehole **96**
- 19.1. Map showing the trace of a major reverse fault within the Brandywine fault system in Prince Georges and Charles Counties, Md. **103**
- 19.2. Cross section showing stratigraphic relations among the formations, aquifers, and confining units in the Waldorf area of Charles County, Md. **104**
- 19.3. Graph comparing model-calculated water levels and hydrograph from well CH Be 43, which is screened in the Magothy aquifer **106**

- 20.1. Map of the Chattahoochee River valley and surrounding study area in Alabama and Georgia **110**
- 20.2. Correlation chart of Paleocene to middle Eocene formations and proposed shoreline elevations in the Chattahoochee River valley **111**
- 21.1. Map showing locations of drill holes in east-central South Carolina mentioned in this report **116**
- 21.2. Gamma log for the studied section in USGS-Clubhouse Crossroads 1, Dorchester County, S.C. **118**
- 21.3. Gamma and electrical resistivity logs for the studied section in USGS-St. George 1, Dorchester County, S.C. **118**
- 21.4. Cross section from USGS-Clubhouse Crossroads 1 to the Morgan Point well showing distribution of facies in unit 4 **119**
- 22.1. Map showing locations of the ROMP 17 corehole and the Dees well, De Soto County, Fla. **121**
- 22.2. Chart showing stratigraphic nomenclature for the upper Eocene-Miocene series in southwestern Florida **122**
- 22.3. Chart showing lithologic, gamma-ray, and resistivity logs and stratigraphy of the ROMP 17 corehole **123**
- 22.4. X-ray diffractograms of minerals in lightly crushed samples from the ROMP 17 core **124**
- 22.5. X-ray diffractograms of minerals in the clay-sized fraction (less than 2 μm) of cuttings from the Dees well **125**
- 23.1. Map showing locations of three Florida drill holes in which celestine has been found **129**
- 23.2. Stratigraphic columns showing depths at which celestine was found in the Dees and Newbern Grove wells **130**
- 23.3. X-ray diffractogram of celestine in cuttings from a depth of 1,083 ft, Newbern Grove well, Hardee County, Fla. **131**
- 23.4. Scanning electron micrograph of celestine grains in cuttings from a depth of 1,083 ft, Newbern Grove well, Hardee County, Fla. **131**
- 23.5. Map showing concentration of Sr^{2+} in ground water in Hardee and De Soto Counties, Fla. **132**
- 23.6. Geologic cross section southward from Polk City, Fla., along ground-water flow path **134**
- 23.7. Graph showing concentrations of SO_4^{2-} and Sr^{2+} and saturation indices of gypsum and celestine for wells shown in figure 23.6 **134**
- 24.1. Map of part of a sinkhole complex in the study area, Pinellas County, Fla., showing topography, locations of drill holes, and the line of stratigraphic section A-A' **140**
- 24.2. Structure contour map of base of surficial sands in part of the northeast corner of the Dunedin 7.5-minute quadrangle **141**
- 24.3. Logs showing lithology and mineralogy of drill holes WP and FL3, Pinellas County, Fla. **142**
- 24.4. Logs showing lithology and mineralogy of drill holes T3 and T2, Pinellas County, Fla. **143**
- 24.5. Chart showing stratigraphic nomenclature for Oligocene to Pleistocene units in Pinellas County, Fla. **145**
- 24.6. Section A-A' showing stratigraphy and distribution of vermiculite **146**

- 25.1. Graph comparing radium-226 activity and specific-conductance data for Sarasota County, Fla., and an inland phosphate mine **150**
- 25.2. Graph showing release of radium-226 from three solid-phase samples **150**
- 26.1. Generalized geologic map of the Cretaceous units in the Chattahoochee River valley region on the northeastern margin of the Gulf of Mexico Coastal Plain **154**
- 26.2. Chart relating the Upper Cretaceous depositional cycles in the Chattahoochee River valley to the model of coastal onlap and eustatic sea-level curves of Haq and others (1987) **155**

TABLES

- 6.1. Selected ostracode species from the studied New Jersey cores **19**
- 11.1. Geologic and hydrogeologic units in the Coastal Plain of New Jersey **47**
- 15.1. Age, thickness, and generalized lithology of rock units in the Inner Coastal Plain of Virginia **66**
- 21.1. Upper Santonian, Campanian, and lower Maastrichtian datums in the USGS-Clubhouse Crossroads 1 and USGS-St. George 1 wells, South Carolina **117**
- 23.1. Concentration of strontium in ground water in Hardee and De Soto Counties, Fla. **133**
- 23.2. Some chemical and mineralogical characteristics of south-central Florida and three other gypsum-bearing localities **135**
- 24.1. Mineralogy of selected lithologic samples from the Pinellas County, Fla., sink-hole complex **144**
- 24.2. Selected mineralogical characteristics of stratigraphic units in the Pinellas County, Fla., sinkhole complex **147**