

# **SALTWATER INTRUSION IN THE FLORIDAN AQUIFER IN WALTON, OKALOOSA AND SANTA ROSA COUNTIES, FLORIDA**

## **WESTERN MODEL DOMAIN FINAL REPORT**



Submitted To:

Northwest Florida Water Management District  
81 Water Management Drive  
Havana, FL 32333

Submitted By:

HydroGeoLogic, Inc.  
1155 Herndon Parkway, Suite 900  
Herndon, VA 20170

May, 2005

# **SALTWATER INTRUSION IN THE FLORIDAN AQUIFER IN WALTON, OKALOOSA AND SANTA ROSA COUNTIES, FLORIDA**

## **WESTERN MODEL DOMAIN**

### **FINAL REPORT**

In Response To

Northwest Florida Water Management District  
81 Water Management Drive  
Havana, FL 32333

Prepared By

HydroGeoLogic, Inc.  
1155 Herndon Parkway, Suite 900  
Herndon, VA 20170

Professional Engineer:


Varut Guvanase

License No. 49883

Date: 8/22/2005

SEAL

May, 2005





## TABLE OF CONTENTS

|                                                                                                  | Page |
|--------------------------------------------------------------------------------------------------|------|
| 1.0 INTRODUCTION .....                                                                           | 1-1  |
| 2.0 MODEL CONCEPTUALIZATION .....                                                                | 2-1  |
| 2.1 FLOW REGIME OF THE FLORIDAN AQUIFER SYSTEM .....                                             | 2-1  |
| 2.2 WATER QUALITY OF THE LOWER FLORIDAN AQUIFER .....                                            | 2-3  |
| 2.3 WATER QUALITY OF THE UPPER FLORIDAN AQUIFER .....                                            | 2-3  |
| 2.4 WATER QUALITY CHANGES IN THE UPPER FLORIDAN AQUIFER<br>FROM PRE-DEVELOPMENT CONDITIONS ..... | 2-4  |
| 2.5 WATER QUALITY VARIATIONS WITH DEPTH WITHIN THE<br>FLORIDAN AQUIFER SYSTEM .....              | 2-5  |
| 3.0 NUMERICAL MODEL DEVELOPMENT FOR THE WESTERN MODEL .....                                      | 3-1  |
| 3.1 CODE SELECTION .....                                                                         | 3-1  |
| 3.2 CONCEPTUAL MODELING FRAMEWORK .....                                                          | 3-1  |
| 3.2.1 Sub-Floridan System .....                                                                  | 3-2  |
| 3.3 MODEL DOMAIN .....                                                                           | 3-4  |
| 3.4 FINITE-ELEMENT MESH DESIGN .....                                                             | 3-4  |
| 3.5 MODEL BOUNDARY CONDITIONS .....                                                              | 3-5  |
| 3.5.1 Bottom Boundary .....                                                                      | 3-5  |
| 3.5.2 Top Boundary .....                                                                         | 3-6  |
| 3.5.3 Lateral Boundary Conditions .....                                                          | 3-6  |
| 3.6 MODEL PARAMETERIZATION .....                                                                 | 3-6  |
| 4.0 MODEL CALIBRATION .....                                                                      | 4-1  |
| 4.1 PRE-DEVELOPMENT MODEL CALIBRATION .....                                                      | 4-1  |
| 4.1.1 Grid Sensitivity .....                                                                     | 4-3  |
| 4.2 POST-DEVELOPMENT SIMULATION FROM 1942 TO 1998 .....                                          | 4-3  |
| 4.2.1 Post-Development Regional MODFLOW Simulation .....                                         | 4-4  |
| 4.2.2 Post-Development Results–Simulated Water Levels and Darcy<br>Velocities .....              | 4-4  |
| 4.2.3 Post-Development Results–Simulated Chloride Concentrations .....                           | 4-5  |
| 4.2.4 Post-Development Results – Flow Sensitivity of Sub-Floridan<br>Boundary Heads .....        | 4-6  |
| 5.0 MODEL SENSITIVITY ANALYSIS .....                                                             | 5-1  |
| 5.1 PRE-DEVELOPMENT MODEL SENSITIVITIES .....                                                    | 5-2  |
| 5.2 POST-DEVELOPMENT MODEL SENSITIVITIES .....                                                   | 5-3  |
| 6.0 MODEL PREDICTIVE SIMULATION .....                                                            | 6-1  |
| 7.0 SUMMARY AND CONCLUSIONS .....                                                                | 7-1  |

## TABLE OF CONTENTS (continued)

|                                                                                | <b>Page</b> |
|--------------------------------------------------------------------------------|-------------|
| 8.0 REFERENCES.....                                                            | 8-1         |
| APPENDIX A      EQUIVALENT FRESHWATER HEAD AND CHLORIDE<br>CONCENTRATION PLOTS |             |

## LIST OF TABLES

---

|            |                                                                                                                |
|------------|----------------------------------------------------------------------------------------------------------------|
| Table 2.1  | Variation of Chloride Content with Depth for the FREEPORT REMOTE OBS (7233) Well                               |
| Table 2.2  | Variation of Chloride Content with Depth for the WRP LOWER FLRD TEST (7260) Well                               |
| Table 2.3  | Variation of Chloride Content with Depth for the NFWMD TIGER POINT (7686) Well                                 |
| Table 4.1  | Water Balance for Pre-Development Conditions                                                                   |
| Table 4.2  | Chloride Balance for Pre-Development Conditions                                                                |
| Table 4.3a | Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958                                         |
| Table 4.3b | Pumping for the Transient Post-Development DSTRAM Simulation 1959–1969                                         |
| Table 4.3c | Pumping for the Transient Post-Development DSTRAM Simulation 1970–1982                                         |
| Table 4.3d | Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998                                         |
| Table 4.4  | Water Balance for Post-Development (1998) Conditions                                                           |
| Table 4.5  | Net Fluid flux for Pre-Development and 1998 Conditions                                                         |
| Table 4.6  | Chloride Balance for Post-Development (1998) Conditions                                                        |
| Table 5.1  | Model Parameter Changes Applied to the Sensitivity Simulations and the Resulting Statistics                    |
| Table 5.2  | 1998 Head Observations, Upper Floridan Aquifer                                                                 |
| Table 5.3  | 1998 Head Observations, Lower Floridan Aquifer                                                                 |
| Table 5.4  | Post-Development Chloride Observations, Upper Floridan Aquifer                                                 |
| Table 5.5  | Post-Development Chloride Observations, Lower Floridan Aquifer                                                 |
| Table 5.6  | Nodes Representing Upper Floridan Aquifer Approximately 3 Miles Offshore                                       |
| Table 5.7  | Nodes Representing Lower Floridan Aquifer near Bucatunna Clay Pinchout                                         |
| Table 5.8  | Elements Representing Intermediate System, Near Shore Gulf of Mexico and Choctawhatchee Bay                    |
| Table 5.9  | Elements Representing Upper Floridan Aquifer Approximately 3 Miles Offshore                                    |
| Table 5.10 | Elements Representing Lower Floridan Aquifer near Bucatunna Clay Pinchout                                      |
| Table 5.11 | Summary of 1998 Model Sensitivity Results for Upgradient Saltwater Interface Areas                             |
| Table 5.12 | Sensitivity of Upper Floridan Aquifer Groundwater Seepage Velocity in Offshore Areas                           |
| Table 5.13 | Sensitivity of Lower Floridan Aquifer Groundwater Seepage Velocity near the Bucatunna Clay Pinchout            |
| Table 5.14 | Sensitivity of Intermediate System Groundwater Seepage Velocity in the Bay and Near Shore Gulf of Mexico Areas |
| Table 6.1  | Water Balance for Predictive Simulation at 2050 Conditions                                                     |
| Table 6.2  | Chloride Balance for Predictive Simulation at 2050 Conditions                                                  |

## LIST OF FIGURES

---

|             |                                                                                                                                           |
|-------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| Figure 1.1  | General Location Map with Reference Wells in Region II                                                                                    |
| Figure 3.1  | Conceptual Model for Groundwater Flow and Solute Transport                                                                                |
| Figure 3.2  | Modeling Domain and Finite Element Mesh for Chloride Intrusion Simulation of the Western Model                                            |
| Figure 3.3  | Vertical Discretization along Y-Z Cross-Section at X=505327 m                                                                             |
| Figure 3.4  | Conceptual Diagram of Boundary Conditions Applied along a Typical North-South Section                                                     |
| Figure 3.5  | Prescribed Normalized Concentrations along Lateral Boundaries in the Upper Floridan Aquifer for the Western Model                         |
| Figure 3.6  | Prescribed Normalized Concentrations along Lateral Boundaries in the Lower Floridan Aquifer for the Western Model                         |
| Figure 3.7  | Equivalent Freshwater Head Boundary Conditions along the Bottom of the Model Domain                                                       |
| Figure 3.8  | Chloride Concentration Conditions along the Bottom of the Model Domain                                                                    |
| Figure 3.9  | Equivalent Freshwater Head Boundary Conditions along the Top of the Model Domain                                                          |
| Figure 3.10 | Horizontal Hydraulic Conductivity of the Upper Floridan Aquifer as Obtained from the District's Regional MODFLOW Groundwater Flow Model   |
| Figure 3.11 | Horizontal Hydraulic Conductivity of the Lower Floridan Aquifer as Obtained from the District's Regional MODFLOW Groundwater Flow Model   |
| Figure 3.12 | Vertical Hydraulic Conductivity of the Lowest Sub-Floridan DSTRAM Model Layer                                                             |
| Figure 3.13 | Vertical Hydraulic Conductivity of the Bucatunna Clay Model Layer as Obtained from the District's regional MODFLOW Groundwater Flow Model |
| Figure 4.1  | Pre-Development Equivalent Freshwater Head for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer)                                   |
| Figure 4.2  | Pre-Development Equivalent Freshwater Head for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer)                                    |
| Figure 4.3  | Pre-Development Environmental Head for Cross-Section A-A'                                                                                 |
| Figure 4.4  | Pre-Development Environmental Head for Cross-Section B-B'                                                                                 |
| Figure 4.5  | Pre-Development Environmental Head for Cross-Section C-C'                                                                                 |
| Figure 4.6  | Pre-Development Chloride Concentration for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer)                                       |
| Figure 4.7  | Pre-Development Chloride Concentration for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer)                                        |
| Figure 4.8  | Pre-Development Chloride Concentration for Cross-Section A-A'                                                                             |
| Figure 4.9  | Pre-Development Chloride Concentration for Cross-Section B-B'                                                                             |
| Figure 4.10 | Pre-Development Chloride Concentration for Cross-Section C-C'                                                                             |
| Figure 4.11 | Pre-Development Darcy Velocities for the Upper Floridan Aquifer (Elemental Layer 15)                                                      |

## LIST OF FIGURES (continued)

- 
- Figure 4.12 Pre-Development Darcy Velocities for the Lower Floridan Aquifer (Elemental Layer 6)
- Figure 4.13 Pre-Development Vertical Darcy Velocities for the Intermediate System (Elemental Layer 19)
- Figure 4.14 Pre-Development Vertical Darcy Velocities for the Bucatunna Clay Confining Unit and Middle Portion of the Undifferentiated Floridan Aquifer System (Elemental Layer 11)
- Figure 4.15 Pre-Development Vertical Darcy Velocities for the Sub-Floridan (Elemental Layer 2)
- Figure 4.16 Pre-Development Darcy Velocities for Cross-Section A-A'
- Figure 4.17 Pre-Development Darcy Velocities for Cross-Section B-B'
- Figure 4.18 Pre-Development Darcy Velocities for Cross-Section C-C'
- Figure 4.19 Pre-Development Equivalent Freshwater Head for the Upper Floridan Aquifer Grid Sensitivity (Nodal Layer 16, mid-aquifer)
- Figure 4.20 Pre-Development Equivalent Freshwater Head for the Lower Floridan Aquifer Grid Sensitivity (Nodal Layer 7, mid-aquifer)
- Figure 4.21 Pre-Development Chloride Concentration for the Upper Floridan Aquifer Grid Sensitivity (Nodal Layer 16, mid-aquifer)
- Figure 4.22 Pre-Development Chloride Concentration for the Lower Floridan Aquifer Grid Sensitivity (Nodal Layer 7, mid-aquifer)
- Figure 4.23 Total Pumping Withdrawals Applied to the Western Model Domain
- Figure 4.24 1998 Equivalent Freshwater Head for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer)
- Figure 4.25 1998 Equivalent Freshwater Head for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer)
- Figure 4.26 1998 Environmental Head for Cross-Section A-A'
- Figure 4.27 1998 Environmental Head for Cross-Section B-B'
- Figure 4.28 1998 Environmental Head for Cross-Section C-C'
- Figure 4.29 1998 Darcy Velocities for the Upper Floridan Aquifer (Elemental Layer 15)
- Figure 4.30 1998 Darcy Velocities for the Lower Floridan Aquifer (Elemental Layer 6)
- Figure 4.31 1998 Vertical Darcy Velocities for the Intermediate System (Elemental Layer 19)
- Figure 4.32 1998 Vertical Darcy Velocities for the Bucatunna Clay Confining Unit and Middle Portion of the Undifferentiated Floridan Aquifer System (Elemental Layer 11)
- Figure 4.33 1998 Vertical Darcy Velocities for the Sub-Floridan (Elemental Layer 2)
- Figure 4.34 1998 Darcy Velocities for Cross-Section A-A'
- Figure 4.35 1998 Darcy Velocities for Cross-Section B-B'
- Figure 4.36 1998 Darcy Velocities for Cross-Section C-C'
- Figure 4.37 Water Level Location Map
- Figure 4.38 Yellow River – Lower Floridan NWF ID 3555 Water Level
- Figure 4.39 Navarre Cement Plant NWF ID 1839 Water Level
- Figure 4.40 EAFB Metts Tower NWF ID 3642 Water Level

## LIST OF FIGURES (continued)

---

- Figure 4.41 Mary Esther #2 NWF ID 2035 Water Level  
Figure 4.42 EAFB Field #5 NWF ID 3923 Water Level  
Figure 4.43 Beal Cemetery – Lower Floridan NWF ID 2173 Water Level  
Figure 4.44 Okaloosa County School Board NWF ID 1894 Water Level  
Figure 4.45 Destin Water #1 NWF ID 1687 Water Level  
Figure 4.46 EAFB – Postil Point NWF ID 2994 Water Level  
Figure 4.47 1998 Chloride Concentration for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer)  
Figure 4.48 1998 Chloride Concentration for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer)  
Figure 4.49 Pre-Development and 1998 Chloride Concentrations for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer)  
Figure 4.50 Pre-Development and 1998 Chloride Concentrations for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer)  
Figure 4.51 1998 Chloride Concentration for Cross-Section A-A'  
Figure 4.52 1998 Chloride Concentration for Cross-Section B-B'  
Figure 4.53 1998 Chloride Concentration for Cross-Section C-C'  
Figure 4.54 Santa Rosa County Mean Chloride Concentration in the Floridan Aquifer System 1998 – 2000  
Figure 4.55 Okaloosa County Mean Chloride Concentration in the Floridan Aquifer System 1998 – 2000  
Figure 4.56 Chloride Concentration Profile Location Map  
Figure 4.57 Tiger Point Concentration Profile  
Figure 4.58 Yellow River Concentration Profile  
Figure 4.59 Navarre Beach Concentration Profile  
Figure 4.60 Lisa Jackson Park Concentration Profile  
Figure 4.61 Beal Cemetery Concentration Profile  
Figure 4.62 EAFB Field 4 Concentration Profile  
Figure 4.63 Destin Concentration Profile  
Figure 4.64 1990 MODFLOW Simulation Head for the Upper Florida Aquifer (Layer 3)  
Figure 4.65 1990 MODFLOW Simulation Head for the Lower Floridan Aquifer (Layer 5)  
Figure 4.66 1990 Equivalent Freshwater Head for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer)  
Figure 4.67 1990 Equivalent Freshwater Head for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer)  
Figure 4.68 1990 Equivalent Freshwater Head for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer) Reduced Flow from Bottom  
Figure 4.69 1990 Equivalent Freshwater Head for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer) Reduced Flow from Bottom  
Figure 5.1 RMS and Mean Head Change from Pre-Development Base Case for the Upper and Lower Floridan Aquifers Combined  
Figure 5.2 RMS and Mean Chloride Change from Pre-Development Base Case for the Upper Floridan Aquifer

## LIST OF FIGURES (continued)

- 
- Figure 5.3 RMS and Mean Chloride Change from Pre-Development Base Case for the Lower Floridan Aquifer
- Figure 5.4 RMS and Mean Chloride Change from Pre-Development Base Case for the Upper Floridan Aquifer at Select Nodes 3 Miles Offshore
- Figure 5.5 RMS and Mean Chloride Change from Pre-Development Base Case for the LowerFloridan Aquifer at Select Nodes near the Bucatunna Clay Pinchout
- Figure 5.6 RMS and Mean Head Error for the Upper and Lower Floridan Aquifers Combined
- Figure 5.7 RMS and Mean Head Change from Post-Development Base Case for the Upper and Lower Floridan Aquifers Combined
- Figure 5.8 RMS and Mean Chloride Error for the Upper Floridan Aquifer
- Figure 5.9 RMS and Mean Chloride Error for the Lower Floridan Aquifer
- Figure 5.10 RMS and Mean Chloride Change from Post-Development Base Case for the Upper Floridan Aquifer
- Figure 5.11 RMS and Mean Chloride Change from Post-Development Base Case for the Lower Floridan Aquifer
- Figure 5.12 RMS and Mean Drawdown from Pre-Development to 1998 for the Upper and Lower Floridan Aquifers Combined
- Figure 5.13 RMS and Mean Chloride Change from Pre-Development to 1998 Conditions for the Upper Floridan Aquifer
- Figure 5.14 RMS and Mean Chloride Change from Pre-Development to 1998 Conditions for the Lower Floridan Aquifer
- Figure 5.15 Selected Locations for Assessment of Model Results (with Location Reference Number)
- Figure 6.1 Predictive Simulation Equivalent Freshwater Head at Year 2050 for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer)
- Figure 6.2 Predictive Simulation Equivalent Freshwater Head at Year 2050 for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer)
- Figure 6.3 Predictive Simulation Darcy Velocity at Year 2050 for the Upper Floridan Aquifer (Elemental Layer 15, mid-aquifer)
- Figure 6.4 Predictive Simulation Darcy Velocity at Year 2050 for the Lower Floridan Aquifer (Elemental Layer 6, mid-aquifer)
- Figure 6.5 Pre-Development and 2050 Predictive Simulation Chloride Concentrations for the Upper Floridan Aquifer (Nodal Layer 16, mid-aquifer)
- Figure 6.6 Pre-Development and 2050 Predictive Simulation Chloride Concentrations for the Lower Floridan Aquifer (Nodal Layer 7, mid-aquifer)
- Figure 6.7 2050 Predictive Simulation Chloride Concentrations for Cross-Section A-A'
- Figure 6.8 2050 Predictive Simulation Chloride Concentrations for Cross-Section B-B'
- Figure 6.9 2050 Predictive Simulation Chloride Concentrations for Cross-Section C-C'
- Figure 6.10 Concentration Profile at Tiger Point for Pre-Development, 1998 and 2050 Simulations

## **LIST OF FIGURES (continued)**

---

- Figure 6.11 Concentration Profile at Yellow River for Pre-Development, 1998 and 2050 Simulations
- Figure 6.12 Concentration Profile at Navarre Beach for Pre-Development, 1998 and 2050 Simulations
- Figure 6.13 Concentration Profile at Lisa Jackson Park for Pre-Development, 1998 and 2050 Simulations
- Figure 6.14 Concentration Profile at Beal Cemetery for Pre-Development, 1998 and 2050 Simulations
- Figure 6.15 Concentration Profile at EAFB Field 4 for Pre-Development, 1998 and 2050 Simulations
- Figure 6.16 Concentration Profile at Destin for Pre-Development, 1998 and 2050 Simulations



*This page was intentionally left blank.*

# **FINAL REPORT**

## **SALTWATER INTRUSION IN THE FLORIDAN AQUIFER IN WALTON, OKALOOSA AND SANTA ROSA COUNTIES, FLORIDA**

### **1.0 INTRODUCTION**

The Northwest Florida Water Management District (NFWFMD or the District) has the primary objective of protecting its water resources within the framework of consistently increasing demands for potable water since pre-development times. Among the concerns, is the increased likelihood for induced intrusion of saltwater in the Floridan Aquifer caused by withdrawals from the Floridan Aquifer System. The potential processes of deterioration of water quality in the Upper Floridan Aquifer include: 1) inland movement of saline water from parts of the aquifer underlying the Gulf of Mexico; 2) upward movement of saline water from the lower limestone of the Floridan Aquifer through or around the Bucatunna Clay confining bed; 3) downward movement of saline water in coastal areas or bays, through the Intermediate System; 4) upconing of poor quality water from the base of the upper Floridan Aquifer; and 5) combinations of the above. Saltwater intrusion models of the Floridan Aquifer System in the region are therefore developed in this work to help quantify the effects of pumping on the saltwater / fresh water regime and guide withdrawal operations that protect the resource.

The District's most recent groundwater flow model encompassing Escambia, Santa Rosa, Okaloosa, Walton, and parts of Bay, Washington, and Holmes counties is taken as the starting point for developing the saltwater intrusion models of the region (see Figure 1.1). The associated modeling report (HydroGeoLogic, 2000) details the flow model conceptualization, site geology and hydrogeology, model results and sensitivity analysis. For the current study, groundwater flow and saltwater transport within the Floridan Aquifer System are first examined to develop a preliminary conceptualization of the dynamics of the system, as noted in Section 2 of the report. The conceptual model is then used to develop numerical models for saltwater intrusion within the system. Due to computational concerns, two models are developed for the region. The first model encompasses coastal Escambia, Santa Rosa and Okaloosa Counties and is termed the Western Model. The second model encompasses coastal Okaloosa, Walton, and parts of Bay and Washington counties and is termed the Eastern Model. Subsequent sections of this report focus on development of the Western Model. Section 3 discusses the numerical model development for the Western Model, Section 4 addresses calibration of the Western Model for pre- and post-development conditions, Section 5 reports on the sensitivity analyses for saltwater intrusion in the Western Model domain, and Section 6 addresses the predictive simulations and the predictive sensitivity analysis for the Western Model.

*This page was intentionally left blank.*

## **2.0 MODEL CONCEPTUALIZATION**

Groundwater in coastal aquifers flows towards the coast from higher potentiometric elevations that occur inland. Saltwater, however, having higher density than fresh water, has the tendency to intrude inland creating a wedge of saltwater in the lower portion of these aquifers. Pumping of a coastal aquifer further induces saltwater intrusion from the coast and can also cause upconing of saline waters from the underlying wedge of salt water. The interplay of forces governing fresh-water flow and saltwater intrusion may be examined by conducting an analysis of saltwater intrusion using a density-dependent flow and transport model. The flow model accounts for groundwater flow subject to additional density effects due to salinity of water. The transport model for saltwater addresses the movement and location of chlorides within the system subject to anthropogenic and pumping stresses. The movement and location of chlorides affects the density term in the flow model, thereby creating a coupling between flow and salt transport, which is solved by a density-dependent flow and transport model.

A density-dependent flow and transport model needs to be initiated via a set of assumptions regarding the state of the system before pumping was initiated in the aquifer. This is the pre-development state of the system whereby aquifer heads reflect the potentiometric surface prior to any withdrawals from the aquifer, and aquifer chloride concentrations reflect the saltwater present in the domain prior to any pumping of the system. To allow for a reproducible initial condition that does not reflect saltwater movement resulting from applied boundary conditions (aside from the pumping stresses), it is assumed that the saltwater is in an equilibrium state prior to development of the aquifer. Thus, it is conceptualized that the pre-development state is at hydrostatic conditions with the existing saltwater within the domain. Pumping is then applied to this system in a transient mode, to reflect the pumping that occurred in the aquifer from pre-development conditions, to the current time. The model then simulates the changes in head and in chloride concentrations through the simulation domain to provide the post-development state of the system which reflects the current conditions. A calibrated post-development model may then be used to examine the sensitivity of the model to unknown or uncertain parameters, and to conduct predictive simulations that reflect anticipated development of the water resource, or reflect managed development of the aquifer.

Groundwater flow and saltwater intrusion in coastal Escambia, Santa Rosa, Okaloosa, Walton and Bay counties are examined further in this Section, to determine the conceptual model of the Floridan Aquifer in the region.

### **2.1 FLOW REGIME OF THE FLORIDAN AQUIFER SYSTEM**

Several studies have been conducted since the early 1960s that examine the geology and hydrogeology of the study region and that examine the flow behavior within the aquifer systems via numerical modeling of groundwater flow. The District's latest model for groundwater flow in the region is reported in HydroGeoLogic, (2000) which details the conceptualized hydrogeology, stratigraphy, potentiometric and recharge conditions of the subsurface aquifers in the study area. This model is used as the basis for further conceptualizing the saltwater system being investigated here. A general location map of the

study area is provided in Figure 1.1. Flow regime conceptualization is described in Section 3.2.

Barraclough and Marsh (1962) provide the early descriptions of water quality and subsurface hydrology within the region. Even then, there were concerns of the possibility of deterioration of water quality within the system caused by water level declines within the Floridan Aquifer – by as much as 95 feet in the Fort Walton Beach coastal area between 1936 and 1957.

Trapp et al. (1977) and Barr et al. (1985) show the estimated generalized pre-development potentiometric surface for the upper limestone of the Floridan Aquifer in Okaloosa and Walton counties. Water that recharges the aquifer in the northern regions of these counties (and further north where the Floridan Aquifer outcrops in Alabama), flows generally southwards to discharge points near the coast. A tongue of hard water extending south from central Okaloosa County between Crestview and Destin is coincident with a zone of higher transmissivities along which relatively more flushing occurred in pre-development times. In Santa Rosa and southwestern Okaloosa counties, water contains mainly sodium-bicarbonate-chloride resulting from ion exchange with clay minerals that are more abundant to the west (with associated reduced transmissivities) and the Bucatunna Clay unit that subdivides the Floridan Aquifer into its upper and lower limestones. The Floridan Aquifer ultimately discharges into Choctawhatchee River, Choctawhatchee Bay, and the Gulf of Mexico. Water levels during pre-development conditions within the Floridan Aquifer System were above land surface in coastal regions, with most coastal wells being artesian. The Intermediate System confining unit overlying the Floridan Aquifer thickens from east to west with vertical hydraulic conductivities decreasing from east to west along the coastal regions. This causes greater confinement with associated increased heads towards the west and relatively lower heads in coastal Walton and Bay counties, where the potential for discharge is greater. Thus, there was a general southeastward direction of flow within the Floridan Aquifer System across Choctawhatchee Bay during pre-development conditions. In Santa Rosa and southwestern Okaloosa counties, the pre-development head gradient was generally southwards towards the Gulf of Mexico.

Trapp et al. (1977) and Barr et al. (1985) also show the post-development water levels, and the net water level declines from pre-development conditions. Pumping centers around the Fort Walton Beach metropolitan area caused water level declines of greater than 100 ft from pre-development conditions by 1978. Flow of water from recharge areas to the north is still in a southerly direction. However, the large cone of depression in the Fort Walton Beach area for post-development conditions changes the flow patterns in coastal regions, with westward gradients across Choctawhatchee Bay and landward gradients from the Gulf of Mexico. The (slightly south-) westward direction of flow across Choctawhatchee Bay caused by the cone of depression induces fresh-water flow from upland regions, while the landward gradients create a potential for lateral intrusion of saltwater from the Gulf of Mexico. Furthermore, water levels in coastal regions are now below sea level, with potential for saltwater entering the Floridan Aquifer System from the relatively leaky Intermediate System under Choctawhatchee Bay or under the Gulf of Mexico in eastern regions of the domain adjacent to Walton and Bay counties. Ryan et al. (1998) shows the progression of water level declines below sea level

from 1974 through 1995. Water level declines around the center of depression are asymmetric, with larger declines to the west where the transmissivity of the upper limestone of the Floridan Aquifer is lower due to more extensive presence of clays. Furthermore, the Intermediate System is leakier to the east, which facilitates relatively greater energy dissipation into Choctawhatchee Bay and the Gulf of Mexico.

The lower portions of the Floridan Aquifer behave in a hydraulically similar manner to the upper limestone in the eastern regions of the domain, where the Bucatunna Clay unit is absent. In Santa Rosa and western Okaloosa counties, however, the Bucatunna Clay unit is thick and hydraulic connection between the underlying Lower Floridan Aquifer and the Upper Floridan Aquifer is very weak. Deep well injection sites in Santa Rosa County have created a potentiometric mound within the Lower Floridan Aquifer with flow gradients out towards the Gulf of Mexico for post-development conditions. Thus landward movement of saltwater in the Lower Floridan Aquifer is hydraulically not possible in the western portions of the domain.

## **2.2 WATER QUALITY OF THE LOWER FLORIDAN AQUIFER**

The chloride content of the lower limestone of the Floridan Aquifer has been interpreted by Barr et al. (1985) for Okaloosa and Walton counties, based on limited available sampling of the Lower Floridan Aquifer. The 250-ppm isochlor is as much as 10 miles inland (north) of Fort Walton Beach and south of Valparaiso and Niceville in Okaloosa County. Chlorides in the Lower Floridan Aquifer are least inland near the Okaloosa/Walton county line with the 250-ppm isochlor probably underlying Choctawhatchee Bay. Further east in Walton County, the chlorides are more inland with the 250-ppm isochlor lying south of Freeport. The 3,000-ppm isochlor is interpreted to be inland in southeastern regions of Walton County and in southwestern regions of Okaloosa County. Further west in Santa Rosa County, the chloride trend within the Lower Floridan Aquifer continues inland with chlorides of about 3,200 ppm at the Yellow River Lower Floridan well and about 6,000 ppm at the Monsanto North Monitoring well. Saline and fresh water are presumed to be in equilibrium within the Lower Floridan Aquifer, however, pumping could upset this equilibrium. The salinity in the aquifer reflects the existence of residual seawater that has not been completely flushed from the aquifer by fresh water, which forms a wedge above the saline water due to its lower density. The available data is insufficient to make a detailed determination of areal or temporal changes in water quality, however, these chloride levels should be similar between pre- and post-development conditions.

## **2.3 WATER QUALITY OF THE UPPER FLORIDAN AQUIFER**

The chloride content of water in the upper limestone of the Floridan Aquifer as interpreted by Barraclough and Marsh (1962) ranges from 2 to over 2,000 ppm across the area. Trapp et al. (1977) and Barr et al. (1981) show a similar trend of low chlorides inland that increase towards the coast. A long-term chloride analyses of the upper limestone indicates only slight changes in chloride levels throughout the domain (Trapp et al., 1977; Barr et al., 1985) and current chloride levels generally reflect pre-development conditions. Saline water occurs in the upper limestone beneath the mainland in a large portion of coastal Walton County and in portions of coastal Santa Rosa County. Chloride content is low between Crestview, DeFuniak

Springs, Freeport and Valparaiso, and increases in a southwesterly direction and towards the coast. The 250-ppm isochlor underlies Escambia Bay and East Bay in the upper limestone, with concentrations up to 2,000 ppm near Pensacola Beach. Eastward along the coastline in Santa Rosa County, chloride levels decrease. Navarre Beach wells show between 100 and 200 ppm of chlorides. The southwesterly decrease in transmissivity along the coastline and distance from recharge areas to the north affect the degree of flushing. Further east of the Santa Rosa/Okaloosa county line, the chloride content shoreward of the Gulf of Mexico is below drinking water standards.

The high chlorides in the upper limestone under the eastern portions of Choctawhatchee Bay are probably representative of pre-development conditions. The Intermediate Confining unit in the region is extremely leaky, allowing for hydraulic connection of water between the upper limestone and the Bay or the Gulf of Mexico. Furthermore, the transmissivity of the upper limestone in the region is relatively low, allowing for little movement of water from the region, with associated minimal flushing. North of Choctawhatchee Bay, chloride concentrations are low. Pratt et al. (1996) provides a closer examination of spatial trends of chloride behavior in the vicinity of Choctawhatchee Bay. Between Destin and the vicinity of Morris Lake, chloride concentrations are low. In fact, the area from central Okaloosa County through Destin and Moreno Point has the lowest sodium, chloride, and dissolved solids concentrations of any area along the coastline. This coincides with the high transmissivity zone containing hard water discussed earlier, which, presumptively, facilitates significant flushing. Chloride concentrations are the highest between Morris Lake and Seagrove Beach, with sodium to chloride ratios representing diluted seawater conditions. Flushing of seawater in this region was minimal probably due to the lower transmissivity of the upper limestone in the vicinity. East of Seagrove Beach, towards Inlet Beach, chloride content in the upper limestone again decreases.

## **2.4 WATER QUALITY CHANGES IN THE UPPER FLORIDAN AQUIFER FROM PRE-DEVELOPMENT CONDITIONS**

Regionally, water quality in the area has not changed significantly since pre-development times. McKinnon and Pratt (1998) have compiled water quality variation information for all significant wells in the domain, indicating negligible changes in most wells. Trapp et al. (1977) and Barr et al. (1985) show changes of chloride concentration with time at various wells within Walton and Okaloosa counties to be small over decades. Consistent trends in chloride level changes are, however, noted at several locations. The Selma Madara well to the south of Freeport, on the northern edge of Choctawhatchee Bay shows a decreasing trend in chlorides from 237 ppm in 1968 to 150 ppm in 1978 to 110 ppm in 1979 to about 100 ppm by 1988. This decline may be due to induced bulk motion of Floridan Aquifer water into the southern Okaloosa County cone of depression, which transports higher quality water to the south and west, from areas hydraulically upgradient. Similar decreasing temporal trends for chloride concentrations are noted for wells along the northern shore of Choctawhatchee Bay in Walton County (Barr et al., 1985) and for the Point Washington well. The Bridgetender well in the eastern portion of Choctawhatchee Bay shows an increasing temporal trend, probably caused by induced leakage through the Intermediate System or lateral motion induced as a result of depression of water levels in the Floridan Aquifer due to pumping. South of the

eastern portions of Choctawhatchee Bay, wells show an increasing trend in chlorides over time (FCSC #4, #10, #11). This is most likely caused by upconing of saltwater that lies in the Floridan Aquifer at depth. Further west, the Destin wells DWU #2, #3, and #4 also show slight increases in chloride from 1993 through 1998. Further west along the coastline are the Eglin Air Force Base wells where chloride concentrations sampled recently by the District show no significant changes compared to data from the 1960s. These wells are furthest south in Okaloosa County and are situated between the deepest part of the potentiometric surface depression and the Gulf of Mexico. Thus, they would likely be first affected by lateral migration of saline water from the south. The lack of chloride increase in these wells indicates that the saltwater resides sufficiently far offshore in this region so as to not have an immediate impact on withdrawal wells. The high transmissivity zone of hard water in upland regions likely causes a larger degree of flushing in the vicinity, with larger fluxes from the north than from the south of the cone of depression. The FWB #6, #7 and #10 wells in Ocean City show a decreasing trend in chlorides over time. These wells also reside within the high transmissivity zone, but are landward of the cone of depression. The higher flow caused by pumping likely creates a larger degree of flushing in the vicinity, causing the noted decrease in chlorides. Further west, the Navarre Beach wells #1, #2, and #3 show increasing chloride trends with time, probably caused by upconing and the induced lateral bulk motion of more saline water as a result of pumping.

## **2.5 WATER QUALITY VARIATIONS WITH DEPTH WITHIN THE FLORIDAN AQUIFER SYSTEM**

Water quality variations with depth within the region have been presented by Pratt et al. (1996) and Barr et al. (1985). The DWU #5 Lower Floridan test well in Destin shows chloride concentrations of about 50 ppm above the Bucatunna Clay (depth of around 825 feet). Concentrations increase to over 660 ppm beneath the Bucatunna Clay at a depth of 911 feet, further increasing to almost 2,000 ppm at a depth of 1,123 feet. A regression line fitted to these samples for sodium to chloride ratio shows their proximity to the seawater dilution line. Water in the Lower Floridan Aquifer is most likely relic seawater. This relationship to seawater is also noted at the NFWFMD 331-98 test well where the Bucatunna Clay is absent. At NFWFMD 331-98 test well, chloride concentrations are around 550 ppm in the upper portions and around 3,100 ppm in the lower portions of the Floridan Aquifer. The EAFB Field 4 Lower Floridan well shows chloride contents of 8.7 and 410 ppm for sampling intervals of 940-1,015 feet and 940-1,380 feet, respectively. Dissolved solids content and sodium concentrations also increase with depth indicating the stratification of fresh water over saline water. No Bucatunna Clay is present at this location. The Beal Cemetery Lower Floridan well in Fort Walton Beach shows chlorides of 810 ppm and 1,600 ppm from intervals of 1,020-1,060 feet and 1,020-1,200 feet, respectively, within the Lower Floridan Aquifer, with associated increases in total dissolved solids content and sodium concentrations. The Camp Rucker Floridan well in Walton County shows dissolved chloride contents of 28 ppm, from depths of 201-900 feet showing the water to be potable in this region from the lower portions of the Floridan Aquifer.

More detailed vertical sampling of water quality from the lower limestone is provided for the Freeport Remote Observation well (Table 2.1), for the WRP Lower Floridan test well (Table



2.2), and for the NFWFMD Tiger Point well (open to the upper limestone and the top of the Bucatunna Clay) in Table 2.3 (Pratt, personal communication). The Freeport Remote Observation well shows minimal chloride levels to a depth of 600 feet. Further below, chlorides rapidly increase with increasing depth, up to 9,000 ppm at the bottom of the well (777 feet below land surface). Thus, high chlorides are noted in the base of the Floridan Aquifer System. The WRP Lower Floridan test well in Destin, sampled only within the lower limestone at discrete intervals, shows chlorides increasing with depth from 1,200 ppm at a depth of about 930 feet to 16,900 ppm at a depth of around 1,400 feet. The chloride sampling discussed above indicates that there is considerable stratification of chlorides within the Floridan Aquifer System in Walton and Okaloosa counties. The Bucatunna Clay (where it exists) enhances the stratification by restricting movement of saline water from the deeper regions. Finally, the NFWFMD Tiger Point well, with samples from the lower portions of the upper limestone and the top of the Bucatunna Clay, shows chlorides increasing from around 350 ppm at a depth of 1,200 feet to around 600 ppm at a depth of 1,300 feet below land surface. Thus, the chloride stratification in the upper limestone in the west is not as significant as that in the Lower Floridan Aquifer or in the undifferentiated Floridan Aquifer in the east.

*This page was intentionally left blank.*

## **3.0 NUMERICAL MODEL DEVELOPMENT FOR THE WESTERN MODEL**

### **3.1 CODE SELECTION**

The DSTRAM code was selected for this study. DSTRAM is an acronym for Density-dependent Solute Transport Analysis finite-element Model (Huyakorn and Panday, 1994), which simulates density-dependent flow of water and solute transport in porous media. The code is designed specifically for complex situations where the flow of groundwater is influenced significantly by variations in solute concentration. The groundwater flow equation is therefore coupled with the solute transport equation for saltwater that accounts for advection and anisotropic dispersion. DSTRAM allows for complex hydrostratigraphy and heterogeneity in defining the aquifer materials, and provides several options for applying boundary conditions for flow and salt transport suitable for coastal systems including steady and transient prescribed heads, prescribed concentrations, prescribed fluid and solute fluxes, and spring, river, drain, and other general head boundary conditions with associated mass-flux solute transport boundary conditions. In addition, DSTRAM provides output for equivalent fresh-water heads (that includes the density effects of saltwater and is therefore the horizontal driving force for flow), environmental heads (the driving force for vertical flow), chloride concentrations, chloride isochlor elevations, velocity vectors and component fluid and solute mass balance fluxes which are useful in investigating saline intrusion characteristics and simulation convergence and accuracy. Therefore, DSTRAM possesses all the capabilities necessary for the current modeling effort.

### **3.2 CONCEPTUAL MODELING FRAMEWORK**

The conceptual model adopted for quantitative analysis of groundwater flow and salt transport in coastal Santa Rosa and Okaloosa Counties is illustrated in Figure 3.1. The active domain of the saltwater intrusion model comprises the Upper and Lower Floridan Aquifer units separated by the Bucatunna Clay, and overlain by the Intermediate System, and underlain by the sub-Floridan System. Prescribed heads in the Surficial Aquifer System drive flow into or out of the Upper Floridan Aquifer through the Intermediate System as the top boundary condition. These heads are obtained from the District's MODFLOW groundwater flow model study (HydroGeoLogic, Inc., 2000) in landward portions of the domain, where the inflow of water is assumed to be free of chlorides. Lateral boundary conditions in upland regions are also obtained from the District's groundwater flow model to drive fresh water into the Upper and Lower Floridan aquifers across the local saltwater intrusion model's northern, eastern and western landward boundaries. Off the coast, and in the Gulf of Mexico, the lateral boundary is assumed to be at hydrostatic equilibrium, with chloride concentrations of seawater. The increasing weight of seawater with depth causes saltwater to intrude landward, in deeper regions of the aquifers. The sub-Floridan System is included as a confining unit, with prescribed heads and sea-water chloride concentrations at the bottom which may intrude into the domain resulting from pumping of the Upper and Lower Floridan aquifers. The system is assumed to be at equilibrium for pre-development conditions, whereby saltwater intrusion is a consequence of the balance of forces resulting from higher potential of fresh water from

upland regions balancing the larger weight forces caused by density effects of saltwater from the Gulf. Pumping is then applied to this system in a transient manner, to note the resulting change in chloride concentrations throughout the domain for post-development conditions. Transient post-development boundary conditions for the lateral upland boundaries are extracted from the associated MODFLOW transient groundwater flow model which is of more regional extent, to account for effects of pumping that are outside of the current saltwater intrusion model boundaries. The post-development state is then used as initial conditions to determine the effects of future pumping on saltwater intrusion in the system.

The sub-Floridan System is included in the conceptualization for the density-dependent solute transport model in order to increase saltwater intrusion in the domain, which was otherwise significantly under-predicted as compared to field data, in preliminary simulations that neglected its presence. A further discussion on the sub-Floridan System is therefore provided here since it is not previously discussed in the flow model where it is neglected due to its low conductivity and associated lack of impact to the flow domain of the Upper and Lower Floridan aquifers.

### **3.2.1 Sub-Floridan System**

The sub-Floridan System consists of Claiborne Group (Middle Eocene) sediments. The upper portion of the Claiborne Group is composed of glauconitic, arenaceous limestone grading into a calcareous sandstone and calcareous shale with increasing depth (Chen, 1965). The sub-Floridan System is incorporated into the model using three elemental layers. Specified head and specified concentration boundary conditions are provided along the bottom boundary as a source of saltwater. The District reviewed geophysical logs from oil and gas test wells which provide information regarding layers within the sub-Floridan System. The information included thickness and relative hydraulic conductivity of the sub-Floridan System layers. These logs also provide formation resistivity and in some cases porosity data for the Lower Floridan Aquifer and the sub-Floridan System. The District used this data to calculate the resistivity of the formation water ( $R_w$ ) which was in turn used to estimate chloride concentration within the Lower Floridan Aquifer and the sub-Floridan System. The calculated chloride concentration and spatial trends in the resistivity of the formation water were used to establish spatial trends in sub-Floridan water quality and provide the basis for estimating the specified concentration to be applied to the sub-Floridan System.

Analysis of the logs showed the sediments directly beneath the Lower Floridan Aquifer to consist of relatively permeable sandy carbonates with porosity 5 to 10 percent lower than that of the Lower Floridan Aquifer. Permeability appears to be significantly less than that of the Lower Floridan Aquifer but significantly higher than that of a typical confining unit. This relatively permeable section ranges from approximately 250 ft thick in the southwest to 600 ft thick in the northeast portion of the DSTRAM domain. Underlying this relatively permeable interval is a layer of very low hydraulic conductivity sediments. The low hydraulic conductivity is clearly indicated by the total lack of an invasion profile on the formation resistivity logs and the response of the spontaneous potential (SP) log.

After reviewing logs and other information pertaining to the sub-Floridan System, the District provided layer elevations and hydraulic conductivity values for the three layers of elements representing the sub-Floridan System. The relatively permeable section of the sub-Floridan System was split into two equally thick layers. The uppermost layer was assigned a horizontal hydraulic conductivity (Kh) of 1 ft/d with the underlying layer assigned a Kh of 0.5 ft/d. The horizontal to vertical anisotropy was set to 35:1. The lowermost layer simulated represented the underlying, very low permeability material and was assigned a thickness of 30 ft. The lowermost layer Kh varied from  $7 \times 10^{-4}$  ft/d to  $7 \times 10^{-5}$  ft/d, southwest to northeast and the horizontal to vertical anisotropy was set to 35:1.

The specified concentration field developed by the District for the bottom of the model domain was based on the geophysical logs. Formation water resistivity (Rw) was calculated using the Archie equation with formation resistivity (Ro) obtained from the logs. A cementation exponent (m) of 1.5 was used and porosity ( $\phi$ ) was assumed to be 0.20. Rw was calculated based on the following equation (Dresser Atlas, 1983).

$$Rw = Ro \phi^m$$

Rw was then used to estimate chloride concentration using an empirical relationship developed by Kwader (1982). Kwader established the following relationship for Floridan Aquifer formation waters.

$$\text{Chloride (ppm)} = (3,100 / Rw) - 200$$

For the range of values analyzed, the chloride concentration calculated using Kwader's relationship was essentially equal to the values obtained using standard conversion factors which convert Rw to ppm NaCl. The chloride concentrations were then converted to percent sea water.

Logs show the concentration in the bottom of the more permeable section of the sub-Floridan System to be approximately 0.2 that of seawater in the northeastern portion of the DSTRAM model domain rapidly increasing to 1.0 in a southwestern direction. In the far southern and western portion of the domain logs indicate the concentration in this interval is equal to that of seawater or perhaps even slightly greater. The specified concentration distribution applied in the model ranged from 0.1 in the northeast, and rapidly increased to 1.0 in a southwesterly direction. Maximum concentration of 1.0 was applied to approximately 90% of the model domain. The specified concentration boundary was adjusted during the pre-development model calibration process.

Data is not available for the head in the sub-Floridan System. The specified head values were based on the conceptual model of the flow system. In the coastal area of Okaloosa and Santa Rosa Counties an upward gradient is expected to exist, thus allowing for limited flow of saline ground water from the Claiborne Group into the Lower Floridan Aquifer. The DSTRAM model applies this specified head beneath the lower-most model layer which represents a 30-ft thick confining unit. The initial specified head was set to the simulated Lower Floridan

Aquifer head plus 5 ft. The head differential was adjusted during the pre-development model calibration process. The calibrated pre-development model head gradient is upward and increases from less than 5 ft in the northeast to 25 ft along the southern model boundary.

### **3.3 MODEL DOMAIN**

The saltwater intrusion modeling domain for the Western Model is shown in Figure 3.2. The study area was selected after careful consideration of the groundwater flow system within the region of interest, the modeling objectives, and the computational requirements of the DSTRAM computer code. In general, an optimal mix of the following specific objectives and constraints was sought:

- The model boundaries should correspond to the degree possible to naturally occurring, known boundary conditions.
- Computational time for the various simulation scenarios, and therefore the number of active model nodes, had to be commensurate with the available computational resources and data availability.

The final model domain used in the analysis encompasses the southern half of Santa Rosa and Okaloosa counties. In general, the model extends in an east-west direction from the eastern border of Okaloosa County to the western boundary of Santa Rosa County. In the north-south direction, the domain extends approximately 15 miles landward, and 25 miles into the Gulf of Mexico. In UTM zone 16 projection (datum: NAD83) coordinates, the lower-left-hand corner of the model grid is located at  $x = 484,000.0$  m and  $y = 3,323,500.0$  m.

### **3.4 FINITE-ELEMENT MESH DESIGN**

The hydrogeologic units that are active for the saltwater intrusion study include the Intermediate System, the Upper Floridan Aquifer, the Bucatunna Clay confining unit, the Lower Floridan Aquifer, and the sub-Floridan System. Each unit is discretized into multiple layers to simulate density-dependent groundwater flow and solute transport processes that occur in the vertical and horizontal directions. In the horizontal (x-y) plane, the grid is rectangular with 145 columns and 71 rows of elements (146 columns and 72 rows of nodes) for a total of 10,295 elements per layer and 10,512 nodes per layer. The discretization is at a maximum of 12,310 ft near the boundaries of the model, and at a minimum of 1,300 ft encompassing Fort Walton Beach and Destin. The finest discretization is used where the largest variations in chloride concentrations are expected, and larger cells sizes are used in the four corners of the domain where concentration variation was expected to be relatively small.

The DSTRAM orthogonal curvilinear mesh option was used to discretize the model domain on the vertical (z) dimension. A curvilinear mesh is one where the gridline columns and/or rows do not remain parallel over their entire length. This option permits a grid to be developed that conforms to the changing geometry of the various hydrogeological units. This option was invoked because there are significant dips and variations in the thickness of all hydrogeological units within the domain, and slopes of the various hydrogeological units could have an

influence upon the density-dependent groundwater flow field. The vertical grid along cross-section  $x = 505327.0$  m is illustrated in Figure 3.3. Vertically, the domain is discretized into 20 elemental (21 nodal) layers with three elemental layers representing the Intermediate System, five elemental layers representing the Upper Floridan Aquifer, three elemental layers representing the Bucatunna Clay, six elemental layers representing the Lower Floridan Aquifer, and three elemental layers representing the sub-Floridan System. The grid contains a total of 205,900 elements and 220,752 nodes. The vertical grid spacing varies from 6.6 ft to 456.1 ft, with a finer spacing adjacent to hydrogeological unit boundaries to capture possible sharp variations in chlorides across units. The stratigraphic elevations of the various units are taken from the groundwater flow model (HydroGeoLogic, Inc., 2000) for consistency between models.

### **3.5 MODEL BOUNDARY CONDITIONS**

This section describes the boundary conditions that are used for both groundwater flow and chloride concentrations at the bottom, top, and sides of the three-dimensional model domain. A conceptual diagram of the boundary conditions applied along a typical north-south section is presented in Figure 3.4. The lateral concentration boundary conditions are indicated in Figures 3.5 and 3.6. Note that a chloride concentration boundary condition is applied to all prescribed head nodes and DSTRAM provides a zero-concentration-gradient boundary condition to allow for a natural outflow boundary at outflow nodes.

In this section, reference is frequently made to a normalized concentration or a relative concentration. Normalized concentration is a dimensionless number that varies from 0 to 1. It is obtained by dividing a given concentration by the maximum concentration in the system. For example, if the maximum concentration in the model domain is 19,000 mg/L, and at some point a concentration of 5,000 mg/L occurs, then the normalized concentration at that point would be (5,000 mg/L divided by 19,000 mg/L) 0.263. In this study, the maximum concentration of chloride was assumed to be 19,000 mg/L (equal to that of seawater).

#### **3.5.1 Bottom Boundary**

The bottom boundary of the model corresponds to the units below the Lower Floridan Aquifer that contain deep brines which may potentially up-cone into the Floridan Aquifer System through the sub-Floridan unit. Little is known about the aquifer at this depth, and hence the bottom boundary head and chloride values are provided such that the system behavior mimics known chloride behavior within the Floridan Aquifer System. The head values along the bottom of the domain are provided such that an upward gradient exists for underlying saltwater to potentially move into the domain of interest through the overlying low conductivity sub-Floridan System in coastal and offshore regions. Figure 3.7 shows the equivalent fresh-water head values prescribed along the bottom boundary of the model. The chloride values are supplied along the bottom to represent seawater concentrations beneath the Gulf of Mexico, with values declining northeastward in inland regions of the domain as noted in Figure 3.8.

### **3.5.2 Top Boundary**

The top boundary of the model corresponds to the top of the Intermediate System. The top boundary beneath the bay or gulf is assigned constant head values equal to  $-0.025 \cdot T$  (where  $T$  is the elevation with respect to sea level of the Intermediate System top) to allow for equivalent fresh-water heads (due to density considerations) to drive water in/out across the Intermediate confining unit. Otherwise, the prescribed heads along the top boundary are interpolated from the pre-development regional flow model. This prescribed head boundary is held constant for the post-development and predictive simulations as the maximum simulated transient head change for the top layer of the regional flow model through 1998 is less than approximately 1 ft. Equivalent fresh-water head values applied to the top boundary of the model are shown in Figure 3.9. The top boundary beneath the bay or gulf is assigned a constant normalized concentration equal to 1.0 (equal to that of seawater). Otherwise, the prescribed normalized concentrations along the top boundary are set to zero, which represents fresh water in the Sand-and-Gravel Aquifer.

### **3.5.3 Lateral Boundary Conditions**

Flow boundary conditions along the lateral boundaries of the domain are prescribed head conditions. On three of the four lateral boundaries (i.e., the north, east and west) prescribed heads were interpolated from the regional MODFLOW groundwater flow model. For pre-development conditions, the pre-development steady-state MODFLOW model is used, while for post-development conditions, these heads are obtained from a transient simulation of the regional MODFLOW groundwater flow model. The southern boundary is assigned constant heads equal to  $0.025 \cdot Z$  (where  $Z$  is depth below sea level of the respective boundary node) to allow for a vertical gradation of the equivalent fresh-water heads due to density considerations. The multiplying factor of 0.025 assumes that a uniform normalized chloride concentration of  $C=1$  exists from top to bottom along the southern boundary.

Prescribed normalized concentration boundary conditions are assigned along the lateral boundaries of the Upper Floridan Aquifer and Lower Floridan Aquifer as shown in Figures 3.5 and 3.6, respectively. The northern boundary conditions represent predominantly fresh water in the Floridan Aquifer System, while the southern boundary conditions represent seawater in the Gulf. The eastern and western boundary conditions represent the existing chloride distribution within the respective aquifers. This chloride distribution is assumed to prevail from pre-development to current conditions, and is therefore applied to both pre- and post-development model simulations.

## **3.6 MODEL PARAMETERIZATION**

The flow domain of the DSTRAM saltwater intrusion model for the Western Model was initially parameterized from the pre-development regional MODFLOW groundwater flow model. Horizontal hydraulic conductivity values for the Upper and Lower Floridan aquifers were obtained from the associated transmissivity divided by thickness of the respective units of the MODFLOW model, as depicted in Figures 3.10 and 3.11, respectively. Horizontal hydraulic conductivity values for the Bucatunna Clay and for the Intermediate System were



also obtained from the associated transmissivity divided by the thickness of the respective units of the MODFLOW model. The Bucatunna Clay horizontal conductivity value thus obtained is on the order of  $10^{-5}$  ft/d. The sub-Floridan System was initially parameterized as discussed in Section 3.2.1 with a varying hydraulic conductivity for the lowest sub-Floridan model layer as noted in Figure 3.12, and uniform values of 0.5 ft/d and 1 ft/d for the overlying sub-Floridan model layers 2 and 3, respectively. A horizontal to vertical anisotropy of 35:1 was provided for all units. The vertical hydraulic conductivity of the Bucatunna Clay model layer is given in Figure 3.13.

Model parameterization and boundary conditions were transferred from the regional MODFLOW model into the DSTRAM framework and a flow simulation was first conducted to ensure that the data transfer was correct. Head values obtained from the flow simulation were in close agreement with the MODFLOW model ensuring the integrity of the data. Density-dependent transport was then turned on within DSTRAM with the appropriate transport boundary conditions as conceptualized earlier. Preliminary sensitivity simulations were used to determine transport parameters that simulated realistic chloride distributions. Effective porosity was set to 0.25. The longitudinal dispersivity was set to 100 ft. The transverse dispersivity was set to 20 ft. The vertical longitudinal dispersivity was set to 10 ft and the vertical transverse dispersivity was set to 1 ft. The molecular diffusion was set to 0.001 ft<sup>2</sup>/d for the bottom layer of the sub-Floridan System and for the Bucatunna Clay confining unit. In the remaining parts of the model, the molecular diffusion was set to 0.0 ft<sup>2</sup>/d.

*This page was intentionally left blank.*

## **4.0 MODEL CALIBRATION**

The density-dependent saltwater intrusion model was calibrated in two phases corresponding to the pre-development and post-development conceptualizations. For the pre-development phase, the saltwater intrusion model parameterization and boundary conditions were first developed from the associated pre-development regional MODFLOW groundwater flow model (HydroGeoLogic, Inc., 2000), and initial tests were conducted on transport parameter values and on the conceptualization of the sub-Floridan model boundary to note saltwater intrusion behavior. Flow parameter values were also adjusted in the process to note saltwater intrusion effects. However, the flow-field calibration was altered minimally as noted by head distributions of the saltwater intrusion model as compared to the District's regional MODFLOW flow model. Once the estimated pre-development chloride distribution was achieved by the model, transient post-development simulations were conducted to simulate head and chloride concentrations from year 1942 (approximate time of the pre-development state) through 1998. The simulated hydraulic heads and chloride concentrations were compared to field data measured in more recent times.

### **4.1 PRE-DEVELOPMENT MODEL CALIBRATION**

The pre-development saltwater intrusion model is developed as an extension of the regional MODFLOW groundwater flow model. Early stages of model development did not consider the sub-Floridan System, instead providing a no-flow boundary along the bottom as in the flow model. That model significantly under-predicted the distribution of saltwater known to exist in the Lower Floridan Aquifer. The sub-Floridan System was then included in the conceptualization to act as a source of chlorides as supported by existing data. An examination of the sub-Floridan System properties was then conducted by the District to provide a reasonable parameterization. This allowed for more chlorides to enter the Lower Floridan Aquifer, however, the model was still unable to simulate the vertical concentration gradients known to exist. In order to increase the vertical concentration gradients, two changes were made to the preliminary pre-development DSTRAM model:

- The horizontal hydraulic conductivity (Kh) of the Lower Floridan Aquifer was decreased in the lower portion of the aquifer and increased in the upper portion of the aquifer so that the overall transmissivity was not changed. The six elemental layer Kh values were scaled by 0.2, 0.4, 0.8, 1.2, 1.6, and 1.8 from bottom to top. The existence of significantly higher hydraulic conductivity in the upper portion of the Lower Floridan Aquifer has been demonstrated at several locations (Merritt, 1984).
- The Lower Floridan Aquifer vertical hydraulic conductivity was set equal to the preliminary DSTRAM model Kh divided by 1000.

This conceptualization provided for appropriate vertical gradients within the Lower Floridan Aquifer, however, intrusion of saltwater in the Upper Floridan Aquifer was also low. In order to increase saltwater intrusion in the Upper Floridan Aquifer, the Bucatunna Clay confining unit hydraulic conductivity was increased by a factor of 10 from the preliminary pre-

development DSTRAM model. The  $K_h$  was assigned  $7 \times 10^{-5}$  ft/d with the horizontal to vertical anisotropy remaining at 35:1. These updated values are more representative of the mean value obtained from laboratory analysis of core samples from the Bucatunna Clay. The increase in hydraulic conductivity of the Bucatunna Clay allows for adequate intrusion of saline water into the Upper Floridan Aquifer while having essentially no effect on the simulated heads. Calibration also included adjusting the specified head values at the bottom of the domain to allow adequate intrusion of saltwater into the domain at a given areal location. The bottom boundary heads depicted in Figure 3.7 represent the final calibrated values for the Western Model.

The calibrated pre-development saltwater intrusion simulation for the Western Model reasonably depicts the state of the system in 1942, as understood from available data. The model is discretized as discussed in Section 3.4 with boundary conditions supplied as explained in Section 3.5, and parameterization as discussed in Section 3.6, along with the calibration adjustments discussed above. The pre-development equivalent freshwater heads are similar to the pre-development regional MODFLOW model heads. Figures 4.1 and 4.2 present the pre-development equivalent freshwater heads in the Upper Floridan Aquifer and Lower Floridan Aquifer, respectively. The groundwater generally flows southeast across the model domain. Figures 4.3, 4.4, and 4.5 present the pre-development environmental heads for three north-south vertical cross-sections. Section A-A' is along grid column 19, B-B' is along grid column 73 and C-C' is along grid column 124. The groundwater generally flows south in the Upper Floridan Aquifer and Lower Floridan Aquifer and the groundwater flows upward in the Intermediate System, Bucatunna Clay confining unit, and sub-Floridan System. The pre-development chloride concentrations in the Upper Floridan Aquifer and Lower Floridan Aquifer are shown in Figures 4.6, and 4.7, respectively. Figures 4.8, 4.9, and 4.10 present the pre-development chloride concentrations for three north-south vertical cross-sections. These figures show the highest chloride concentrations in the sub-Floridan System and also show large vertical concentration gradients across the Bucatunna Clay confining unit and Lower Floridan Aquifer.

The pre-development Darcy velocities in the Upper Floridan Aquifer and Lower Floridan Aquifer are shown in Figures 4.11 and 4.12, respectively. The Darcy flow directions are perpendicular to the equivalent freshwater head contours of Figures 4.1 and 4.2. The northeast quadrant of the Upper Floridan Aquifer contains the highest Darcy velocities. Figures 4.13, 4.14, and 4.15 present the pre-development vertical Darcy velocities in the Intermediate System, Bucatunna Clay confining unit, and sub-Floridan System, respectively. In each figure, groundwater flow is upward over most of the domain. Figures 4.16, 4.17, and 4.18 present the pre-development Darcy velocities for three north-south vertical cross-sections. The figures show the groundwater flowing south in the Upper Floridan Aquifer and Lower Floridan Aquifer and flowing upward in the Intermediate System, Bucatunna Clay confining unit, and sub-Floridan System.

The pre-development water balance is shown in Table 4.1. Most of the inward water flow enters the northern and western boundaries. Approximately 37% of the total inward water flow enters the southern boundary or the eastern boundary. Smaller amounts of water enter

the top and bottom boundaries. Most of the outward water flow exits the eastern and western boundaries. Approximately 44% of the total outward water flow exits the southern or top boundary. Smaller amounts of water exit the model along the northern and bottom boundaries.

The pre-development chloride balance is shown in Table 4.2. Most of the inward advective flux enters the southern and western boundaries. Approximately 9% of the total inward advective flux enters the bottom boundary. Most of the outward advective flux exits the western, eastern, and southern boundaries. Smaller advective flux exits the northern, bottom, and top boundaries. Most of the inward dispersive flux enters the southern boundary.

#### **4.1.1 Grid Sensitivity**

A grid sensitivity model was constructed from the pre-development DSTRAM model. Each element in the model was divided into four elements in the horizontal (x-y) plane. The sensitivity model grid is rectangular with 290 columns and 142 rows of elements (291 columns and 143 rows of nodes) in the horizontal plane for a total of 41,180 elements per layer. The sensitivity model grid has 20 elemental layers, which are identical to the pre-development model.

Figures 4.19 and 4.20 compare the pre-development equivalent freshwater heads for coarse and fine grids in the Upper Floridan Aquifer, and Lower Floridan Aquifer, respectively. The equivalent freshwater heads are very similar throughout the model domain. Figures 4.21 and 4.22 compare the pre-development chloride concentrations in the Upper Floridan Aquifer and Lower Floridan Aquifer, respectively. In general, the grid sensitivity model exhibits a slightly less disperse chloride distribution. The fine grid model simulates lower concentrations in the fresher portions of the model domain and higher concentrations in the saltier portion of the domain. The pre-development chloride concentrations are slightly lower for the fine grid simulation in the vicinity of ground water withdrawals. The grid sensitivity shows that grid refinement has a small effect on the pre-development results.

## **4.2 POST-DEVELOPMENT SIMULATION FROM 1942 TO 1998**

The post-development transient saltwater intrusion model approximates groundwater flow and chloride transport from 1942 to 1998. The post-development simulation incorporated 107 wells. Table 4.3a, 4.3b, 4.3c, and 4.3d lists the wells and the annual average daily rate of pumping. Figure 4.23 presents a plot of the total pumping withdrawals within the western model domain area. Transient flux boundary conditions were assigned to 265 nodes of the DSTRAM model on nodal layers 14-18 to represent the transient buildup of pumping in these wells. Transient specified head boundary conditions were assigned to the western, northern, and eastern lateral boundaries. These specified heads were changed at the beginning of each year to match the heads in the post-development regional MODFLOW simulation (discussed in the next section). The bottom, top, and southern boundary conditions were the same as in the pre-development model. Pre-development conditions were used as initial conditions, effective porosity was set to 0.25 and specific storage was set equal to the regional MODFLOW model storativity ( $10^{-4}$ ) divided by the cell thickness. Specific storage ranged from  $8 \times 10^{-8}$  1/ft to

$3 \times 10^{-6}$  1/ft. The post-development simulation used 703 time steps with a maximum time step of 30 days. The initial time step size was one day.

#### **4.2.1 Post-Development Regional MODFLOW Simulation**

The post-development regional MODFLOW model simulates transient groundwater flow conditions from 1942 to 1998. The pre-development regional MODFLOW model results were utilized as initial conditions. Post-development conditions were simulated using 57 one-year stress periods. The District provided well injection/extraction boundary conditions for each stress period. The specified head, recharge, river, drain, and general-head boundary conditions were identical to the pre-development regional MODFLOW model. Each stress period used an initial time step size of one day and a maximum time step size of 30 days. The specific yield was 0.25 and the storativity value was  $10^{-4}$ . Results of this simulation provide transient lateral landward boundary conditions for the DSTRAM model.

#### **4.2.2 Post-Development Results—Simulated Water Levels and Darcy Velocities**

The DSTRAM saltwater intrusion model simulates transient flow and chloride transport conditions from 1942 to 1998. The 1998 post-development equivalent freshwater heads in the Upper Floridan Aquifer and Lower Floridan Aquifer are shown in Figures 4.24 and 4.25, respectively. The groundwater flows inward towards the extraction wells and the Lower Floridan Aquifer has one injection well in the northwest corner of the model. Figures 4.26, 4.27, and 4.28 present the 1998 post-development environmental heads for three north-south vertical cross-sections. Compared to the pre-development simulation (Figures 4.3, 4.4, and 4.5), groundwater flow has reversed direction in the Upper Floridan Aquifer and in the Intermediate System in offshore areas. Groundwater flow has also reversed direction in Lower Floridan Aquifer for cross-sections B-B' and C-C' in offshore areas. Cross-sections B-B' and C-C' also have a large upward head gradient across the sub-Floridan System.

The 1998 post-development Darcy velocities in the Upper Floridan Aquifer and Lower Floridan Aquifer are shown in Figures 4.29 and 4.30, respectively. The Darcy flow directions are perpendicular to the equivalent freshwater head contours in Figures 4.24 and 4.25. The Darcy velocities are higher than the pre-development Darcy velocities (Figures 4.11 and 4.12). Figures 4.31, 4.32, and 4.33 present the 1998 post-development vertical Darcy velocities in the Intermediate System, Bucatunna Clay confining unit, and sub-Floridan System, respectively. Compared to the pre-development simulation (Figures 4.13, 4.14, and 4.15), groundwater flow has reversed direction in the Intermediate System and Darcy velocities have increased in the Bucatunna Clay confining unit and sub-Floridan System. Figures 4.34, 4.35, and 4.36 present the 1998 post-development Darcy velocities for three north-south vertical cross-sections. The figures also show the reversed flow direction in offshore areas and the Intermediate System compared to pre-development conditions as well as higher Darcy velocities in inland areas and in the Bucatunna Clay confining unit and the sub-Floridan System when compared to the pre-development simulation.

The post-development water balance is shown in Table 4.4. Compared to the pre-development simulation, the flow of water through the model has doubled. The northern boundary has the

highest inward water flow rate (24% of the total) and the bottom boundary has one of the lowest flow rates (11% of the total). Pumping has the highest outward flow rate (58% of the total). Smaller amounts of water exit the model along the northern, bottom, and top boundaries.

Table 4.5 provides the net boundary flow for both the pre-development and post-development simulations, and the change in flow rate for each of the boundaries. The top model boundary provided 38% of the inflow induced by the post-development pumping stress. The northern and eastern boundaries provided for 17% and 16% respectively. The bottom, western and southern boundaries provide for the remainder of the pumping induced inflow.

The simulated water levels were compared to observed water levels at the nine wells shown in Figure 4.37. Figures 4.38 through 4.46 compare the MODFLOW and DSTRAM simulated heads to the observed water levels from 1942 to 1998. The simulated water levels decrease from 1942 to 1998 and are consistent with observed water level trends. The simulated water levels are lower than observed water levels at EAFB Metts Tower and higher than observed water levels at Mary Esther #2, Okaloosa County School Board, and EAFB – Postil Point. The DSTRAM simulated heads are 5 ft to 10 ft higher than the MODFLOW simulated heads. Post-development sensitivity analysis in Section 4.2.4 investigates the difference in the DSTRAM and MODFLOW simulated heads.

#### **4.2.3 Post-Development Results–Simulated Chloride Concentrations**

The 1998 post-development chloride concentrations in the Upper Floridan Aquifer and the Lower Floridan Aquifer are shown in Figures 4.47 and 4.48, respectively. Chloride concentrations are very similar to the pre-development concentrations (Figures 4.6 and 4.7). A comparison between the pre-development chloride concentrations and the 1998 post-development chloride concentrations in the Upper Floridan Aquifer and Lower Floridan Aquifer is shown in Figures 4.49 and 4.50, respectively. Figure 4.49 shows the minimal change in chloride concentrations in the Ft. Walton Beach area, which is consistent with historical observations. Figure 4.50 shows the change in chloride concentrations in the Lower Floridan Aquifer. Figures 4.51, 4.52, and 4.53 present the 1998 post-development chloride concentrations for three north-south vertical cross-sections. The figures show that the pumping induced inward flow from the top model boundary has caused higher chloride concentrations in the top nodal layer.

The post-development chloride balance is shown in Table 4.6. Flux rates are larger than the pre-development flux rates. Most of the inward advective flux enters the southern, western and top boundaries. Approximately 15% of the total inward advective flux enters the bottom boundary. Smaller advective flux enters the northern boundary. Most of the outward advective flux exits the southern and western boundaries. Smaller advective flux exits the northern, bottom, and top boundaries. Most of the inward dispersive flux enters the southern boundary. Most of the outward dispersive flux exits the top boundary.

Observed chloride concentrations for Santa Rosa County and Okaloosa County are shown in Figures 4.54 and 4.55, respectively. The simulated 1998 chloride concentrations in the Upper

Floridan Aquifer (shown in Figure 4.47) are consistent with the mean chloride concentrations for 1998 to 2000. The simulated chloride concentrations were compared to observed concentrations at the seven wells shown in Figure 4.56. Figures 4.57 through 4.63 compare the DSTRAM simulated concentrations to the observed concentrations. The simulated chloride concentrations increase only slightly from 1942 to 1998 and is barely noticeable in the figures. This is consistent with observed concentration trends.

#### **4.2.4 Post-Development Results – Flow Sensitivity of Sub-Floridan Boundary Heads**

The 1990 post-development MODFLOW heads in the Upper Floridan Aquifer and Lower Floridan Aquifer are shown in Figures 4.64 and 4.65, respectively. Figures 4.66 and 4.67 show the 1990 DSTRAM equivalent freshwater heads in the same two aquifers. Comparing the DSTRAM and MODFLOW heads, the DSTRAM equivalent freshwater heads are 5 ft higher in the Upper Floridan Aquifer and 10 ft higher in the Lower Floridan Aquifer at Ft. Walton Beach. There are two major differences between the DSTRAM and MODFLOW models:

- 1) The DSTRAM model has fresh water moving south and up over the saltwater wedge, while the MODFLOW model does not have the saltwater wedge. DSTRAM equivalent freshwater heads reflect the additional density caused by the presence of saltwater.
- 2) The DSTRAM model has saltwater entering the bottom boundary, while the MODFLOW model has a no-flow bottom boundary.

To investigate the impact of saltwater entering the bottom boundary of the DSTRAM model, the post-development DSTRAM model was modified to reduce flow from the bottom boundary. The horizontal and vertical hydraulic conductivities were set to  $10^{-14}$  ft/d for the bottom three elemental layers that represent the sub-Floridan System. Figures 4.68 and 4.69 show the 1990 equivalent freshwater heads in the Upper Floridan Aquifer and Lower Floridan Aquifer, respectively, for the reduced flow from bottom simulation. The reduced flow from the bottom boundary caused a decrease in heads in the Upper Floridan Aquifer and Lower Floridan Aquifer and the equivalent freshwater heads are similar to the MODFLOW heads. This suggests that the sub-Floridan System saltwater source leads to the 5 to 10 foot head difference between the DSTRAM and MODFLOW simulated 1990 water levels.



*This page was intentionally left blank.*

## **5.0 MODEL SENSITIVITY ANALYSIS**

Parameter sensitivity analysis is conducted to quantify uncertainty in the calibrated model resulting from uncertainty in estimates of aquifer parameters, stresses and boundary conditions. The analysis establishes the effect of model parameter uncertainty on both the model calibration and results. The effect of parameter changes can then be categorized in a manner that identifies the predictive capability of the calibrated model. The effects of various model parameters on the calibrated model are examined by comparing observed head and chloride values to the simulated values resulting from a specific parameter change. Parameters to be investigated and their associated range of variation were selected in consultation with the District and are considered as important parameters governing saltwater intrusion within the domain.

The sensitivity analysis helps identify intrusion characteristics critical to the water supply system of the region and is used to assess model conclusions. ASTM (1994) standards were applied to categorize parameter sensitivity in a qualitative manner into one of four categories or types. Type I parameter sensitivities are those which cause insignificant changes in calibration residuals and model predictions. Type I parameter sensitivity is of no concern because, regardless of the parameter value (within the range tested), the model prediction remains the same. Type II parameter sensitivities are those which cause a significant change in model calibration and result in insignificant change in the model predictions. Type II parameter sensitivity is also of no concern because, regardless of the change in model parameter, the model prediction remains the same. Type III parameter sensitivities are those which result in a significant change to calibration residuals, as well as to model predictions. Type III parameter sensitivity is of no concern because, even though the model's conclusions change as a result of variation of model input, the resultant model becomes un-calibrated. Type IV parameter sensitivities are those which cause an insignificant change in the model calibration and a significant change in the model's conclusions. Type IV parameter sensitivities exhibit greater uncertainty because, over the range of parameter values in which the model can be considered calibrated, the model predictions change. Additional data collection and model calibrations efforts are required to reduce this uncertainty.

A total of 15 sensitivity simulations were performed. Each sensitivity simulation consisted of applying a specified parameter change to the calibrated model input file and running this modified model to steady-state conditions, for establishing the effect of the parameter change on the pre-development distribution of heads and chlorides. Subsequently, transient pumpage was applied to the modified model, establishing the effect of the parameter change on the post-development (1998) head and chloride distribution. Table 5.1 includes a list of parameter changes applied to each of the 15 sensitivity simulations and the resulting calibration statistics. The conclusions assessed include: chloride change from pre-development to 1998 for the Upper Floridan Aquifer; ground-water seepage velocities in areas where saline water is known to exist; chloride concentrations offshore beneath the Gulf of Mexico; and total chloride mass contained within the model domain. Equivalent freshwater head and chloride plots of the equilibrated pre-development model and simulated 1998 conditions for the base case and each of the 15 sensitivity simulations are provided in Appendix A.

## 5.1 PRE-DEVELOPMENT MODEL SENSITIVITIES

Figure 5.1 presents the RMS and mean head difference ( $\mu_{\text{sim. pre-dev. hd}} - \mu_{\text{sim. sensitivity hd}}$ ) calculated using the pre-development base case and each of the respective sensitivity simulations. Model error was not calculated for the pre-development sensitivities due to the very limited availability of pre-development observations. Instead the RMS and mean head change from the base case pre-development model was calculated. The change was calculated at the model nodes specified in Tables 5.2 and 5.3, which are critical locations for the system in terms of drawdown. These are the same nodes used to calculate the post-development (1998) head error and for the error statistics in Table 5.1. For the range of parameter variations selected for this study, the vertical hydraulic conductivity of the Intermediate System is the most sensitive with respect to head. Increasing the Intermediate System vertical hydraulic conductivity by an order-of-magnitude (Case 3b) results in a mean head decline of 8.49 ft (RMS = 10.44 ft) from base-case results. Decreasing it by an order-of-magnitude (Case 3a) results in a mean head increase of 4.09 ft (RMS = 5.06 ft). For the remainder of the parameter variations, simulated pre-development heads are relatively insensitive.

The RMS and mean chloride difference ( $\mu_{\text{sim. pre-dev. Cl}} - \mu_{\text{sim. sensitivity Cl}}$ ) for the pre-development sensitivity simulations are presented in Figure 5.2 (Upper Floridan Aquifer) and Figure 5.3 (Lower Floridan Aquifer). In calculating the RMS and mean chloride change from the base case pre-development model, model nodes specified in Tables 5.4 and 5.5 were used which are critical locations for the system in terms of chloride intrusion. These are the same nodes used to calculate the post-development (1998) chloride error and for the calibration statistics in Table 5.1. Increasing the vertical hydraulic conductivity of the sub-Floridan System by an order-of-magnitude (Case 5b) causes the largest deviation from base-case results for both Upper and Lower Floridan Aquifer statistics. The next largest effect on chlorides within the Upper and Lower Floridan aquifers results from lowering the aquifer material permeabilities by half (Case 2a), and from increasing the bottom boundary specified head value by 10 ft (Case 6b). Cases 5b and 6b yield greater solute flux into the domain, with attendant concentration increases. These increases propagate into the Upper Floridan Aquifer. Case 2a yields a more sluggish flow system and greater solute retention, compared to the base case.

Specific model conclusions that were examined include pre-development head and chloride values for the Upper Floridan Aquifer approximately 3 miles offshore and head and chloride values for the Lower Floridan Aquifer near the Bucatunna Clay pinchout. These two areas are of interest because saline water is known to occur within the Floridan Aquifer at these general locations and under current conditions both of these areas are up-gradient of coastal withdrawal wells.

No information is available regarding the saltwater distribution within the Upper Floridan Aquifer offshore of Okaloosa and Santa Rosa counties. The model does, however, provide a prediction regarding the distribution of saltwater in these areas. Those predictions are examined here to allow an assessment of the significance of model uncertainty on simulated chloride concentrations in offshore areas. Also, the saline water known to exist in the Lower Florida Aquifer in the Ft. Walton area under both pre-development and current conditions is

within 100 vertical feet of the bottom of many of the area's major production wells. The saltwater is confined beneath the Bucatunna Clay, which prevents upconing. However, the Bucatunna Clay pinches out in the vicinity of, or just to the north of the EAFB Main Base. Model results in both of these areas are important for assessing the sustainability of ground water resources.

The sensitivity of simulated heads and chloride concentrations at these locations were calculated at five selected nodes representing each of these locations. Figure 5.4 presents the RMS and mean chloride difference between the pre-development base case and each of the respective sensitivity simulations for the selected Upper Floridan Aquifer offshore nodes (Table 5.6). Figure 5.5 presents the RMS and mean chloride difference for the selected Lower Floridan Aquifer nodes (Table 5.7).

Chlorides concentrations offshore in the Upper Floridan Aquifer are most sensitive to an order-of-magnitude increase in the Intermediate System vertical hydraulic conductivity (Case 3b) with little sensitivity for the remaining cases. Increasing the Intermediate System vertical hydraulic conductivity lowers head in the Upper Floridan Aquifer moving the saltwater interface closer to shore. Case 3b shows a significant change in the model conclusions, predicting that the saltwater is closer to shore, compared to the base case. However, the simulation also results in a significant change in the head calibration, indicating a Type III sensitivity. As per ASTM (1994) guidelines, a Type III sensitivity is of no concern because, even though the model's conclusions change as a result of the variation of the input, the parameters used in the simulation cause the model to become un-calibrated.

From Figure 5.5 it is noted that increasing the sub-Floridan System vertical hydraulic conductivity by an order-of-magnitude (Case 5b) creates the greatest change in Lower Floridan Aquifer chlorides near the Bucatunna Clay pinchout. Case 5b yields greater solute flux into the domain, with attendant concentration increases. Case 5b is also a Type III sensitivity, due to the significant effect of the parameter change on the chloride calibration statistics.

## **5.2 POST-DEVELOPMENT MODEL SENSITIVITIES**

Figure 5.6 presents the RMS and mean head error ( $\mu = \Sigma[hd_{1998obs} - hd_{1998sim}] / n_{obs}$ ) in the Upper and Lower Floridan aquifers for the base-case 1998 simulation and the various sensitivity simulations. Head observations for 1998 are given in Table 5.2 and 5.3. Figure 5.7 presents the RMS and mean head difference between the post-development base case and each of the respective sensitivity simulations. Horizontal hydraulic conductivity of the Upper and Lower Floridan aquifers is the most sensitive parameter with respect to system head. Decreasing Floridan Aquifer conductivities by half (Case 2a) yields a simulated 1998 mean head 33.48 ft lower than the base case (RMS = 40.76 ft). Other cases with fairly high head sensitivities include increasing the Intermediate System conductivity (Case 3b), increasing Floridan Aquifer conductivities (Case 2b) and increasing sub-Floridan System conductivities (Case 5b). These three cases all result in higher simulated 1998 heads, compared to the base case. Mean head increases range from 11.16 to 15.38 ft.

Figures 5.8 and 5.9 present the RMS and mean chloride errors for the base-case 1998 simulation and all sensitivity simulations in the Upper and Lower Floridan aquifers, respectively. Post-development chloride observations are given in Tables 5.4 and 5.5. Figures 5.10 and 5.11 present the RMS and mean chloride difference between the base-case 1998 simulation and each of the respective sensitivity simulations. The largest concentration error for both Upper and Lower Floridan aquifers occurs for Case 5b whereby the sub-Floridan System vertical hydraulic conductivity value is increased by an order-of-magnitude. This allows more mass flux into the model domain. Figures 5.8 and 5.9 show relatively small (insignificant) change to the simulated chloride error for several of the sensitivity simulations. The sensitivity response is similar to the respective pre-development cases of Figures 5.2 and 5.3, indicating that chloride placement at pre-development times is the key factor in minimizing the post-development chloride error rather than chloride movement from pre- to post-development times.

The RMS and simulated mean drawdown ( $\mu = \Sigma[\text{hd}_{\text{pre-dev.sim}} - \text{hd}_{1998\text{sim}}] / n_{\text{obs}}$ ) of the Floridan Aquifer System is given in Figure 5.12, for the base case and all sensitivity simulations. The calculated RMS and mean drawdown is for the Upper and Lower Floridan aquifers combined. Drawdown was calculated at the nodes used to calculate post-development, 1998 head error. Node locations are given in Tables 5.2 and 5.3. The least amount of drawdown is noted for an increase in the Intermediate System vertical hydraulic conductivity by an order-of-magnitude. This sensitivity more effectively dissipates pumping stress into the overlying boundary condition, resulting in less aquifer drawdown. The most drawdown is noted for a decrease in horizontal aquifer hydraulic conductivity values by a factor of 0.5 (Case 2a).

The change in RMS and mean chloride values from pre- to post-development conditions is shown for the Upper Floridan Aquifer (Figure 5.13) and for the Lower Floridan Aquifer (Figure 5.14) for the base case and the sensitivity simulations. These figures show the degree of intrusion that occurs as a result of the transient pumping history from pre- to post-development. “Observations” consist of simulated chlorides at the locations given in Tables 5.4 and 5.5. For both the Upper and Lower Floridan aquifers, the transient pumping history imparts very little increase in the simulated chloride concentrations at the observation points. This is consistent with existing observations which show little chloride change with time. It is important, however, to note the limited number of historical chloride observations, and more importantly, that the existing chloride observations are biased, in that they represent the freshest portion of the flow system. Regarding these chloride sensitivity simulations for the Upper Floridan Aquifer, all 15 sensitivities may be categorized as either Type I or II.

The least chloride intrusion in the Upper Floridan Aquifer occurs for sensitivity Case 7a whereby molecular diffusion of all layers was set to zero. The most Lower Floridan Aquifer chloride intrusion occurs for Case 5b, whereby the vertical hydraulic conductivity of the sub-Floridan System is increased by an order-of-magnitude. The least Lower Floridan Aquifer chloride intrusion occurs for Case 5a, whereby the sub-Floridan System vertical hydraulic conductivity is decreased by an order-of-magnitude.

Specific post-development model conclusions that were examined include seepage velocities, head and chloride values for the Upper Floridan Aquifer approximately 3 miles offshore; seepage velocities, head and chloride values for the Lower Floridan Aquifer near the Bucatunna Clay pinchout; and seepage velocities within the Intermediate System beneath the Choctawhatchee Bay and the near shore Gulf of Mexico. Model sensitivities were calculated at five selected nodes or elements in each of these three areas as shown in Figure 5.15. Additional node information is provided in Tables 5.6 and 5.7. Additional element information is provided in Tables 5.8, 5.9 and 5.10. Table 5.11 provides a summary of these model results. For each of these three areas, mean values of head, chloride and seepage velocity are presented.

The simulated ground water seepage velocities essentially represent the rate of saltwater intrusion at these specific locations. The seepage velocities are important conclusions of the model and are specifically examined here since the velocities directly influence the sustainability of current and future ground water withdrawal rates. Table 5.12 shows the sensitivity of the Upper Floridan Aquifer horizontal ground water seepage velocity and bearing in offshore areas to the various parameters, along with ASTM sensitivity type, as determined for the mean seepage velocity. The largest sensitivity is to porosity of the aquifer materials (Case 1a). The simulated change in aquifer porosity from 25% to 15% resulted in a 67% increase in seepage velocity. All other sensitivity cases resulted in seepage velocity change of less than 16%.

Table 5.13 shows the sensitivity of Lower Floridan Aquifer horizontal ground water seepage velocity near the Bucatunna Clay pinchout to the various parameters, along with ASTM sensitivity type, as determined for the mean seepage velocity. Again, sensitivity is highest to porosity (Case 1a), showing a 67% increase in seepage velocity. The seepage velocity near the Bucatunna Clay pinchout is also sensitive to increasing the sub-Floridan Aquifer vertical hydraulic conductivity value by an order-of-magnitude (Case 5b). Case 5b shows a 40% increase in the seepage velocity in this area. It is noted that Case 5b also shows the largest RMS and mean chloride errors among all simulations (Figures 5.8 and 5.9), causing the model to become un-calibrated (Type III sensitivity). All other sensitivity cases resulted in seepage velocity change of less than 19%.

Table 5.14 shows the sensitivity of vertical ground water seepage velocity through the Intermediate System in the bay and near-shore Gulf of Mexico, along with ASTM sensitivity type, as determined for the mean seepage velocity. Sensitivity is highest to the Intermediate System vertical hydraulic conductivity. The highest seepage rate occurs when the Intermediate System vertical conductivity is increased by a factor of 10 (Case 3b). It is lowest for the case where the vertical conductivity is decreased by a factor of 0.1 (Case 3a). Case 3b significantly increased the model head error (Figure 5.6) and indicates a Type III sensitivity. Case 3a caused an insignificant change in the head and chloride calibrations (Figures 5.7, 5.10 and 5.11) and a significant change in the conclusion (vertical seepage velocity lower than the base case simulation).

The seepage velocity through the Intermediate System is also sensitive to a decrease in aquifer horizontal hydraulic conductivity (Case 2a). The reduction of the hydraulic conductivity results in additional drawdown and an increase in gradients and seepage velocities. Case 2a results in a moderate change to the chloride calibration statistics, indicating Type III or Type IV sensitivity. The change in porosity from 25% to 15% (Case 1a) results in a significant change in the conclusions (increases the vertical seepage velocity by 67%) and has an insignificant affect on the calibration.

It is important to note that a porosity change from 25% to 15% results in a 67% increase in the seepage velocity (rate of saltwater intrusion) at each of the three locations identified above while producing an insignificant change in the model calibration. Thus the model exhibits a Type IV sensitivity to porosity, indicating uncertainty in the actual rate of intrusion. Case 1a demonstrates the actual rate of intrusion predicted by the base-case model may be up to 1.67 times the rate predicted by the base case model. However, Figure 5.13 shows no significant simulated chloride change occurred from pre-development to 1998 as a result of the lower porosity and associated change in seepage velocity.

*This page was intentionally left blank.*



## **6.0 MODEL PREDICTIVE SIMULATION**

The calibrated base-case model was used to perform a predictive simulation starting from the 1998 post-development conditions. The predictive simulation assumes that the 1998 stress conditions are maintained for the next 52 years, from 1998 to 2050. Floridan Aquifer withdrawals were held constant at the 1998 rate based on the minimal increase in withdrawals for the period 1988 to 1998 (Figure 4.23), current increase utilization of alternative water sources (including the Sand-and-Gravel Aquifer, water reuse and water use conservation strategies) and the difficulty in predicting the demand through 2050.

The regional ground water flow model was run in steady-state mode applying 1998 withdrawals to provide the lateral (western, eastern and northern) boundary heads in the Upper and Lower Floridan aquifers. It was noted that the flow field equilibrated to its steady-state conditions within a couple of years. Therefore, applying the boundary conditions in a steady-state mode for 52 years is justified. Other boundary conditions are the same as for the calibration base case.

Figures 6.1, and 6.2 show the predicted equivalent freshwater head contours in the Upper and Lower Floridan aquifers for the predictive simulation (year 2050). These heads are similar to the post-development 1998 conditions of Figures 4.24 and 4.25. Darcy velocities in the Upper and Lower Floridan aquifers are shown in Figures 6.3 and 6.4, respectively. The Darcy velocities are similar to the post-development Darcy velocities (Figures 4.29 and 4.30). The water balance for the predictive simulation at 2050 is shown in Table 6.1. Flow of water through the model is similar to the post-development simulation case of Table 4.4.

Figures 6.5 and 6.6 show the 2050 predictive simulation chloride concentration contours in the Upper and Lower Floridan aquifers, respectively. Also shown are simulated pre-development chloride concentrations. The 2050 chloride concentrations are similar to the pre-development concentrations of Figures 4.6 and 4.7, although intrusion is noted for all layers. Figures 6.7, 6.8, and 6.9 present the chloride concentrations for three north-south vertical cross-sections for the 2050 predictive simulation. In all three vertical cross-sections flow from the top boundary has caused higher chloride concentrations in the Intermediate System, specifically noticeable with the 250, 100 and 50 mg/L contours. For the Upper Floridan Aquifer chloride observation sites (Table 5.4) the simulated mean chloride concentrations in pre-development, 1998 and 2050 are 127 mg/L, 130 mg/L and 135 mg/L, respectively.

The chloride balance for the predictive simulation at 52 years is shown in Table 6.2. The largest percent change in chloride flux is noted for the advective flux through the northern boundary where intrusion is noted in the western portions of the northern boundary. Most of the inward advective flux enters the northern and western boundaries, as compared to the southern and western boundaries for the post-development 1998 case. The inward flux through the bottom boundary is also larger than for post-development 1998 conditions though it is a smaller percent of the total. Most of the outward advective flux exits the eastern, western and southern boundaries with little flux exiting the northern, bottom, and top

boundaries. Most of the inward dispersive flux enters the southern boundary. Most of the outward dispersive flux exits the top boundary.

The simulated chloride concentrations at pre-development, 1998 and 2050 are plotted for the seven wells shown in Figure 4.56. Figures 6.10 through 6.16 provide the concentrations profiles for wells at Tiger Point, Yellow River, Navarre Beach, Lisa Jackson Park, Beal Cemetery, EAFB Field 4, and Destin, respectively. These figures represent the change in chloride concentrations predicted by the base case model through 2050, assuming pumping is held constant at 1998 rates.

*This page was intentionally left blank.*

## **7.0 SUMMARY AND CONCLUSIONS**

The construction, calibration, and predictive simulations with the Western Domain saltwater model provide significant insight into the dynamics of ground water flow and saltwater transport within the Floridan Aquifer System in this area. The model helps to fill in gaps in the data base regarding the likely location of saltwater in the subsurface and to quantify rates of saltwater intrusion. The following bulleted items summarize the key points and findings from this study.

- Significant development of the Floridan Aquifer as a source of water supply for coastal Santa Rosa, Okaloosa and Walton counties began in the 1940s.
- Prior to 1940, Floridan Aquifer water levels in coastal Santa Rosa and Okaloosa counties were between 50 ft and 60 ft above sea level. Fresh ground water flowed in a generally north to south direction, from inland to offshore, where it eventually discharged into the Gulf of Mexico.
- During the 1950s, as the water supply for this area was developed, ground water levels in Ft. Walton Beach declined to below sea level. Since this has occurred, ground water flow along the coast has reversed. Ground water now flows from offshore areas northward in the direction of coastal withdrawal wells.
- By 1998, ground water withdrawals in Santa Rosa, Okaloosa and Walton counties had risen to an average of 36 Mgal/d. This has caused Floridan Aquifer water levels along the coast to decline to more than 100 ft below sea level.
- The existing water quality monitoring system is not designed to detect intrusion because most of the monitoring points are either water supply wells or monitoring wells located far enough inland that they would not experience water quality degradation for some time.
- Floridan Aquifer water with chlorides in excess of the secondary drinking water standard of 250 mg/L is known to exist onshore in coastal Santa Rosa and Walton counties. Model simulations predict that water of similar quality lies within three miles south of Santa Rosa Island along most of coastal Okaloosa County.
- Model simulations indicate the principal pathways of saltwater intrusion are: lateral intrusion within the upper Floridan Aquifer from beneath the Gulf, lateral intrusion from the lower into the upper Floridan Aquifer around the edge of the Bucatunna Clay, and downward vertical leakage through the Intermediate System. Upward vertical leakage through the Bucatunna Clay is of lesser significance.
- Model simulations place the pre-development chloride distribution in locations consistent with historical observations. The pre-development chloride distribution for

onshore areas is particularly sensitive to: decreasing the Floridan Aquifer horizontal hydraulic conductivity, increasing the sub-Floridan System vertical hydraulic conductivity, and increasing the hydraulic head applied to the sub-Floridan System.

- Beneath the Gulf of Mexico, the pre-development chloride distribution is most sensitive to an increase in the vertical hydraulic conductivity of the Intermediate System.
- Along the Bucatunna Clay pinchout, the pre-development chloride distribution is most sensitive to an increase in the vertical hydraulic conductivity of, and the hydraulic head applied to the sub-Floridan System.
- The simulated rate of saltwater intrusion (seepage velocity) during the transition from pre- to post-development conditions is particularly sensitive to the porosity of the Floridan Aquifer. Seepage velocities are important since they directly influence the sustainability of current and future ground water withdrawal rates. Floridan Aquifer porosity is not determinable by direct measurement, and thus, is subject to significant uncertainty.
- Although the response of water levels to a change in pumping or development is relatively fast (on the order of years or decades) the response of saltwater movement is much slower (on the order of decades or centuries). Therefore, saltwater will continue to move inland even though water levels may have stabilized following development of water supplies.
- Simulated post-development rates of saltwater intrusion within the Floridan Aquifer about three miles south of Santa Rosa Island are on the order of eight feet per year, toward the north.
- Simulated post-development rates of saltwater intrusion in the vicinity of the Bucatunna Clay pinchout are higher, on the order of 30 feet per year. Ground water in this area has chlorides as high as 1,000 mg/L.
- For the purpose of performing a long-term saltwater intrusion simulation, pumping was held constant between 1998 and 2050. As a result, heads, velocities and water balance at 2050 are similar to 1998 conditions. Simulation of a pumping increase over the 1998-2050 time interval would have shown greater rates of intrusion.
- Simulation of pumping at 1998 levels through 2050 shows a modest degree of lateral saltwater intrusion, south of Santa Rosa Island. During this time period, saltwater was simulated to partially penetrate the Intermediate System from the top.
- Although not specifically addressed in this report, leakage of saline water into the Floridan Aquifer via leaky, abandoned well casings can significantly shorten the timescales associated with noticeable water quality degradation.

- The saltwater intrusion model is regional in nature and therefore does not address localized saltwater intrusion problems that may result from undetected pockets of saltwater, heterogeneities that serve as conduits for saltwater flow, well construction problems, or improperly plugged boreholes which penetrate the Bucatunna Clay.
- All entities with responsibility related to the use and/or management of this resource need to continue and improve the monitoring of the Floridan Aquifer System for evidence of saltwater intrusion. This information will be critical for future efforts to refine this model and is necessary to timely adapt to the inevitable deterioration in water quality that will come as a result of continued resource utilization at or near current levels.

*This page intentionally left blank.*

## **8.0 REFERENCES**

- ASTM, 1994. Standard Guide for Conducting Sensitivity Analysis for a Ground-Water Flow Model Application, American Society for Testing and Materials, Publication D5611-94, 1-5.
- Barr, D.E., L.R. Hayes, and T. Kwader, 1985. Hydrology of the Southern Parts of Okaloosa and Walton Counties, Northwest Florida, with Special Emphasis on the Upper Limestone of the Floridan Aquifer, U.S. Geological Survey, Water Resources Investigations Report 84-4305.
- Barr, D.E., A. Maristany, and T. Kwader, 1981. Water Resources of Southern Okaloosa and Walton Counties, Northwest Florida, Northwest Florida Water Management District, Water Resources Assessment 81-1.
- Barracough, J.T., and O.T. Marsh, 1962. Aquifers and Quality of Ground Water along the Gulf Coast of Western Florida, Florida Geological Survey, Report of Investigations 29.
- Chen, 1965. The Regional Lithostratigraphic Analysis of Paleocene and Eocene Rocks of Florida, Florida Geological Survey, Bulletin No. 45.
- Dresser Atlas, 1983. Log Interpretation Charts.
- Huyakorn, P.S., and S. Panday, 1994. DSTRAM: Density-Dependent Solute Transport Analysis Finite-Element Model, User's Manual, Version 4.1, HydroGeoLogic, Inc., Herndon, VA.
- HydroGeoLogic, 2000. Modeling of Groundwater Flow in Walton, Okaloosa, Santa Rosa, and Escambia Counties, Florida, HydroGeoLogic, Inc., Herndon, Virginia.
- Kwader, T., 1982. Interpretation of Borehole Geophysical Logs in Shallow Carbonate Environments and Their Application of Groundwater Investigations, Northwest Florida Water Management District, Water Resources Assessment 83-1.
- McKinnon, E.C., and Pratt T.R., 1998. A Compilation of Water Quality and Pumpage Data for Select Wells in Santa Rosa, Okaloosa, Walton and Bay Counties, Florida, Northwest Florida Water Management District, Technical File Report 98-1.
- Merritt, 1984. Digital Simulation of the Regional Effects of Subsurface Injection of Liquid Waste near Pensacola, Florida, U.S. Geological Survey, Water-Resources Investigations Report 84-4042.
- Pratt, T.R., K.A. Milla, L.A. Clemens, and H. Roaza, 1996. Analysis of Ground Water Availability from the Floridan Aquifer, Southern Walton County, Florida, Northwest Florida Water Management District, Water Resources Special Report 96-2.



Ryan, P.L., T. Macmillan, T.R. Pratt, A.R. Chelette, C.J. Richards, R.A. Countryman, and G.L. Marchman, 1998. District Water Supply Assessment, Northwest Florida Water Management District, Water Resources Assessment 98-2.

Trapp, H., Jr., C.A. Pascale, and J.B. Foster, 1977. Water Resources of Okaloosa County And Adjacent Areas, Florida, U.S. Geological Survey, Water Resources Investigations Report 77-9.

## FIGURES




Filename: X:\NWF002\003-07\General\_Loc\_Map.cdr  
 Project: NWF002-003-07  
 Created by: cfarmer 10/29/04  
 Revised: 08/22/05 asc  
 Source: HydroGeoLogic, Inc.



**HYDRO**  
 Geologic INC.

**Figure 1.1**  
**General Location Map**  
**with Reference Wells**  
**in Region II**



Filename: X:\NWF002\003-07\Model.cdr

Project: NWF002-003-07


Created by: cfarmer 10/28/04

Revised:

Source: HydroGeoLogic, Inc.



**Figure 3.1**  
**Conceptual Model for**  
**Groundwater Flow and**  
**Solute Transport**



HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.2**  
**Modeling Domain and**  
**Finite Element Mesh for**  
**Chloride Intrusion Simulation**  
**of the Western Model**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- Model Boundary
- Finite Element Mesh


**Location Map**



Filename: X:/NWF002/003-07/Report/Domain\_Mesh.mxd  
Project: NWF002-003-07  
Revised: 07/20/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002









Filename: X:\NWF002\003-07\vert\_discretization.cdr  
 Project: NWF002-003-07  
 Created by: cfarmer 10/29/04  
 Revised: 07/18/05 asc  
 Source: HydroGeoLogic, Inc.



**Figure 3.3**  
**Vertical Discretization Along**  
**y-z Cross-Section at x=505327m**




Not drawn to scale

Filename: X:\NWF002\003-07\Diagram.cdr  
 Project: NWF002-003-07  
 Created by: cfarmer 10/28/04  
 Revised: 04/27/05 ASC  
 Source: HydroGeoLogic, Inc.



**Figure 3.4**  
**Conceptual Diagram of Boundary**  
**Conditions Applied along a Typical**  
**North-South Section**



HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.5**  
**Prescribed Normalized Concentrations**  
**along Lateral Boundaries in the**  
**Upper Floridan Aquifer for the**  
**Western Model**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- Model Boundary
- Finite Element Mesh


Location Map



Filename: X:/NWF002/003-07/Report/LatBound\_UFA.mxd  
Project: NWF002-003-07  
Revised: 07/20/05 ASC  
Map Source: HydroGeoLogic GIS  
Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.6**  
**Prescribed Normalized Concentrations**  
**along Lateral Boundaries in the**  
**Lower Floridan Aquifer for the**  
**Western Model**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary
- Finite Element Mesh


Note:  
West, south and east same for layers 4-10.  
North set fresher for upper layers.

Location Map



Filename: X:/NWF002/003-07/Report/LatBound\_UFA.mxd  
Project: NWF002-003-07  
Revised: 07/20/05 ASC  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.7**  
**Equivalent Freshwater  
Head Boundary Conditions  
along the Bottom of the  
Model Domain**


**Northwest Florida  
Water Management District**



**Legend**


- County Boundary
- Hydrology
- 80— Equivalent Freshwater Head (ft)  
(nx, ny, nz) = (146,72,21)
- Model Boundary

Location Map



Filename: X:/NWF002/003-07/EFHBC\_Bottom.mxd  
Project: NWF002-004-06  
Revised: 04/27/05 ASC  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.8**  
**Chloride Concentration Conditions**  
**along the Bottom of the**  
**Model Domain**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 5,000- Chloride Concentration (mg/l)  
(nx, ny, nz) = (146,72,21)
- Model Boundary

**Location Map**



Filename: X:/NWF002/003-07/NCCC\_Bottom.mxd  
Project: NWF002-003-07  
Revised: 07/19/05 ASC  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.9**  
**Equivalent Freshwater Head**  
**Boundary Conditions**  
**along the Top of the**  
**Model Domain**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 60-** Equivalent Freshwater Head (ft)  
(nx, ny, nz) = (146,72,21)
- Model Boundary

**Location Map**



Filename: X:/NWF002/003-07/Report/EFHBC\_Top.mxd  
Project: NWF002-003-07  
Revised: 04/27/05 ASC  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.10**  
**Horizontal Hydraulic Conductivity of the  
Upper Floridan Aquifer as Obtained from the  
District's Regional MODFLOW  
Groundwater Flow Model**


**Northwest Florida  
Water Management District**



**Legend**

- County Boundary
- Hydrology
- 10— Hydraulic Conductivity (ft/d)
- Model Boundary


Location Map



Filename: X:/NWF002/003-07/Report/Kh\_UFA.mxd  
Project: NWF002-003-07  
Revised: 07/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.11**  
**Horizontal Hydraulic Conductivity of the  
Lower Floridan Aquifer as Obtained from the  
District's Regional MODFLOW  
Groundwater Flow Model**


Northwest Florida  
Water Management District



**Legend**


- County Boundary
- Hydrology
- 10— Hydraulic Conductivity (ft/d)
- Model Boundary

Location Map



Filename: X:/NWF002/003-07/Report/Kh\_LFA.mxd  
Project: NWF002-003-07  
Revised: 07/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.12**  
**Vertical Hydraulic Conductivity**  
**of the Lowest Sub-Floridan**  
**DSTRAM Model Layer**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 9E-06— Vertical Hydraulic Conductivity (ft/d)
- Model Boundary

**Location Map**



Filename: X:/NWF002/003-07/Kh\_subFL.mxd  
Project: NWF002-004-06  
Revised: 04/19/05 TH  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 3.13**  
**Vertical Hydraulic Conductivity of the**  
**Bucatunna Clay Model Layer as Obtained**  
**from the Districts Regional MODFLOW**  
**Groundwater Flow Model**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- Model Boundary
- 0.01- Vertical Hydraulic Conductivity (ft/d)


Location Map



Filename: X:/NWF002/003-07/Maps/  
Verrtical\_Hydr\_Conduct-Bucatunna.mxd  
Project: NWF002-003-07  
Revised: 08/01/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.1**  
**Pre-Development**  
**Equivalent Freshwater Head for the**  
**Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 50— Equivalent Freshwater Head (ft)
- Model Boundary

Location Map



Filename: X:/NWF002/003-07/eh\_16.mxd  
Project: NWF002-003-06  
Revised: 04/18/05 TB  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.2**  
**Pre-Development**  
**Equivalent Freshwater Head for the**  
**Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- 50— Equivalent Freshwater Head (ft)
- Model Boundary

**Location Map**



Filename: X:/NWF002/003-07/eh\_07.mxd  
Project: NWF002-003-06  
Revised: 04/18/05 TB  
Map Source: HydroGeoLogic GIS  
Database 2002



**Figure 4.3**  
**Pre-Development**  
**Environmental Head for**  
**Cross-Section A-A'**


**Northwest Florida**  
**Water Management District**




**Legend**

— Environmental Head (ft)  
Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/004-06/Maps/aa'eh\_x-sec.mxd  
Project: NWF002-004-06  
Revised: 04/29/05 ASC  
Map Source: HydroGeoLogic GIS  
Database 2005



**Figure 4.4**  
**Pre-Development**  
**Environmental Head for**  
**Cross-Section B-B'**


**Northwest Florida**  
**Water Management District**




**Legend**

— Environmental Head (ft)  
Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/004-06/Maps/bb'eh\_x-sec.mxd  
Project: NWF002-004-06  
Revised: 04/29/05 ASC  
Map Source: HydroGeologic GIS  
Database 2005



**Figure 4.5**  
**Pre-Development**  
**Environmental Head for**  
**Cross-Section C-C'**


**Northwest Florida**  
**Water Management District**




**Legend**


— Environmental Head (ft)  
Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/003-07/Maps/cc'eh\_x-sec.mxd  
Project: NWF002-003-07  
Revised: 08/05/05 ASC  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.6**  
**Pre-Development**  
**Chloride Concentration for the**  
**Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- 250 - Chloride Concentration (mg/l)  
(nx, ny, nz) = (146,72,21)
- Model Boundary


**Location Map**



Filename: X:\NWF002\003-07\Old\_figures\chlorides\_16.apr  
Project: NWF002-003-07  
Created: 05/15/02 tbraswell  
Revised: 07/25/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.7**  
**Pre-Development**  
**Chloride Concentration for the**  
**Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- Chloride Concentration (mg/l)  
(nx, ny, nz) = (146,72,21)
- Model Boundary

**Location Map**



Filename: X:\NWF002\003-07\Old\_figures\chloride\_7.apr  
Project: NWF002-003-07  
Created: 05/15/02 tbraswell  
Revised: 07/22/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





**Figure 4.8**  
**Pre-Development**  
**Chloride Concentration for**  
**Cross-Section A-A'**

**Northwest Florida**  
**Water Management District**




**Legend**


Chloride Concentration Contour (mg/L)

Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:\NWF002\003-07\Old\_figures\aa'Chlor.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 04/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





**Figure 4.9**  
**Pre-Development**  
**Chloride Concentration for**  
**Cross-Section B-B'**


**Northwest Florida**  
**Water Management District**




**Legend**

- Chloride Concentration Contour (mg/L)
- Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:\NWF002\003-07\Old\_figures\bb'Chlor.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 04/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002



**Figure 4.10**  
**Pre-Development**  
**Chloride Concentration for**  
**Cross-Section C-C'**


**Northwest Florida**  
**Water Management District**




**Legend**


- Chloride Concentration Contour (mg/L)
- Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:\NWF002\003-07\cc'Chlor.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 08/08/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District



**Figure 4.11**  
**Pre-Development**  
**Darcy Velocities for the**  
**Upper Floridan Aquifer**  
**(Elemental Layer 15)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary



Filename: X:\NWF002\003-07\Old\_figures\uf\_velocity.apr  
Project: NWF002-003-07  
Created: 05/15/02 thraswell  
Revised: 11/08/04 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District



**Figure 4.12**  
**Pre-Development**  
**Darcy Velocities for the**  
**Lower Floridan Aquifer**  
**(Elemental Layer 6)**

**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- Model Boundary



Filename: X:\NWF002\003-07\Old\_figures\lf\_velocity.apr  
Project: NWF002-003-07  
Created: 05/15/02 thraswell  
Revised: 11/08/04 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.13**  
**Pre-Development Vertical Darcy**  
**Velocities for the**  
**Intermediate System**  
**(Elemental Layer 19)**

Northwest Florida  
Water Management District



**Legend**


- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**

- 1.0E-04
- 5.0E-05
- 1.1E-05
- 6.6E-06
- 1.7E-06
- 0.0E+00
- 1.6E-06
- 3.2E-06
- 5.0E-06
- 7.0E-05
- 1.0E-04


Note: Negative velocity indicates  
downward flow

**Location Map**



Filename: X:\NWF002\003-07\Old\_figures\velz19.apr  
Project: NWF002-003-07  
Created: 05/15/02 thraswell  
Revised: 04/28/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.14**  
**Pre-Development Vertical Darcy**  
**Velocities for the Bucatunna Clay**  
**Confining Unit and Middle Portion of the**  
**Undifferentiated Floridan Aquifer System**  
**(Elemental Layer 11)**


**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**




**Location Map**



Note: Negative velocity indicates  
downward flow

Filename: X:\NWF002\003-07\Old\_figures\velz11.apr  
Project: NWF002-003-07  
Created: 05/15/02 thraswell  
Revised: 11/08/04 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.15**  
**Pre-Development Vertical Darcy**  
**Velocities for the Sub-Floridan**  
**(Elemental Layer 2)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**

- 1.3E-05
- 1.1E-05
- 9.8E-06
- 8.2E-06
- 6.6E-06
- 4.9E-06
- 3.3E-06
- 1.7E-06
- 0.0E+00
- 1.6E-06
- 3.2E-06
- 4.8E-06
- 6.4E-06

**Location Map**



Note: Negative velocity indicates  
downward flow

Filename: X:\NWF002\003-07\Old\_figures\velz2.apr  
Project: NWF002-003-07  
Created: 05/15/02 thraswell  
Revised: 04/28/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002






Figure 4.16  
Pre-Development  
Darcy Velocities for  
Cross-Section A-A'

Northwest Florida  
Water Management District




Legend

Velocities (ft/d)



Vertical Exaggeration 41:1

Cross-Section Location Map



Filename: X:\NWF002\003-07\Old\_figures\aa\vel.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 04/28/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002







Figure 4.17  
Pre-Development  
Darcy Velocities for  
Cross-Section B-B'

Northwest Florida  
Water Management District




Legend

Velocities (ft/d)



Vertical Exaggeration 41:1

Cross-Section Location Map



Filename: X:\NWF002\003-07\Old\_figures\bb'vel.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 04/28/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002






Figure 4.18  
Pre-Development  
Darcy Velocities for  
Cross-Section C-C'

Northwest Florida  
Water Management District




Legend

Velocities (ft/d)




Vertical Exaggeration 41:1

Cross-Section Location Map



Filename: X:\NWF002\003-07\cc'vel-rev1.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 08/05/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002



HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.19**  
**Pre-Development Equivalent  
Freshwater Head for the  
Upper Floridan Aquifer  
Grid Sensitivity  
(Nodal Layer 16, mid-aquifer)**


**Northwest Florida  
Water Management District**



**Legend**


- County Boundary
- Hydrology
- 20 — Equivalent Freshwater Head (ft)  
(nx, ny, nz) = (146, 72, 21)
- 20 — Equivalent Freshwater Head (ft)  
(nx, ny, nz) = (291,143,21)
- Model Boundary

Location Map



Filename: X:/NWF002/004-06/Maps/efhd\_16\_Grid\_Sense.mxd  
Project: NWF002-004-06  
Revised: 04/13/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.20**  
**Pre-Development Equivalent**  
**Freshwater Head for the**  
**Lower Floridan Aquifer**  
**Grid Sensitivity**  
**(Nodal Layer 7, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 20 — Equivalent Freshwater Head (ft)  
(nx, ny, nz) = (146, 72, 21)
- 20 — Equivalent Freshwater Head (ft)  
(nx, ny, nz) = (291, 143, 21)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/efhd\_7\_Grid\_Sense.mxd  
Project: NWF002-004-06  
Revised: 04/13/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.21**  
**Pre-Development**  
**Chloride Concentration for the**  
**Upper Floridan Aquifer**  
**Grid Sensitivity**  
**(Nodal Layer 16, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- 250 — Chloride Concentration (mg/l)  
(nx, ny, nz) = (146, 72, 21)
- 250 — Chloride Concentration (mg/l)  
(nx, ny, nz) = (291, 143, 21)
- Model Boundary


**Location Map**



Filename: X:\NWF002\004-06\Maps\chloride\_16\_grid\_sensitivity.mxd  
Project: NWF002-004-06  
Revised: 07/25/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.22**  
**Pre-Development**  
**Chloride Concentration for the**  
**Lower Floridan Aquifer**  
**Grid Sensitivity**  
**(Nodal Layer 7, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 250 — Chloride Concentration (mg/l)  
(nx, ny, nz) = (146, 72, 21)
- 250 — Chloride Concentration (mg/l)  
(nx, ny, nz) = (291,143,21)
- Model Boundary

Location Map



Filename: X:\NWF002\004-06\Maps\chloride\_7\_grid\_sensitivity.mxd  
Project: NWF002-004-06  
Revised: 07/25/05 acarriiger  
Map Source: HydroGeoLogic GIS  
Database 2005






Filename: X:\NWF002\003-07\Total\_Pumping\_WDrawals.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 07/19/05 asc  
 Source: 04/18/05 CF



**Figure 4.23**  
**Total Pumping Withdrawals Applied**  
**to the Western Model Domain**



HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.24**  
**1998 Equivalent**  
**Freshwater Head for the**  
**Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- 20 - Equivalent Freshwater Head (ft)
- Model Boundary


**Location Map**



Filename: X:/NWF002/004-06/Maps/l16\_efhd\_1998.mxd  
Project: NWF002-004-06  
Revised: 04/18/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.25**  
**1998 Equivalent**  
**Freshwater Head for the**  
**Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- 20 — Equivalent Freshwater Head (ft)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/l7\_efhd\_1998.mxd  
Project: NWF002-004-06  
Revised: 04/12/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005



**Figure 4.26**  
**1998**  
**Environmental Head for**  
**Cross-Section A-A'**


**Northwest Florida**  
**Water Management District**




**Legend**

— Environmental Head (ft)  
Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/003-07/Maps/aa'eh\_98\_x-sec.mxd  
Project: NWF002-003-07  
Revised: 08/05/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005



**Figure 4.27**  
**1998**  
**Environmental Head for**  
**Cross-Section B-B'**


**Northwest Florida**  
**Water Management District**




**Legend**

— Environmental Head (ft)  
Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/003-07/Maps/bb'eh\_98\_x-sec.mxd  
Project: NWF002-003-07  
Revised: 08/05/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005



**Figure 4.28**  
**1998**  
**Environmental Head for**  
**Cross-Section C-C'**


**Northwest Florida**  
**Water Management District**




**Legend**


— Environmental Head (ft)  
Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/003-07/Maps/cc'eh\_98\_x-sec.mxd  
Project: NWF002-003-07  
Revised: 08/05/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.29**  
**1998 Darcy Velocities for the**  
**Upper Floridan Aquifer**  
**(Elemental Layer 15)**


**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**




**Location Map**



Filename: X:\NWF002\003-07\Old\_figures\uf\_velocity\_1998.apr  
 Project: NWF002-003-07  
 Created: 05/15/02 thraswell  
 Revised: 11/08/04 acarrieger  
 Map Source: HydroGeoLogic GIS  
 Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.30**  
**1998 Darcy Velocities for the**  
**Lower Floridan Aquifer**  
**(Elemental Layer 6)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**


|       |
|-------|
| 0.015 |
| 0.013 |
| 0.01  |
| 0.009 |
| 0.008 |
| 0.007 |
| 0.006 |
| 0.005 |
| 0.004 |
| 0.003 |
| 0.002 |
| 0.001 |

**Location Map**



Filename: X:\NWF002\003-07\Old\_figures\lf\_velocity\_1998.apr  
Project: NWF002-003-07  
Created: 05/15/02 thraswell  
Revised: 11/08/04 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.31**  
**1998 Vertical Darcy Velocities for the**  
**Intermediate System**  
**(Elemental Layer 19)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**

|           |
|-----------|
| 2.00E-06  |
| 1.00E-06  |
| 1.00E-07  |
| 0.00E+00  |
| -1.00E-07 |
| -3.00E-06 |
| -5.00E-06 |
| -1.00E-05 |
| -5.00E-05 |
| -8.00E-05 |
| -1.00E-04 |


**Location Map**



Note: Negative velocity indicates  
downward flow

Filename: X:/NWF002/004-06/Maps/velz19\_1998.mxd  
Project: NWF002-004-06  
Revised: 04/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.32**  
**1998 Vertical Darcy Velocities for the**  
**Bucatunna Clay Confining Unit**  
**and Middle Portion of the**  
**Undifferentiated Floridan Aquifer System**  
**(Elemental Layer 11)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**

- 1.00E-03
- 8.00E-04
- 5.00E-04
- 1.00E-04
- 5.00E-05
- 1.10E-05
- 1.00E-06
- 0.00E+00
- 3.00E-06
- 5.00E-06
- 1.00E-05
- 5.00E-05

**Location Map**




Note: Negative velocity indicates  
downward flow

Filename: X:\NWF002\003-07\Old\_figures\velz11\_1998.apr  
Project: NWF002-003-07  
Created: 05/15/02 thraswell  
Revised: 04/28/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.33**  
**1998 Vertical Darcy**  
**Velocities for the Sub-Floridan**  
**(Elemental Layer 2)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**



**Location Map**




Note: Negative velocity indicates  
downward flow

Filename: X:\NWF002\003-07\Old\_figures\velz2\_1998.apr  
Project: NWF002-003-07  
Created: 05/15/02 thraswell  
Revised: 04/28/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002




**Figure 4.34**  
**1998 Darcy Velocities for**  
**Cross-Section A-A'**

**Northwest Florida**  
**Water Management District**




**Legend**

Velocities (ft/d)



Vertical Exaggeration 41:1


**Cross-Section Location Map**




Filename: X:\NWF002\003-07\Old\_figures\aa\vel\_1998.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 04/29/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002

Figure 4.35  
1998 Darcy Velocities for  
Cross-Section B-B'

Northwest Florida  
Water Management District




Legend



Vertical Exaggeration 41:1


Cross-Section Location Map



Filename: X:\NWF002\003-07\Old\_figures\bb'vel\_1998.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 04/29/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002


**Figure 4.36**  
**1998 Darcy Velocities for**  
**Cross-Section C-C'**

**Northwest Florida**  
**Water Management District**




**Legend**

Velocities (ft/d)




Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:\NWF002\003-07\Old\_figures\cc'vel\_1998.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 08/05/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002




Filename: X:\NWF002\003-07\Old\_figures  
 \water\_level\_loc.apr  
 Project: NWF002-003-07  
 Created: 05/15/02 tbraswell  
 Revised: 09/08/05 acarriger  
 Map Source: HydroGeoLogic GIS  
 Database 2002




### Legend

- County Boundary
- Hydrology
- Model Boundary
- ⊕ Well



**Figure 4.37**  
**Water Level**  
**Location Map**




X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF



#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Environmental Head

**Figure 4.38**  
**Yellow River - Lower Floridan**  
**NWF ID 3555**  
**Water Level**



X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF




#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Freshwater Equivalent Head

**Figure 4.39**  
**Navarre Cement Plant**  
**NWF ID 1839**  
**Water Level**





X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF




#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Freshwater Equivalent Head

**Figure 4.40**  
**EAFB Metts Tower**  
**NWF ID 3642**  
**Water Level**






X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF



#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Freshwater Equivalent Head

**Figure 4.41**  
**Mary Esther #2**  
**NWF ID 2035**  
**Water Level**




X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF



#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Freshwater Equivalent Head

**Figure 4.42**  
**EAFB Field #5**  
**NWF ID 3923**  
**Water Level**




X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF



#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Environmental Head

**Figure 4.43**  
**Beal Cemetery - Lower Floridan**  
**NWF ID 2173**  
**Water Level**




X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF



#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Freshwater Equivalent Head

**Figure 4.44**  
**Okaloosa County School Board**  
**NWF ID 1894**  
**Water Level**




X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF



#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Freshwater Equivalent Head

**Figure 4.45**  
**Destin Water #1**  
**NWF ID 1687**  
**Water Level**




X:\NWF002\003-07\Graphs.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 05/05/03  
 Revised: 04/11/05 CF



#### Legend

- Observed Water Level
- MODFLOW Simulated Head
- DSTRAM Simulated Freshwater Equivalent Head

**Figure 4.46**  
**EAFB - Postil Point**  
**NWF ID 2994**  
**Water Level**



HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.47**  
**1998 Chloride Concentration for the**  
**Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- 250 — Chloride Concentration (mg/l)
- Model Boundary

Note: Effective porosity = 0.25


**Location Map**



Filename: X:\NWF002\003-07\Maps\chloride\_16\_1998.mxd  
 Project: NWF002-003-07  
 Revised: 07/25/05 acarriger  
 Map Source: HydroGeoLogic GIS  
 Database 2005







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.48**  
**1998 Chloride Concentration for the**  
**Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- 250 — Chloride Concentration (mg/l)
- Model Boundary

Note: Effective porosity = 0.25


**Location Map**



Filename: X:\NWF002\003-07\Old\_figures\chloride\_07\_1998.apr  
 Project: NWF002-003-07  
 Created: 05/15/02 tbraswell  
 Revised: 07/22/05 acarriger  
 Map Source: HydroGeoLogic GIS  
 Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.49**  
**Pre-Development and**  
**1998 Chloride Concentrations for the**  
**Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary
- 250 — Pre-Development Chloride Concentration (mg/l)  
(nx, ny, nz) = (146,72,21)
- 250 — 1998 Chloride Concentration (mg/l)  
(nx, ny, nz) = (146,72,21)


Note: Effective porosity = 0.25

**Location Map**



Filename: X:\NWF002\003-07\Old\_figures\chloride\_16\_pre-1998.apr  
Project: NWF002-003-07  
Created: 05/15/02 tbraswell  
Revised: 07/22/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.50**  
**Pre-Development and**  
**1998 Chloride Concentrations for the**  
**Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary
- 250 — Pre-Development Chloride Concentration (mg/l)  
(nx, ny, nz) = (146,72,21)
- 250 — 1998 Chloride Concentration (mg/l)  
(nx, ny, nz) = (146,72,21)

Note: Effective porosity = 0.25

**Location Map**



Filename: X:\NWF002\003-07\Old\_figures\chloride\_07\_pre-1998.apr  
Project: NWF002-003-07  
Created: 05/15/02 tbraswell  
Revised: 07/22/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002



**Figure 4.51**  
**1998 Chloride Concentration for**  
**Cross-Section A-A'**

**Northwest Florida**  
**Water Management District**




**Legend**


Chloride Concentration Contour (mg/L)

Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:\NWF002\003-07\Old\_figures\aa'Chlor\_1998.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 11/08/04 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002



**Figure 4.52**  
**1998 Chloride Concentration for**  
**Cross-Section B-B'**

**Northwest Florida**  
**Water Management District**




**Legend**


— Chloride Concentration Contour (mg/L)

Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:\NWF002\003-07\Old\_Figures\bb'Chlor\_1998.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 04/29/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002



**Figure 4.53**  
**1998 Chloride Concentration for**  
**Cross-Section C-C'**


**Northwest Florida**  
**Water Management District**




**Legend**

- Chloride Concentration Contour (mg/L)
- Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:\NWF002\003-07\cc'chlor\_1998.apr  
Project: NWF002-003-07  
Created: 05/28/02 tbraswell  
Revised: 08/05/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002





0 5 10  
SCALE IN MILES

Filename: X:\NWF002\003-07\Old\_figures\  
SR\_Mean\_Chloride.cdr  
Project: NWF002-003-07  
Created by: ACarriger 04/29/03  
Revised: 11/08/04 acarriger  
Source:




### Legend

- Mean Chloride Concentration in mg/L / Number of Samples
- Wells Open to Lower Floridan Aquifer
- Major City
- U. S. Highway
- Interstate Highway



**Figure 4.54**  
**Santa Rosa County**  
**Mean Chloride Concentration**  
**in the Floridan Aquifer System**  
**1998 - 2000**





0 5 10  
SCALE IN MILES

Filename: X:\NWF002\003-07\Old\_figures\  
Okaloosa\_Mean\_Chloride.cdr  
Project: NWF002-003-07  
Created by: ACarriger 04/29/03  
Revised: 11/08/04 acarriger  
Source:




**HYDRO**  
**GeoLogic** inc.

- Legend**
- Mean Chloride Concentration in mg/L / Number of Samples
  - Wells Open to Lower Floridan Aquifer
  - Major City
  - U. S. Highway
  - Interstate Highway



**Figure 4.55**  
**Okaloosa County**  
**Mean Chloride Concentration**  
**in the Floridan Aquifer System**  
**1998 - 2000**



HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.56**  
**Chloride Concentration**  
**Profile Location Map**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- Model Boundary


Location Map



Filename: X:/NWF002/003-07/Maps/chloride\_profile.mxd  
Project: NWF002-003-07  
Revised: 07/20/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005








Filename: X:\NWF002\003-07\Old\_figures\Concentration\_Profiles.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 03/29/03  
 Revised: 11/08/04 asc  
 Source:



**Figure 4.57**

**Tiger Point Concentration Profile**




Filename: X:\NWF002\003-07\Old\_figures\Concentration\_Profiles.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 03/29/03  
 Revised: 11/08/04 asc  
 Source:



**Figure 4.58**


**Yellow River Concentration Profile**



Filename: X:\NWF002\003-07\Old\_figures\Concentration\_Profiles.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 03/29/03  
 Revised: 11/08/04 asc  
 Source:



**Figure 4.59**  
**Navarre Beach Concentration Profile**




Filename: X:\NWF002\003-07\Old\_figures\Concentration\_Profiles.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 03/29/03  
 Revised: 11/08/04 asc  
 Source:



**Figure 4.60**


**Lisa Jackson Park Concentration Profile**



Filename: X:\NWF002\003-07\Old\_figures\Concentration\_Profiles.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 03/29/03  
 Revised: 11/08/04 asc  
 Source:



**Figure 4.61**  
**Beal Cemetery Concentration Profile**




Filename: X:\NWF002\003-07\Old\_figures\Concentration\_Profiles.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 03/29/03  
 Revised: 11/08/04 asc  
 Source:



**Figure 4.62**

**EAFB Field 4 Concentration Profile**




Filename: X:\NWF002\003-07\Old\_figures\Concentration\_Profiles.cdr  
 Project: NWF002-003-07  
 Created by: ACarriger 03/29/03  
 Revised: 11/08/04 asc  
 Source:



**Figure 4.63**

**Destin Concentration Profile**



HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.64**  
**1990 MODFLOW Simulation**  
**Head for the**  
**Upper Floridan Aquifer**  
**(Layer 3)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- 20- Head (ft)
- Model Boundary


**Location Map**



Filename: X:/NWF002/003-07/13\_hd\_1990.mxd  
Project: NWF002-003-06  
Revised: 04/1105 CF  
Map Source: HydroGeoLogic GIS  
Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.65**  
**1990 MODFLOW Simulation**  
**Head for the**  
**Lower Floridan Aquifer**  
**(Layer 5)**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- Head (ft)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/l5\_hd\_1990.mxd  
Project: NWF002-004-06  
Revised: 04/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.66**  
**1990 Equivalent**  
**Freshwater Head for the**  
**Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 20 — Equivalent Freshwater Head (ft)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/l16\_efhd\_1990.mxd  
Project: NWF002-004-06  
Revised: 04/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.67**  
**1990 Equivalent**  
**Freshwater Head for the**  
**Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- Equivalent Freshwater Head (ft)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/l7\_efhd\_1990.mxd  
Project: NWF002-004-06  
Revised: 04/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.68**  
**1990 Equivalent**  
**Freshwater Head for the**  
**Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**  
**Reduced Flow from Bottom**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 20 - Equivalent Freshwater Head (ft)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/l16\_efhd\_rfb\_1990.mxd  
Project: NWF002-004-06  
Revised: 04/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 4.69**  
**1990 Equivalent**  
**Freshwater Head for the**  
**Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**  
**Reduced Flow from Bottom**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- 20 Equivalent Freshwater Head (ft)
- Model Boundary


**Location Map**



Filename: X:/NWF002/004-06/Maps/l7\_efhd\_rfb\_1990.mxd.mxd  
Project: NWF002-004-06  
Revised: 04/27/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005








Filename: X:\NWF002\003-07\chart-1.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 04/27/05 asc  
 Source: HydroGeoLogic, Inc.




**Figure 5.1**  
**RMS and Mean Head Change from**  
**Pre-Development Base Case for the Upper**  
**and Lower Floridan Aquifers Combined**



Filename: X:\NWF002\003-07\chart-2.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 04/29/05 asc  
 Source: HydroGeoLogic, Inc.



**Figure 5.2**  
**RMS and Mean Chloride Change from**  
**Pre-Development Base Case for the Upper**  
**Floridan Aquifer**




Filename: X:\NWF002\003-07\chart-3.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 04/29/05 asc  
 Source: HydroGeoLogic, Inc.



**Figure 5.3**  
**RMS and Mean Chloride Change from**  
**Pre-Development Base Case for the**  
**Lower Floridan Aquifer**






Filename: X:\NWF002\003-07\chart-4.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 04/29/05 asc  
 Source: HydroGeoLogic, Inc.




**Figure 5.4**  
**RMS and Mean Chloride Change from**  
**Pre-Development Base Case for the Upper Floridan**  
**Aquifer at Select Nodes 3 miles Offshore**



Filename: X:\NWF002\003-07\chart-5.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 04/27/05 asc  
 Source: HydroGeoLogic, Inc.




**Figure 5.5**  
**RMS and Mean Chloride Change from**  
**Pre-Development Base Case for**  
**the Lower Floridan Aquifer at Select Nodes**  
**near the Bucatunna Clay Pinchout**



Filename: X:\NWF002\003-07\chart-9.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 07/21/05 asc  
 Source: HydroGeoLogic, Inc.



**Figure 5.6**  
**RMS and Mean Head Error for the**  
**Upper and Lower Floridan Aquifers Combined**




Filename: X:\NWF002\003-07\chart-6.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 07/21/05 asc  
 Source: HydroGeoLogic, Inc.



**HYDRO**  
 Geologic  
 INC.


**Figure 5.7**  
**RMS and Mean Head Change from**  
**Post-Development Base Case for the**  
**Upper and Lower Floridan Aquifers Combined**



Filename: X:\NWF002\003-07\chart-10.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 07/21/05 asc  
 Source: HydroGeoLogic, Inc.




**Figure 5.8**  
**RMS and Mean Chloride Error for the**  
**Upper Floridan Aquifer**



Filename: X:\NWF002\003-07\chart-11.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 07/21/05 asc  
 Source: HydroGeoLogic, Inc.




**Figure 5.9**  
**RMS and Mean Chloride Error for the**  
**Lower Floridan Aquifer**



Filename: X:\NWF002\003-07\chart-7.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 07/21/05 asc  
 Source: HydroGeoLogic, Inc.



**Figure 5.10**  
**RMS and Mean Chloride Change from**  
**Post-Development Base Case for the**  
**Upper Floridan Aquifer**




Filename: X:\NWF002\003-07\chart-8.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 07/21/05 asc  
 Source: HydroGeoLogic, Inc.



**Figure 5.11**  
**RMS and Mean Chloride Change from**  
**Post-Development Base Case for the**  
**Lower Floridan Aquifer**






Filename: X:\NWF002\003-07\chart-6a.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 04/13/05 cf  
 Source: HydroGeoLogic, Inc.




**Figure 5.12**  
**RMS and Mean Drawdown from**  
**Pre-Development to 1998 for the**  
**Upper and Lower Floridan Aquifers Combined**



Filename: X:\NWF002\003-07\chart-7a.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 04/27/05 asc  
 Source: HydroGeoLogic, Inc.




**Figure 5.13**  
**RMS and Mean Chloride Change from**  
**Pre-Development to 1998**  
**for the Upper Floridan Aquifer**



Filename: X:\NWF002\003-07\chart-8a.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/02/04  
 Revised: 04/27/05 asc  
 Source: HydroGeoLogic, Inc.



**Figure 5.14**  
**RMS and Mean Chloride Change from**  
**Pre-Development to 1998**  
**for the Lower Floridan Aquifer**



HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 5.15**  
**Selected Locations for Assessment**  
**of Model Results**  
**(with Location Reference Number)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- Intermediate System (Element Layer 19)
- Upper Floridan Aquifer (Element Layer 16, Node Slice 16)
- Lower Floridan Aquifer (Element Layer 8, Node Slice 9)
- Model Boundary

**Location Map**




Filename: X:/NWF002/003-07/Model\_Assess\_locations.mxd  
Project: NWF002-004-06  
Revised: 04/22/05 ASC  
Map Source: HydroGeoLogic GIS  
Database 2002



0 5 10  
SCALE IN MILES





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 6.1**  
**Predictive Simulation Equivalent**  
**Freshwater Head at Year 2050**  
**for the Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 20 - Equivalent Freshwater Head (ft)  
(nx, ny, nz) = (146,72,21)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/psefh\_L16.mxd  
Project: NWF002-004-06  
Revised: 04/13/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 6.2**  
**Predictive Simulation Equivalent**  
**Freshwater Head at Year 2050**  
**for the Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- Equivalent Freshwater Head (ft)  
(nx, ny, nz) = (146,72,21)
- Model Boundary


**Location Map**



Filename: X:/NWF002/004-06/Maps/psefh\_L7.mxd  
Project: NWF002-004-06  
Revised: 04/13/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 6.3**  
**Predictive Simulation Darcy Velocity at**  
**Year 2050 for the Upper Floridan Aquifer**  
**(Elemental Layer 15, mid-aquifer)**

**Northwest Florida**  
**Water Management District**



**Legend**

County Boundary


Hydrology

Model Boundary

Velocities (ft/d)


|       |
|-------|
| 0.03  |
| 0.02  |
| 0.012 |
| 0.008 |
| 0.004 |
| 0.002 |
| 0.001 |

Location Map



Filename: X:/NWF002/004-06/Map/Vel\_lay15.mxd  
Project: NWF002-004-06  
Revised: 04/13/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2002





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 6.4**  
**Predictive Simulation Darcy Velocity at**  
**Year 2050 for the Lower Floridan Aquifer**  
**(Elemental Layer 6, mid-aquifer)**

**Northwest Florida**  
**Water Management District**




**Legend**

- County Boundary
- Hydrology
- Model Boundary

**Velocities (ft/d)**




**Location Map**



Filename: X:/NWF002/003-07/Map/Vel\_lay06.mxd  
Project: NWF002-003-07  
Revised: 07/21/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2002







HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 6.5**  
**Pre-Development and 2050**  
**Predictive Simulation Chloride**  
**Concentrations for**  
**the Upper Floridan Aquifer**  
**(Nodal Layer 16, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**


- County Boundary
- Hydrology
- 50 — Predictive Chloride Concentration (mg/l)  
(nx, ny, nz) = (146, 72, 21)
- 50 — Pre-Development Chloride Concentration (mg/l)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/  
Chlor\_Conc\_PreDev-2050\_L16.mxd  
Project: NWF002-004-06  
Revised: 04/13/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005





HydroGeoLogic, Inc.—Northwest Florida  
Water Management District

**Figure 6.6**  
**Pre-Development and 2050**  
**Predictive Simulation Chloride**  
**Concentrations for**  
**the Lower Floridan Aquifer**  
**(Nodal Layer 7, mid-aquifer)**


**Northwest Florida**  
**Water Management District**



**Legend**

- County Boundary
- Hydrology
- 50 — Predictive Chloride Concentration (mg/l)  
(nx, ny, nz) = (146, 72, 21)
- 50 — Pre-Development Chloride Concentration (mg/l)
- Model Boundary

**Location Map**



Filename: X:/NWF002/004-06/Maps/  
Chlor\_Conc\_PreDev-2050\_L7.mxd  
Project: NWF002-004-06  
Revised: 04/13/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005



**Figure 6.7**  
**2050 Predictive Simulation**  
**Chloride Concentration**  
**for Cross-Section A-A'**

**Northwest Florida**  
**Water Management District**




**Legend**


Chloride Concentration Contour (mg/L)

Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/004-06/Maps/aa'chlor\_2050\_x-sec.mxd  
Project: NWF002-004-06  
Revised: 04/13/05 tbraswell  
Map Source: HydroGeoLogic GIS  
Database 2005



**Figure 6.8**  
**2050 Predictive Simulation**  
**Chloride Concentration**  
**for Cross-Section B-B'**

**Northwest Florida**  
**Water Management District**




**Legend**


Chloride Concentration Contour (mg/L)

Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/004-06/Maps/bb'chlor\_2050\_x-sec.mxd  
Project: NWF002-004-06  
Revised: 04/26/05 acarriger  
Map Source: HydroGeoLogic GIS  
Database 2005



**Figure 6.9**  
**2050 Predictive Simulation**  
**Chloride Concentration**  
**for Cross-Section C-C'**

**Northwest Florida**  
**Water Management District**




**Legend**


Chloride Concentration Contour (mg/L)


Vertical Exaggeration 41:1

**Cross-Section Location Map**



Filename: X:/NWF002/003-07/Maps/cc'chlor\_2050\_x-sec.mxd  
Project: NWF002-003-07  
Revised: 08/08/05 acarriger  
Map Source: HydroGeologic GIS  
Database 2005






Filename: X:\NWF002\003-07\Tiger\_Point.cdr  
 Project: NWF002-003-07  
 Created by: cfarmer 11/08/04  
 Revised: 04/13/05 cf  
 Source: HydroGeoLogic, Inc.



**Figure 6.10**  
**Concentration Profile at Tiger Point**  
**for Pre-Development, 1998 and 2050 Simulations**




Filename: X:\NWF002\003-07\Yellow\_River.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/08/04  
 Revised: 04/13/05 cf  
 Source: HydroGeoLogic, Inc.



**Figure 6.11**  
**Concentration Profile at Yellow River**  
**for Pre-Development, 1998 and 2050 Simulations**






Filename: X:\NWF002\003-07\Navarre\_Beach.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/08/04  
 Revised: 04/13/05 cf  
 Source: HydroGeoLogic, Inc.



**Figure 6.12**  
**Concentration Profile at Navarre Beach**  
**for Pre-Development, 1998 and 2050 Simulations**






Filename: X:\NWF002\003-07\Lisa\_Jackson.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/08/04  
 Revised: 04/13/05 cf  
 Source: HydroGeoLogic, Inc.




**Figure 6.13**  
**Concentration Profile at Lisa Jackson Park**  
**for Pre-Development, 1998 and 2050 Simulations**



Filename: X:\NWF002\003-07\Beal\_Cemetery.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/08/04  
 Revised: 04/13/05 cf  
 Source: HydroGeoLogic, Inc.




**Figure 6.14**  
**Concentration Profile at Beal Cemetery**  
**for Pre-Development, 1998 and 2050 Simulations**



Filename: X:\NWF002\003-07\EAFFB\_Field4.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/08/04  
 Revised: 04/13/05 cf  
 Source: HydroGeoLogic, Inc.



**Figure 6.15**  
**Concentration Profile at EAFB Field 4**  
**for Pre-Development, 1998 and 2050 Simulations**



Filename: X:\NWF002\003-07\Destin.cdr  
 Project: NWF002-004-06  
 Created by: cfarmer 11/08/04  
 Revised: 04/13/05 cf  
 Source: HydroGeoLogic, Inc.



**Figure 6.16**  
**Concentration Profile at Destin**  
**for Pre-Development, 1998 and 2050 Simulations**

## **TABLES**

**Table 2.1**  
**Variation of Chloride Content with Depth for the FREEPORT REMOTE OBS (7233) Well**

| <b>Freeport Remote Observation Well</b>            |                                                          |
|----------------------------------------------------|----------------------------------------------------------|
| <b>estimated chloride concentration<br/>(mg/L)</b> | <b>point sample interval<br/>(ft below land surface)</b> |
| 0                                                  | 250                                                      |
| 0                                                  | 350                                                      |
| 0                                                  | 450                                                      |
| 0                                                  | 530                                                      |
| 0                                                  | 575                                                      |
| 21                                                 | 595                                                      |
| 500                                                | 610                                                      |
| 4300                                               | 650                                                      |
| 5300                                               | 700                                                      |
| 7100                                               | 750                                                      |
| 8900                                               | 770                                                      |

Note: Chloride concentrations estimated from fluid resistivity logs.

**Table 2.2**  
**Variation of Chloride Content with Depth for the WRP LOWER FLRD TEST (7260) Well**

| <b>WRP Lower Floridan Monitor Well</b>            |                                                                 |
|---------------------------------------------------|-----------------------------------------------------------------|
| <b>measured chloride concentration<br/>(mg/L)</b> | <b>midpoint of sampled interval<br/>(ft below land surface)</b> |
| 1200                                              | 948                                                             |
| 1590                                              | 980                                                             |
| 2240                                              | 1020                                                            |
| 2930                                              | 1060                                                            |
| 3860                                              | 1075                                                            |
| 6370                                              | 1110                                                            |
| 7280                                              | 1150                                                            |
| 7790                                              | 1185                                                            |
| 8600                                              | 1220                                                            |
| 9580                                              | 1320                                                            |
| 16900                                             | 1402                                                            |

Note: Chloride concentrations obtained from packer samples.

**Table 2.3**  
**Variation of Chloride Content with Depth for the NFWWMD TIGER POINT (7686) Well**

| <b>NFWWMD Tiger Point Upper Floridan Monitor Well</b> |                                                                                      |
|-------------------------------------------------------|--------------------------------------------------------------------------------------|
| <b>measured chloride concentration<br/>(mg/L)</b>     | <b>depth of penetration at time of sample collection<br/>(ft below land surface)</b> |
| 340                                                   | 1200                                                                                 |
| 390                                                   | 1220                                                                                 |
| 410                                                   | 1240                                                                                 |
| 420                                                   | 1260                                                                                 |
| 520                                                   | 1280                                                                                 |
| 590                                                   | 1300                                                                                 |

Note: Chloride concentrations obtained from drill stem samples.

**Table 4.1**  
**Water Balance for Pre-Development Conditions**

|                   | <b>Flow In<br/>(Mgal/day)</b> | <b>Percent<br/>of Total</b> | <b>Flow Out<br/>(Mgal/day)</b> | <b>Percent<br/>of Total</b> |
|-------------------|-------------------------------|-----------------------------|--------------------------------|-----------------------------|
| Northern Boundary | 5.58                          | 23.76                       | 0.05                           | 0.23                        |
| Southern Boundary | 5.70                          | 24.27                       | 6.46                           | 27.51                       |
| Eastern Boundary  | 2.90                          | 12.35                       | 6.42                           | 27.31                       |
| Western Boundary  | 6.50                          | 27.65                       | 6.61                           | 28.14                       |
| Top Boundary      | 1.20                          | 5.09                        | 3.95                           | 16.80                       |
| Bottom Boundary   | 1.61                          | 6.87                        | 0.00                           | 0.00                        |
| Total             | 23.49                         | 100.00                      | 23.49                          | 100.00                      |

**Table 4.2**  
**Chloride Balance for Pre-Development Conditions**

|                   | Advective Flux      |                        |                      |                     | Dispersive Flux     |                        |                      |                        |
|-------------------|---------------------|------------------------|----------------------|---------------------|---------------------|------------------------|----------------------|------------------------|
|                   | Flow In<br>(Kg/day) | Percent<br>of<br>Total | Flow Out<br>(Kg/day) | Percent<br>of Total | Flow In<br>(Kg/day) | Percent<br>of<br>Total | Flow Out<br>(Kg/day) | Percent<br>of<br>Total |
| Northern Boundary | 1641                | 0.14                   | 288                  | 0.02                | 547                 | 4.81                   | 396                  | 35.41                  |
| Southern Boundary | 410151              | 34.06                  | 454474               | 37.17               | 8689                | 76.50                  | 19                   | 1.72                   |
| Eastern Boundary  | 188832              | 15.68                  | 319831               | 26.16               | 911                 | 8.02                   | 186                  | 16.61                  |
| Western Boundary  | 412767              | 34.28                  | 416590               | 34.07               | 416                 | 3.66                   | 15                   | 1.30                   |
| Top Boundary      | 80026               | 6.65                   | 31462                | 2.57                | 34                  | 0.30                   | 205                  | 18.34                  |
| Bottom Boundary   | 110617              | 9.19                   | 0                    | 0.00                | 761                 | 6.70                   | 298                  | 26.61                  |
| Total             | 1204034             | 100.00                 | 1222644              | 100.00              | 11358               | 100.00                 | 1118                 | 100.00                 |



**Table 4.3a**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958**

[illegible]

**Table 4.3a (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958**

[illegible]

**Table 4.3a (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958**

[illegible]

**Table 4.3a (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958**

| NWF ID | Well Name            | 1942<br>Pumping<br>(gpd) | 1943<br>Pumping<br>(gpd) | 1944<br>Pumping<br>(gpd) | 1945<br>Pumping<br>(gpd) | 1946<br>Pumping<br>(gpd) | 1947<br>Pumping<br>(gpd) | 1948<br>Pumping<br>(gpd) | 1949<br>Pumping<br>(gpd) | 1950<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 3231   | NICEVILLE #8         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3240   | VALPARAISO #2        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3256   | NICEVILLE #2         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3258   | VALPARAISO #1        | 0.0                      | 0.0                      | 0.0                      | -30000.0                 | -35000.0                 | -39000.0                 | -44000.0                 | -48000.0                 | -53000.0                 |
| 3295   | VALPARAISO #3        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3326   | NICEVILLE #6         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3350   | NICEVILLE #1         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -100000.0                |
| 3367   | NICEVILLE #3         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3432   | NICEVILLE #10        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3457   | NICEVILLE #5         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3482   | NICEVILLE #4         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3770   | PRIMARY INJECTION    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 5942   | OCWS/SEASHORE VIL #4 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6006   | EAFB MAIN #2A BLDG82 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6024   | VILLA TASSO #2       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 7209   | OC-11 (FOREST)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 7998   | ISL-5 (CAROUSEL)     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 8006   | ISL-3 (AMUSEMENT PK) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 8209   | CEMEX FLD @ DESTIN   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
|        | <b>Total</b>         | -1650000.0               | -1851000.0               | -2052000.0               | -2283000.0               | -2513000.0               | -2743000.0               | -2973000.0               | -3203000.0               | -3533000.1               |

**Table 4.3a (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958**

| NWF ID | Well Name            | 1951<br>Pumping<br>(gpd) | 1952<br>Pumping<br>(gpd) | 1953<br>Pumping<br>(gpd) | 1954<br>Pumping<br>(gpd) | 1955<br>Pumping<br>(gpd) | 1956<br>Pumping<br>(gpd) | 1957<br>Pumping<br>(gpd) | 1958<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1369   | NAVARR BEACH #3      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1444   | NAVARR BEACH #1      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1481   | SWU #6               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1483   | NAVARR BEACH #2      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1586   | DWU #7               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1601   | DWU #2               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1604   | US COAST GUARD #1    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1611   | DWU #8               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1654   | DWU #3               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1661   | DWU #9               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1664   | EAFB A-13 BLDG 9296  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -33333.3                 | -36000.0                 |
| 1687   | DWU #1               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1688   | ISL-7 (JOHN BEASLEY) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1696   | ISL-1 (MONITOR)      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1697   | EAFB A-11 BLDG 9262  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -33333.3                 | -36000.0                 |
| 1710   | ISL-2 (EAST TANK)    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1714   | ISL-4 (TREAT PLANT)  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -100000.0                | -112500.0                | -125000.0                | -137500.0                |
| 1736   | EAFB A-6 BLDG 8552   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -33333.3                 | -36000.0                 |
| 1742   | ISL-6 (EL MATADOR)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1796   | DWU #5               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1838   | DWU #4               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1841   | HOLLEY-NAVARR #4     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1887   | MIDWAY #1            | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1901   | FWB #1               | -115000.0                | -128666.7                | -142333.3                | -156000.0                | -169666.7                | -183333.3                | -186000.0                | -234500.0                |
| 1940   | MARY ESTHER #3       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2023   | MARY ESTHER #1       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -150000.0                |
| 2031   | MARY ESTHER #4       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2035   | MARY ESTHER #2       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |

**Table 4.3a (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958**

| NWF ID | Well Name            | 1951<br>Pumping<br>(gpd) | 1952<br>Pumping<br>(gpd) | 1953<br>Pumping<br>(gpd) | 1954<br>Pumping<br>(gpd) | 1955<br>Pumping<br>(gpd) | 1956<br>Pumping<br>(gpd) | 1957<br>Pumping<br>(gpd) | 1958<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2040   | OCWS/SEASHORE VIL #2 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2046   | OCWS/SEASHORE VIL #1 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2048   | OCWS/SEASHORE VIL #3 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2053   | HOLLEY-NAVARRE #3    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2073   | EAFB HURL #1 #90308  | -399000.0                | -411000.0                | -422000.0                | -216500.0                | -222000.0                | -227500.0                | -233000.0                | -238500.0                |
| 2085   | FWB #5               | -115000.0                | -128666.7                | -142333.3                | -156000.0                | -169666.7                | -183333.3                | -186000.0                | -234500.0                |
| 2093   | FWB #2               | -115000.0                | -128666.7                | -142333.3                | -156000.0                | -169666.7                | -183333.3                | -186000.0                | -234500.0                |
| 2099   | FWB #3               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -186000.0                | -234500.0                |
| 2108   | FWB #8               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2113   | EAFB HURL #5 #90355  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2134   | EAFB HURL #2 #90601  | 0.0                      | 0.0                      | 0.0                      | -216500.0                | -222000.0                | -227500.0                | -233000.0                | -238500.0                |
| 2139   | FWB #9               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2146   | FWB #11              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2168   | EAFB HURL #7 #91136  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2236   | OC-9 (NORTHGATE)     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2318   | MIDWAY #2            | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2320   | HOLLEY-NAVARRE #1    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2404   | OC-1 (OFFICE)        | -316000.0                | -339666.7                | -363666.7                | -387666.7                | -411666.7                | -435666.7                | -459666.7                | -483666.7                |
| 2463   | OC-10 (LOWERY)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2506   | OC-3 (NEWCASTLE)     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2508   | OC-4 (GREEN STREET)  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2554   | OC-6 (HAWKINS ROAD)  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2581   | OC-5 (SHALIMAR)      | -316000.0                | -339666.7                | -363666.7                | -387666.7                | -411666.7                | -435666.7                | -459666.7                | -483666.7                |
| 2584   | OC-7(SHALIMAR ANNEX) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2627   | HOLLEY-NAVARRE #2    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2651   | MOODY KELLY #1       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2735   | EAFB HOUS#13 #2985   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2750   | EAFB HOUS #12 #2829  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2758   | FWB #7               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2759   | OC-8 (GREEN ACRES)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |

**Table 4.3a (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958**

| NWF ID | Well Name            | 1951<br>Pumping<br>(gpd) | 1952<br>Pumping<br>(gpd) | 1953<br>Pumping<br>(gpd) | 1954<br>Pumping<br>(gpd) | 1955<br>Pumping<br>(gpd) | 1956<br>Pumping<br>(gpd) | 1957<br>Pumping<br>(gpd) | 1958<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2762   | EAFB HOUS #16 #2755  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2787   | EAFB HOUS #11 #10634 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2792   | FWB #10              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2807   | FWB #6               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2814   | BLUEWATER #4         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2815   | EAFB HOUS #10 #10941 | -273142.8                | -287714.3                | -302142.8                | -316571.4                | -331142.9                | -345571.4                | -252000.0                | -238363.6                |
| 2825   | EAFB HOUS #8 #2594   | -273142.8                | -287714.3                | -302142.8                | -316571.4                | -331142.9                | -345571.4                | -252000.0                | -238363.6                |
| 2860   | EAFB HOUS #9 #10000  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -252000.0                | -238363.6                |
| 2874   | OC-2 (LONGWOOD)      | -316000.0                | -339666.7                | -363666.7                | -387666.7                | -411666.7                | -435666.7                | -459666.7                | -483666.7                |
| 2884   | EAFB HOUS #7 #2590   | -273142.8                | -287714.3                | -302142.8                | -316571.4                | -331142.9                | -345571.4                | -252000.0                | -238363.6                |
| 2891   | BLUEWATER #2         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2909   | SOUTH GOLF COURSE    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2953   | SEMINOLE #5          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2958   | EAFB HOUS #14 #1308  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2971   | SEMINOLE #1          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2972   | SEMINOLE #6          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2973   | WELL #6              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2984   | EAFB MAIN #5 #616    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -252000.0                | -238363.6                |
| 2985   | EAFB MAIN #4 #303    | -273142.8                | -287714.3                | -302142.8                | -316571.4                | -331142.9                | -345571.4                | -252000.0                | -238363.6                |
| 3004   | EAFB HOUS #15 #1320  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -238363.6                |
| 3012   | EAFB MAIN #3 #31     | -273142.8                | -287714.3                | -302142.8                | -316571.4                | -331142.9                | -345571.4                | -252000.0                | -238363.6                |
| 3015   | EAFB MAIN #6 #62     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -252000.0                | -238363.6                |
| 3026   | OLD GOLF COURSE #1   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3033   | EAFB MAIN #2 #82     | -273142.8                | -287714.3                | -302142.8                | -316571.4                | -331142.9                | -345571.4                | -252000.0                | -238363.6                |
| 3049   | SEMINOLE #2          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3057   | SEMINOLE #3          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3063   | BLUEWATER #1 (AUX)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3071   | EAFB MAIN #1 #859    | -273142.8                | -287714.3                | -302142.8                | -316571.4                | -331142.9                | -345571.4                | -252000.0                | -238363.6                |
| 3091   | BLUEWATER #3         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3126   | VALPARAISO #4        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |

**Table 4.3a (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1942–1958**

| NWF ID | Well Name            | 1951<br>Pumping<br>(gpd) | 1952<br>Pumping<br>(gpd) | 1953<br>Pumping<br>(gpd) | 1954<br>Pumping<br>(gpd) | 1955<br>Pumping<br>(gpd) | 1956<br>Pumping<br>(gpd) | 1957<br>Pumping<br>(gpd) | 1958<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 3231   | NICEVILLE #8         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3240   | VALPARAISO #2        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3256   | NICEVILLE #2         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3258   | VALPARAISO #1        | -57000.0                 | -62000.0                 | -66000.0                 | -71000.0                 | -75000.0                 | -80000.0                 | -95000.0                 | -111000.0                |
| 3295   | VALPARAISO #3        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3326   | NICEVILLE #6         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3350   | NICEVILLE #1         | -62500.0                 | -75000.0                 | -87500.0                 | -100000.0                | -112500.0                | -125000.0                | -144500.0                | -164000.0                |
| 3367   | NICEVILLE #3         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3432   | NICEVILLE #10        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3457   | NICEVILLE #5         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3482   | NICEVILLE #4         | -62500.0                 | -75000.0                 | -87500.0                 | -100000.0                | -112500.0                | -125000.0                | -144500.0                | -164000.0                |
| 3770   | PRIMARY INJECTION    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 5942   | OCWS/SEASHORE VIL #4 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6006   | EAFB MAIN #2A BLDG82 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6024   | VILLA TASSO #2       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 7209   | OC-11 (FOREST)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 7998   | ISL-5 (CAROUSEL)     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 8006   | ISL-3 (AMUSEMENT PK) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -100000.0                | -112500.0                | -125000.0                | -137500.0                |
| 8209   | CEMEX FLD @ DESTIN   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
|        | <b>Total</b>         | -3785999.6               | -4042000.3               | -4295999.6               | -4550999.9               | -5006000.5               | -5285999.8               | -5843000.0               | -6459999.7               |



**Table 4.3b**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1959–1969**

| NWF ID | Well Name            | 1959<br>Pumping<br>(gpd) | 1960<br>Pumping<br>(gpd) | 1961<br>Pumping<br>(gpd) | 1962<br>Pumping<br>(gpd) | 1963<br>Pumping<br>(gpd) | 1964<br>Pumping<br>(gpd) | 1965<br>Pumping<br>(gpd) | 1966<br>Pumping<br>(gpd) | 1967<br>Pumping<br>(gpd) | 1968<br>Pumping<br>(gpd) | 1969<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1369   | NAVARRE BEACH #3     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1444   | NAVARRE BEACH #1     | 0.0                      | 0.0                      | -20000.0                 | -21500.0                 | -23000.0                 | -24500.0                 | -26000.0                 | -27500.0                 | -29000.0                 | -31000.0                 | -32500.0                 |
| 1481   | SWU #6               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1483   | NAVARRE BEACH #2     | 0.0                      | 0.0                      | -20000.0                 | -21500.0                 | -23000.0                 | -24500.0                 | -26000.0                 | -27500.0                 | -29000.0                 | -31000.0                 | -32500.0                 |
| 1586   | DWU #7               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1601   | DWU #2               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1604   | US COAST GUARD #1    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1611   | DWU #8               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1654   | DWU #3               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1661   | DWU #9               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1664   | EAFB A-13 BLDG 9296  | -38333.3                 | -40666.7                 | -43333.3                 | -30000.0                 | -26666.7                 | -26666.7                 | -23333.3                 | -23333.3                 | -20000.0                 | -20000.0                 | -19333.3                 |
| 1687   | DWU #1               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -200000.0                | -274000.0                | -348000.0                | -422000.0                | -496000.0                | -570000.0                |
| 1688   | ISL-7 (JOHN BEASLEY) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1696   | ISL-1 (MONITOR)      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1697   | EAFB A-11 BLDG 9262  | -38333.3                 | -40666.7                 | -43333.3                 | -30000.0                 | -26666.7                 | -26666.7                 | -23333.3                 | -23333.3                 | -20000.0                 | -20000.0                 | -19333.3                 |
| 1710   | ISL-2 (EAST TANK)    | 0.0                      | 0.0                      | 0.0                      | -125000.0                | -133333.3                | -141666.7                | -150000.0                | -158333.3                | -125000.0                | -131250.0                | -137500.0                |
| 1714   | ISL-4 (TREAT PLANT)  | -150000.0                | -162500.0                | -175000.0                | -125000.0                | -133333.3                | -141666.7                | -150000.0                | -158333.3                | -125000.0                | -131250.0                | -137500.0                |
| 1736   | EAFB A-6 BLDG 8552   | -38333.3                 | -40666.7                 | -43333.3                 | -30000.0                 | -26666.7                 | -26666.7                 | -23333.3                 | -23333.3                 | -20000.0                 | -20000.0                 | -19333.3                 |
| 1742   | ISL-6 (EL MATADOR)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -125000.0                | -131250.0                | -137500.0                |
| 1796   | DWU #5               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1838   | DWU #4               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1841   | HOLLEY-NAVARRE #4    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1887   | MIDWAY #1            | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1901   | FWB #1               | -282750.0                | -331250.0                | -379750.0                | -342400.0                | -381200.0                | -420000.0                | -385000.0                | -396666.7                | -436666.7                | -465714.3                | -391428.6                |
| 1940   | MARY ESTHER #3       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2023   | MARY ESTHER #1       | -171000.0                | -192000.0                | -214000.0                | -235000.0                | -256000.0                | -139000.0                | -149500.0                | -160000.0                | -170000.0                | -190000.0                | -180000.0                |
| 2031   | MARY ESTHER #4       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2035   | MARY ESTHER #2       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -139000.0                | -149500.0                | -160000.0                | -170000.0                | -190000.0                | -180000.0                |
| 2040   | OCWS/SEASHORE VIL #2 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2046   | OCWS/SEASHORE VIL #1 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -20000.0                 | -25000.0                 |
| 2048   | OCWS/SEASHORE VIL #3 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2053   | HOLLEY-NAVARRE #3    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2073   | EAFB HURL #1 #90308  | -244000.0                | -249500.0                | -255000.0                | -250000.0                | -335000.0                | -340000.0                | -325000.0                | -355000.0                | -310000.0                | -365000.0                | -345000.0                |
| 2085   | FWB #5               | -282750.0                | -331250.0                | -379750.0                | -342400.0                | -381200.0                | -420000.0                | -385000.0                | -396666.7                | -436666.7                | -465714.3                | -391428.6                |
| 2093   | FWB #2               | -282750.0                | -331250.0                | -379750.0                | -342400.0                | -381200.0                | -420000.0                | -385000.0                | -396666.7                | -436666.7                | -465714.3                | -391428.6                |

**Table 4.3b (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1959–1969**

| NWF ID | Well Name            | 1959<br>Pumping<br>(gpd) | 1960<br>Pumping<br>(gpd) | 1961<br>Pumping<br>(gpd) | 1962<br>Pumping<br>(gpd) | 1963<br>Pumping<br>(gpd) | 1964<br>Pumping<br>(gpd) | 1965<br>Pumping<br>(gpd) | 1966<br>Pumping<br>(gpd) | 1967<br>Pumping<br>(gpd) | 1968<br>Pumping<br>(gpd) | 1969<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2099   | FWB #3               | -282750.0                | -331250.0                | -379750.0                | -342400.0                | -381200.0                | -420000.0                | -385000.0                | -396666.7                | -436666.7                | -465714.3                | -391428.6                |
| 2108   | FWB #8               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -465714.3                | -391428.6                |
| 2113   | EAFB HURL #5 #90355  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2134   | EAFB HURL #2 #90601  | -244000.0                | -249500.0                | -255000.0                | -250000.0                | -335000.0                | -340000.0                | -325000.0                | -355000.0                | -310000.0                | -365000.0                | -345000.0                |
| 2139   | FWB #9               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2146   | FWB #11              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2168   | EAFB HURL #7 #91136  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2236   | OC-9 (NORTHGATE)     | 0.0                      | -398750.0                | -416750.0                | -434750.0                | -452750.0                | -470750.0                | -488750.0                | -506750.0                | -524750.0                | -542750.0                | -560750.0                |
| 2318   | MIDWAY #2            | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2320   | HOLLEY-NAVARRE #1    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2404   | OC-1 (OFFICE)        | -507666.7                | -398750.0                | -416750.0                | -434750.0                | -452750.0                | -470750.0                | -488750.0                | -506750.0                | -524750.0                | -542750.0                | -560750.0                |
| 2463   | OC-10 (LOWERY)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2506   | OC-3 (NEWCASTLE)     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2508   | OC-4 (GREEN STREET)  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2554   | OC-6 (HAWKINS ROAD)  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2581   | OC-5 (SHALIMAR)      | -507666.7                | -398750.0                | -416750.0                | -434750.0                | -452750.0                | -470750.0                | -488750.0                | -506750.0                | -524750.0                | -542750.0                | -560750.0                |
| 2584   | OC-7(SHALIMAR ANNEX) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2627   | HOLLEY-NAVARRE #2    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2651   | MOODY KELLY #1       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2735   | EAFB HOUS#13 #2985   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -265384.6                | -246428.6                |
| 2750   | EAFB HOUS #12 #2829  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 2758   | FWB #7               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -385000.0                | -396666.7                | -436666.7                | -465714.3                | -391428.6                |
| 2759   | OC-8 (GREEN ACRES)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2762   | EAFB HOUS #16 #2755  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2787   | EAFB HOUS #11 #10634 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2792   | FWB #10              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2807   | FWB #6               | 0.0                      | 0.0                      | 0.0                      | -342400.0                | -381200.0                | -420000.0                | -385000.0                | -396666.7                | -436666.7                | -465714.3                | -391428.6                |
| 2814   | BLUEWATER #4         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2815   | EAFB HOUS #10 #10941 | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 2825   | EAFB HOUS #8 #2594   | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 2860   | EAFB HOUS #9 #10000  | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 2874   | OC-2 (LONGWOOD)      | -507666.7                | -398750.0                | -416750.0                | -434750.0                | -452750.0                | -470750.0                | -488750.0                | -506750.0                | -524750.0                | -542750.0                | -560750.0                |
| 2884   | EAFB HOUS #7 #2590   | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 2891   | BLUEWATER #2         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2909   | SOUTH GOLF COURSE    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2953   | SEMINOLE #5          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2958   | EAFB HOUS #14 #1308  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -246428.6                |
| 2971   | SEMINOLE #1          | 0.0                      | -15000.0                 | -16000.0                 | -17500.0                 | -18500.0                 | -19500.0                 | -21000.0                 | -22000.0                 | -23000.0                 | -24500.0                 | -25500.0                 |

**Table 4.3b (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1959–1969**

| NWF ID | Well Name            | 1959<br>Pumping<br>(gpd) | 1960<br>Pumping<br>(gpd) | 1961<br>Pumping<br>(gpd) | 1962<br>Pumping<br>(gpd) | 1963<br>Pumping<br>(gpd) | 1964<br>Pumping<br>(gpd) | 1965<br>Pumping<br>(gpd) | 1966<br>Pumping<br>(gpd) | 1967<br>Pumping<br>(gpd) | 1968<br>Pumping<br>(gpd) | 1969<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2972   | SEMINOLE #6          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2973   | WELL #6              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2984   | EAFB MAIN #5 #616    | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 2985   | EAFB MAIN #4 #303    | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 3004   | EAFB HOUS #15 #1320  | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 3012   | EAFB MAIN #3 #31     | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 3015   | EAFB MAIN #6 #62     | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 3026   | OLD GOLF COURSE #1   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3033   | EAFB MAIN #2 #82     | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 3049   | SEMINOLE #2          | 0.0                      | -15000.0                 | -16000.0                 | -17500.0                 | -18500.0                 | -19500.0                 | -21000.0                 | -22000.0                 | -23000.0                 | -24500.0                 | -25500.0                 |
| 3057   | SEMINOLE #3          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3063   | BLUEWATER #1 (AUX)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3071   | EAFB MAIN #1 #859    | -247545.5                | -256818.2                | -266000.0                | -275181.8                | -284454.5                | -293636.4                | -256666.7                | -291666.7                | -317500.0                | -265384.6                | -246428.6                |
| 3091   | BLUEWATER #3         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3126   | VALPARAISO #4        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3231   | NICEVILLE #8         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3240   | VALPARAISO #2        | -63000.0                 | -70500.0                 | -78500.0                 | -86000.0                 | -62333.3                 | -67666.7                 | -72666.7                 | -77666.7                 | -83000.0                 | -88000.0                 | -93000.0                 |
| 3256   | NICEVILLE #2         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -200000.0                | -206666.7                | -213333.3                | -220000.0                | -226666.7                |
| 3258   | VALPARAISO #1        | -63000.0                 | -70500.0                 | -78500.0                 | -86000.0                 | -62333.3                 | -67666.7                 | -72666.7                 | -77666.7                 | -83000.0                 | -88000.0                 | -93000.0                 |
| 3295   | VALPARAISO #3        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -62333.3                 | -67666.7                 | -72666.7                 | -77666.7                 | -83000.0                 | -88000.0                 | -93000.0                 |
| 3326   | NICEVILLE #6         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3350   | NICEVILLE #1         | -183500.0                | -203000.0                | -222000.0                | -241500.0                | -261000.0                | -280500.0                | -200000.0                | -206666.7                | -213333.3                | -220000.0                | -226666.7                |
| 3367   | NICEVILLE #3         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3432   | NICEVILLE #10        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3457   | NICEVILLE #5         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3482   | NICEVILLE #4         | -183500.0                | -203000.0                | -222000.0                | -241500.0                | -261000.0                | -280500.0                | -200000.0                | -206666.7                | -213333.3                | -220000.0                | -226666.7                |
| 3770   | PRIMARY INJECTION    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 5942   | OCWS/SEASHORE VIL #4 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6006   | EAFB MAIN #2A BLDG82 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6024   | VILLA TASSO #2       | 0.0                      | -10000.0                 | -11000.0                 | -12000.0                 | -12000.0                 | -13000.0                 | -14000.0                 | -15000.0                 | -16000.0                 | -16000.0                 | -17000.0                 |
| 7209   | OC-11 (FOREST)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 7998   | ISL-5 (CAROUSEL)     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 8006   | ISL-3 (AMUSEMENT PK) | -150000.0                | -162500.0                | -175000.0                | -125000.0                | -133333.3                | -141666.7                | -150000.0                | -158333.3                | -125000.0                | -131250.0                | -137500.0                |
| 8209   | CEMEX FLD @ DESTIN   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
|        | <b>Total</b>         | -6944000.5               | -7470000.3               | -7999999.9               | -8422999.8               | -9055999.4               | -9741000.7               | -10014000.4              | -10797000.6              | -11480000.1              | -12142999.9              | -11778000.6              |

**Table 4.3c**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1970–1982**

| NWF ID | Well Name            | 1970<br>Pumping<br>(gpd) | 1971<br>Pumping<br>(gpd) | 1972<br>Pumping<br>(gpd) | 1973<br>Pumping<br>(gpd) | 1974<br>Pumping<br>(gpd) | 1975<br>Pumping<br>(gpd) | 1976<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1369   | NAVARRE BEACH #3     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1444   | NAVARRE BEACH #1     | -34000.0                 | -35500.0                 | -37000.0                 | -38500.0                 | -40000.0                 | -45000.0                 | -60000.0                 |
| 1481   | SWU #6               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1483   | NAVARRE BEACH #2     | -34000.0                 | -35500.0                 | -37000.0                 | -38500.0                 | -40000.0                 | -45000.0                 | -60000.0                 |
| 1586   | DWU #7               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1601   | DWU #2               | 0.0                      | -359000.0                | -396000.0                | -433000.0                | -313333.3                | -290000.0                | -350000.0                |
| 1604   | US COAST GUARD #1    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -5000.0                  |
| 1611   | DWU #8               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1654   | DWU #3               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -313333.3                | -290000.0                | -350000.0                |
| 1661   | DWU #9               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1664   | EAFB A-13 BLDG 9296  | -18666.7                 | -18333.3                 | -17666.7                 | -17000.0                 | -16333.3                 | -15666.7                 | -15333.3                 |
| 1687   | DWU #1               | -644000.0                | -359000.0                | -396000.0                | -433000.0                | -313333.3                | -290000.0                | -350000.0                |
| 1688   | ISL-7 (JOHN BEASLEY) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1696   | ISL-1 (MONITOR)      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -112500.0                | -116666.7                | -120833.3                |
| 1697   | EAFB A-11 BLDG 9262  | -18666.7                 | -18333.3                 | -17666.7                 | -17000.0                 | -16333.3                 | -15666.7                 | -15333.3                 |
| 1710   | ISL-2 (EAST TANK)    | -143750.0                | -150000.0                | -156250.0                | -130000.0                | -112500.0                | -116666.7                | -120833.3                |
| 1714   | ISL-4 (TREAT PLANT)  | -143750.0                | -150000.0                | -156250.0                | -130000.0                | -112500.0                | -116666.7                | -120833.3                |
| 1736   | EAFB A-6 BLDG 8552   | -18666.7                 | -18333.3                 | -17666.7                 | -17000.0                 | -16333.3                 | -15666.7                 | -15333.3                 |
| 1742   | ISL-6 (EL MATADOR)   | -143750.0                | -150000.0                | -156250.0                | -130000.0                | -112500.0                | -116666.7                | -120833.3                |
| 1796   | DWU #5               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1838   | DWU #4               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1841   | HOLLEY-NAVARRE #4    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1887   | MIDWAY #1            | 0.0                      | 0.0                      | -100000.0                | -111000.0                | -122000.0                | -133000.0                | -141000.0                |
| 1901   | FWB #1               | -343750.0                | -366250.0                | -341888.9                | -331666.7                | -343333.3                | -321111.1                | -340000.0                |
| 1940   | MARY ESTHER #3       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2023   | MARY ESTHER #1       | -196000.0                | -175000.0                | -182000.0                | -150000.0                | -168000.0                | -168000.0                | -225000.0                |
| 2031   | MARY ESTHER #4       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2035   | MARY ESTHER #2       | -196000.0                | -175000.0                | -182000.0                | -150000.0                | -168000.0                | -168000.0                | -225000.0                |

**Table 4.3c (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1970–1982**

| NWF ID | Well Name            | 1970<br>Pumping<br>(gpd) | 1971<br>Pumping<br>(gpd) | 1972<br>Pumping<br>(gpd) | 1973<br>Pumping<br>(gpd) | 1974<br>Pumping<br>(gpd) | 1975<br>Pumping<br>(gpd) | 1976<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2040   | OCWS/SEASHORE VIL #2 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -130000.0                | -132500.0                | -135000.0                |
| 2046   | OCWS/SEASHORE VIL #1 | -30000.0                 | -60000.0                 | -90000.0                 | -120000.0                | -130000.0                | -132500.0                | -135000.0                |
| 2048   | OCWS/SEASHORE VIL #3 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2053   | HOLLEY-NAVARRE #3    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2073   | EAFB HURL #1 #90308  | -370000.0                | -243333.3                | -243333.3                | -206666.7                | -196666.7                | -236666.7                | -283333.3                |
| 2085   | FWB #5               | -343750.0                | -366250.0                | -341888.9                | -331666.7                | -343333.3                | -321111.1                | -340000.0                |
| 2093   | FWB #2               | -343750.0                | -366250.0                | -341888.9                | -331666.7                | -343333.3                | -321111.1                | -340000.0                |
| 2099   | FWB #3               | -343750.0                | -366250.0                | -341888.9                | -331666.7                | -343333.3                | -321111.1                | -340000.0                |
| 2108   | FWB #8               | -343750.0                | -366250.0                | -341888.9                | -331666.7                | -343333.3                | -321111.1                | -340000.0                |
| 2113   | EAFB HURL #5 #90355  | 0.0                      | -243333.3                | -243333.3                | -206666.7                | -196666.7                | -236666.7                | -283333.3                |
| 2134   | EAFB HURL #2 #90601  | -370000.0                | -243333.3                | -243333.3                | -206666.7                | -196666.7                | -236666.7                | -283333.3                |
| 2139   | FWB #9               | -343750.0                | -366250.0                | -341888.9                | -331666.7                | -343333.3                | -321111.1                | -340000.0                |
| 2146   | FWB #11              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2168   | EAFB HURL #7 #91136  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2236   | OC-9 (NORTHGATE)     | -462800.0                | -477200.0                | -409666.7                | -421666.7                | -433666.7                | -445666.7                | -457666.7                |
| 2318   | MIDWAY #2            | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2320   | HOLLEY-NAVARRE #1    | -60000.0                 | -90000.0                 | -90000.0                 | -160000.0                | -100000.0                | -120000.0                | -160000.0                |
| 2404   | OC-1 (OFFICE)        | -462800.0                | -477200.0                | -409666.7                | -421666.7                | -433666.7                | -445666.7                | -457666.7                |
| 2463   | OC-10 (LOWERY)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2506   | OC-3 (NEWCASTLE)     | -462800.0                | -477200.0                | -409666.7                | -421666.7                | -433666.7                | -445666.7                | -457666.7                |
| 2508   | OC-4 (GREEN STREET)  | 0.0                      | 0.0                      | -409666.7                | -421666.7                | -433666.7                | -445666.7                | -457666.7                |
| 2554   | OC-6 (HAWKINS ROAD)  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2581   | OC-5 (SHALIMAR)      | -462800.0                | -477200.0                | -409666.7                | -421666.7                | -433666.7                | -445666.7                | -457666.7                |
| 2584   | OC-7(SHALIMAR ANNEX) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2627   | HOLLEY-NAVARRE #2    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2651   | MOODY KELLY #1       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2735   | EAFB HOUS#13 #2985   | -251428.6                | -250000.0                | -322666.7                | -305333.3                | -286666.7                | -295333.3                | -266666.7                |
| 2750   | EAFB HOUS #12 #2829  | -251428.6                | -250000.0                | -322666.7                | -305333.3                | -286666.7                | -295333.3                | -266666.7                |
| 2758   | FWB #7               | -343750.0                | -366250.0                | -341888.9                | -331666.7                | -343333.3                | -321111.1                | -340000.0                |
| 2759   | OC-8 (GREEN ACRES)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |

**Table 4.3c (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1970–1982**

| <b>NWF ID</b> | <b>Well Name</b>     | <b>1970<br/>Pumping<br/>(gpd)</b> | <b>1971<br/>Pumping<br/>(gpd)</b> | <b>1972<br/>Pumping<br/>(gpd)</b> | <b>1973<br/>Pumping<br/>(gpd)</b> | <b>1974<br/>Pumping<br/>(gpd)</b> | <b>1975<br/>Pumping<br/>(gpd)</b> | <b>1976<br/>Pumping<br/>(gpd)</b> |
|---------------|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| 2762          | EAFB HOUS #16 #2755  | 0.0                               | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 2787          | EAFB HOUS #11 #10634 | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 2792          | FWB #10              | 0.0                               | 0.0                               | -341888.9                         | -331666.7                         | -343333.3                         | -321111.1                         | -340000.0                         |
| 2807          | FWB #6               | -343750.0                         | -366250.0                         | -341888.9                         | -331666.7                         | -343333.3                         | -321111.1                         | -340000.0                         |
| 2814          | BLUEWATER #4         | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 2815          | EAFB HOUS #10 #10941 | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 2825          | EAFB HOUS #8 #2594   | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 2860          | EAFB HOUS #9 #10000  | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 2874          | OC-2 (LONGWOOD)      | -462800.0                         | -477200.0                         | -409666.7                         | -421666.7                         | -433666.7                         | -445666.7                         | -457666.7                         |
| 2884          | EAFB HOUS #7 #2590   | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 2891          | BLUEWATER #2         | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | -200000.0                         |
| 2909          | SOUTH GOLF COURSE    | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 2953          | SEMINOLE #5          | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 2958          | EAFB HOUS #14 #1308  | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 2971          | SEMINOLE #1          | -27000.0                          | -28000.0                          | -29000.0                          | -30500.0                          | -31500.0                          | -32500.0                          | -34000.0                          |
| 2972          | SEMINOLE #6          | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 2973          | WELL #6              | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 2984          | EAFB MAIN #5 #616    | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 2985          | EAFB MAIN #4 #303    | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 3004          | EAFB HOUS #15 #1320  | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 3012          | EAFB MAIN #3 #31     | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 3015          | EAFB MAIN #6 #62     | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 3026          | OLD GOLF COURSE #1   | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 3033          | EAFB MAIN #2 #82     | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 3049          | SEMINOLE #2          | -27000.0                          | -28000.0                          | -29000.0                          | -30500.0                          | -31500.0                          | -32500.0                          | -34000.0                          |
| 3057          | SEMINOLE #3          | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 3063          | BLUEWATER #1 (AUX)   | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 3071          | EAFB MAIN #1 #859    | -251428.6                         | -250000.0                         | -322666.7                         | -305333.3                         | -286666.7                         | -295333.3                         | -266666.7                         |
| 3091          | BLUEWATER #3         | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 3126          | VALPARAISO #4        | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |

**Table 4.3c (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1970–1982**

| NWF ID | Well Name            | 1970<br>Pumping<br>(gpd) | 1971<br>Pumping<br>(gpd) | 1972<br>Pumping<br>(gpd) | 1973<br>Pumping<br>(gpd) | 1974<br>Pumping<br>(gpd) | 1975<br>Pumping<br>(gpd) | 1976<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 3231   | NICEVILLE #8         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3240   | VALPARAISO #2        | -98333.3                 | -103333.3                | -123333.3                | -100000.0                | -133333.3                | -130000.0                | -150000.0                |
| 3256   | NICEVILLE #2         | -233333.3                | -246666.7                | -326666.7                | -305000.0                | -227000.0                | -207250.0                | -268750.0                |
| 3258   | VALPARAISO #1        | -98333.3                 | -103333.3                | -123333.3                | -100000.0                | -133333.3                | -130000.0                | -150000.0                |
| 3295   | VALPARAISO #3        | -98333.3                 | -103333.3                | -123333.3                | -100000.0                | -133333.3                | -130000.0                | -150000.0                |
| 3326   | NICEVILLE #6         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3350   | NICEVILLE #1         | -233333.3                | -246666.7                | -326666.7                | -305000.0                | -227000.0                | -207250.0                | -268750.0                |
| 3367   | NICEVILLE #3         | 0.0                      | 0.0                      | 0.0                      | -305000.0                | -227000.0                | -207250.0                | -268750.0                |
| 3432   | NICEVILLE #10        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3457   | NICEVILLE #5         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3482   | NICEVILLE #4         | -233333.3                | -246666.7                | -326666.7                | -305000.0                | -227000.0                | -207250.0                | -268750.0                |
| 3770   | PRIMARY INJECTION    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 446367.1                 | 812054.8                 |
| 5942   | OCWS/SEASHORE VIL #4 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6006   | EAFB MAIN #2A BLDG82 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6024   | VILLA TASSO #2       | -18000.0                 | -19000.0                 | -20000.0                 | -20000.0                 | -21000.0                 | -11000.0                 | -11000.0                 |
| 7209   | OC-11 (FOREST)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 7998   | ISL-5 (CAROUSEL)     | 0.0                      | 0.0                      | 0.0                      | -130000.0                | -112500.0                | -116666.7                | -120833.3                |
| 8006   | ISL-3 (AMUSEMENT PK) | -143750.0                | -150000.0                | -156250.0                | -130000.0                | -112500.0                | -116666.7                | -120833.3                |
| 8209   | CEMEX FLD @ DESTIN   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
|        | <b>Total</b>         | -12216000.3              | -12864999.8              | -14721000.8              | -14651000.1              | -14536000.2              | -14113632.9              | -14614945.5              |

**Table 4.3c (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1970–1982**

| NWF ID | Well Name            | 1977<br>Pumping<br>(gpd) | 1978<br>Pumping<br>(gpd) | 1979<br>Pumping<br>(gpd) | 1980<br>Pumping<br>(gpd) | 1981<br>Pumping<br>(gpd) | 1982<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1369   | NAVARRE BEACH #3     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1444   | NAVARRE BEACH #1     | -70000.0                 | -80000.0                 | -75000.0                 | -80000.0                 | -100000.0                | -115000.0                |
| 1481   | SWU #6               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1483   | NAVARRE BEACH #2     | -70000.0                 | -80000.0                 | -75000.0                 | -80000.0                 | -100000.0                | -115000.0                |
| 1586   | DWU #7               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1601   | DWU #2               | -400000.0                | -453333.3                | -462000.0                | -353000.0                | -393000.0                | -433250.0                |
| 1604   | US COAST GUARD #1    | -5000.0                  | -5000.0                  | -6000.0                  | -6000.0                  | -6000.0                  | -6000.0                  |
| 1611   | DWU #8               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1654   | DWU #3               | -400000.0                | -453333.3                | -462000.0                | -353000.0                | -393000.0                | -433250.0                |
| 1661   | DWU #9               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1664   | EAFB A-13 BLDG 9296  | -14666.7                 | -14000.0                 | -13333.3                 | -12666.7                 | -12333.3                 | -11666.7                 |
| 1687   | DWU #1               | -400000.0                | -453333.3                | -462000.0                | -353000.0                | -393000.0                | -433250.0                |
| 1688   | ISL-7 (JOHN BEASLEY) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1696   | ISL-1 (MONITOR)      | -125000.0                | -129166.7                | -133333.3                | -125000.0                | -116500.0                | 0.0                      |
| 1697   | EAFB A-11 BLDG 9262  | -14666.7                 | -14000.0                 | -13333.3                 | -12666.7                 | -12333.3                 | -11666.7                 |
| 1710   | ISL-2 (EAST TANK)    | -125000.0                | -129166.7                | -133333.3                | -125000.0                | -116500.0                | -52104.1                 |
| 1714   | ISL-4 (TREAT PLANT)  | -125000.0                | -129166.7                | -133333.3                | -125000.0                | -116500.0                | -134106.8                |
| 1736   | EAFB A-6 BLDG 8552   | -14666.7                 | -14000.0                 | -13333.3                 | -12666.7                 | -12333.3                 | -11666.7                 |
| 1742   | ISL-6 (EL MATADOR)   | -125000.0                | -129166.7                | -133333.3                | -125000.0                | -116500.0                | -168180.8                |
| 1796   | DWU #5               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1838   | DWU #4               | 0.0                      | 0.0                      | 0.0                      | -353000.0                | -393000.0                | -433250.0                |
| 1841   | HOLLEY-NAVARRE #4    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1887   | MIDWAY #1            | -150000.0                | -150000.0                | -221000.0                | -292000.0                | -475500.0                | -1108128.8               |
| 1901   | FWB #1               | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | 0.0                      |
| 1940   | MARY ESTHER #3       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2023   | MARY ESTHER #1       | -255000.0                | -259000.0                | -263000.0                | -267000.0                | -278000.0                | -289000.0                |
| 2031   | MARY ESTHER #4       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2035   | MARY ESTHER #2       | -255000.0                | -259000.0                | -263000.0                | -267000.0                | -278000.0                | -289000.0                |
| 2040   | OCWS/SEASHORE VIL #2 | -145000.0                | -125000.0                | -149500.0                | -173500.0                | -181500.0                | -189000.0                |
| 2046   | OCWS/SEASHORE VIL #1 | -145000.0                | -125000.0                | -149500.0                | -173500.0                | -181500.0                | -189000.0                |
| 2048   | OCWS/SEASHORE VIL #3 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2053   | HOLLEY-NAVARRE #3    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2073   | EAFB HURL #1 #90308  | -336666.7                | -266666.7                | -277000.0                | -256666.7                | -261000.0                | -265333.3                |
| 2085   | FWB #5               | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | -362333.3                |



**Table 4.3c (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1970–1982**

| NWF ID | Well Name            | 1977<br>Pumping<br>(gpd) | 1978<br>Pumping<br>(gpd) | 1979<br>Pumping<br>(gpd) | 1980<br>Pumping<br>(gpd) | 1981<br>Pumping<br>(gpd) | 1982<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2093   | FWB #2               | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | -362333.3                |
| 2099   | FWB #3               | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | -362333.3                |
| 2108   | FWB #8               | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | -362333.3                |
| 2113   | EAFB HURL #5 #90355  | -336666.7                | -266666.7                | -277000.0                | -256666.7                | -261000.0                | -265333.3                |
| 2134   | EAFB HURL #2 #90601  | -336666.7                | -266666.7                | -277000.0                | -256666.7                | -261000.0                | -265333.3                |
| 2139   | FWB #9               | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | -362333.3                |
| 2146   | FWB #11              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -362333.3                |
| 2168   | EAFB HURL #7 #91136  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2236   | OC-9 (NORTHGATE)     | -469666.7                | -481666.7                | -423142.8                | -445142.8                | -467285.7                | -428125.0                |
| 2318   | MIDWAY #2            | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -475500.0                | 0.0                      |
| 2320   | HOLLEY-NAVARRE #1    | -170000.0                | -170000.0                | -200000.0                | -200000.0                | -131500.0                | -163500.0                |
| 2404   | OC-1 (OFFICE)        | -469666.7                | -481666.7                | -423142.8                | -445142.8                | -467285.7                | -428125.0                |
| 2463   | OC-10 (LOWERY)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2506   | OC-3 (NEWCASTLE)     | -469666.7                | -481666.7                | -423142.8                | -445142.8                | -467285.7                | -428125.0                |
| 2508   | OC-4 (GREEN STREET)  | -469666.7                | -481666.7                | -423142.8                | -445142.8                | -467285.7                | -428125.0                |
| 2554   | OC-6 (HAWKINS ROAD)  | 0.0                      | 0.0                      | -423142.8                | -445142.8                | -467285.7                | -428125.0                |
| 2581   | OC-5 (SHALIMAR)      | -469666.7                | -481666.7                | -423142.8                | -445142.8                | -467285.7                | -428125.0                |
| 2584   | OC-7(SHALIMAR ANNEX) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -428125.0                |
| 2627   | HOLLEY-NAVARRE #2    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -131500.0                | -163500.0                |
| 2651   | MOODY KELLY #1       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2735   | EAFB HOUS#13 #2985   | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2750   | EAFB HOUS #12 #2829  | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2758   | FWB #7               | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | -362333.3                |
| 2759   | OC-8 (GREEN ACRES)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2762   | EAFB HOUS #16 #2755  | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2787   | EAFB HOUS #11 #10634 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2792   | FWB #10              | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | -362333.3                |
| 2807   | FWB #6               | -353333.3                | -347777.8                | -371555.6                | -349333.3                | -355888.9                | -362333.3                |
| 2814   | BLUEWATER #4         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2815   | EAFB HOUS #10 #10941 | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2825   | EAFB HOUS #8 #2594   | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2860   | EAFB HOUS #9 #10000  | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2874   | OC-2 (LONGWOOD)      | -469666.7                | -481666.7                | -423142.8                | -445142.8                | -467285.7                | -428125.0                |
| 2884   | EAFB HOUS #7 #2590   | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2891   | BLUEWATER #2         | -248000.0                | -148500.0                | -172500.0                | -197000.0                | -221000.0                | -245500.0                |
| 2909   | SOUTH GOLF COURSE    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2953   | SEMINOLE #5          | 0.0                      | 0.0                      | 0.0                      | -19750.0                 | -21000.0                 | -22250.0                 |

**Table 4.3c (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1970–1982**

| NWF ID | Well Name            | 1977<br>Pumping<br>(gpd) | 1978<br>Pumping<br>(gpd) | 1979<br>Pumping<br>(gpd) | 1980<br>Pumping<br>(gpd) | 1981<br>Pumping<br>(gpd) | 1982<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2958   | EAFB HOUS #14 #1308  | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2971   | SEMINOLE #1          | -35000.0                 | -35000.0                 | -37500.0                 | -19750.0                 | -21000.0                 | -22250.0                 |
| 2972   | SEMINOLE #6          | 0.0                      | 0.0                      | 0.0                      | -19750.0                 | -21000.0                 | -22250.0                 |
| 2973   | WELL #6              | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2984   | EAFB MAIN #5 #616    | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 2985   | EAFB MAIN #4 #303    | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 3004   | EAFB HOUS #15 #1320  | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 3012   | EAFB MAIN #3 #31     | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 3015   | EAFB MAIN #6 #62     | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 3026   | OLD GOLF COURSE #1   | 0.0                      | 0.0                      | 0.0                      | -20000.0                 | -22000.0                 | -25000.0                 |
| 3033   | EAFB MAIN #2 #82     | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 3049   | SEMINOLE #2          | -35000.0                 | -35000.0                 | -37500.0                 | -19750.0                 | -21000.0                 | -22250.0                 |
| 3057   | SEMINOLE #3          | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3063   | BLUEWATER #1 (AUX)   | 0.0                      | -148500.0                | -172500.0                | -197000.0                | -221000.0                | -245500.0                |
| 3071   | EAFB MAIN #1 #859    | -250000.0                | -209333.3                | -227666.7                | -246000.0                | -261733.3                | -277466.7                |
| 3091   | BLUEWATER #3         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3126   | VALPARAISO #4        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3231   | NICEVILLE #8         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3240   | VALPARAISO #2        | -199333.3                | -183333.3                | -169000.0                | -170333.3                | -170000.0                | -169333.3                |
| 3256   | NICEVILLE #2         | -229800.0                | -264200.0                | -281800.0                | -207333.3                | -225000.0                | -242666.7                |
| 3258   | VALPARAISO #1        | -199333.3                | -183333.3                | -169000.0                | -170333.3                | -170000.0                | -169333.3                |
| 3295   | VALPARAISO #3        | -199333.3                | -183333.3                | -169000.0                | -170333.3                | -170000.0                | -169333.3                |
| 3326   | NICEVILLE #6         | 0.0                      | 0.0                      | 0.0                      | -207333.3                | -225000.0                | -242666.7                |
| 3350   | NICEVILLE #1         | -229800.0                | -264200.0                | -281800.0                | -207333.3                | -225000.0                | -242666.7                |
| 3367   | NICEVILLE #3         | -229800.0                | -264200.0                | -281800.0                | -207333.3                | -225000.0                | -242666.7                |
| 3432   | NICEVILLE #10        | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3457   | NICEVILLE #5         | -229800.0                | -264200.0                | -281800.0                | -207333.3                | -225000.0                | -242666.7                |
| 3482   | NICEVILLE #4         | -229800.0                | -264200.0                | -281800.0                | -207333.3                | -225000.0                | -242666.7                |
| 3770   | PRIMARY INJECTION    | 754884.9                 | 826789.1                 | 838978.1                 | 854920.6                 | 812043.8                 | 820753.4                 |
| 5942   | OCWS/SEASHORE VIL #4 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6006   | EAFB MAIN #2A BLDG82 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 6024   | VILLA TASSO #2       | -11000.0                 | -11000.0                 | -11000.0                 | -11000.0                 | -13500.0                 | -16000.0                 |
| 7209   | OC-11 (FOREST)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 7998   | ISL-5 (CAROUSEL)     | -125000.0                | -129166.7                | -133333.3                | -125000.0                | -116500.0                | 0.0                      |
| 8006   | ISL-3 (AMUSEMENT PK) | -125000.0                | -129166.7                | -133333.3                | -125000.0                | -116500.0                | -294139.7                |
| 8209   | CEMEX FLD @ DESTIN   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -10000.0                 |
|        | <b>Total</b>         | -15338115.1              | -14812210.9              | -15688022.1              | -15863078.6              | -17439455.6              | -18461907.1              |

**Table 4.3d**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998**

| NWF ID | Well Name            | 1983<br>Pumping<br>(gpd) | 1984<br>Pumping<br>(gpd) | 1985<br>Pumping<br>(gpd) | 1986<br>Pumping<br>(gpd) | 1987<br>Pumping<br>(gpd) | 1988<br>Pumping<br>(gpd) | 1989<br>Pumping<br>(gpd) | 1990<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1369   | NAVARRE BEACH #3     | 0.0                      | -96666.7                 | -116666.7                | -334208.2                | -191063.0                | -57920.5                 | -217413.7                | -229197.3                |
| 1444   | NAVARRE BEACH #1     | -63252.1                 | -96666.7                 | -116666.7                | -10000.0                 | -10000.0                 | -10027.4                 | -10000.0                 | -8326.0                  |
| 1481   | SWU #6               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1483   | NAVARRE BEACH #2     | -192967.1                | -96666.7                 | -116666.7                | -42211.0                 | -92405.5                 | -259827.4                | -104890.4                | -106339.7                |
| 1586   | DWU #7               | 0.0                      | 0.0                      | 0.0                      | -389166.7                | -336000.0                | -344000.0                | -295625.0                | -321000.0                |
| 1601   | DWU #2               | -473250.0                | -410800.0                | -442800.0                | -389166.7                | -336000.0                | -344000.0                | -295625.0                | -321000.0                |
| 1604   | US COAST GUARD #1    | -7000.0                  | -7000.0                  | -7000.0                  | -7000.0                  | -7000.0                  | -7000.0                  | -7000.0                  | -7000.0                  |
| 1611   | DWU #8               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -336000.0                | -344000.0                | -295625.0                | -321000.0                |
| 1654   | DWU #3               | -473250.0                | -410800.0                | -442800.0                | -389166.7                | -336000.0                | -344000.0                | -295625.0                | -321000.0                |
| 1661   | DWU #9               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -295625.0                | -321000.0                |
| 1664   | EAFB A-13 BLDG 9296  | -11000.0                 | -10333.3                 | -9666.7                  | -9333.3                  | -8666.7                  | -8000.0                  | -7333.3                  | -6666.7                  |
| 1687   | DWU #1               | -473250.0                | -410800.0                | -442800.0                | -389166.7                | -336000.0                | -344000.0                | -295625.0                | -321000.0                |
| 1688   | ISL-7 (JOHN BEASLEY) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -167975.3                | -210917.8                | -92200.0                 | -16805.5                 |
| 1696   | ISL-1 (MONITOR)      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -92200.0                 | 0.0                      |
| 1697   | EAFB A-11 BLDG 9262  | -11000.0                 | -10333.3                 | -9666.7                  | -9333.3                  | -8666.7                  | -8000.0                  | -7333.3                  | -6666.7                  |
| 1710   | ISL-2 (EAST TANK)    | -42904.1                 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1714   | ISL-4 (TREAT PLANT)  | -108106.9                | -123531.5                | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1736   | EAFB A-6 BLDG 8552   | -11000.0                 | -10333.3                 | -9666.7                  | -9333.3                  | -8666.7                  | -8000.0                  | -7333.3                  | -6666.7                  |
| 1742   | ISL-6 (EL MATADOR)   | -220660.3                | -255060.3                | -276613.7                | -240515.1                | -217219.2                | -207408.2                | -92200.0                 | -119304.1                |
| 1796   | DWU #5               | 0.0                      | -410800.0                | -442800.0                | -389166.7                | -336000.0                | -344000.0                | -295625.0                | -321000.0                |
| 1838   | DWU #4               | -473250.0                | -410800.0                | -442800.0                | -389166.7                | -336000.0                | -344000.0                | -295625.0                | -321000.0                |
| 1841   | HOLLEY-NAVARRE #4    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1887   | MIDWAY #1            | -198917.8                | -467643.8                | -504027.4                | -664893.1                | -594638.4                | -576506.9                | -646556.2                | -610498.6                |
| 1901   | FWB #1               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1940   | MARY ESTHER #3       | 0.0                      | 0.0                      | -215000.0                | -245000.0                | -234666.7                | -227333.3                | -235000.0                | -233333.3                |
| 2023   | MARY ESTHER #1       | -300500.0                | -311500.0                | -215000.0                | -245000.0                | -234666.7                | -227333.3                | -235000.0                | -233333.3                |
| 2031   | MARY ESTHER #4       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2035   | MARY ESTHER #2       | -300500.0                | -311500.0                | -215000.0                | -245000.0                | -234666.7                | -227333.3                | -235000.0                | -233333.3                |
| 2040   | OCWS/SEASHORE VIL #2 | -131333.3                | -136333.3                | -141666.7                | -149000.0                | -165333.3                | -175666.7                | -167666.7                | -187333.3                |

**Table 4.3d (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998**

| NWF ID | Well Name            | 1983<br>Pumping<br>(gpd) | 1984<br>Pumping<br>(gpd) | 1985<br>Pumping<br>(gpd) | 1986<br>Pumping<br>(gpd) | 1987<br>Pumping<br>(gpd) | 1988<br>Pumping<br>(gpd) | 1989<br>Pumping<br>(gpd) | 1990<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2046   | OCWS/SEASHORE VIL #1 | -131333.3                | -136333.3                | -141666.7                | -149000.0                | -165333.3                | -175666.7                | -167666.7                | -187333.3                |
| 2048   | OCWS/SEASHORE VIL #3 | -131333.3                | -136333.3                | -141666.7                | -149000.0                | -165333.3                | -175666.7                | -167666.7                | -187333.3                |
| 2053   | HOLLEY-NAVARRE #3    | 0.0                      | 0.0                      | 0.0                      | -296666.7                | -386666.7                | -310000.0                | -280000.0                | -336666.7                |
| 2073   | EAFB HURL #1 #90308  | -270000.0                | -274333.3                | -278666.7                | -269666.7                | -195500.0                | -188750.0                | -182000.0                | -175250.0                |
| 2085   | FWB #5               | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -163884.9                | -174093.2                | -73087.7                 |
| 2093   | FWB #2               | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -75874.0                 | -63454.8                 | -40284.9                 |
| 2099   | FWB #3               | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -308526.0                | -81961.6                 | -72684.9                 |
| 2108   | FWB #8               | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -38706.8                 | 0.0                      | -52000.0                 |
| 2113   | EAFB HURL #5 #90355  | -270000.0                | -274333.3                | -278666.7                | -269666.7                | -195500.0                | -188750.0                | -182000.0                | -175250.0                |
| 2134   | EAFB HURL #2 #90601  | -270000.0                | -274333.3                | -278666.7                | -269666.7                | -195500.0                | -188750.0                | -182000.0                | -175250.0                |
| 2139   | FWB #9               | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -175947.9                | -946134.3                | -909205.5                |
| 2146   | FWB #11              | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -712553.4                | -563904.1                | -576274.0                |
| 2168   | EAFB HURL #7 #91136  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -195500.0                | -188750.0                | -182000.0                | -175250.0                |
| 2236   | OC-9 (NORTHGATE)     | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -270794.5                |
| 2318   | MIDWAY #2            | -1040717.8               | -940290.4                | -1059405.5               | -1009284.9               | -895589.1                | -929438.4                | -859578.1                | -754813.7                |
| 2320   | HOLLEY-NAVARRE #1    | -195000.0                | -245000.0                | -303000.0                | -296666.7                | -386666.7                | -310000.0                | -280000.0                | -336666.7                |
| 2404   | OC-1 (OFFICE)        | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -765572.6                |
| 2463   | OC-10 (LOWERY)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2506   | OC-3 (NEWCASTLE)     | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -210621.9                |
| 2508   | OC-4 (GREEN STREET)  | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -663189.1                |
| 2554   | OC-6 (HAWKINS ROAD)  | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -597816.4                |
| 2581   | OC-5 (SHALIMAR)      | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -482452.1                |
| 2584   | OC-7(SHALIMAR ANNEX) | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -640312.3                |
| 2627   | HOLLEY-NAVARRE #2    | -195000.0                | -245000.0                | -303000.0                | -296666.7                | -386666.7                | -310000.0                | -280000.0                | -336666.7                |
| 2651   | MOODY KELLY #1       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2735   | EAFB HOUS#13 #2985   | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2750   | EAFB HOUS #12 #2829  | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2758   | FWB #7               | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -833438.4                | -667169.9                | -1071328.8               |

**Table 4.3d (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998**

| NWF_ID | Well Name            | 1983<br>Pumping<br>(gpd) | 1984<br>Pumping<br>(gpd) | 1985<br>Pumping<br>(gpd) | 1986<br>Pumping<br>(gpd) | 1987<br>Pumping<br>(gpd) | 1988<br>Pumping<br>(gpd) | 1989<br>Pumping<br>(gpd) | 1990<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2759   | OC-8 (GREEN ACRES)   | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -661863.0                |
| 2762   | EAFB HOUS #16 #2755  | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2787   | EAFB HOUS #11 #10634 | 0.0                      | 0.0                      | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2792   | FWB #10              | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -743605.5                | -290835.6                | -412520.6                |
| 2807   | FWB #6               | -368888.9                | -391111.1                | -431111.1                | -439888.9                | -426888.9                | -814035.6                | -960290.4                | -645690.4                |
| 2814   | BLUEWATER #4         | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2815   | EAFB HOUS #10 #10941 | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2825   | EAFB HOUS #8 #2594   | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2860   | EAFB HOUS #9 #10000  | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2874   | OC-2 (LONGWOOD)      | -397666.7                | -414888.9                | -432000.0                | -449222.3                | -466333.3                | -488111.1                | -507666.7                | -452939.7                |
| 2884   | EAFB HOUS #7 #2590   | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2891   | BLUEWATER #2         | -179666.7                | -195666.7                | -212000.0                | -228000.0                | -244333.3                | -260333.3                | -276666.7                | -129369.9                |
| 2909   | SOUTH GOLF COURSE    | 0.0                      | 0.0                      | 0.0                      | -11333.3                 | -12333.3                 | -13000.0                 | -13666.7                 | -14666.7                 |
| 2953   | SEMINOLE #5          | -23250.0                 | -24500.0                 | -25750.0                 | -20000.0                 | -22200.0                 | -21200.0                 | -20000.0                 | -21200.0                 |
| 2958   | EAFB HOUS #14 #1308  | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2971   | SEMINOLE #1          | -23250.0                 | -24500.0                 | -25750.0                 | -20000.0                 | -22200.0                 | -21200.0                 | -20000.0                 | -21200.0                 |
| 2972   | SEMINOLE #6          | -23250.0                 | -24500.0                 | -25750.0                 | -20000.0                 | -22200.0                 | -21200.0                 | -20000.0                 | -21200.0                 |
| 2973   | WELL #6              | 0.0                      | 0.0                      | 0.0                      | -11333.3                 | -12333.3                 | -13000.0                 | -13666.7                 | -14666.7                 |
| 2984   | EAFB MAIN #5 #616    | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 2985   | EAFB MAIN #4 #303    | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 3004   | EAFB HOUS #15 #1320  | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 3012   | EAFB MAIN #3 #31     | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 3015   | EAFB MAIN #6 #62     | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |
| 3026   | OLD GOLF COURSE #1   | -27000.0                 | -29000.0                 | -32000.0                 | -11333.3                 | -12333.3                 | -13000.0                 | -13666.7                 | -14666.7                 |
| 3033   | EAFB MAIN #2 #82     | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | 0.0                      | 0.0                      |
| 3049   | SEMINOLE #2          | -23250.0                 | -24500.0                 | -25750.0                 | -20000.0                 | -22200.0                 | -21200.0                 | -20000.0                 | -21200.0                 |
| 3057   | SEMINOLE #3          | 0.0                      | 0.0                      | 0.0                      | -20000.0                 | -22200.0                 | -21200.0                 | -20000.0                 | -21200.0                 |
| 3063   | BLUEWATER #1 (AUX)   | -179666.7                | -195666.7                | -212000.0                | -228000.0                | -244333.3                | -260333.3                | -276666.7                | 0.0                      |
| 3071   | EAFB MAIN #1 #859    | -293200.0                | -308933.3                | -304375.0                | -306875.0                | -309375.0                | -311875.0                | -314375.0                | -316875.0                |

**Table 4.3d (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998**

| <b>NWF_ID</b> | <b>Well Name</b>     | <b>1983<br/>Pumping<br/>(gpd)</b> | <b>1984<br/>Pumping<br/>(gpd)</b> | <b>1985<br/>Pumping<br/>(gpd)</b> | <b>1986<br/>Pumping<br/>(gpd)</b> | <b>1987<br/>Pumping<br/>(gpd)</b> | <b>1988<br/>Pumping<br/>(gpd)</b> | <b>1989<br/>Pumping<br/>(gpd)</b> | <b>1990<br/>Pumping<br/>(gpd)</b> |
|---------------|----------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| 3091          | BLUEWATER #3         | -179666.7                         | -195666.7                         | -212000.0                         | -228000.0                         | -244333.3                         | -260333.3                         | -276666.7                         | -748613.7                         |
| 3126          | VALPARAISO #4        | 0.0                               | 0.0                               | 0.0                               | 0.0                               | -113750.0                         | -150000.0                         | -23619.2                          | -79389.0                          |
| 3231          | NICEVILLE #8         | 0.0                               | 0.0                               | -253285.7                         | -297428.6                         | -312000.0                         | -309142.9                         | -124909.6                         | -171104.1                         |
| 3240          | VALPARAISO #2        | -216046.6                         | -183000.0                         | -196666.7                         | -170000.0                         | -113750.0                         | -150000.0                         | -243320.5                         | -235268.5                         |
| 3256          | NICEVILLE #2         | -260166.7                         | -277833.3                         | -253285.7                         | -297428.6                         | -312000.0                         | -309142.9                         | -421498.6                         | -360295.9                         |
| 3258          | VALPARAISO #1        | -80501.4                          | -183000.0                         | -196666.7                         | -170000.0                         | -113750.0                         | -150000.0                         | -94600.0                          | -75780.8                          |
| 3295          | VALPARAISO #3        | -209972.6                         | -183000.0                         | -196666.7                         | -170000.0                         | -113750.0                         | -150000.0                         | -206131.5                         | -216205.5                         |
| 3326          | NICEVILLE #6         | -260166.7                         | -277833.3                         | -253285.7                         | -297428.6                         | -312000.0                         | -309142.9                         | -157537.0                         | -211200.0                         |
| 3350          | NICEVILLE #1         | -260166.7                         | -277833.3                         | -253285.7                         | -297428.6                         | -312000.0                         | -309142.9                         | -381315.1                         | -377660.3                         |
| 3367          | NICEVILLE #3         | -260166.7                         | -277833.3                         | -253285.7                         | -297428.6                         | -312000.0                         | -309142.9                         | -390854.8                         | -377021.9                         |
| 3432          | NICEVILLE #10        | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | -333619.2                         |
| 3457          | NICEVILLE #5         | -260166.7                         | -277833.3                         | -253285.7                         | -297428.6                         | -312000.0                         | -309142.9                         | -684652.1                         | -640189.1                         |
| 3482          | NICEVILLE #4         | -260166.7                         | -277833.3                         | -253285.7                         | -297428.6                         | -312000.0                         | -309142.9                         | -43698.6                          | -42517.8                          |
| 3770          | PRIMARY INJECTION    | 756298.6                          | 747263.0                          | 756057.6                          | 710093.1                          | 681334.3                          | 705279.4                          | 791868.5                          | 961739.8                          |
| 5942          | OCWS/SEASHORE VIL #4 | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 6006          | EAFB MAIN #2A BLDG82 | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | -314375.0                         | -316875.0                         |
| 6024          | VILLA TASSO #2       | -18000.0                          | -20500.0                          | -23000.0                          | -24000.0                          | -25000.0                          | -26000.0                          | -27000.0                          | -28000.0                          |
| 7209          | OC-11 (FOREST)       | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               |
| 7998          | ISL-5 (CAROUSEL)     | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | 0.0                               | -92200.0                          | 0.0                               |
| 8006          | ISL-3 (AMUSEMENT PK) | -353156.2                         | -447493.2                         | -460052.1                         | -427169.9                         | -358813.7                         | -273756.2                         | -92200.0                          | -93145.2                          |
| 8209          | CEMEX FLD @ DESTIN   | -10000.0                          | -10000.0                          | -11000.0                          | -11000.0                          | -11000.0                          | -11000.0                          | -12000.0                          | -12000.0                          |
|               | <b>Total</b>         | -19643904.9                       | -21062255.4                       | -22462041.4                       | -23626190.3                       | -23918369.7                       | -24130096.0                       | -23806551.3                       | -24401564.5                       |

**Table 4.3d (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998**

| NWF ID | Well Name            | 1991<br>Pumping<br>(gpd) | 1992<br>Pumping<br>(gpd) | 1993<br>Pumping<br>(gpd) | 1994<br>Pumping<br>(gpd) | 1995<br>Pumping<br>(gpd) | 1996<br>Pumping<br>(gpd) | 1997<br>Pumping<br>(gpd) | 1998<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 1369   | NAVARRE BEACH #3     | -215547.9                | -239054.8                | -260917.8                | -220315.1                | -190400.0                | -160394.5                | -137339.7                | -153663.0                |
| 1444   | NAVARRE BEACH #1     | -8901.4                  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1481   | SWU #6               | 0.0                      | -369106.8                | -371687.7                | -555810.9                | -495027.4                | -406364.4                | -352575.3                | -502158.9                |
| 1483   | NAVARRE BEACH #2     | -174797.3                | -165312.3                | -132098.6                | -108353.4                | -87011.0                 | -39457.5                 | -142227.4                | -121934.3                |
| 1586   | DWU #7               | -316125.0                | -317125.0                | -381571.4                | -505923.3                | -570567.1                | -549797.3                | -394326.0                | -574189.1                |
| 1601   | DWU #2               | -316125.0                | -317125.0                | -381571.4                | -789210.9                | -839295.9                | -820989.1                | -869800.0                | -769600.0                |
| 1604   | US COAST GUARD #1    | -9693.2                  | -12000.0                 | -14000.0                 | -15000.0                 | -16578.1                 | -15306.8                 | -31827.4                 | -20191.8                 |
| 1611   | DWU #8               | -316125.0                | -317125.0                | -381571.4                | -712.3                   | -13.7                    | -106715.1                | -368027.4                | -313487.7                |
| 1654   | DWU #3               | -316125.0                | -317125.0                | -381571.4                | -607816.4                | -572093.1                | -691953.4                | -610265.8                | -685054.8                |
| 1661   | DWU #9               | -316125.0                | -317125.0                | -381571.4                | -13241.1                 | -61019.2                 | -154923.3                | -171095.9                | -351474.0                |
| 1664   | EAFB A-13 BLDG 9296  | -6333.3                  | -5666.7                  | -5000.0                  | -4333.3                  | -3666.7                  | -3333.3                  | -2666.7                  | -2000.0                  |
| 1687   | DWU #1               | -316125.0                | -317125.0                | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1688   | ISL-7 (JOHN BEASLEY) | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1696   | ISL-1 (MONITOR)      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1697   | EAFB A-11 BLDG 9262  | -6333.3                  | -5666.7                  | -5000.0                  | -4333.3                  | -3666.7                  | -3333.3                  | -2666.7                  | -2000.0                  |
| 1710   | ISL-2 (EAST TANK)    | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1714   | ISL-4 (TREAT PLANT)  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1736   | EAFB A-6 BLDG 8552   | -6333.3                  | -5666.7                  | -5000.0                  | -4333.3                  | -3666.7                  | -3333.3                  | -2666.7                  | -2000.0                  |
| 1742   | ISL-6 (EL MATADOR)   | -114591.8                | -86679.5                 | -2690.4                  | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1796   | DWU #5               | -316125.0                | -317125.0                | -381571.4                | -379750.7                | -251191.8                | -132353.4                | -341304.1                | -139526.0                |
| 1838   | DWU #4               | -316125.0                | -317125.0                | -381571.4                | -457424.7                | -526876.7                | -463405.5                | -166000.0                | -291342.5                |
| 1841   | HOLLEY-NAVARRE #4    | 0.0                      | -262250.0                | 0.0                      | -262320.6                | -647279.4                | -674937.0                | -686882.2                | -752446.6                |
| 1887   | MIDWAY #1            | -675000.0                | -668000.0                | -660500.0                | -508391.8                | -667665.8                | -602002.8                | -622619.2                | -761328.8                |
| 1901   | FWB #1               | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 1940   | MARY ESTHER #3       | -254378.1                | -256372.6                | -192775.3                | -126821.9                | -189126.0                | -168632.9                | -165112.3                | -164690.4                |
| 2023   | MARY ESTHER #1       | -194805.5                | -169347.9                | -200463.0                | -102095.9                | -7698.6                  | -35049.3                 | -140813.7                | -35643.8                 |
| 2031   | MARY ESTHER #4       | 0.0                      | 0.0                      | 0.0                      | -198008.2                | -319274.0                | -355389.0                | -325758.9                | -264435.6                |
| 2035   | MARY ESTHER #2       | -251011.0                | -277898.6                | -383937.0                | -368419.2                | -268093.2                | -204298.6                | -74139.7                 | -246353.4                |
| 2040   | OCWS/SEASHORE VIL #2 | -163333.3                | -198666.7                | -179000.0                | -190666.7                | -296931.5                | -321164.4                | -193306.8                | -228772.6                |

**Table 4.3d (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998**

| NWF ID | Well Name            | 1991<br>Pumping<br>(gpd) | 1992<br>Pumping<br>(gpd) | 1993<br>Pumping<br>(gpd) | 1994<br>Pumping<br>(gpd) | 1995<br>Pumping<br>(gpd) | 1996<br>Pumping<br>(gpd) | 1997<br>Pumping<br>(gpd) | 1998<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2046   | OCWS/SEASHORE VIL #1 | -163333.3                | -198666.7                | -179000.0                | -190666.7                | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2048   | OCWS/SEASHORE VIL #3 | -163333.3                | -198666.7                | -179000.0                | -190666.7                | -292657.5                | -292589.0                | -204101.4                | -138438.4                |
| 2053   | HOLLEY-NAVARRE #3    | -681019.2                | -262250.0                | -779654.8                | -689369.9                | -631167.1                | -737038.4                | -722372.6                | -731134.3                |
| 2073   | EAFB HURL #1 #90308  | -168500.0                | -161750.0                | -155000.0                | -148250.0                | 0.0                      | 0.0                      | -180750.0                | -118298.6                |
| 2085   | FWB #5               | -4400.0                  | -20109.6                 | -65695.9                 | -12232.9                 | -201884.9                | -66512.3                 | -93808.2                 | -43682.2                 |
| 2093   | FWB #2               | -235.6                   | -51852.1                 | -203556.2                | -229715.1                | -318016.4                | -345745.2                | -295567.1                | -24071.2                 |
| 2099   | FWB #3               | -125934.3                | 0.0                      | 0.0                      | 0.0                      | -13569.9                 | -70980.8                 | -109074.0                | -152005.5                |
| 2108   | FWB #8               | -66150.7                 | -291504.1                | -207871.2                | -311660.3                | -455871.2                | -286386.3                | -113863.0                | -178821.9                |
| 2113   | EAFB HURL #5 #90355  | -168500.0                | -161750.0                | -155000.0                | -148250.0                | -212098.6                | -164608.2                | -180750.0                | -188600.0                |
| 2134   | EAFB HURL #2 #90601  | -168500.0                | -161750.0                | -155000.0                | -148250.0                | -246687.7                | -294717.8                | -180750.0                | -215002.7                |
| 2139   | FWB #9               | -558501.4                | -50137.0                 | -216032.9                | -95671.2                 | -286342.5                | -432049.3                | -127471.2                | -248419.2                |
| 2146   | FWB #11              | -568287.7                | -757090.4                | -673465.8                | -693106.9                | -703213.7                | -413589.0                | -826654.8                | -918780.8                |
| 2168   | EAFB HURL #7 #91136  | -168500.0                | -161750.0                | -155000.0                | -148250.0                | -107221.9                | -213457.5                | -180750.0                | -251326.0                |
| 2236   | OC-9 (NORTHGATE)     | -313863.0                | -325893.2                | -359123.3                | -489742.5                | -378369.9                | -391016.4                | -223756.2                | -361701.4                |
| 2318   | MIDWAY #2            | -675000.0                | -668000.0                | -660500.0                | -797126.0                | -763465.8                | -845942.4                | -716495.9                | -818923.3                |
| 2320   | HOLLEY-NAVARRE #1    | -164095.9                | -262250.0                | -253945.2                | -220526.0                | -109912.3                | -71589.0                 | -48139.7                 | -40745.2                 |
| 2404   | OC-1 (OFFICE)        | -725279.4                | -556265.8                | -330986.3                | -350750.7                | -299742.5                | -383737.0                | -272920.6                | -39219.2                 |
| 2463   | OC-10 (LOWERY)       | 0.0                      | -70230.1                 | -488679.4                | -580306.9                | -486928.8                | -548791.8                | -584660.3                | -599257.6                |
| 2506   | OC-3 (NEWCASTLE)     | -331528.8                | -172783.6                | -281191.8                | -328761.7                | -184775.3                | -221115.1                | -275301.4                | -275484.9                |
| 2508   | OC-4 (GREEN STREET)  | -522983.6                | -577452.1                | -776465.8                | -320731.5                | -674356.2                | -688093.1                | -564180.8                | -499698.6                |
| 2554   | OC-6 (HAWKINS ROAD)  | -328109.6                | -532498.6                | -599112.3                | -644279.4                | -636016.4                | -737816.4                | -897019.2                | -770610.9                |
| 2581   | OC-5 (SHALIMAR)      | -676474.0                | -794843.8                | -739243.8                | -518356.2                | -532838.4                | -265235.6                | -476208.2                | -361975.3                |
| 2584   | OC-7(SHALIMAR ANNEX) | -749115.1                | -635583.6                | -662783.6                | -664953.4                | -643304.1                | -627997.3                | -407909.6                | -540493.1                |
| 2627   | HOLLEY-NAVARRE #2    | -103649.3                | -262250.0                | -144676.7                | -133597.3                | -126449.3                | -126687.7                | -220816.4                | -298575.3                |
| 2651   | MOODY KELLY #1       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 2735   | EAFB HOUS#13 #2985   | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -109893.1                |
| 2750   | EAFB HOUS #12 #2829  | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -92687.7                 |
| 2758   | FWB #7               | -716202.8                | -868452.1                | -901076.7                | -825030.1                | -844295.9                | -614183.6                | -746254.8                | -109841.1                |



**Table 4.3d (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998**

| NWF ID | Well Name            | 1991<br>Pumping<br>(gpd) | 1992<br>Pumping<br>(gpd) | 1993<br>Pumping<br>(gpd) | 1994<br>Pumping<br>(gpd) | 1995<br>Pumping<br>(gpd) | 1996<br>Pumping<br>(gpd) | 1997<br>Pumping<br>(gpd) | 1998<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 2759   | OC-8 (GREEN ACRES)   | -344150.7                | -625564.4                | -714279.4                | -714041.1                | -730506.9                | -738293.1                | -927731.5                | -855260.3                |
| 2762   | EAFB HOUS #16 #2755  | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -249112.3                |
| 2787   | EAFB HOUS #11 #10634 | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -375186.3                |
| 2792   | FWB #10              | -720643.8                | -576967.1                | -512008.2                | -449002.8                | 0.0                      | -468838.3                | -662197.3                | -862991.8                |
| 2807   | FWB #6               | -723671.3                | -958676.7                | -760498.6                | -733490.4                | -466391.8                | -651978.1                | -218293.2                | -713197.3                |
| 2814   | BLUEWATER #4         | 0.0                      | 0.0                      | -82.2                    | -404742.5                | -370134.3                | -409471.2                | -524019.2                | -402432.9                |
| 2815   | EAFB HOUS #10 #10941 | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -198331.5                |
| 2825   | EAFB HOUS #8 #2594   | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -155106.8                |
| 2860   | EAFB HOUS #9 #10000  | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -440676.7                |
| 2874   | OC-2 (LONGWOOD)      | -553884.9                | -680030.1                | -447920.6                | -389939.7                | -633326.0                | -518011.0                | -477937.0                | -496131.5                |
| 2884   | EAFB HOUS #7 #2590   | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -218756.2                |
| 2891   | BLUEWATER #2         | -172758.9                | -475500.0                | -266663.0                | -104169.9                | -236427.4                | -127742.5                | -217646.6                | -215890.4                |
| 2909   | SOUTH GOLF COURSE    | -24463.0                 | -21542.5                 | -34528.8                 | -104052.0                | -53476.7                 | -24446.6                 | -18315.1                 | -31720.5                 |
| 2953   | SEMINOLE #5          | -17600.0                 | -19000.0                 | -20564.4                 | -19200.0                 | -34515.1                 | -31575.3                 | -26364.4                 | -19695.9                 |
| 2958   | EAFB HOUS #14 #1308  | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -73805.5                 |
| 2971   | SEMINOLE #1          | -17600.0                 | -19000.0                 | -11597.3                 | -19200.0                 | -13123.3                 | -10221.9                 | -13011.0                 | -19695.9                 |
| 2972   | SEMINOLE #6          | -17600.0                 | -19000.0                 | -18367.1                 | -19200.0                 | -11720.5                 | -14684.9                 | -15342.5                 | -19695.9                 |
| 2973   | WELL #6              | -22843.8                 | -17758.9                 | -10526.0                 | -1517.8                  | -1331.5                  | -939.7                   | -1131.5                  | 0.0                      |
| 2984   | EAFB MAIN #5 #616    | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -35386.3                 |
| 2985   | EAFB MAIN #4 #303    | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -77775.3                 |
| 3004   | EAFB HOUS #15 #1320  | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -83304.1                 |
| 3012   | EAFB MAIN #3 #31     | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -261865.8                |
| 3015   | EAFB MAIN #6 #62     | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -52682.2                 |
| 3026   | OLD GOLF COURSE #1   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3033   | EAFB MAIN #2 #82     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3049   | SEMINOLE #2          | -17600.0                 | -19000.0                 | -24016.4                 | -19200.0                 | -28857.5                 | -23849.3                 | -23542.5                 | -19695.9                 |
| 3057   | SEMINOLE #3          | -17600.0                 | -19000.0                 | -27589.0                 | -19200.0                 | -22860.3                 | -25778.1                 | -24934.2                 | -19695.9                 |
| 3063   | BLUEWATER #1 (AUX)   | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 3071   | EAFB MAIN #1 #859    | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -316676.7                |

**Table 4.3d (continued)**  
**Pumping for the Transient Post-Development DSTRAM Simulation 1983–1998**

| NWF ID | Well Name            | 1991<br>Pumping<br>(gpd) | 1992<br>Pumping<br>(gpd) | 1993<br>Pumping<br>(gpd) | 1994<br>Pumping<br>(gpd) | 1995<br>Pumping<br>(gpd) | 1996<br>Pumping<br>(gpd) | 1997<br>Pumping<br>(gpd) | 1998<br>Pumping<br>(gpd) |
|--------|----------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| 3091   | BLUEWATER #3         | -667465.8                | -475500.0                | -750772.6                | -484463.0                | -420569.9                | -489076.7                | -318561.7                | -431320.6                |
| 3126   | VALPARAISO #4        | -103934.3                | -121983.6                | -113178.1                | -181854.8                | -177241.1                | -215049.3                | -241504.1                | -255347.9                |
| 3231   | NICEVILLE #8         | -125169.9                | -179279.5                | -196558.9                | -215786.3                | -353411.0                | -373863.0                | -275361.7                | -269504.1                |
| 3240   | VALPARAISO #2        | -186534.3                | -221767.1                | -166274.0                | -160052.1                | -146731.5                | -125474.0                | -108898.6                | -124074.0                |
| 3256   | NICEVILLE #2         | -290816.4                | -201287.7                | -380167.1                | -354298.6                | -407424.7                | -349493.2                | -247419.2                | -550137.0                |
| 3258   | VALPARAISO #1        | -92824.7                 | -169476.7                | -140169.9                | -120786.3                | -124709.6                | -101654.8                | -96383.6                 | -139411.0                |
| 3295   | VALPARAISO #3        | -173838.4                | -69800.0                 | -196539.7                | -145893.2                | -162098.6                | -175013.7                | -178945.2                | -139824.7                |
| 3326   | NICEVILLE #6         | -154665.8                | -195405.5                | -211668.5                | -199232.9                | -278679.4                | -562912.3                | -545024.7                | -356600.0                |
| 3350   | NICEVILLE #1         | -358202.8                | -343063.0                | -337906.8                | -315035.6                | -365328.8                | -352071.2                | -388909.6                | -414934.3                |
| 3367   | NICEVILLE #3         | -350726.0                | -342895.9                | -337208.2                | -318789.0                | -356523.3                | -346501.4                | -369265.8                | -318397.3                |
| 3432   | NICEVILLE #10        | -461874.0                | -456945.2                | -475953.4                | -437964.4                | -494797.3                | -489213.7                | -553983.6                | -274852.1                |
| 3457   | NICEVILLE #5         | -333824.7                | -611063.0                | -545989.1                | -541194.5                | -519035.6                | -521134.3                | -597616.4                | -604084.9                |
| 3482   | NICEVILLE #4         | -56589.0                 | -43306.8                 | -51605.5                 | -42706.8                 | -37457.5                 | -26558.9                 | -30241.1                 | -33112.3                 |
| 3770   | PRIMARY INJECTION    | 946315.1                 | 910101.4                 | 947134.3                 | 1059969.9                | 836145.2                 | 828884.9                 | 1160668.5                | 843424.7                 |
| 5942   | OCWS/SEASHORE VIL #4 | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -249178.1                | -367391.8                |
| 6006   | EAFB MAIN #2A BLDG82 | -300875.0                | -284875.0                | -268875.0                | -252875.0                | -236875.0                | -223125.0                | -209437.5                | -414591.8                |
| 6024   | VILLA TASSO #2       | -21500.0                 | -22000.0                 | -25000.0                 | -27500.0                 | -29500.0                 | -29500.0                 | -26695.9                 | -34320.5                 |
| 7209   | OC-11 (FOREST)       | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | -151912.3                |
| 7998   | ISL-5 (CAROUSEL)     | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      | 0.0                      |
| 8006   | ISL-3 (AMUSEMENT PK) | -137778.1                | -114800.0                | 0.0                      | -48101.4                 | 0.0                      | -219.2                   | -95.9                    | 0.0                      |
| 8209   | CEMEX FLD @ DESTIN   | -12000.0                 | -12000.0                 | -12000.0                 | -13000.0                 | -13000.0                 | -12857.5                 | -13928.8                 | -16819.2                 |
|        | <b>Total</b>         | -22967401.9              | -24141981.1              | -24550629.8              | -23893179.6              | -24609363.3              | -24710551.7              | -24033808.8              | -24777961.8              |

**Table 4.4**  
**Water Balance for Post-Development (1998) Conditions**

|                   | <b>Flow In<br/>(Mgal/day)</b> | <b>Percent of<br/>Total</b> | <b>Flow Out<br/>(Mgal/Day)</b> | <b>Percent<br/>of<br/>Total</b> |
|-------------------|-------------------------------|-----------------------------|--------------------------------|---------------------------------|
| Northern Boundary | 10.31                         | 23.59                       | 0.53                           | 1.21                            |
| Southern Boundary | 6.78                          | 15.51                       | 5.61                           | 12.72                           |
| Eastern Boundary  | 5.99                          | 13.70                       | 5.52                           | 12.51                           |
| Western Boundary  | 8.51                          | 19.46                       | 6.34                           | 14.38                           |
| Top Boundary      | 6.63                          | 15.17                       | 0.05                           | 0.11                            |
| Bottom Boundary   | 4.65                          | 10.64                       | 0.44                           | 0.99                            |
| Pumping           | 0.84                          | 1.93                        | 25.62                          | 58.08                           |
| Total             | 43.72                         | 100.00                      | 44.12                          | 100.00                          |

**Table 4.5**  
**Net Fluid Flux for Pre-Development and 1998 Conditions**

|                   | <b>Pre-Development</b>                  | <b>Post Development (1998)</b>          | <b>Change in Boundary Flow<br/>(1998) – (Pre-Dev)</b> |                             |
|-------------------|-----------------------------------------|-----------------------------------------|-------------------------------------------------------|-----------------------------|
|                   | <b>Net Flow In (out)<br/>(Mgal/day)</b> | <b>Net Flow In (out)<br/>(Mgal/day)</b> | <b>(Mgal/day)</b>                                     | <b>Percent<br/>of Total</b> |
| Northern Boundary | 5.53                                    | 9.78                                    | 4.25                                                  | 17.4                        |
| Southern Boundary | (0.76)                                  | 1.17                                    | 1.93                                                  | 7.9                         |
| Eastern Boundary  | (3.51)                                  | 0.47                                    | 3.98                                                  | 16.3                        |
| Western Boundary  | (0.12)                                  | 2.17                                    | 2.28                                                  | 9.4                         |
| Top Boundary      | (2.75)                                  | 6.59                                    | 9.34                                                  | 38.3                        |
| Bottom Boundary   | 1.61                                    | 4.21                                    | 2.60                                                  | 10.7                        |
| Wells             | 0                                       | (24.78)                                 | (24.78)                                               | (100.0)                     |

**Table 4.6**  
**Chloride Balance for Post-Development (1998) Conditions**

|                   | Advective Flux      |                     |                      |                     | Dispersive Flux     |                     |                      |                        |
|-------------------|---------------------|---------------------|----------------------|---------------------|---------------------|---------------------|----------------------|------------------------|
|                   | Flow In<br>(Kg/day) | Percent<br>of Total | Flow Out<br>(Kg/day) | Percent<br>of Total | Flow In<br>(Kg/day) | Percent<br>of Total | Flow Out<br>(Kg/day) | Percent<br>of<br>Total |
| Northern Boundary | 1317                | 0.07                | 2671                 | 0.22                | 2386                | 8.31                | 3698                 | 3.78                   |
| Southern Boundary | 487719              | 26.71               | 403682               | 33.37               | 5893                | 20.54               | 5                    | 0.00                   |
| Eastern Boundary  | 187128              | 10.25               | 351854               | 29.08               | 16647               | 58.03               | 1665                 | 1.70                   |
| Western Boundary  | 469082              | 25.69               | 411648               | 34.03               | 2474                | 8.62                | 196                  | 0.20                   |
| Top Boundary      | 399735              | 21.89               | 3367                 | 0.28                | 314                 | 1.10                | 92005                | 94.09                  |
| Bottom Boundary   | 280945              | 15.39               | 31379                | 2.59                | 976                 | 3.40                | 216                  | 0.22                   |
| Pumping           | 0                   | 0.00                | 5151                 | 0.43                | 0                   | 0.00                | 0                    | 0.00                   |
| Total             | 1825925             | 100.000             | 1209751              | 100.000             | 28690               | 100.000             | 97785                | 100.000                |

**Table 5.1**  
**Model Parameter Changes Applied to the Sensitivity Simulations and the Resulting Statistics**

| <b>Sensitivity Run Number</b> | <b>Tested Parameter</b>                                                                        | <b>Perturbation applied</b> | <b>Total mass (equilibrated predevelopment simulation) (Relative Units)</b> | <b>Total mass (1998 simulation) (Relative Units)</b> | <b>Mean head error, 1998 (ft)</b> | <b>RMS head error, 1998 (ft)</b> | <b>Mean chloride error, 1998 (mg/L)</b> | <b>RMS chloride error, 1998 (mg/L)</b> |
|-------------------------------|------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------------|------------------------------------------------------|-----------------------------------|----------------------------------|-----------------------------------------|----------------------------------------|
| 0                             | Base Case                                                                                      | 0                           | 7.272E+12                                                                   | 7.84E+12                                             | -23.7                             | 29.2                             | 58.2                                    | 387.7                                  |
| 1a                            | Porosity (for all elements)                                                                    | Value = 0.15                | 4.315E+12                                                                   | 4.70E+12                                             | -23.7                             | 29.2                             | 77.9                                    | 382.4                                  |
| 2a                            | Kx and Ky (aquifers only - slices 10, 11 and 12 where Kx and Ky $\geq$ 1.0 ft/d)               | Factor by 0.5               | 7.847E+12                                                                   | 8.59E+12                                             | 9.7                               | 15.5                             | -257.0                                  | 672.9                                  |
| 2b                            | Kx and Ky (aquifers only - slices 10, 11 and 12 where Kx and Ky $\geq$ 1.0 ft/d)               | Factor by 1.5               | 6.708E+12                                                                   | 7.30E+12                                             | -35.9                             | 43.6                             | 174.3                                   | 448.3                                  |
| 3a                            | Kz (Intermediate System only)                                                                  | Factor by 0.1               | 6.833E+12                                                                   | 7.40E+12                                             | -18.0                             | 23.5                             | 94.2                                    | 401.8                                  |
| 3b                            | Kz (Intermediate System only)                                                                  | Factor by 10.0              | 8.111E+12                                                                   | 9.02E+12                                             | -39.1                             | 46.0                             | -86.3                                   | 642.1                                  |
| 4a                            | Kz (Bucatanua Clay only - slices 10, 11 and 12 where Kx and Ky $<$ 1.0)                        | Factor by 0.1               | 6.852E+12                                                                   | 7.64E+12                                             | -23.3                             | 28.6                             | 65.6                                    | 388.2                                  |
| 4b                            | Kz (Bucatanua Clay only - slices 10, 11 and 12 where Kx and Ky $<$ 1.0)                        | Factor by 10.0              | 7.361E+12                                                                   | 7.97E+12                                             | -24.9                             | 31.4                             | 37.4                                    | 398.5                                  |
| 5a                            | Kz (sub-Floridan System - slices 1, 2 and 3)                                                   | Factor by 0.1               | 5.126E+12                                                                   | 5.83E+12                                             | -20.7                             | 27.0                             | 276.6                                   | 643.6                                  |
| 5b                            | Kz (sub-Floridan System - slices 1, 2 and 3)                                                   | Factor by 10.0              | 8.428E+12                                                                   | 9.09E+12                                             | -34.9                             | 40.4                             | -814.8                                  | 1664.2                                 |
| 6a                            | Specified Head (sub-Floridan System)                                                           | hd - 10 ft                  | 5.275E+12                                                                   | 6.05E+12                                             | -23.2                             | 28.9                             | 263.5                                   | 610.0                                  |
| 6b                            | Specified Head (sub-Floridan System)                                                           | hd + 10 ft                  | 8.228E+12                                                                   | 8.91E+12                                             | -24.2                             | 29.6                             | -379.3                                  | 882.9                                  |
| 7a                            | Molecular diffusion (all layers)                                                               | Value = 0.0                 | 7.173E+12                                                                   | 7.79E+12                                             | -23.7                             | 29.2                             | 134.8                                   | 404.1                                  |
| 8a                            | Grid (elements x, y - ft)                                                                      | Factor by 0.5               | 6.879E+12                                                                   | 7.57E+12                                             | -23.4                             | 28.5                             | 52.8                                    | 390.7                                  |
| 9a                            | Dispersivity (Horizontal longitudinal and transverse: applied to refined grid used in Case 8a) | Factor by 0.5               | 6.910E+12                                                                   | 7.58E+12                                             | -23.4                             | 28.5                             | 41.9                                    | 389.3                                  |
| 10                            | Southern boundary (move landward)                                                              | Decrease to 16 miles        | 6.187E+12                                                                   | 7.03E+12                                             | -24.4                             | 30.1                             | 129.7                                   | 418.9                                  |

**Table 5.2**  
**1998 Head Observations, Upper Floridan Aquifer**

| WELL NAME              | NWFID | OBSERVATION<br>TYPE | NODE #<br>(slice 1) | NODE # | HEAD-<br>MSL<br>(ft) | SLICE # |
|------------------------|-------|---------------------|---------------------|--------|----------------------|---------|
| DWU #5                 | 1796  | ufld-head           | 5682                | 163362 | -75.19               | 16      |
| EAFB FLD-4 #2<br>#4204 | 3209  | ufld-head           | 9313                | 166993 | -50.32               | 16      |
| EAFB METTS<br>TOWER    | 3642  | ufld-head           | 10002               | 167682 | -11.59               | 16      |
| EAFB POSTIL<br>POINT   | 2994  | ufld-head           | 9042                | 166722 | -77.83               | 16      |
| MARY ESTHER<br>#2      | 2035  | ufld-head           | 6084                | 163764 | -154.12              | 16      |
| NAVARRE<br>BEACH MO#1  | 1472  | ufld-head           | 4869                | 162549 | -70.94               | 16      |
| OKALOOSA<br>SCHOOL BRD | 1894  | ufld-head           | 5805                | 163485 | -94.26               | 16      |
| WAYSIDE PARK           | 1675  | ufld-head           | 5371                | 163051 | -82.78               | 16      |
| WRIGHT<br>ELEMENTARY   | 2394  | ufld-head           | 7113                | 164793 | -113.00              | 16      |
| WRIGHT UPPER<br>FLRD   | 2822  | ufld-head           | 8133                | 165813 | -102.30              | 16      |

**Table 5.3**  
**1998 Head Observations, Lower Floridan Aquifer**

| WELL NAME               | NWFID | OBSERVATION<br>TYPE | NODE #<br>(slice 1) | NODE # | HEAD-<br>MSL<br>(ft) | SLICE # |
|-------------------------|-------|---------------------|---------------------|--------|----------------------|---------|
| BEAL CEM.<br>LOWER FLRD | 2173  | lfld-head           | 6529                | 90625  | -23.02               | 9       |
| EAFB FLD 4 LOW<br>FLRD  | 3210  | lfld-head           | 9313                | 93409  | -49.67               | 9       |
| NORTH MONITOR<br>WELL   | 3926  | lfld-head           | 10228               | 94324  | 180.00               | 9       |
| YELLOW R.<br>LOWER FLRD | 3555  | lfld-head           | 9822                | 93918  | 51.59                | 9       |

**Table 5.4**  
**Post-Development Chloride Observations, Upper Floridan Aquifer**

| WELL NAME               | NWFID | OBSERVATION<br>TYPE | NODE #<br>(slice 1) | NODE<br># | CHLORIDE<br>(mg/L) | SLICE # |
|-------------------------|-------|---------------------|---------------------|-----------|--------------------|---------|
| CW-3 PASCHEL            | 2048  | ufld-cl             | 6205                | 163885    | 106                | 16      |
| DWU #4                  | 1838  | ufld-cl             | 5684                | 163364    | 39                 | 16      |
| EAFB A-11 BLDG<br>9262  | 1697  | ufld-cl             | 5341                | 173533    | 130                | 17      |
| EAFB A-13 BLDG<br>9296  | 1664  | ufld-cl             | 5333                | 163013    | 120                | 16      |
| EAFB A-15 BLDG<br>12503 | 1645  | ufld-cl             | 5173                | 152341    | 280                | 15      |
| EAFB A-3 BLDG 8351      | 1628  | ufld-cl             | 5233                | 173425    | 66                 | 17      |
| EAFB A-6 BLDG 8552      | 1736  | ufld-cl             | 5504                | 152672    | 56                 | 15      |
| EAFB NCO #71            | 6016  | ufld-cl             | 5095                | 162775    | 80                 | 16      |
| FWB #2                  | 2093  | ufld-cl             | 6388                | 164068    | 53                 | 16      |
| H-N #2                  | 2627  | ufld-cl             | 7494                | 165174    | 27                 | 16      |
| H-N #4                  | 1841  | ufld-cl             | 5582                | 163262    | 140                | 16      |
| J.S. COBB               | 1751  | ufld-cl             | 5416                | 142072    | 315                | 14      |
| MARY ESTHER #3          | 1940  | ufld-cl             | 6079                | 163759    | 78                 | 16      |
| MIDWAY #1               | 1887  | ufld-cl             | 5741                | 163421    | 91                 | 16      |
| NAVARRE BEACH<br>#3     | 1369  | ufld-cl             | 4569                | 151737    | 169                | 15      |
| NWFWMD LIZA<br>JACKSON  | 7523  | ufld-cl             | 5798                | 142454    | 170                | 14      |
| NWFWMD TIGER<br>POINT   | 7686  | ufld-cl             | 4976                | 141632    | 520                | 14      |
| OCWS ISL-3 AMUSE.<br>PK | 8006  | ufld-cl             | 5516                | 152684    | 75                 | 15      |
| OCWS-2<br>(LONGWOOD)    | 2874  | ufld-cl             | 8438                | 166118    | 5                  | 16      |
| OCWS-6 (HAWKINS<br>RD)  | 2554  | ufld-cl             | 7402                | 175594    | 43                 | 17      |

**Table 5.5**  
**Post-Development Chloride Observations, Lower Floridan Aquifer**

| WELL NAME                  | NWFID | OBSERVATION<br>TYPE | NODE #<br>(slice 1) | NODE<br># | CHLORIDE<br>(mg/L) | SLICE # |
|----------------------------|-------|---------------------|---------------------|-----------|--------------------|---------|
| BEAL CEM.<br>LOWER FLRD    | 2173  | lfld-cl             | 6529                | 80113     | 1600               | 8       |
| EAFB FLD 4 LWR<br>FLRD     | 3210  | lfld-cl             | 9313                | 51361     | 410                | 5       |
| WRP LOWER<br>FLRD          | 7174  | lfld-cl             | 5684                | 79268     | 1700               | 8       |
| YELLOW RIVER<br>LOWER FLRD | 3555  | lfld-cl             | 9821                | 72893     | 3300               | 7       |

**Table 5.6**  
**Nodes Representing Upper Floridan Aquifer Approximately 3 Miles Offshore**

| AREA     | TYPE      | REFERENCE # | NODE # | SLICE # |
|----------|-----------|-------------|--------|---------|
| Offshore | ufld-node | 2650        | 160349 | 16      |
| Offshore | ufld-node | 3106        | 160807 | 16      |
| Offshore | ufld-node | 3172        | 160873 | 16      |
| Offshore | ufld-node | 3414        | 161117 | 16      |
| Offshore | ufld-node | 3579        | 161283 | 16      |

**Table 5.7**  
**Nodes Representing the Lower Floridan Aquifer near the Bucatunna Clay Pinchout**

| AREA                     | TYPE      | REFERENCE # | NODE # | SLICE # |
|--------------------------|-----------|-------------|--------|---------|
| Bucatunna Clay. pinchout | lfld-node | 6220        | 90504  | 9       |
| Bucatunna Clay. pinchout | lfld-node | 6501        | 90787  | 9       |
| Bucatunna Clay. pinchout | lfld-node | 6927        | 91071  | 9       |
| Bucatunna Clay. pinchout | lfld-node | 7498        | 91646  | 9       |
| Bucatunna Clay. pinchout | lfld-node | 8215        | 92368  | 9       |

**Table 5.8**  
**Elements Representing Intermediate System,  
Near Shore Gulf of Mexico and Choctawhatchee Bay**

| AREA                    | TYPE       | REFERENCE # | ELEMENT # | LAYER # |
|-------------------------|------------|-------------|-----------|---------|
| bay and near shore gulf | is-element | 4767        | 190077    | 19      |
| bay and near shore gulf | is-element | 4894        | 190204    | 19      |
| bay and near shore gulf | is-element | 5774        | 191084    | 19      |
| bay and near shore gulf | is-element | 6506        | 191816    | 19      |
| bay and near shore gulf | is-element | 7235        | 192545    | 19      |

**Table 5.9**  
**Elements Representing the Upper Floridan Aquifer  
Approximately 3 Miles Offshore**

| AREA     | TYPE         | REFERENCE # | ELEMENT # | LAYER # |
|----------|--------------|-------------|-----------|---------|
| Offshore | ufld-element | 2650        | 157075    | 16      |
| Offshore | ufld-element | 3106        | 157531    | 16      |
| Offshore | ufld-element | 3172        | 157597    | 16      |
| Offshore | ufld-element | 3414        | 157839    | 16      |
| Offshore | ufld-element | 3579        | 158004    | 16      |



**Table 5.10**  
**Elements Representing the Lower Floridan Aquifer**  
**Near the Bucatunna Clay Pinchout**

| AREA                     | TYPE         | REFERENCE # | ELEMENT # | LAYER # |
|--------------------------|--------------|-------------|-----------|---------|
| Bucatunna Clay. pinchout | lfld-element | 6220        | 78285     | 8       |
| Bucatunna Clay. pinchout | lfld-element | 6501        | 78566     | 8       |
| Bucatunna Clay. pinchout | lfld-element | 6927        | 78992     | 8       |
| Bucatunna Clay. pinchout | lfld-element | 7498        | 79563     | 8       |
| Bucatunna Clay. pinchout | lfld-element | 8215        | 80280     | 8       |

**Table 5.11**  
**Summary of 1998 Model Sensitivity Results for Up Gradient Salt Water Interface Areas**

(Locations provided in Figure 5.15)

| Sens Run No. | Tested Parameter                                                                               | Perturbation applied | Upper Floridan Aquifer<br>(approx. 3 miles offshore) |                         |                                               | Lower Floridan Aquifer<br>(near Bucatunna Clay pinchout) |                         |                                               | Intermediate System<br>(bay and near shore Gulf of Mexico)                           |
|--------------|------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------|-------------------------|-----------------------------------------------|----------------------------------------------------------|-------------------------|-----------------------------------------------|--------------------------------------------------------------------------------------|
|              |                                                                                                |                      | Mean head<br>(ft msl)                                | Mean chloride<br>(mg/L) | Mean horizontal seepage velocity<br>(ft/year) | Mean head<br>(ft msl)                                    | Mean chloride<br>(mg/L) | Mean horizontal seepage velocity<br>(ft/year) | Mean vertical seepage velocity (ft/year)<br>(negative velocity is downward movement) |
| Base         | Base Case                                                                                      | 0                    | -31.8                                                | 177.7                   | 7.98                                          | -15.8                                                    | 1135.0                  | 28.93                                         | -0.07                                                                                |
| 1a           | Porosity (for all elements)                                                                    | Value = 0.15         | -31.9                                                | 123.6                   | 13.30                                         | -15.8                                                    | 1227.3                  | 48.20                                         | -0.11                                                                                |
| 2a           | Kx and Ky (aquifers only - slices 10, 11 and 12 where Kx and Ky $\geq$ 1.0 ft/d)               | Factor by 0.5        | -56.7                                                | 471.3                   | 7.50                                          | -34.5                                                    | 2244.8                  | 23.55                                         | -0.11                                                                                |
| 2b           | Kx and Ky (aquifers only - slices 10, 11 and 12 where Kx and Ky $\geq$ 1.0 ft/d)               | Factor by 1.5        | -22.1                                                | 97.0                    | 8.46                                          | -9.0                                                     | 706.0                   | 33.87                                         | -0.05                                                                                |
| 3a           | Kz (Intermediate System only)                                                                  | Factor by 0.1        | -43.9                                                | 193.5                   | 6.66                                          | -18.7                                                    | 880.2                   | 30.55                                         | -0.01                                                                                |
| 3b           | Kz (Intermediate System only)                                                                  | Factor by 10.0       | -11.3                                                | 3881.6                  | 8.12                                          | -6.2                                                     | 1779.3                  | 23.77                                         | -0.29                                                                                |
| 4a           | Kz (Bucatunna Clay only - slices 10, 11 and 12 where Kx and Ky $<$ 1.0)                        | Factor by 0.1        | -32.6                                                | 168.0                   | 8.05                                          | -13.5                                                    | 1127.1                  | 28.22                                         | -0.07                                                                                |
| 4b           | Kz (Bucatunna Clay only - slices 10, 11 and 12 where Kx and Ky $<$ 1.0)                        | Factor by 10.0       | -27.5                                                | 257.3                   | 7.90                                          | -21.6                                                    | 978.3                   | 27.78                                         | -0.06                                                                                |
| 5a           | Kz (sub-Floridan System - slices 1, 2 and 3)                                                   | Factor by 0.1        | -33.2                                                | 57.3                    | 8.06                                          | -24.8                                                    | 170.7                   | 23.59                                         | -0.07                                                                                |
| 5b           | Kz (sub-Floridan System - slices 1, 2 and 3)                                                   | Factor by 10.0       | -27.6                                                | 567.1                   | 7.30                                          | 16.2                                                     | 5352.2                  | 40.60                                         | -0.06                                                                                |
| 6a           | Specified Head (sub-Floridan System)                                                           | hd - 10 ft           | -32.3                                                | 65.0                    | 7.93                                          | -17.0                                                    | 282.8                   | 28.22                                         | -0.07                                                                                |
| 6b           | Specified Head (sub-Floridan System)                                                           | hd + 10 ft           | -31.6                                                | 399.2                   | 8.00                                          | -14.6                                                    | 3010.0                  | 29.67                                         | -0.07                                                                                |
| 7a           | Molecular diffusion (all layers)                                                               | Value = 0.0          | -32.0                                                | 18.6                    | 7.94                                          | -15.8                                                    | 1272.1                  | 28.92                                         | -0.07                                                                                |
| 8a           | Grid (elements x, y - ft)                                                                      | Factor by 0.5        | -32.0                                                | 180.0                   | 7.78                                          | -15.6                                                    | 1151.5                  | 28.49                                         | -0.07                                                                                |
| 9a           | Dispersivity (Horizontal longitudinal and transverse: applied to refined grid used in Case 8a) | Factor by 0.5        | -32.0                                                | 185.9                   | 7.78                                          | -15.6                                                    | 1194.7                  | 28.49                                         | -0.07                                                                                |
| 10           | Southern boundary (move landward)                                                              | Decrease to 16 miles | -28.0                                                | 134.1                   | 8.99                                          | -15.6                                                    | 749.8                   | 28.64                                         | -0.07                                                                                |

**Table 5.12**  
**Sensitivity of Upper Floridan Aquifer Groundwater Seepage Velocity in Offshore Areas**

**Horizontal groundwater seepage velocity and bearing for t = 1998 for listed elements**

| Sens Run No. | Tested Parameter                                                             | Perturbation applied | Element 157075   |                      | Element 157531   |                      | Element 157597   |                      | Element 157839   |                      | Element 158004   |                      | Average Velocity <sup>2</sup> (ft/yr) | ASTM Sensitivity Type |
|--------------|------------------------------------------------------------------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|---------------------------------------|-----------------------|
|              |                                                                              |                      | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> |                                       |                       |
|              | Base case                                                                    | 0                    | 9.30             | 69.27                | 5.82             | 103.37               | 9.25             | 80.54                | 6.15             | 86.77                | 9.40             | 96.78                | 7.98                                  |                       |
| 1a           | Porosity (for all elements)                                                  | Value = 0.15         | 15.48            | 69.22                | 9.69             | 103.36               | 15.41            | 80.57                | 10.23            | 86.77                | 15.67            | 96.80                | 13.30                                 | IV                    |
| 2a           | Kx and Ky (aquifers only - slices 10, 11 and 12 where Kx and Ky >= 1.0 ft/d) | Factor by 0.5        | 8.41             | 71.61                | 5.90             | 108.71               | 7.71             | 83.95                | 6.12             | 94.70                | 9.37             | 102.50               | 7.50                                  | I                     |
| 2b           | Kx and Ky (auifers only - slices 10, 11 and 12 where Kx and Ky >= 1.0 ft/d)  | Factor by 1.5        | 10.24            | 68.27                | 5.98             | 99.58                | 10.28            | 76.24                | 6.34             | 81.34                | 9.47             | 92.08                | 8.46                                  | II                    |
| 3a           | Kz (Intermediate System only)                                                | Factor by 0.1        | 9.14             | 63.81                | 4.59             | 91.82                | 6.89             | 86.26                | 5.20             | 68.91                | 7.47             | 86.44                | 6.66                                  | I                     |
| 3b           | Kz (Intermediate System only)                                                | Factor by 10.0       | 9.14             | 77.61                | 7.40             | 115.18               | 7.13             | 77.31                | 7.24             | 106.56               | 9.71             | 108.81               | 8.12                                  | II                    |
| 4a           | Kz (Bucatanuna Clay only - slices 10, 11 and 12 where Kx and Ky < 1.0)       | Factor by 0.1        | 9.30             | 69.17                | 5.83             | 103.31               | 9.40             | 80.89                | 6.20             | 86.80                | 9.52             | 96.79                | 8.05                                  | I                     |
| 4b           | Kz (Bucatanuna Clay only - slices 10, 11 and 12 where Kx and Ky < 1.0)       | Factor by 10.0       | 9.54             | 69.26                | 5.86             | 102.34               | 8.94             | 78.68                | 6.06             | 84.73                | 9.08             | 95.26                | 7.90                                  | I                     |
| 5a           | Kz (sub-Floridan System - slices 1, 2 and 3)                                 | Factor by 0.1        | 9.34             | 68.66                | 5.79             | 102.65               | 9.40             | 81.17                | 6.21             | 86.13                | 9.56             | 96.59                | 8.06                                  | II                    |
| 5b           | Kz (sub-Floridan System - slices 1, 2 and 3)                                 | Factor by 10.0       | 8.88             | 70.55                | 5.60             | 105.69               | 8.04             | 78.27                | 5.58             | 89.04                | 8.40             | 98.25                | 7.30                                  | II                    |
| 6a           | Specified Head (sub-Floridan System)                                         | hd - 10 ft           | 9.27             | 68.99                | 5.77             | 103.12               | 9.14             | 80.68                | 6.11             | 86.50                | 9.36             | 96.75                | 7.93                                  | II                    |
| 6b           | Specified Head (sub-Floridan System)                                         | hd + 10 ft           | 9.31             | 69.44                | 5.85             | 103.54               | 9.26             | 80.41                | 6.16             | 86.94                | 9.41             | 96.80                | 8.00                                  | II                    |

**Table 5.12 (continued)**  
**Sensitivity of Upper Floridan Aquifer Groundwater Seepage Velocity in Offshore Areas**

**Horizontal groundwater seepage velocity and bearing for t = 1998 for listed elements**

| Sens Run No. | Tested Parameter                                                                               | Perturbation applied | Element 157075   |                      | Element 157531   |                      | Element 157597   |                      | Element 157839   |                      | Element 158004   |                      | Average Velocity <sup>2</sup> (ft/yr) | ASTM Sensitivity Type |
|--------------|------------------------------------------------------------------------------------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|---------------------------------------|-----------------------|
|              |                                                                                                |                      | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> |                                       |                       |
| 7a           | Molecular diffusion (all layers)                                                               | Value = 0.0          | 9.24             | 68.99                | 5.76             | 103.31               | 9.23             | 80.64                | 6.10             | 86.78                | 9.38             | 96.89                | 7.94                                  | II                    |
| 8a           | Grid (elements x, y - ft)                                                                      | Factor by 0.5        | 8.78             | 67.72                | 5.70             | 103.94               | 9.04             | 81.59                | 6.09             | 87.42                | 9.30             | 96.84                | 7.78                                  | I                     |
| 9a           | Dispersivity (Horizontal longitudinal and transverse: applied to refined grid used in Case 8a) | Factor by 0.5        | 8.77             | 67.71                | 5.70             | 103.94               | 9.04             | 81.60                | 6.09             | 87.43                | 9.30             | 96.86                | 7.78                                  | I                     |
| 10           | Southern boundary (move landward)                                                              | Decrease to 16 miles | 11.76            | 72.68                | 7.01             | 101.70               | 9.54             | 79.22                | 6.87             | 84.38                | 9.77             | 94.37                | 8.99                                  | I                     |

<sup>1</sup> Bearing is given in degrees measured counter-clockwise relative to the positive x-direction.

<sup>2</sup> Average velocity is the average of the specified elements.

**Table 5.13**  
**Sensitivity of Lower Floridan Aquifer Groundwater Seepage Velocity near the Bucatunna Clay Pinchout**

**Horizontal groundwater seepage velocity and bearing for t = 1998 for listed elements**

| Sens Run No. | Tested Parameter                                                             | Perturbation applied | Element 78285    |                      | Element 78566    |                      | Element 78992    |                      | Element 79563    |                      | Element 80280    |                      | Average Velocity <sup>2</sup> (ft/yr) | ASTM Sensitivity Type |
|--------------|------------------------------------------------------------------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|---------------------------------------|-----------------------|
|              |                                                                              |                      | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> |                                       |                       |
|              | Base case                                                                    | 0                    | 22.97            | 72.39                | 25.07            | 61.94                | 28.01            | 50.85                | 33.04            | 38.34                | 35.57            | 25.29                | 28.93                                 |                       |
| 1a           | Porosity (for all elements)                                                  | Value = 0.15         | 38.27            | 72.39                | 41.76            | 61.94                | 46.67            | 50.84                | 55.05            | 38.33                | 59.26            | 25.28                | 48.20                                 | IV                    |
| 2a           | Kx and Ky (aquifers only - slices 10, 11 and 12 where Kx and Ky >= 1.0 ft/d) | Factor by 0.5        | 19.80            | 84.41                | 21.07            | 71.10                | 22.93            | 56.87                | 26.48            | 41.06                | 27.47            | 25.40                | 23.55                                 | I                     |
| 2b           | Kx and Ky (auifers only - slices 10, 11 and 12 where Kx and Ky >= 1.0 ft/d)  | Factor by 1.5        | 26.23            | 62.90                | 28.88            | 55.12                | 32.51            | 46.58                | 38.88            | 36.29                | 42.85            | 25.00                | 33.87                                 | II                    |
| 3a           | Kz (Intermediate System only)                                                | Factor by 0.1        | 24.70            | 74.37                | 26.66            | 62.93                | 29.57            | 51.11                | 34.68            | 38.12                | 37.16            | 24.69                | 30.55                                 | I                     |
| 3b           | Kz (Intermediate System only)                                                | Factor by 10.0       | 17.78            | 63.02                | 20.03            | 57.03                | 22.99            | 49.07                | 27.72            | 38.52                | 30.31            | 27.04                | 23.77                                 | II                    |
| 4a           | Kz (Bucatunna Clay only - slices 10, 11 and 12 where Kx and Ky < 1.0)        | Factor by 0.1        | 22.43            | 70.13                | 24.49            | 60.42                | 27.29            | 50.12                | 32.11            | 38.82                | 34.77            | 26.35                | 28.22                                 | I                     |
| 4b           | Kz (Bucatunna Clay only - slices 10, 11 and 12 where Kx and Ky < 1.0)        | Factor by 10.0       | 22.08            | 77.74                | 23.93            | 65.26                | 26.48            | 51.06                | 31.88            | 35.24                | 34.55            | 20.62                | 27.78                                 | I                     |
| 5a           | Kz (sub-Floridan System - slices 1, 2 and 3)                                 | Factor by 0.1        | 18.60            | 79.25                | 19.84            | 63.58                | 22.31            | 48.13                | 26.99            | 32.16                | 30.18            | 16.41                | 23.59                                 | II                    |
| 5b           | Kz (sub-Floridan System - slices 1, 2 and 3)                                 | Factor by 10.0       | 33.61            | 60.83                | 36.05            | 59.25                | 39.68            | 54.55                | 45.82            | 46.85                | 47.86            | 38.36                | 40.60                                 | III                   |
| 6a           | Specified Head (sub-Floridan System)                                         | hd - 10 ft           | 22.47            | 73.23                | 24.43            | 62.23                | 27.27            | 50.69                | 32.18            | 37.76                | 34.72            | 24.32                | 28.22                                 | II                    |
| 6b           | Specified Head (sub-Floridan System)                                         | hd + 10 ft           | 23.48            | 71.51                | 25.71            | 61.60                | 28.78            | 50.94                | 33.94            | 38.84                | 36.47            | 26.22                | 29.67                                 | II                    |

**Table 5.13 (continued)**  
**Sensitivity of Lower Floridan Aquifer Groundwater Seepage Velocity near the Bucatunna Clay Pinchout**

**Horizontal groundwater seepage velocity and bearing for t = 1998 for listed elements**

| Sens Run No. | Tested Parameter                                                                  | Perturbation applied | Element 78285    |                      | Element 78566    |                      | Element 78992    |                      | Element 79563    |                      | Element 80280    |                      | Average Velocity <sup>2</sup> (ft/yr) | ASTM Sensitivity Type |
|--------------|-----------------------------------------------------------------------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|------------------|----------------------|---------------------------------------|-----------------------|
|              |                                                                                   |                      | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> | Velocity (ft/yr) | Bearing <sup>1</sup> |                                       |                       |
| 7a           | Molecular diffusion (all layers)                                                  | Value = 0.0          | 22.96            | 72.41                | 25.05            | 61.95                | 27.99            | 50.85                | 33.03            | 38.32                | 35.56            | 25.26                | 28.92                                 | II                    |
| 8a           | Grid (elements x, y - ft)                                                         | Factor by 0.5        | 22.73            | 71.90                | 24.77            | 61.19                | 27.62            | 49.78                | 32.45            | 37.66                | 34.89            | 25.14                | 28.49                                 | I                     |
| 9a           | Dispersivity (Horizontal and transverse: applied to refined grid used in Case 8a) | Factor by 0.5        | 22.72            | 71.89                | 24.77            | 61.18                | 27.61            | 49.77                | 32.45            | 37.66                | 34.88            | 25.14                | 28.49                                 | I                     |
| 10           | Southern boundary (move landward)                                                 | Decrease to 16 miles | 23.23            | 72.82                | 25.05            | 62.58                | 27.70            | 51.34                | 32.43            | 38.49                | 34.81            | 25.07                | 28.64                                 | I                     |

<sup>1</sup> Bearing is given in degrees measured counter-clockwise relative to the positive x-direction.

<sup>2</sup> Average velocity is the average of the specified elements.

**Table 5.14**  
**Sensitivity of Intermediate System Groundwater Seepage Velocity**  
**For the Bay and Near Shore Gulf of Mexico Areas**

**Vertical groundwater seepage velocity for t = 1998 for listed elements**

| Sensitivity Run Number | Tested Parameter                                                                               | Perturbation applied | Vertical velocity for element number (ft/yr) <sup>1</sup> |        |        |        |        | Average Velocity <sup>2</sup> (ft/yr) | ASTM Sensitivity Type |
|------------------------|------------------------------------------------------------------------------------------------|----------------------|-----------------------------------------------------------|--------|--------|--------|--------|---------------------------------------|-----------------------|
|                        |                                                                                                |                      | 190077                                                    | 190204 | 191084 | 191816 | 192545 |                                       |                       |
| 0                      | Base case                                                                                      | 0                    | -0.16                                                     | -0.08  | -0.06  | -0.03  | -0.01  | -0.07                                 |                       |
| 1a                     | Porosity (for all elements)                                                                    | Value = 0.15         | -0.27                                                     | -0.14  | -0.10  | -0.04  | -0.02  | -0.11                                 | IV                    |
| 2a                     | Kx and Ky (aquifers only - slices 10, 11 and 12 where Kx and Ky ≥ 1.0 ft/d)                    | Factor by 0.5        | -0.24                                                     | -0.14  | -0.10  | -0.04  | -0.02  | -0.11                                 | IV                    |
| 2b                     | Kx and Ky (aquifers only - slices 10, 11 and 12 where Kx and Ky ≥ 1.0 ft/d)                    | Factor by 1.5        | -0.13                                                     | -0.06  | -0.05  | -0.02  | -0.01  | -0.05                                 | II                    |
| 3a                     | Kz (Intermediate System only)                                                                  | Factor by 0.1        | -0.02                                                     | -0.01  | -0.01  | 0.00   | 0.00   | -0.01                                 | IV                    |
| 3b                     | Kz (Intermediate System only)                                                                  | Factor by 10.0       | -0.53                                                     | -0.37  | -0.32  | -0.14  | -0.07  | -0.29                                 | III                   |
| 4a                     | Kz (Bucatan Clay only - slices 10, 11 and 12 where Kx and Ky < 1.0)                            | Factor by 0.1        | -0.16                                                     | -0.09  | -0.06  | -0.03  | -0.01  | -0.07                                 | I                     |
| 4b                     | Kz (Bucatan Clay only - slices 10, 11 and 12 where Kx and Ky < 1.0)                            | Factor by 10.0       | -0.15                                                     | -0.08  | -0.06  | -0.02  | -0.01  | -0.06                                 | I                     |
| 5a                     | Kz (sub-Floridan System - slices 1, 2 and 3)                                                   | Factor by 0.1        | -0.17                                                     | -0.09  | -0.06  | -0.03  | -0.01  | -0.07                                 | II                    |
| 5b                     | Kz (sub-Floridan System - slices 1, 2 and 3)                                                   | Factor by 10.0       | -0.14                                                     | -0.07  | -0.05  | -0.02  | -0.01  | -0.06                                 | II                    |
| 6a                     | Specified Head (sub-Floridan System)                                                           | hd - 10 ft           | -0.16                                                     | -0.08  | -0.06  | -0.03  | -0.01  | -0.07                                 | II                    |
| 6b                     | Specified Head (sub-Floridan System)                                                           | hd + 10 ft           | -0.16                                                     | -0.08  | -0.06  | -0.03  | -0.01  | -0.07                                 | II                    |
| 7a                     | Molecular diffusion (all layers)                                                               | Value = 0.0          | -0.16                                                     | -0.08  | -0.06  | -0.03  | -0.01  | -0.07                                 | II                    |
| 8a                     | Grid (elements x, y - ft)                                                                      | Factor by 0.5        | -0.16                                                     | -0.08  | -0.06  | -0.03  | -0.01  | -0.07                                 | I                     |
| 9a                     | Dispersivity (Horizontal longitudinal and transverse: applied to refined grid used in Case 8a) | Factor by 0.5        | -0.16                                                     | -0.08  | -0.06  | -0.03  | -0.01  | -0.07                                 | I                     |
| 10                     | Southern boundary (move landward)                                                              | Decrease to 16 miles | -0.16                                                     | -0.08  | -0.06  | -0.03  | -0.01  | -0.07                                 | I                     |

<sup>1</sup> Negative velocity is downward movement.

<sup>2</sup> Average velocity is the average of the specified elements.

**Table 6.1**  
**Water Balance for Predictive Simulation at 2050 Conditions**

|                   | <b>Flow In<br/>(Mgal/day)</b> | <b>Percent<br/>of Total</b> | <b>Flow Out<br/>(Mgal/day)</b> | <b>Percent<br/>of Total</b> |
|-------------------|-------------------------------|-----------------------------|--------------------------------|-----------------------------|
| Northern Boundary | 10.32                         | 24.64                       | 0.52                           | 1.23                        |
| Southern Boundary | 4.86                          | 11.61                       | 3.66                           | 8.70                        |
| Eastern Boundary  | 5.91                          | 14.12                       | 5.44                           | 12.92                       |
| Western Boundary  | 8.55                          | 20.41                       | 6.37                           | 15.14                       |
| Top Boundary      | 6.71                          | 16.02                       | 0.04                           | 0.10                        |
| Bottom Boundary   | 4.69                          | 11.19                       | 0.43                           | 1.02                        |
| Pumping           | 0.84                          | 2.01                        | 25.62                          | 60.88                       |
| Total             | 41.88                         | 100.00                      | 42.08                          | 100.00                      |

**Table 6.2**  
**Chloride Balance for Predictive Simulation at 2050 Conditions**


|                   | <b>Advective Flux</b>       |                             |                              |                             | <b>Dispersive Flux</b>      |                             |                              |                             |
|-------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|-----------------------------|-----------------------------|------------------------------|-----------------------------|
|                   | <b>Flow In<br/>(Kg/day)</b> | <b>Percent<br/>of Total</b> | <b>Flow Out<br/>(Kg/day)</b> | <b>Percent<br/>of Total</b> | <b>Flow In<br/>(Kg/day)</b> | <b>Percent<br/>of Total</b> | <b>Flow Out<br/>(Kg/day)</b> | <b>Percent<br/>of Total</b> |
| Northern Boundary | 1286                        | 0.08                        | 2493                         | 0.23                        | 1143                        | 18.06                       | 2469                         | 2.68                        |
| Southern Boundary | 349618                      | 20.61                       | 262972                       | 24.65                       | 2389                        | 37.75                       | 3                            | 0.00                        |
| Eastern Boundary  | 187171                      | 11.03                       | 349486                       | 32.75                       | 773                         | 12.21                       | 1094                         | 1.19                        |
| Western Boundary  | 470511                      | 27.74                       | 412666                       | 38.67                       | 1432                        | 22.63                       | 112                          | 0.12                        |
| Top Boundary      | 404471                      | 23.84                       | 3076                         | 0.29                        | 125                         | 1.97                        | 88364                        | 95.80                       |
| Bottom Boundary   | 283299                      | 16.70                       | 30700                        | 2.88                        | 467                         | 7.37                        | 200                          | 0.22                        |
| Pumping           | 0                           | 0.00                        | 5635                         | 0.53                        | 0                           | 0.00                        | 0                            | 0.00                        |
| Total             | 1696355                     | 100.000                     | 1067028                      | 100.000                     | 6329                        | 100.000                     | 92242                        | 100.000                     |




## **APPENDIX A**

### **EQUIVALENT FRESHWATER HEAD AND CHLORIDE CONCENTRATION PLOTS**

# SIMULATED PREDEVELOPMENT CONDITIONS : calibrated model



# SIMULATED 1998 CONDITIONS : calibrated model



Red contours: Chloride concentration (mg/l)


Blue contours: Water level elevation (ft msl)

Figure A.1


Western Domain Salt Water Intrusion Model Simulation: base case calibrated model

Simulation by HGL -- Plot by NFWFMD -- 01 Apr 2004

SIMULATED PREDEVELOPMENT CONDITIONS : porosity = 0.15




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS : porosity = 0.15



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER


Red contours: Chloride concentration (mg/l)  
Blue contours: Water level elevation (ft msl)

Figure A.2


Western Domain Salt Water Intrusion Model Simulation: porosity = 0.15

Simulation by HGL (s1a) -- Plot by NFWMD -- 01 Apr 2004

SIMULATED PREDEVELOPMENT CONDITIONS :  $K_x, K_y(Fld)*0.5$




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS :  $K_x, K_y(Fld)*0.5$



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER


Red contours: Chloride concentration (mg/l)  
Blue contours: Water level elevation (ft msl)

Figure A.3


Western Domain Salt Water Intrusion Model Simulation:  $K_x, K_y(Fld)*0.5$

Simulation by HGL (s2a) -- Plot by NFWMD -- 01 Apr 2004

SIMULATED PREDEVELOPMENT CONDITIONS :  $K_x, K_y(Fld)*1.5$




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS :  $K_x, K_y(Fld)*1.5$



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)


Blue contours: Water level elevation (ft msl)

Figure A.4


Western Domain Salt Water Intrusion Model Simulation:  $K_x, K_y(Fld)*1.5$

Simulation by HGL (s2b) -- Plot by NFWMD -- 01 Apr 2004

SIMULATED PREDEVELOPMENT CONDITIONS :  $K_z(IS)*0.1$




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS :  $K_z(IS)*0.1$



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)


Blue contours: Water level elevation (ft msl)

Figure A.5


Western Domain Salt Water Intrusion Model Simulation:  $K_z(IS)*0.1$

Simulation by HGL (s3a) -- Plot by NFWFMD -- 01 Apr 2004

SIMULATED PREDEVELOPMENT CONDITIONS :  $Kz(IS)*10$




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS :  $Kz(IS)*10$



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)

Blue contours: Water level elevation (ft msl)


Figure A.6

Western Domain Salt Water Intrusion Model Simulation:  $Kz(IS)*10$


Simulation by HGL (s3b) -- Plot by NFWMD -- 01 Apr 2004



SIMULATED PREDEVELOPMENT CONDITIONS :  $Kz(Buc)*0.1$




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS :  $Kz(Buc)*0.1$



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)

Blue contours: Water level elevation (ft msl)


Figure A.7

Western Domain Salt Water Intrusion Model Simulation:  $Kz(Buc)*0.1$


Simulation by HGL (s4a) -- Plot by NFWMD -- 01 Apr 2004



# SIMULATED PREDEVELOPMENT CONDITIONS : $Kz(Buc)*10$




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

# SIMULATED 1998 CONDITIONS : $Kz(Buc)*10$



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)


Blue contours: Water level elevation (ft msl)

Figure A.8


Western Domain Salt Water Intrusion Model Simulation:  $Kz(Buc)*10$

Simulation by HGL (s4b) -- Plot by NFWFMD -- 01 Apr 2004

# SIMULATED PREDEVELOPMENT CONDITIONS : $Kz(\text{Sub-Fld}) \cdot 0.1$




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

## SIMULATED 1998 CONDITIONS : $Kz(\text{Sub-Fld}) \cdot 0.1$



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER


Red contours: Chloride concentration (mg/l)  
Blue contours: Water level elevation (ft msl)

Figure A.9


Western Domain Salt Water Intrusion Model Simulation:  $Kz(\text{Sub-Fld}) \cdot 0.1$

Simulation by HGL (s5a) -- Plot by NFWMD -- 01 Apr 2004

SIMULATED PREDEVELOPMENT CONDITIONS :  $Kz(\text{Sub-Fld}) \cdot 10$




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS :  $Kz(\text{Sub-Fld}) \cdot 10$



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)


Blue contours: Water level elevation (ft msl)

Figure A.10


Western Domain Salt Water Intrusion Model Simulation:  $Kz(\text{Sub-Fld}) \cdot 10$

Simulation by HGL (s5b) -- Plot by NFWMD -- 01 Apr 2004

# SIMULATED PREDEVELOPMENT CONDITIONS : Hd(Sub-Fld)-10




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

# SIMULATED 1998 CONDITIONS : Hd(Sub-Fld)-10



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)


Blue contours: Water level elevation (ft msl)

Figure A.11


Western Domain Salt Water Intrusion Model Simulation: Hd(Sub-Fld)-10

Simulation by HGL (s6a) -- Plot by NFWFMD -- 01 Apr 2004

# SIMULATED PREDEVELOPMENT CONDITIONS : Hd(Sub-Fld)+10




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

# SIMULATED 1998 CONDITIONS : Hd(Sub-Fld)+10



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER


Red contours: Chloride concentration (mg/l)  
Blue contours: Water level elevation (ft msl)

Figure A.12


Western Domain Salt Water Intrusion Model Simulation: Hd(Sub-Fld)+10

Simulation by HGL (s6b) -- Plot by NFWFMD -- 01 Apr 2004

SIMULATED PREDEVELOPMENT CONDITIONS : Diffusion = 0.0




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS : Diffusion = 0.0



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)

Blue contours: Water level elevation (ft msl)


Figure A.13

Western Domain Salt Water Intrusion Model Simulation: Diffusion = 0.0


Simulation by HGL (s7a) -- Plot by NFWMD -- 01 Apr 2004



SIMULATED PREDEVELOPMENT CONDITIONS : Mesh(dx,dy)\*0.5




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS : Mesh(dx,dy)\*0.5



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)


Blue contours: Water level elevation (ft msl)

Figure A.14


Western Domain Salt Water Intrusion Model Simulation: Mesh(dx,dy)\*0.5

Simulation by HGL (s8a) -- Plot by NFWMD -- 01 Apr 2004

SIMULATED PREDEVELOPMENT CONDITIONS : (Mesh & Dispersivity)\*0.5




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

SIMULATED 1998 CONDITIONS : (Mesh & Dispersivity)\*0.5



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)

Blue contours: Water level elevation (ft msl)


Figure A.15

Western Domain Salt Water Intrusion Model Simulation: (Mesh & Dispersivity)\*0.5


Simulation by HGL (s9a) -- Plot by NFWFMD -- 01 Apr 2004



# SIMULATED PREDEVELOPMENT CONDITIONS : south bndy moved landward




UPPER FLORIDAN AQUIFER




LOWER FLORIDAN AQUIFER

## SIMULATED 1998 CONDITIONS : south bndy moved landward



UPPER FLORIDAN AQUIFER



LOWER FLORIDAN AQUIFER

Red contours: Chloride concentration (mg/l)

Blue contours: Water level elevation (ft msl)

Figure A.16

Western Domain Salt Water Intrusion Model Simulation: south bndy moved landward

Simulation by HGL (s10) -- Plot by NFWFMD -- 01 Apr 2004