

Knowledge Base for Sea-Level Rise in Florida
10-11-12jdc, Florida Geological Survey Library
[SeaLevelRise.enl]

- Adams, P. N., Opdyke, N. D., and Jaeger, J. M., 2010, Isostatic uplift driven by karstification and sea-level oscillation; modeling landscape evolution in north Florida: *Geology* [Boulder], v. 38, p. 531-534.
- Anderson, H., 2001, High-resolution sequence-stratigraphic architecture of late Quaternary depositional system; Apalachicola margin, Florida [Master's thesis]: Baton Rouge, LA, Louisiana State University, 134 p.
- Anderson, J. B., Rodrigues, A., Abdulah, K. C., Fillon, R. H., Banfield, L. A., McKeown, H. A., and Wellner, J. S., 2004, Late Quaternary stratigraphic evolution of the northern Gulf of Mexico margin; a synthesis: Special Publication - Society for Sedimentary Geology, v. 79, p. 1-23.
- Anselmetti, F. S., Eberli, G. P., and Ding, Z.-D., 2000, From the Great Bahama Bank into the Straits of Florida; a margin architecture controlled by sea-level fluctuations and ocean currents: *Geological Society of America Bulletin*, v. 112, p. 829-844.
- Balsillie, J. H., and Donoghue, J. F., 2004, High resolution sea-level history for the Gulf of Mexico since the last glacial maximum: Florida Geological Survey Report of Investigations 103, 65 p,
<http://publicfiles.dep.state.fl.us/FGS/FGS%5FPublications/RI/RI103SeaLevelHistory.pdf>
- Balsillie, J. H., Means, G. H., and Dunbar, J. S., 2006, The Ryan/Harley site; sedimentology of an inundated Paleoindian site in north Florida: *Geoarchaeology*, v. 21, p. 363-391.
- Bart, P. J., and Anderson, J. B., 2004, Late Quaternary stratigraphic evolution of the Alabama and west Florida outer continental shelf: Special Publication - Society for Sedimentary Geology, v. 79, p. 43-53.
- Bosence, D., 2008, Randomness or order in the occurrence and preservation of shallow-marine carbonate facies? Holocene, south Florida: *Palaeogeography, Palaeoclimatology, Palaeoecology*, v. 270, p. 339-348.
- Brooks, G. R., Doyle, L. J., Suthard, B. C., Locker, S. D., and Hine, A. C., 2003, Facies architecture of the mixed carbonate/siliciclastic inner continental shelf of west-central Florida; implications for Holocene barrier development: *Marine Geology*, v. 200, p. 325-349.
- Bruening, F. A., 2007, Paleoecology and stratigraphic relationships of Holocene peat-containing deposits of the Coot Bay-Whitewater Bay region of southern Florida [Doctoral thesis]: Columbia, SC, University of South Carolina, 91 p.

- Burdette, K. E., 2010, Pleistocene stratigraphy and optical dating of surficial sands in Florida's coastal plain and central highlands : implications for sea-level and shoreline ages [Doctoral thesis]: Hamilton, ON, McMaster University, 117 p, <http://publicfiles.dep.state.fl.us/FGS/FGS%5FPublications/FGS%20Library%20Documents/BurdetteDissertationOpticalDating2010.pdf>.
- Burdette, K. E., Rink, W. J., Mallinson, W. J., Parham, D. J., and Reinhardt, P. R., 2010, Geologic investigation and optical dating of the Merritt Island sand ridge sequence, eastern Florida, USA: *Southeastern Geology*, v. 47, p. 175-190.
- Cahoon, D. R., and Smith, T. J., III, 1999, Mangrove forest sediment elevation changes in relation to sea-level rise and the Florida Everglades hydrological restoration: U. S. Geological Survey Open-File Report 99-181, p 6-7.
- Castaneda, H., and Putz, F. E., 2007, Predicting sea-level rise effects on a nature preserve on the Gulf Coast of Florida : a landscape perspective: *Florida Scientist*, v. 70, p. 166-175.
- Choi, Y., Wang, Y., Hsieh, Y.-P., and Robinson, L., 2001, Vegetation succession and carbon sequestration in a coastal wetland in Northwest Florida; evidence from carbon isotopes: *Global Biogeochemical Cycles*, v. 15, p. 311-319.
- Dean, R. G., and Malakar, S. B., 1999, Projected flood hazard zones in Florida: *Journal of Coastal Research*, v. Special issue 28, p. 85-94.
- Denizman, C., and Randazzo, A. F., 2000, Post-Miocene subtropical karst evolution, lower Suwannee River basin, Florida: *Geological Society of America Bulletin*, v. 112, p. 1804-1813.
- DeSantis, L. R. G., Bhotika, S., Williams, K., and Putz, F. E., 2007, Sea-level rise and drought interactions accelerate forest decline on the Gulf Coast of Florida, USA: *Global Change Biology*, v. 13, p. 2349-2360.
- Donahue, B. T., Hine, A. C., Tebbens, S., Locker, S. D., and Twichell, D. C., 2003, Late Holocene estuarine-inner shelf interactions; is there evidence of an estuarine retreat path for Tampa Bay, Florida?: *Marine Geology*, v. 200, p. 219-241.
- Donoghue, J. F., 2011, Sea level history of the northern Gulf of Mexico coast and sea level rise scenarios for the near future: *Climatic Change*, v. 107, p. 17-33.
- Donoghue, J. F., and White, N. M., 1995, Late Holocene sea-level change and delta migration, Apalachicola River region, northwest Florida, U.S.A.: *Journal of Coastal Research*, v. 11, p. 651-663.
- Duncan, D. S., Locker, S. D., Brooks, G. R., Hine, A. C., and Doyle, L. J., 2003, Mixed carbonate-siliciclastic infilling of a Neogene carbonate shelf-valley system; Tampa Bay, west-central Florida: *Marine Geology*, v. 200, p. 125-156.
- Faught, M., and Carter, B., 1998, Early human occupation and environmental change in northwest Florida: *Quaternary International*, v. 49/50, p. 167-176.
- Ferguson, T. W., and Davis, R. A., Jr., 2003, Post-Miocene stratigraphy and depositional environments of valley-fill sequences at the mouth of Tampa Bay, Florida: *Marine Geology*, v. 200, p. 157-170.
- Florea, L. J., 2006, The karst of west-central Florida [Doctoral thesis]: Tampa, FL, University of South Florida at Tampa, 564 p.
- Florea, L. J., Vacher, H. L., Donahue, B., and Naar, D., 2007, Quaternary cave levels in peninsular Florida: *Quaternary Science Reviews*, v. 26, p. 1344-1361.

- Florida Oceans and Coastal Council, U.S. Geological Survey, Florida Department of Environmental Protection, Florida Fish and Wildlife Conservation Commission, and St. Petersburg Coastal and Marine Science Center, 2010, Climate change and sea-level rise in Florida - an update of the effects of climate change on Florida's ocean and coastal resources: Florida Oceans and Coastal Council, 28 p,
<http://floridacclimateinstitute.org/images/reports/ClimateChangeAndSeaLevelRise.pdf>.
- Frazier, T. G., Wood, N., and Yarnal, B., 2010, Stakeholder perspectives on land-use strategies for adapting to climate-change-enhanced coastal hazards : Sarasota, Florida: Applied Geography, v. 30, p. 506-517.
- Froede, C. R., Jr., 2002, Rhizolith evidence in support of a late Holocene sea-level highstand at least 0.5 m higher than present at Key Biscayne, Florida: Geology [Boulder], v. 30, p. 203-206.
- Gardner, J. V., Dartnell, P., Mayer, L. A., Hughes Clarke, J. E., Calder, B. R., and Duffy, G., 2005, Shelf-edge deltas and drowned barrier-island complexes on the northwest Florida outer continental shelf: Geomorphology, v. 64, p. 133-166.
- Geselbracht, L., Freeman, K., Kelly, E., Gordon, D. R., and Putz, F. E., 2011, Retrospective and prospective model simulations of sea level rise impacts on Gulf of Mexico coastal marshes and forests in Waccasassa Bay, Florida: Climatic Change, v. 107, p. 35-57.
- Giddings, J. B., 1999, Deposition and chronostratigraphic subdivision of the Quaternary sediments, Broward County, Florida [Master's thesis]: Boca Raton, FL, Florida Atlantic University, 152 p.
- Guertin, L. A., McNeill, D. F., Lidz, B. H., and Cunningham, K. J., 1999, Chronologic model and transgressive-regressive signatures in the late Neogene siliciclastic foundation (Long Key Formation) of the Florida Keys: Journal of Sedimentary Research, v. 69, p. 653-666.
- Guertin, L. A., Missimer, T. M., and McNeill, D. F., 2000, Hiatal duration of correlative sequence boundaries from Oligocene-Pliocene mixed carbonate/siliciclastic sediments of the South Florida Platform: Sedimentary Geology, v. 134, p. 1-26.
- Halley, R. B., Prager, E. J., Stumpf, R. P., Yates, K. K., and Holmes, C. W., 1999, Sea-level rise and the future of Florida Bay in the next century: U. S. Geological Survey Open-File Report 99-181, p 34-35.
- Harrington, J., and Walton, T. L., 2008, Climate change in coastal areas in Florida : Sea level rise estimation and economic analysis to year 2080: Florida State University Center for Economic Forecasting and Analysis, 49 p,
www.cefa.fsu.edu/content/download/47234/327898.
- Hickey, T. D., Hine, A. C., Shinn, E. A., Kruse, S. E., and Poore, R. Z., 2010, Pleistocene carbonate stratigraphy of south Florida : evidence for high-frequency sea-level cyclicity: Journal of Coastal Research, v. 26, p. 605-614.
- Hill, T. M., Brooks, G. R., Duncan, D. S., and Medioli, F. S., 2003, Benthic Foraminifera of the Holocene transgressive west-central Florida inner shelf; paleoenvironmental implications: Marine Geology, v. 200, p. 263-272.

- Hine, A. C., Brooks, G. R., Davis, R. A., Doyle, L. J., Gelfenbaum, G. R., Locker, S. D., Twichell, D. C., and Weisberg, R., 2001, A summary of findings of the West-Central Florida Coastal Studies Project: U. S. Geological Survey Open-File Report 2001-303, 58 p.
- Hine, A. C., Halley, R. B., Locker, S. D., Jarrett, B. D., Jaap, W. C., Mallinson, D. J., Ciembronowicz, K. T., Ogden, N. B., Donahue, B. T., and Naar, D. F., 2008, Coral reefs, present and past, on the west Florida shelf and platform margin, *in* Riegl, B. M., and Dodge, R. E., eds., Coral reefs of the USA, Springer, p. 127-173.
- Hine, A. C., Suthard, B. C., Locker, S. D., Cunningham, K. J., Duncan, D. S., Evans, M., and Morton, R. A., 2009, Karst sub-basins and their relationship to the transport of Tertiary siliciclastic sediments on the Florida platform: Special Publication of the International Association of Sedimentologists, v. 41, p. 179-197.
- Hoegh-Guldberg, H., and Florida Keys National Marine Sanctuary, 2010, Climate change and the Florida Keys: NOAA Coral Reef Conservation Program, 469 p, http://sanctuaries.noaa.gov/science/socioeconomic/floridakeys/pdfs/climate_fk_full.pdf.
- Holmes, C. W., Robbins, J., Halley, R. B., Bothner, M. H., Buchholtz-ten Brink, M. R., and Marot, M., 2001, Sediment dynamics of Florida Bay mud banks on a decadal time scale: *Bulletins of American Paleontology*, v. 361, p. 31-40.
- Houston, J. R., and Dean, R. G., 2011, Sea-level acceleration based on U.S. tide gauges and extensions of previous global-gauge analyses: *Journal of Coastal Research*, v. 27, p. 409-417.
- Hughes, J. D., 2006, Salinity- and temperature-dependent groundwater flow in the Floridan aquifer system of south Florida [Doctoral thesis]: Tampa, FL, University of South Florida at Tampa, 298 p.
- Hughes, J. D., Vacher, H. L., and Sanford, W. E., 2009, Temporal response of hydraulic head, temperature, and chloride concentrations to sea-level changes, Floridan Aquifer system, USA: *Hydrogeology Journal*, v. 17, p. 793-815.
- Ionita, D. A., Di Lorenzo, E., and Lynch-Stieglitz, J., 2009, Effect of lower sea level on geostrophic transport through the Florida Straits during the last glacial maximum: *Paleoceanography*, v. 24, p. 1-1.
- Jarrett, B. D., Hine, A. C., Halley, R. B., Naar, D. F., Locker, S. D., Neumann, A. C., Twichell, D., Hu, C., Donahue, B. T., Jaap, W. C., Palandro, D., and Ciembronowicz, K., 2005, Strange bedfellows; a deep-water hermatypic coral reef superimposed on a drowned barrier island; southern Pulley Ridge, SW Florida platform margin: *Marine Geology*, v. 214, p. 295-307.
- Kaplan, S. W., 2003, Peat records of late Holocene climate and sea level change in south Florida [Doctoral thesis]: Madison, WI, University of Wisconsin at Madison, 201 p, <http://gsa.confex.com/gsa/inqu/finalprogram/abstract%5F55802.htm>.
- Kapolka, M., 2007, Sea level rise along the west coast of Florida : trends and potential impacts [Master's thesis]: Coral Gables, University of Miami, 102 p.

- Knorr, P. O., 2006, The case for high-order, Pleistocene sea-level fluctuations in southwest Florida [Master's thesis]: Tampa, University of South Florida, 83 p, <http://purl.fcla.edu/usf/dc/et/SFE0001791>.
- Koch, J. L., 2006, Late Quaternary evolution of the northwest Florida coast and margin; development of a conceptual model for identifying and characterizing shelf sediment deposits [Doctoral thesis]: Tallahassee, FL, Florida State University, 292 p, <http://diginole.lib.fsu.edu/etd/2858>.
- Koch-Rose, M., Mitsova-Boneva, D., and Root, T., 2011, Florida water management and adaptation in the face of climate change: FAU Florida Climate Change Task Force, 52 p., <http://floridacclimate.org/whitepapers/>.
- Konikow, L. F., 2011, Contribution of global groundwater depletion since 1900 to sea-level rise: Geophysical Research Letters, v. 38, p. 1-5.
- Krauss, K. W., From, A. S., Doyle, T. W., Doyle, T. J., and Barry, M. J., 2011, Sea-level rise and landscape change influence mangrove encroachment onto marsh in the Ten Thousand islands region of Florida, USA: Journal of Coastal Conservation, v. 15, p. 629-638.
- Ladner, L., Hoenstine, R., and Cross, B., 2002, Florida Gulf coast marsh response to sea level rise [Abstract]: GCAGS Transactions, v. 52, p. 583-583.
- Lidz, B. H., 2004, Coral reef complexes at an atypical windward platform margin; late Quaternary, southeast Florida: Geological Society of America Bulletin, v. 116, p. 974-988.
- Lidz, B. H., Reich, C. D., Peterson, R. L., and Shinn, E. A., 2006, New maps, new information; coral reefs of the Florida Keys: Journal of Coastal Research, v. 22, p. 260-282.
- Lidz, B. H., Reich, C. D., and Shinn, E. A., 2003, Regional Quaternary submarine geomorphology in the Florida Keys: Geological Society of America Bulletin, v. 115, p. 845-866.
- Lidz, B. H., Shinn, E. A., Hudson, J. H., Multer, H. G., Halley, R. B., and Robbin, D. M., 2008, Controls on late Quaternary coral reefs of the Florida Keys, *in* Riegl, B. M., and Dodge, R. E., eds., Coral Reefs of the USA [Coral Reefs of the World, Vol. 1]: Dania Beach, FL, National Coral Reef Institute, p. 9-74.
- Locker, S. D., Hine, A. C., and Brooks, G. R., 2003, Regional stratigraphic framework linking continental shelf and coastal sedimentary deposits of west-central Florida: Marine Geology, v. 200, p. 351-378.
- Ludwig, K. R., Muhs, D. R., Simmons, K. R., Halley, R. B., and Shinn, E. A., 1996, Sea level records at ~80 ka from tectonically stable platforms : Florida and Bermuda: Geology, v. 24, p. 211-214.
- Lynch-Stieglitz, J., Curry, W. B., and Slowey, N., 1999, Weaker Gulf Stream in the Florida Straits during the last glacial maximum: Nature [London], v. 402, p. 644-648.

- Maliva, R. G., Missimer, T. M., Clayton, E. A., and Dickson, J. A. D., 2009, Diagenesis and porosity preservation in Eocene microporous limestones, south Florida, USA: *Sedimentary Geology*, v. 217, p. 85-94.
- Mallinson, D., Hine, A. C., Hallock, P., Locker, S. D., Shinn, E. A., Naar, D. F., Donahue, B., and Weaver, D., 2003, Development of small carbonate banks on the south Florida platform margin : response to sea level and climate change: *Marine Geology*, v. 199, p. 45-63.
- Martin, J., Fackler, P. L., and Nichols, J. D., 2011, Structured decision making as a proactive approach to dealing with sea level rise in Florida: *Climatic Change*, v. 107, p. 185-202.
- Masetti, R., Fagherazzi, S., and Montanari, A., 2008, Application of a barrier island translation model to the millennial-scale evolution of Sand Key, Florida: *Continental Shelf Research*, v. 28, p. 1116-1126.
- Maul, G. A., and Florida Institute of Technology, 2008, Florida's changing sea level: *Shoreline [FSBPA]*, v. May 2008, p. 1-4.
- Maul, G. A., and Martin, D. M., 1993, Sea level rise at Key West, Florida, 1846-1992 : America's longest instrument record?: *Geophysical Research Letters*, v. 20, p. 1955-1958.
- Mayhew, T. A., and Parkinson, R. W., 2007, Holocene evolution of the barrier island system, east-central Florida: *Florida Scientist*, v. 70, p. 383-396.
- McKeown, H. A., Bart, P. J., and Anderson, J. B., 2004, High-resolution stratigraphy of a sandy, ramp-type margin; Apalachicola, Florida, U.S.A: *Special Publication - Society for Sedimentary Geology*, v. 79, p. 25-41.
- Michaels, B. A., 2001, Holocene stratigraphy and geomorphic evolution of the Cape Sable region, southwest Florida : evidence for Late Holocene sea-level dynamics [Master's thesis]: Coral Gables, University of Miami, 183 p.
- Misra, V., Carlson, E., Craig, R. K., Enfield, D., Kirtman, B., Landing, W., Lee, S.-K., Letson, D., Marks, F., Obeysekera, J., Powell, M., and Shin, S.-L., 2011, Climate scenarios : a Florida-centric view: *Florida Climate Change Task Force*, 60 p, <http://floridacclimate.org/whitepapers/>.
- Missimer, T. M., 1980, Holocene sea level changes in the Gulf of Mexico : an unresolved controversy, *in* Upchurch, S. B., ed., *Holocene geology and man in Pinellas and Hillsborough counties, Florida [SEGS Guidebook 22]*: Tallahassee, Southeastern Geological Society, p. 19-23.
- , 2001, Siliciclastic facies belt formation and the late Oligocene to middle Miocene partial drowning of the southern Florida Platform: *Transactions - Gulf Coast Association of Geological Societies*, v. 51, p. 229-238.
- Mitchell, C. L., and Krueger, J. A., 2011, Climate change science in Everglades National Park: *Park Science*, v. 28, p. 20-25.
- Mitchum, G. T., 2011, Sea level changes in the southeastern United States : past, present and future: *Florida Climate Institute*, 16 p, <http://publicfiles.dep.state.fl.us/FGS/FGS%5FPublications/FGS%20Library%20Documents/MitchumSeaLevelChangesSE2011.pdf>

- Morrissey, S. K., Clark, J. F., Bennett, M., Richardson, E., and Stute, M., 2010, Groundwater reorganization in the Floridan Aquifer following Holocene sea-level rise: *Nature Geoscience*, v. 3, p. 683-687.
- Muhs, D. R., Simmons, K. R., Schumann, R. R., and Halley, R. B., 2011, Sea-level history of the past two interglacial periods : new evidence from U-series dating of reef corals from south Florida: *Quaternary Science Reviews*, v. 30, p. 570-590.
- Murley, J., Heimlich, B. N., and Bollman, N., 2008, Florida's resilient coasts : a State policy framework for adaptation to climate change: FAU Center for Urban and Environmental Solutions and National Commission on Energy Policy, 72 p.
- Noss, R. F., 2011, Between the devil and the deep blue sea : Florida's unenviable position with respect to sea level rise: *Climatic Change*, v. 107, p. 1-16.
- Obeyskera, J., Browder, J. A., Hornung, L., and Harwell, M. A., 1999, The natural South Florida system I; climate, geology, and hydrology: *Urban Ecosystems*, v. 3, p. 223-244.
- Obeyskera, J., Park, J., Irizarry-Ortiz, M., Trimble, P., Barnes, J., VanArman, J., Said, W., and Gadzinski, E., 2011, Past and projected trends in climate and sea level for South Florida: SFWMD Technical Report 5,, 149 p., <http://publicfiles.dep.state.fl.us/FGS/FGS%5FPublications/FGS%20Library%20Documents/ObeyskeraPastProjectedSeaLevelSFWMD2011.pdf>.
- Osterman, L. E., and Twichell, D., 2011, Holocene evolution of Apalachicola Bay, Florida: U.S. Geological Survey Fact Sheet 2011-3028, 2 p, <http://pubs.er.usgs.gov/publication/fs20113028>.
- Osterman, L. E., Twichell, D., and Poore, R. Z., 2009, Holocene evolution of Apalachicola Bay, Florida: *Geo-Marine Letters*, v. 29, p. 395-404.
- Otvos, E. G., 2005, Revisiting the Mississippi, Alabama, and NW Florida coast; dated Quaternary coastal plain units and landforms; evidence for a revised sea-level curve, *in* Meyland, M. A., ed., *Gulf Coast Geology : field trip 3 and field trip 4*: Hattiesburg, University of Southern Mississippi, p. 63-115.
- Parkinson, R. W., 1989, Decelerating Holocene sea-level rise and its influence on southwest Florida coastal evolution : a transgressive/regressive stratigraphy: *Journal of Sedimentary Petrology*, v. 59, p. 960-972.
- Precht, W. F., and Miller, S. L., 2007, Ecological shifts along the Florida reef tract; the past as a key to the future: *Ecological Studies*, v. 192, p. 237-312.
- Raabe, E. A., Streck, A. E., and Stumpf, R. P., 2004, Historic topographic sheets to satellite imagery : A methodology for evaluating coastal change in Florida's Big Bend tidal marsh: USGS Open-File Report 02-211, 44 p, <http://pubs.er.usgs.gov/publication/ofr2002211>.
- Reich, C. D., Hickey, T. D., DeLong, K. L., Poore, R. Z., and Brock, J. C., 2009, Holocene core logs and site statistics for modern patch-reef cores; Biscayne National Park, Florida: U. S. Geological Survey Open-File Report 2009-1246, 26 p.

- Ross, M. S., O'Brien, J. J., and Sternberg, L. D. S. L., 1994, Sea-level rise and the reduction in pine forests in the Florida Keys: Ecological Applications, v. 4, p. 144-156.
- Scholl, D. W., Craighead, E. C., Jr., and Stuiver, M., 1969, Florida submergence curve revised : its relation to coastal sedimentation rates: Science, v. 163, p. 562-564.
- Sedgwick, P. E., and Davis, R. A., Jr., 2003, Stratigraphy of washover deposits in Florida; implications for recognition in the stratigraphic record: Marine Geology, v. 200, p. 31-48.
- Sjoberg, P. E., 2004, Modeling coastal forest decline : an investigation at Seahorse Key, Florida [Master's thesis]: Gainesville, University of Florida, 62 p,
http://etd.fcla.edu/UF/UFE0008781/sjoberg_p.pdf.
- Southeast Florida Regional Climate Change Compact Technical Ad Hoc Work Group, 2011, A unified sea level rise projection for southeast Florida : a document prepared for the Southeast Florida Regional Climate Change Compact Steering Committee, 27 p,
http://www.ces.fau.edu/sites/default/files/projects/climate_change/SE_Florida_RegionalCompact_SeaLevelRise_April2011.pdf.
- Stabenau, E., Engel, V., Sadle, J., and Pearlstine, L., 2011, Sea-level rise : observations, impacts, and proactive measures in Everglades National Park: Park Science, v. 28, p. 26-30.
- Stanton, E. A., and Ackerman, F., 2007, Florida and climate change : the costs of inaction: Tufts University Global Development and Environment Institute and the Stockholm Environment Institute, U.S. Center, 91 p,
http://www.ase.tufts.edu/gdae/Pubs/rp/Florida_hr.pdf.
- Tanner, W. F., 1998, Coastal sand hills near Cedar Key, Florida: Coastal Research, p. 7-11.
- Toscano, M. A., and Lundberg, J., 1998, Early Holocene sea-level record from submerged fossil reefs on the southeast Florida margin: Geology, v. 26, p. 255-258.
- , 1999, Submerged late Pleistocene reefs on the tectonically-stable S. E. Florida margin : high-precision geochronology, stratigraphy, resolution of substage 5a sea-level elevation, and orbital forcing: Quaternary Science Reviews, v. 18, p. 753-767.
- Trimble, P., Santee, E. R., and Neidrauer, C. J., 1998, Preliminary estimate of impacts of sea level rise on the regional water resources of southeastern Florida: SFWMD, 11 p.,
http://www.sfwmd.gov/portal/page/portal/pg_grp_sfwmd_hesm_pubs/portlet_hesm_publications/tab2590186/searise.pdf.
- Twichell, D., Edmiston, L., Andrews, B., Stevenson, W., and Donoghue, J. F., 2010, Geologic controls on the recent evolution of oyster reefs in Apalachicola Bay and St. George Sound, Florida: Estuarine, Coastal and Shelf Science, v. 88, p. 385-394.

- U.S. Army Corps of Engineers, 2009, Water resource policies and authorities incorporating sea-level change considerations in civil works programs: Department of the Army Engineering Circular 1165-2-211, 31 p, http://140.194.76.129/publications/eng-circulars/EC_1165-2-212.pdf.
- U.S. Climate Change Science Program, Titus, J. G., Anderson, K. E., Cahoon, D. R., Gesch, D. B., Gill, S. K., Gutierrez, B. T., Thieler, E. R., and Williams, S. J., 2009, Coastal sensitivity to sea-level rise : a focus on the mid-Atlantic region: U.S. Environmental Protection Agency, 300 p.
- U.S. Geological Survey, and Halley, R. B., 1999, Sedimentation, sea-level rise and circulation in Florida Bay: U.S. Geological Survey Fact Sheet 156-96, 3 p.
- Upchurch, S. B., 1980, Selected bibliography on Holocene sea-level positions, *in* Upchurch, S. B., ed., Holocene geology and man in Pinellas and Hillsborough counties, Florida [SEGS Guidebook 22]: Tallahassee, Southeastern Geological Society, p. 56-62.
- Villar, A., and Krosnick, J. A., 2010, American public opinion on global warming in the American states : an in-depth study of Florida, Maine, and Massachusetts: Stanford University, 30 p, <http://woods.stanford.edu/research/state-surveys.html>.
- Vlaswinkel, B. M., and Wanless, H. R., 2009, Rapid recycling of organic-rich carbonates during transgression; a complex coastal system in southwest Florida: Special Publication of the International Association of Sedimentologists, v. 41, p. 91-112.
- Walker, K. J., Stapor, F. W., and Marquardt, W. H., 1995, Archaeological evidence for a 1750-1450 BP higher-than-present sea level along Florida's Gulf coast: Journal of Coastal Research, v. Special Issue 17 (Holocene Cycles : Climate, Sea Levels, and Sedimentation), p. 205-218.
- Wanless, H. R., 1989, The inundation of our coastlines : past, present, and future with a focus on south Florida: Sea Frontiers, v. 35, p. 264-271.
- Wanless, H. R., and Parkinson, R. W., 1989, Late Holocene sea level history of southern Florida : controls on coastal stability, Proceedings of the 8th Symposium on Coastal Sedimentology : Coastal sediment mobility: Tallahassee, FL, Florida State University, p. 197-213.
- Wardlaw, B. R., 2001, Introduction to paleoecological studies of South Florida and the implications for land management decisions: Bulletins of American Paleontology, v. 361, p. 5-15.
- Willard, D. A., Bernhardt, C. E., Brooks, G. R., Cronin, T. M., Edgar, T., and Larson, R., 2007, Deglacial climate variability in central Florida, USA: Palaeogeography, Palaeoclimatology, Palaeoecology, v. 251, p. 366-382.
- Williams, K., Ewel, K. C., Stumpf, R. P., Putz, F. E., and Workman, T. W., 1999, Sea-level rise and coastal forest retreat on the west coast of Florida: Ecology, v. 80 p. 2045-2063.
- Wright, E. E., Hine, A. C., Goodbred, S. L., and Locker, S. D., 2005, The effect of sea-level and climate change on the development of a mixed siliciclastic-carbonate, deltaic coastline : Suwannee River, Florida, USA: Journal of Sedimentary Research, v. 75, p. 621-635.