

3

3

1958


1958

HILLSBORO  
LEVELL CO  
COUNTY

2

# DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING Roadway of any Width. Side Slopes 1 1/2 to 1.

In the figure below: opposite 7 under "Cut or Fill" and under .3 read 11.0, the distance out from the side stake at left. Also, opposite 11 under "Cut or Fill" and under .1 read 16.7, the distance out from the side stake at right.



| Cut or Fill | Distance out from Side or Shoulder Stake |      |      |      |      |      |      |      |      |      | Cut or Fill |
|-------------|------------------------------------------|------|------|------|------|------|------|------|------|------|-------------|
|             | 0                                        | .1   | .2   | .3   | .4   | .5   | .6   | .7   | .8   | .9   |             |
| 0           | 0.0                                      | 0.2  | 0.3  | 0.5  | 0.6  | 0.8  | 0.9  | 1.1  | 1.2  | 1.4  | 0           |
| 1           | 1.5                                      | 1.7  | 1.8  | 2.0  | 2.1  | 2.3  | 2.4  | 2.6  | 2.7  | 2.9  | 1           |
| 2           | 3.0                                      | 3.2  | 3.3  | 3.5  | 3.6  | 3.8  | 3.9  | 4.1  | 4.2  | 4.4  | 2           |
| 3           | 4.5                                      | 4.7  | 4.8  | 5.0  | 5.1  | 5.3  | 5.4  | 5.6  | 5.7  | 5.9  | 3           |
| 4           | 6.0                                      | 6.2  | 6.3  | 6.5  | 6.6  | 6.8  | 6.9  | 7.1  | 7.2  | 7.4  | 4           |
| 5           | 7.5                                      | 7.7  | 7.8  | 8.0  | 8.1  | 8.3  | 8.4  | 8.6  | 8.7  | 8.9  | 5           |
| 6           | 9.0                                      | 9.2  | 9.3  | 9.5  | 9.6  | 9.8  | 9.9  | 10.1 | 10.2 | 10.4 | 6           |
| 7           | 10.5                                     | 10.7 | 10.8 | 11.0 | 11.1 | 11.3 | 11.4 | 11.6 | 11.7 | 11.9 | 7           |
| 8           | 12.0                                     | 12.2 | 12.3 | 12.5 | 12.6 | 12.8 | 12.9 | 13.1 | 13.2 | 13.4 | 8           |
| 9           | 13.5                                     | 13.7 | 13.8 | 14.0 | 14.1 | 14.3 | 14.4 | 14.6 | 14.7 | 14.9 | 9           |
| 10          | 15.0                                     | 15.2 | 15.3 | 15.5 | 15.6 | 15.8 | 15.9 | 16.1 | 16.2 | 16.4 | 10          |
| 11          | 16.5                                     | 16.7 | 16.8 | 17.0 | 17.1 | 17.3 | 17.4 | 17.6 | 17.7 | 17.9 | 11          |
| 12          | 18.0                                     | 18.2 | 18.3 | 18.5 | 18.6 | 18.8 | 18.9 | 19.1 | 19.2 | 19.4 | 12          |
| 13          | 19.5                                     | 19.7 | 19.8 | 20.0 | 20.1 | 20.3 | 20.4 | 20.6 | 20.7 | 20.9 | 13          |
| 14          | 21.0                                     | 21.2 | 21.3 | 21.5 | 21.6 | 21.8 | 21.9 | 22.1 | 22.2 | 22.4 | 14          |
| 15          | 22.5                                     | 22.7 | 22.8 | 23.0 | 23.1 | 23.3 | 23.4 | 23.6 | 23.7 | 23.9 | 15          |
| 16          | 24.0                                     | 24.2 | 24.3 | 24.5 | 24.6 | 24.8 | 24.9 | 25.1 | 25.2 | 25.4 | 16          |
| 17          | 25.5                                     | 25.7 | 25.8 | 26.0 | 26.1 | 26.3 | 26.4 | 26.6 | 26.7 | 26.9 | 17          |
| 18          | 27.0                                     | 27.2 | 27.3 | 27.5 | 27.6 | 27.8 | 27.9 | 28.1 | 28.2 | 28.4 | 18          |
| 19          | 28.5                                     | 28.7 | 28.8 | 29.0 | 29.1 | 29.3 | 29.4 | 29.6 | 29.7 | 29.9 | 19          |
| 20          | 30.0                                     | 30.2 | 30.3 | 30.5 | 30.6 | 30.8 | 30.9 | 31.1 | 31.2 | 31.4 | 20          |
| 21          | 31.5                                     | 31.7 | 31.8 | 32.0 | 32.1 | 32.3 | 32.4 | 32.6 | 32.7 | 32.9 | 21          |
| 22          | 33.0                                     | 33.2 | 33.3 | 33.5 | 33.6 | 33.8 | 33.9 | 34.1 | 34.2 | 34.4 | 22          |
| 23          | 34.5                                     | 34.7 | 34.8 | 35.0 | 35.1 | 35.3 | 35.4 | 35.6 | 35.7 | 35.9 | 23          |
| 24          | 36.0                                     | 36.2 | 36.3 | 36.5 | 36.6 | 36.8 | 36.9 | 37.1 | 37.2 | 37.4 | 24          |
| 25          | 37.5                                     | 37.7 | 37.8 | 38.0 | 38.1 | 38.3 | 38.4 | 38.6 | 38.7 | 38.9 | 25          |
| 26          | 39.0                                     | 39.2 | 39.3 | 39.5 | 39.6 | 39.8 | 39.9 | 40.1 | 40.2 | 40.4 | 26          |
| 27          | 40.5                                     | 40.7 | 40.8 | 41.0 | 41.1 | 41.3 | 41.4 | 41.6 | 41.7 | 41.9 | 27          |
| 28          | 42.0                                     | 42.2 | 42.3 | 42.5 | 42.6 | 42.8 | 42.9 | 43.1 | 43.2 | 43.4 | 28          |
| 29          | 43.5                                     | 43.7 | 43.8 | 44.0 | 44.1 | 44.3 | 44.4 | 44.6 | 44.7 | 44.9 | 29          |
| 30          | 45.0                                     | 45.2 | 45.3 | 45.5 | 45.6 | 45.8 | 45.9 | 46.1 | 46.2 | 46.4 | 30          |
| 31          | 46.5                                     | 46.7 | 46.8 | 47.0 | 47.1 | 47.3 | 47.4 | 47.6 | 47.7 | 47.9 | 31          |
| 32          | 48.0                                     | 48.2 | 48.3 | 48.5 | 48.6 | 48.8 | 48.9 | 49.1 | 49.2 | 49.4 | 32          |
| 33          | 49.5                                     | 49.7 | 49.8 | 50.0 | 50.1 | 50.3 | 50.4 | 50.6 | 50.7 | 50.9 | 33          |
| 34          | 51.0                                     | 51.2 | 51.3 | 51.5 | 51.6 | 51.8 | 51.9 | 52.1 | 52.2 | 52.4 | 34          |
| 35          | 52.5                                     | 52.7 | 52.8 | 53.0 | 53.1 | 53.3 | 53.4 | 53.6 | 53.7 | 53.9 | 35          |
| 36          | 54.0                                     | 54.2 | 54.3 | 54.5 | 54.6 | 54.8 | 54.9 | 55.1 | 55.2 | 55.4 | 36          |
| 37          | 55.5                                     | 55.7 | 55.8 | 56.0 | 56.1 | 56.3 | 56.4 | 56.6 | 56.7 | 56.9 | 37          |
| 38          | 57.0                                     | 57.2 | 57.3 | 57.5 | 57.6 | 57.8 | 57.9 | 58.1 | 58.2 | 58.4 | 38          |
| 39          | 58.5                                     | 58.7 | 58.8 | 59.0 | 59.1 | 59.3 | 59.4 | 59.6 | 59.7 | 59.9 | 39          |
| 40          | 60.0                                     | 60.2 | 60.3 | 60.5 | 60.6 | 60.8 | 60.9 | 61.1 | 61.2 | 61.4 | 40          |

Florida Geological  
Survey

Box 631

Tallahassee, Fla.

The paper in this book No. 370 A  
is made of 50% high grade rag stock  
with a WATER RESISTING surface sizing.

Level 8 B. Warden

Bed 8 R. Goldbold

Index 8 (on last pages)

Hillsborough County

1. W-2574 Hillsborough Co.

STA. BS HI FS Elev.

Bm

A-987 2.81 24.49 4.76 21.68

W-2574 4.76 24.49 2.81 19.73

A-987 21.68

W-2587

Bm

A-1040 5.16 13.1<sup>9</sup> 4.41 8.03

W-2587 4.41 13.1<sup>9</sup> 5.16 8.77

A-1040 8.03

Aug 26, 1958

Hbt & Cloudy

City Bm Top of Brick wall NW corner of

MacDill & Apawamis

Ground elev.

Chuks BS FS Elev. diff.

7.57 7.57 21.68

7.57 21.68

0.00 0.00

City Bm S curb 500' E of Memorial

Hwy & Columbus Dr

Ground elev. Cement base

Chuks BS FS Elev. diff.

9.57 9.57 8.03

9.57 8.03

0.00 0.00

2

W-2473

Hillsborough Co

Aug 26, 1958

Hot &amp; Cloudy

STA BS HI FS Elev.

Spot  
Elev. 6.34 36.34 4.24 30.00<sup>+</sup>

W-2473 4.24 36.34 6.33 32.10

Spot  
Elev. 30.01

W-2592

A725 6.19 48.04 3.91 41.85

W-2592 3.91 48.04 6.18 44.13

A725 41.86

NW corner of Spruce &amp; N. Tampa

Ground elev.

| Chk to | BS    | FS    | Elev. diff |
|--------|-------|-------|------------|
|        | 10.58 | 10.57 | 30.01      |
|        | 10.57 |       | 30.00      |
|        | 0.01  |       | 0.01       |

City Bm 10' W of E of 13<sup>th</sup> St on N side  
of 21<sup>st</sup> Ave

Ground elev.

| Chk to | BS    | FS    | Elev. diff |
|--------|-------|-------|------------|
|        | 10.10 | 10.09 | 41.86      |
|        | 10.09 |       | 41.85      |
|        | 0.01  |       | 0.01       |

3

W-2588

Holliston Co.

Aug. 27, 1958

Hot &amp; Cloudy

| STA        | BS   | HI    | FS   | Elev.              |
|------------|------|-------|------|--------------------|
| Spot elev. | 3.91 | 43.91 | 4.43 | 40.00 <sup>±</sup> |

|            |      |       |      |       |
|------------|------|-------|------|-------|
| W-2588     | 4.43 | 43.91 | 3.91 | 39.48 |
| Spot elev. |      |       |      | 40.00 |

W-2704

|            |      |       |      |                    |
|------------|------|-------|------|--------------------|
| Spot elev. | 6.28 | 51.28 | 4.21 | 45.00 <sup>±</sup> |
|------------|------|-------|------|--------------------|

|            |      |       |      |       |
|------------|------|-------|------|-------|
| W-2704     | 4.21 | 51.28 | 6.28 | 47.07 |
| Spot Elev. |      |       |      | 45.00 |

W-2586

|            |      |       |      |                    |
|------------|------|-------|------|--------------------|
| Spot Elev. | 6.01 | 26.01 | 5.36 | 20.00 <sup>±</sup> |
|------------|------|-------|------|--------------------|

|            |      |       |      |       |
|------------|------|-------|------|-------|
| W-2586     | 5.36 | 26.01 | 6.02 | 20.65 |
| Spot Elev. |      |       |      | 19.99 |

150' N of Ida &amp; Sunnace Ave.

Cement side walk

| Checks | BS   | FS   | Elev. diff. |
|--------|------|------|-------------|
|        | 8.34 | 8.34 | 40.00       |
|        | 8.34 |      | 40.00       |
|        | 0.00 |      | 0.00        |

180' S of intersection of E. Henney &amp; 37 St.

Ground elev.

| Checks | BS    | FS    | Elev. diff. |
|--------|-------|-------|-------------|
|        | 10.49 | 10.49 | 45.00       |
|        | 10.49 |       | 45.00       |
|        | 0.00  |       | 0.00        |

160' N of Willow &amp; Geary St.

Ground elev.

| Checks | BS    | FS    | Elev. diff. |
|--------|-------|-------|-------------|
|        | 11.37 | 11.37 | 20.00       |
|        | 11.37 |       | 19.99       |
|        | 0.01  |       | 0.01        |

4 W-2265 Hillsborough Co.

| Sta    | BS   | HI    | FS   | Elev.              |
|--------|------|-------|------|--------------------|
| Spot   |      |       |      |                    |
| Elev.  | 4.80 | 54.80 | 4.12 | 50.00 <sup>+</sup> |
| W-2265 | 4.12 | 54.80 | 4.80 | 50.68              |
| Spot   |      |       |      |                    |
| Elev.  |      |       |      | 50.00              |

W-2598

| Bm     |      |       |      |       |
|--------|------|-------|------|-------|
| A-812  | 4.79 | 59.69 | 4.98 | 54.90 |
| W-2598 | 4.98 | 59.69 | 4.79 | 54.71 |
| A-812  |      |       |      | 54.90 |

Aug 28, 1958 Hot + Cloudy

SE corner sidewalk at NW corner of  
intersection of Buffalo Ave & Taliaferro  
Ground elev.

| Checks | BS   | FS   | Elev. diff. |
|--------|------|------|-------------|
|        | 8.92 | 8.92 | 50.00       |
|        | 8.92 |      | 50.00       |
|        | 0.00 |      | 0.00        |

City Bm SW corner of Hillsborough & 17<sup>th</sup> St  
Ground elev.

| Checks | BS   | FS   | Elev. diff. |
|--------|------|------|-------------|
|        | 9.77 | 9.77 | 54.90       |
|        | 9.77 |      | 54.90       |
|        | 0.00 |      | 0.00        |

5 W-2509 Hillsborough Co.

Sta BS HI FS Elev

A-481 5.12 48.43 4.00 43.31

W-2509 4.00 48.43 5.12 44.43

A-481 43.31

W-2535

Bm  
A457 6.02 48.24 4.72 43.22

W-2535 4.72 48.24 6.02 44.52

A457 43.22

Aug 29, 1958

tht & cloudy

Power pole 420' S of Hillsborough on

Amenia

Ground elev.

| Checks | BS   | FS   | Elev diff. |
|--------|------|------|------------|
|        | 9.12 | 9.12 | 43.31      |
|        | 9.12 |      | 43.31      |
|        | 0.00 |      | 0.00       |

+ Inset on Sta 320+00, 210' W of St. Peter's

on Hillsborough

Ground elev.

| Checks | BS    | FS    | Elev diff. |
|--------|-------|-------|------------|
|        | 10.74 | 10.74 | 43.22      |
|        | 10.74 |       | 43.22      |
|        | 0.00  |       | 0.00       |

6

N-2551

Hillsborough Co.

Aug 29, 1958

Hot &amp; Cloudy

| STA    | BS   | HI    | FS   | Elev  |
|--------|------|-------|------|-------|
| Bm     |      |       |      |       |
| AA535  | 1.45 | 39.06 | 6.64 | 37.61 |
| W-2551 | 6.64 | 39.06 | 1.45 | 32.42 |
| AA535  |      |       |      | 37.61 |

NE curb at drive to Oak Jr. H.S.

corner of America &amp; Jean.

Ground elev.

| Chkgs | BS   | FS   | Elev diff    |
|-------|------|------|--------------|
|       | 8.09 | 8.09 | 37.61        |
|       | 8.09 |      | <u>37.61</u> |
|       | 0.00 |      | 0.00         |

W-2640

|        |      |       |      |                    |
|--------|------|-------|------|--------------------|
| spot   |      |       |      |                    |
| A Elev | 5.73 | 20.73 | 8.17 | 15.00 <sup>+</sup> |
| W-2690 | 8.17 | 20.73 | 5.73 | 12.56              |
| spot   |      |       |      |                    |
| A Elev |      |       |      | 15.00              |

85' W of Abbeville on Road St.

blacktop

| Chkgs | BS    | FS    | Elev diff    |
|-------|-------|-------|--------------|
|       | 13.90 | 13.90 | 15.00        |
|       | 13.90 |       | <u>15.00</u> |
|       | 0.00  |       | 0.00         |

7

W-2383

Hillsborough Co.

Sept. 4, 1958

Hot &amp; Cloudy

| STA | BS | HI | FS | Elev. |
|-----|----|----|----|-------|
|-----|----|----|----|-------|

|        |      |                               |      |      |
|--------|------|-------------------------------|------|------|
| A-1039 | 1.98 | 9.8 <sup>5</sup> <del>8</del> | 5.34 | 7.87 |
|--------|------|-------------------------------|------|------|

|        |      |      |      |      |
|--------|------|------|------|------|
| W-2383 | 5.34 | 9.85 | 1.97 | 4.51 |
|--------|------|------|------|------|

|        |  |  |  |      |
|--------|--|--|--|------|
| A-1039 |  |  |  | 7.88 |
|--------|--|--|--|------|

SW corner of sign post (Phillips 66) on

SE corner of Memorial Hwy &amp; Columbus Dr

Grand - lev

| Checks | BS   | FS   | Elev. diff |
|--------|------|------|------------|
|        | 7.32 | 7.31 | 7.88       |
|        | 7.31 |      | 7.87       |
|        | 0.01 |      | 0.01       |

W-2514

|            |      |       |      |                    |
|------------|------|-------|------|--------------------|
| Spot Elev. | 7.57 | 22.57 | 4.99 | 15.00 <sup>±</sup> |
|------------|------|-------|------|--------------------|

|        |      |       |      |       |
|--------|------|-------|------|-------|
| W-2514 | 4.99 | 22.57 | 7.57 | 17.58 |
|--------|------|-------|------|-------|

|           |  |  |  |       |
|-----------|--|--|--|-------|
| Spot Elev |  |  |  | 15.00 |
|-----------|--|--|--|-------|

120' W of Tampa &amp; Madison, on Madison

corner of side walk

| Checks | BS    | FS    | Elev. diff |
|--------|-------|-------|------------|
|        | 12.56 | 12.56 | 15.00      |
|        | 12.56 |       | 15.00      |
|        | 0.00  |       | 0.00       |

8

W-2200

Hillsborough Co

Sept 4, 1958

Hot + Cloudy

STA BS HI FS Elev.

spot  
A Elev. 5.29 15.29 4.41 10.00<sup>±</sup>

W-2200 4.41 15.29 5.30 10.88

spot  
A Elev. 9.99

220' W of 27<sup>th</sup> St + E. Broadway

Ground elev.

| Chk: | BS   | FS          | Elev        | diff. |
|------|------|-------------|-------------|-------|
|      | 9.70 | 9.71        | 10.00       |       |
|      |      | 9.70        | 9.99        |       |
|      |      | <u>0.01</u> | <u>0.01</u> |       |

9

W-2609

Hillsborough Co.

Sept. 5, 1958

Hottel Chudy

STA BS HI FS Elev.

A A-1003 4.58 26.09 4.61 21.51

W-2609 4.61 26.09 4.58 21.48

A-1003 21.51

□ IN sidewalk 366' N. of Cleveland - on

MacDill

Ground elev.

W-2601

A-993 5.74 26.13 5.89 20.37

W-2601 5.89 26.13 5.76 20.24

A-993 20.37

| Chk to | BS   | FS   | Elev. diff. |
|--------|------|------|-------------|
|        | 9.19 | 9.19 | 21.51       |
|        | 9.19 |      | 21.51       |
|        | 0.00 |      | 0.00        |

SE corner of flower box on NW corner  
of MacDill & Morrison

Ground elev.

| Chk to | BS    | FS    | Elev. diff. |
|--------|-------|-------|-------------|
|        | 11.65 | 11.65 | 20.37       |
|        | 11.65 |       | 20.37       |
|        | 0.00  |       | 0.00        |

10

W-2185

Hillsborough Co.

Sept. 5, 1958

Hot + Cloudy

SIA BS HI FS Elev.

Spot Elev. 5.00 25.00 4.95 20.00±

W-2185 4.95 25.00 5.00 20.05

Spot Elev. 20.00

385' N of intersection of Brookline +

Saint Nicholas

Ground elev.

| Checks | BS   | FS   | Elev. diff. |
|--------|------|------|-------------|
|        | 9.95 | 9.95 | 20.00       |
|        | 9.95 |      | 20.00       |
|        | 0.00 |      | 0.00        |

W-2706

Spot Elev. 5.99 25.99 4.70 20.00±

W-2706 4.70 25.99 5.99 21.29

Spot Elev. 20.00

102' W of intersection of Florida + Madison

ON Madison

Ground elev. Cement + sidewalks

| Checks | BS    | FS    | Elev. diff. |
|--------|-------|-------|-------------|
|        | 10.69 | 10.69 | 20.00       |
|        | 10.69 |       | 20.00       |
|        | 0.00  |       | 0.00        |

11

W-2492

Hillsborough Co.

Sept 6, 1958

Hot &amp; Cloudy

| STA    | BS   | HI   | FS   | Elev. |
|--------|------|------|------|-------|
| Spot   |      |      |      |       |
| Elev   | 6.36 | 9.36 | 4.89 | 3.00± |
| W-2492 | 4.89 | 9.36 | 6.35 | 4.47  |
| Spot   |      |      |      |       |
| Elev.  |      |      |      | 3.01  |

intersection of N. Duncker &amp; Hawthorne

Ground elev

| Check: | BS    | FS    | Elev. diff. |
|--------|-------|-------|-------------|
|        | 11.25 | 11.24 | 3.01        |
|        | 11.24 |       | 3.00        |
|        | 0.01  |       | 0.01        |

12

W-2266

Hillsborough Co.

Sept 8, 1958

Hot &amp; Cloudy

STA BS HI FS Elev

Spot  
Elev. 3.36 73.36 6.05 70.00±

W-2266 6.05 73.36 3.37 67.31

Spot  
Elev. 69.99

0.50 mi. W of Seffner on Fla. 574

Cement base

| Check | BS   | FS   | Elev diff |
|-------|------|------|-----------|
|       | 9.41 | 9.42 | 70.00     |
|       |      | 9.41 | 69.99     |
|       |      | 0.01 | 0.01      |

W-2568

Seffner

J18 4.46 75.87 5.56 71.41

W-2568 5.56 75.87 4.46 70.31

J18 71.41

Ground elev

| Check | BS    | FS    | Elev diff |
|-------|-------|-------|-----------|
|       | 10.02 | 10.02 | 71.41     |
|       | 10.02 |       | 71.41     |
|       | 0.00  |       | 0.00      |

13

W-2437

Hillsborough Co

Sept 8, 1958

Hot &amp; Clear

Sta BS HI FS Elev

spot

Elev 4.69 64.69 4.10 60.00<sup>±</sup>

W-2437 4.10 64.69 4.69 60.59

spot

Elev 60.00

0.60 mi S of P.O. at Seffner on

Lea Rd

Ground elev.

| Chubz | BS   | FS   | Elev. diff |
|-------|------|------|------------|
|       | 8.79 | 8.79 | 60.00      |
|       | 8.79 |      | 60.00      |
|       | 0.00 |      | 0.00       |

W-2302

spot  
Elev 5.30 70.30 7.45 65.00<sup>±</sup>

W-2302 7.45 70.30 5.31 62.85

spot  
Elev 64.99

0.15 mi S of WLR on Brandon Rd -

Then 125' W of Brandon Rd

Cement base

| Chubz | BS    | FS    | Elev. diff |
|-------|-------|-------|------------|
|       | 12.75 | 12.76 | 65.00      |
|       |       | 12.75 | 64.99      |
|       |       | 0.01  | 0.01       |

14

W-2354

Hillsborough Co

Sept. 8, 1958

Hot &amp; Clear

STA BS HI FS Elev

Spot  
Elev 4.78 54.78 5.53 50.00±

W-2354

G 5.53 54.78 4.78 49.25

Spot  
Elev 50.00

0.25 mi. E of Lening Ave. on Virginia Ave.

Ground elev.

| Checks | BS | FS    | Elev. diff. |
|--------|----|-------|-------------|
| 10.31  |    | 10.31 | 50.00       |
| 10.31  |    |       | 50.00       |
| <hr/>  |    |       | <hr/>       |
| 0.00   |    |       | 0.00        |

W-2242

Spot  
Elev 11.87 59.87 0.25 48.00±

W-2242 0.25 59.87 11.84 59.62

Spot  
Elev. 48.03

intersection of Bradon & Jersey

Ground elev.

| Checks | BS | FS    | Elev. diff. |
|--------|----|-------|-------------|
| 12.12  |    | 12.09 | 48.03       |
| 12.09  |    |       | 48.00       |
| <hr/>  |    |       | <hr/>       |
| 0.03   |    |       | 0.03        |

15

W-2283

Hillsborough Co.

Sept. 10, 1958

Hot &amp; Cloudy

| Spot Elev. | BS   | HI    | FS   | Elev.              |
|------------|------|-------|------|--------------------|
| Spot Elev. | 6.30 | 41.30 | 6.04 | 25.00 <sup>±</sup> |
| W-2283     | 6.04 | 41.30 | 6.29 | 35.26              |
| Spot Elev. |      |       |      | 35.01              |

0.10 mi. W. of intersection of Buffalo Ave

&amp; Thimotassara Rd

Ground elev.

| Chucks | BS    | FS    | Elev. diff. |
|--------|-------|-------|-------------|
|        | 12.34 | 13.33 | 35.01       |
|        | 12.33 | 2     | 35.00       |
|        | 0.01  |       | 0.01        |

W-2299

| Spot Elev. | BS   | HI    | FS   | Elev.              |
|------------|------|-------|------|--------------------|
| Spot Elev. | 4.58 | 44.58 | 4.66 | 40.00 <sup>±</sup> |
| W-2299     | 4.66 | 44.58 | 4.58 | 39.92              |
| Spot Elev. |      |       |      | 40.00              |

0.50 mi. S. of Buffalo Ave on Telford Rd

Ground elev.

| Chucks | BS   | FS   | Elev. diff. |
|--------|------|------|-------------|
|        | 9.24 | 9.24 | 40.00       |
|        | 9.24 |      | 40.00       |
|        | 0.00 |      | 0.00        |

16

W-2352

Hillsboro Co.

Sept 9, 1958

Hot &amp; Cloudy

| STA  | BS   | HI    | FS   | Flw                |
|------|------|-------|------|--------------------|
| Spot |      |       |      |                    |
| Elev | 4.44 | 59.44 | 4.00 | 55.00 <sup>+</sup> |

W-2352 4.00 59.44 4.45 55.44

| Spot | Elev  |
|------|-------|
|      | 54.99 |

W-2303

| BS   | HI    | FS   | Flw   |
|------|-------|------|-------|
| 6.78 | 40.00 | 4.62 | 33.22 |

W-2303 4.62 40.00 4.78 35.38

| Spot | Elev  |
|------|-------|
| F49  | 33.22 |

1.0 miles of <sup>to</sup> 574 on Lincoln Td.

Ground elev

| Check | BS   | FS   | Elev diff |
|-------|------|------|-----------|
|       | 8.44 | 8.45 | 55.00     |
|       |      | 8.44 | 54.99     |
|       |      | 0.01 | 0.01      |

Ground elev

| Check | BS    | FS    | Elev diff |
|-------|-------|-------|-----------|
|       | 11.40 | 11.40 | 33.22     |
|       |       |       | 33.22     |
|       | 0.00  |       | 0.00      |

17

W-2677

Hillsborough Co

Sept 10, 1959

Hot &amp; Cloudy

| STA    | BS   | HI    | FS   | Elev               |
|--------|------|-------|------|--------------------|
| spot   |      |       |      |                    |
| Elev   | 6.59 | 41.59 | 4.54 | 35.00 <sup>+</sup> |
| W-2677 | 4.56 | 41.59 | 6.59 | 37.03              |
| spot   |      |       |      |                    |
| Elev   |      |       |      | 35.00              |

2.0 mi S of FLA 60 on Providence Rd.

Gemma + base

| Chuko | BS    | FS    | Elev. diff. |
|-------|-------|-------|-------------|
|       | 11.15 | 11.15 | 35.00       |
|       | 11.15 |       | 35.00       |
|       | 0.00  |       | 0.00        |

# Index 2 (Hillsborough County)

W-2574 Page 1

W-2587 " 1

W-2473 Page 2

W-2572 " 2

W-2588 Page 3

W-2704 " 3

W-2586 " 3

W-2265 Page 4

W-2598 " 4

W-2509 Page 5

W-2535 " 5

W-2551 Page 6

W-2690 " 6

W-2383 Page 7

W-2514 " 7

W-2200

W-2609

W-2601

W-2185

W-2706

W-2492

W-2266

W-2568

W-2437

W-2302

W-2354

W-2242

W-2283

W-2299

W-2352

W-2303

W-2677

page 8

page 9

" 9

page 10

" 10

page 11

page 12

" 12

page 13

" 13

page 14

" 14

page 15

" 15

page 16

" 16

page 17