

1962

COUNTY

DE SOTO
CHARLOTTE
HARDEE
SARASOTA

LEVEL BOOK

1962

No. 3504

29

3425-7

PROPERTY OF FLORIDA
GEOLOGICAL SURVEY
H.C. EPPERT & J.M. DAVIS
BOOK # 1

P.O. DRAWER 631
TALLAHASSEE, FLA.

1

TRAVERSE - 1

W-3272

SARASOTA CO.

JUNE 7, 1962

HOLE # 30

WEATHER

EFFECT - LEVEL

STA BS HI FS ELEV.

CLEAR & HOT

DAVIS - ROD

3.80

BM₁LOCATION: NW 1/4 NW 1/4 SEC. 25 T36S, R17E
ON BIRD KEY

4.59

6.97

BM₁ - SRD DISK ON NE BOUND

4.28

4.28

BM₂

LANE OF BRIDGE FROM BIRD KEY

2.76

BM₃

TO ST ARMAND KEY ELEV.

6.99

4.62

3.79

BM₁BM₂ - GROUND ELEV. AT EAST COR.
OF CONCRETE SLAB ELEV.

2.

TRAVERSE -2
W-4486 SAR. CO.

NW/4 SW/4 SEC. 26 T36S R17E

STA	BS.	HI	FS	ELEV.	
	4.39	7.93		3.54	BM ₁
	3.21	8.13	3.01	4.92	
	7.50		5.29	2.84	BM ₂
			3.30	4.83	BM ₃
			8.30		
	Σ FS	8.30			
	Σ BS	7.60			
		.70			= .70 ck.

6/7/62

EPPERT-LEVEL

WEATHER


DAVIS - ROD

HOT & CLEAR

CITY OF SARASOTA

BM₁ - W 2278 - ELEV. 3.54BM₂ - GROUND ELEV. OF W 4486BM₃ - NOT ON N SIDE PLATE 2ND FROM

METAL PROTRUSION.



3.

W-5115

SARASOTA CO.

FAR HORIZON MOTEL

SE 1/4 SW 1/4 SEC 8. RITE T365

STA

BS

HI

FS

ELEV.

6.89

10.87

3.98

BM₁

7.74

15.21

3.40

7.47

5.72

16.03

4.90

10.31

4.55

14.88

5.70

10.33

5.19

15.55

4.52

10.36

6.39

17.87

4.87

11.48

5.10

17.92

5.05

12.82

4.27

17.27

4.92

13.00

5.55

17.45

5.37

11.90

4.33

16.96

4.82

12.63

3.48

14.26

6.18

10.78

5.70

14.47

5.49

8.77

4.27

13.76

4.98

9.49

7.40

6.36

W-5115

6/11/62

CREW

WEATHER

EMPERT LEVEL

WIND E HOT

DAVIS - ROD

BM₁ - HEADWALL OF 30" CULVERT

N.E. CORNER PUT IN BY

JON MURPHY ELEV - 3.98'

W-5115 - GROUND ELEV.

TBM₁ - TOP OF ELECTRIC OUTLETON SOUTHEAST ^{SIDE} V OF FAR HORIZON

MOTEL. S.E., OUTLET.

4. W-5115 CONT'D

STA	BS	HI	FS	ELEV
			<u>5.50</u>	8.26 TBM,
	<u>69.18</u>		66.80	

$\Sigma BS = 69.18$

$\Sigma FS = 66.80$

$2.38 = 2.38 \text{ ck.}$

5.

W-4944 E

TRA. #4

W-4639

SAR. CO.

SW 1/4 SE 1/4 SEC. 35 T36S R17E

BS HI FS ELEV.

2.72 7.80 5.08 BM₁

5.18 7.99 4.99 2.81

6.32 9.56 4.75 3.24

4.11 9.00 4.67 4.89

6.46 10.19 5.27 3.73

3.47 6.72 W-4944

4.82 9.06 5.95 4.24

4.46 4.60 W-4639

6/12/62

WEATHER

EPPERLY LEVEL

HOT & PARTLY CLOUDY

DAVIS - ROD

BM₁ - I-11 CITY OF SAR. BM.

N. NUT ON LOWER RIM FIRE HYDRANT W. SIDE

BEN FRANKLIN DR SOUTH OF ROOSEVELT DR

W-4944 GROUND ELEV. OF WELL AT

TRITON MOTEL WELL UNDERGROUND

W-4639 GROUND ELEV. OF WELL

AT FRONTENAC HOTEL WELL UNDERGROUNDED.

TRA. #5

6.

CITY OF VENICE WELLS SAR. CO.

6/13/62

WEATHER HOT & PARTLY CLOUDY

EPPERT LEVEL
DAVIS ROD

BS HI FS ELEV.

BM₁ 4.11 15.74 11.63GROUND
✓ 9N 6.84 8.90 IN HOLEGROUND
9S 7.41 8.33

10 4.49 16.93 3.80 11.94

S.S. OF
CASING.

10 4.44 11.99

GROUND
✓ 11N 4.83 11.60GROUND
✓ 11S 6.99 9.94

✓ 12N 4.50 11.93

GROUND

✓ 12S 4.21 12.22

GROUND

✓ 13N 4.46 11.97

GROUND

✓ 13S 4.57 11.86

GROUND

TP 2.09 16.92 1.60 14.83

14N 4.92 12.00

GROUND
UNDERGR.

14S 6.66 10.26

CASING

14S 4.94 11.98

GROUND


BM₁ - BM-60 - SET BY SMALLY, WELLFORD &

NAWEN FOR CITY OF VENICE

TOP F.H. SW COR VENICE AVE. & SEABOARD

#10

EAST SIDE




7.

	BS	HI	FS	ELEV.	
15			5.38	11.54	GROUND
15	14.08	16.24	4.76	12.16	CASING
16			3.79	12.45	CASING
16			4.39	11.85	GROUND
17			4.33	11.91	CASING
17			4.67	11.57	GROUND
18			5.21	11.03	GROUND
18			4.47	11.77	CASING
TP	5.08	18.24	3.08	13.16	
15E			5.13	13.11	CASING
15E			5.39	12.85	GROUND
2N			5.16	13.08	GROUND
2N			4.89	13.35	CASING
3S			5.00	12.41	GROUND
3N			5.23	12.18	GROUND
4S			5.37	12.04	GROUND


#17

PUMP




SOUTHSIDE

#15




SOUTHSIDE

#16



SOUTHSIDE

#16



SOUTHSIDE

8.

	BS	HI	FS	ELEV.	
15	4N		5.21	12.20	GROUND
15	TP	2.16	2.24	15.17	
16	6		5.97	11.36	GROUND
16	6		5.86	11.47	CASING
17	5		5.19	12.14	GROUND
17	5		4.27	13.06	CASING
18	TP		6.18	11.15	
18	BM ₂		3.92	13.56	

TF

156

156

ZN

ZN


3S

3N

4S

#15E

EAST SIDE




BM-2 - BM-69 SET BY S.W. & N FOR

CITY OF VENICE. NAIL IN P.P. NE. COR.

SPUR & WARFIELD. - ELEV. 13.61'

#2N

SOUTH SIDE



13.61

15.56

105 ck.

TKA #6

9.

CITY OF VENICE WELLS

	BS	HI	FS	ELEV.	
BM ₁	3.94	17.55		13.61	
2			4.54	13.01	GROUND
2	4.67	18.21	4.01	13.54	CASING
1N			4.88	13.33	GROUND
1N	4.00	17.87	4.34	13.87	CASING
1			4.60	13.27	GROUND
1	4.35	18.36	3.86	14.01	CASING
21			5.43	12.93	GROUND
21	4.92	18.44	4.84	13.52	CASING
BM ₂			4.49	13.95	

14.10
13.95
15 c.

4/13/62

WEATHER

EARTH LEVEL

HOT & CLOUDY

DAVIS ROD

BM₁ - BM₆₉ NAIL IN P.P. NECOR SPUR &

WARFIELD ELEV. 13.61


BM₂ - BM₆₅ NAIL IN P.P. E SIDE WARFIELD

BETWEEN PINELAND & SPUR (NEARER

PINELAND) ELEV. 14.10


#2

#1N SOUTHSIDE

WEST
SIDE

#1

#21



TRA #7

10.

CITY OF VENICE WELLS - SAR. CO.

6/19/62

WEATHER

EPPERT LEVEL

BS

HI

FS

ELEV.

HOT & CLEAR

DAVIS ROD

BM₁

4.31

18.41

14.10

22

5.31

18.95

4.77

13.64

BM₁ - BM₆₈ NAIL N.P. E. SIDE

22

5.16

13.79

CASING

WARFIELD BETWEEN PINELAND & SPOK

22

5.57

13.58

GROUND

ELEV. 14.10

23

4.78

13.17

GROUND

#23

#24

23

5.14

13.81

CASING

NORTH
SIDE

24

5.13

13.82

GROUND

24

5.23

19.36

4.82

14.13

CASING

25

4.96

14.40

GROUND

25

4.81

14.55

CASING

#25 & 26 SAME DESIGN AS #24 WITH

WATER LEVEL IN DITCH

10' S. #26

10.29

9.07

MEASURE POINTS ON WEST SIDE

26

5.19

14.17

GROUND

CASING.

26

4.69

14.67

CASING

#27 SAME DESIGN AS #24 BUT NO NOT

3.08

19.30

3.14

16.22


MEA. PTS ON W SIDE

27

4.81

14.49

GROUND



11.

	BS	HI	FS	ELEV.	
27			4.56	14.74	CASING
28			4.86	14.44	GROUND
28			4.59	14.71	CASING
29			5.06	14.24	GROUND
29			4.52	14.78	CASING
	2.82	18.58	3.54	15.76	
30			4.46	14.12	GROUND
30			3.69	14.89	CASING
31			4.63	13.96	GROUND
31			4.42	14.17	CASING
32			4.66	13.93	GROUND
32			4.42	14.17	CASING
TP	3.33	19.09		15.76	
TP	2.97	19.08	2.98	16.11	
TP	3.14	18.29	3.93	15.15	
BM ₁			4.23	14.06	
				14.10	
				14.06	
				.04 CB.	

#22

WESTSIDE

EAST
SIDE

#28

#29 ✓

WESTSIDE

#30 ✓

WESTSIDE

#27 WESTSIDE

#31 SAME AS 29 ✓

#32

EASTSIDE

12

TCH #8

CITY OF VENICE

WELLS

SAB. CO.

6/14/62

HOT & CLOUDY

EFFECT LEVEL

BS

HI

FS

ELEV.

DAVIS ROD

BM₁

3.28

14.91

11.63

BM₁ - BM₆₀ TOP F.H. SW COR VENICE

2

6.81

8.10

GROUND

AVE. & SEABOARD

2

8.06

6.85

CASING

#2 WELL AT WATER WORKS

CASING COVERED NOW.

13.

9

CITY OF VENICE WELL S&I, CO.

6/19/62

WEATHER

EXPERT LEVEL

HOT & CLEAR

DAVK ROD

	RS	HI	FS	ELEV
BM ₁	3.97	15.60		11.63

3.97	15.60	11.63
------	-------	-------

5.29	14.95	5.94	9.66
------	-------	------	------

7N		403	10.92	GROUND
----	--	-----	-------	--------

75	4,21	10,73	GROUND
----	------	-------	--------

5.51	14.51	5.95	9.00
------	-------	------	------

#1		6.67	7.84	GROUND
----	--	------	------	--------

BM,		2.94	11.57	.05 ck.
-----	--	------	-------	---------

ALBERT BLACKBURN

BM,	3.06	14.69	11.63
-----	------	-------	-------

5.91	14.70	5.90	8.79
------	-------	------	------

3.31	11.39	CASING
------	-------	--------

10.37 GROUND


8.97	9.21
------	------

$$\text{DIFF} = .24 = .24$$

BM₁ - BM₆₀ SEE PAGE 12.

#1 IS WELL AT WATER PLANT UNDER TANK.

$BM_1 = BM_0$ SEE ABOVE



14.

TIRA # 10

W-5419 & W-5420

VENICE EAST INC. - SAR CO.

BS HI FS ELEV.

.73 16.15 15.42

W-5419 4.21 11.94 CASING

W-5419 5.29 10.86 GROUND

W-5420 6.17 9.98 GROUND

6/20/62

WEATHER

EPPERT LEVEL

CLOUDY & WINDY

DAVIS ROD

W-5419



SOUTH SIDE CASING

GROUND

W-5419 SAME SETUP AS ABOVE

BUT CASING UNDERGROUND.

LOCATION SE 1/4 NW 1/4 SEC 26 T39 S. R19 E

15.

TRA #11

VENICE GARDENS INC SAR.CO.

W-4014, W-4857, W-4858, W-5422

W-5421. S $\frac{1}{2}$ SW $\frac{1}{4}$ SEC 21 T39S R19E

BS HI FS ELEV.

BM₁ 6.58 22.09 15.51#4
W-4858 2.93 19.16 CASING#4
W-4858 4.27 17.82 GROUND#3
W-4857 3.63 18.46 CASING#3
W-4857 4.93 17.16 GROUND#2
3.65 18.44 CASING#2
5.87 16.22 GROUND#1
W-4014 3.96 18.13 CASING#1
W-4014 5.70 16.39 GROUND#5
W-5422 3.68 18.41 CASING#5
W-5422 4.78 17.31 GROUND#6
W-5421 4.35 17.74 CASING#6
W-5421 5.55 16.54 GROUNDBM₁ 6.58 15.51

6/20/62

WEATHER

EPPERT LEVEL


CLOUDY & WIND

DAVIS ROD

BM₁ = NAIL IN C/L SHAMROCK OPPOSITE

TELEPHONE POLE WEST OF THAMI RD.

1ST POLE WEST. ELEV. 15.51



TRAV. # 12

16.

WATER TABLE TEST HOLES

IN VENICE WELL FIELD

	BS	HI	FS	ELEV.
BM ₁	4.52	18.33		13.81
MP ₁			8.21	10.12
WT-1			5.26	13.07
WT-2			5.56	12.77
WT-2E			5.11	13.22
WT-3			5.65	12.68
WT-4			4.70	13.63
BM ₁			4.52	13.81
BM ₁	4.58			13.81
WT-5			5.16	13.23

6/20/62

WEATHER

EPPERT LEVEL

HOT & CLEAR

DAVIS ROD

BM₁ - CASING OF # 23 VENICE
WELL FIELDMP₁ - WATER LEVEL IN DITCH
BEHIND # 23.

17.

TRA. 13
W-5582

SAR. CO.

PALMS MEMORIAL PARK

SE/4 NE/4 SEC 23 R18E T36S

BS HI FS ELEV.

BM₁ 4.24 33.01 28.77

6.20 35.34 3.87 29.14

W-5582 3.13 32.21 PUMP

W-5582 3.77 31.57 GROUND

6.21 29.13

BM₁ 4.01 28.8328.77
.06 ck.

6/25/62

HOT & CLEAR


EPPERT LEVEL

DAVIS ROD

BM₁ - SRD BM^{#1} ELEV. 28.77

NAIL IN TELEPHONE POLE AT BEG.

CONSTR. OF FRUITVILLE ROAD.

SOUTHSIDE PUMP
UNDER US PUMP
SIGN.

18.

TRA. 14
W-4843

SAR. CO.

FRUITVILLE SCHOOL

BS HI FS ELEV

BM₁ 4.01 32.78 28.77

5.82 33.42 5.18 27.60

6.77 36.25 3.94 29.48

5.60 37.74 4.11 32.14

W-4843 4.37 33.37 CASING

W-4843 5.68 32.06 GROUND

3.81 35.95 5.60 32.14

4.50 33.61 6.85 29.11

5.01 32.65 5.97 27.64

BM₁ 4.00 28.65

6/25/62

HOT & CLEAR

EPPERT LEVEL

DAVIS ROD

SW/4 SW/4 SEC 24 T36S R18E.

BM₁ - SRD BM #1 ELEV 28.77

XFL

XFL

XFL

XFL

XFL

XFL

XFL

XFL

x

TOP PIPE ON

NORTHSIDE

19.

TRAU 15 & TRA 16
W-4519 & W-5112

SAR. CO.

E. M. R. MFG. CO.

6/25/62

HOT & CLEAR

EPPERT LEVEL

DAVIS ROD

BS HI FS ELEV.

BM₁ 4.02 31.69 27.67

W-4519 4.50 27.19 CONCRETE

W-4519 4.81 26.88 GROUND


BM₁ 4.08 31.75

W-5112 4.95 26.80 FLOOR


W-5112 5.35 26.40 GROUND

BM₁ - FLOOR ELEV. OF MAIN BLDG.

W-4519



W-5112



x WEST CORNER

20.

TRA. #17

W-5299

CITY OF SARASOTA.

BS HI FS ELEV.

BM, 4.35 15.15 10.80

3.08 14.01 4.22 10.93

W-5299 4.02 9.99 CASING

W-5299 3.08 8.60 GROUND

4.36 15.29 4.49 10.93

BM, 10.80

6/26/62

EPPERT LEVEL


HOT & CLEAR

DAVIS ROD

SW/4 SW/4 SEC. 18 R 18E T36S

BM - E-37 BOLT IN CORB NE CORNER

OF ACL & COCONUT AVE.



WESTSIDE CASING

21. TRA #18
MALCOM FORT DESOTO CO.

NE 1/4 NE 1/4 SEC. 25 T39S R23E

BS HI FS ELEV.

3.58 30.02 26.44

3.95 23.57 10.40 19.62

1.48 22.09 TOP CAS.

2.80 20.77 COUPLING

3.11 20.46 GROUND

6/26/62

HOT & CLOUDY

EPPERT LEVEL

DAVIS ROD

BM, - SRD BM #1 ELEV. 26.44

X	CASING
X	COUPLING
X	GROUND

ZZ.

TRA. # 19
JOHN ABOROMA DESOTO CO.

SW/4 NW/4 SEC. 26 T39S R25E

BS HI FS ELEV.

BM₁ 4.05

4.46 5.30

5.44 4.72

4.94 5.03

MP₁ 3.75MP₂ 5.62

7/4/62

EFFECT LEVEL

WEATHER

DAVIS ROD

HOT & CLEAR

BM₁ - USGS BM 1952 ID TT 63

ELEV 42'

MP₁ - NE CORNER PUMP PLATEMP₂ - GROUNDMP₁
NE CORNER

23.

W-4321 RIVERVIEW HIGH SCHOOL

NW/4 NE/4 SEC 8 T37S R18E

BS HI FS ELEV.

BM₁ 4.31 30.56 26.25

2.86 27.27 6.15 24.41

4.05 22.00 9.32 17.95

MP₁ 3.82 18.18MP₂ 4.33 17.67

9.42 4.05 17.95

6.31 2.97 24.40

BM₁ 4.50 26.21

TRA. # 20

SAR. CO.

7/10/62

WEATHER


EPPERT-LEVEL

HOT & PARTLY CLOUDY

DAVIS - ROD

BM₁ - SAR. CO. BM ⁷⁵ CORNER

PROCTOR & SWIFT RD. ELEV - 26.25

MP₂ - GROUND ON EAST SIDE

24

TRA. # 21

W-5138 E 5315

SAR. CO.

CITY OF SAR.

NE/2 SEC 13 T36S R17E

RS

HI

FS

ELEV.

BM₁

3.85

15.57

11.72

6.82

18.02

4.37

11.20

2.75

13.82

6.95

11.07

W-5138

MP₁

7.28

6.54

W-5138

MP₂

7.67

6.15

4.43

12.10

6.15

7.67

W-5315

MP₃

6.32

5.78

W-5315

MP₄

6.91

5.19

6.10

13.79

4.41

7.69

7.63

18.34

3.08

10.71

4.18

15.71

6.81

11.53

BM₁

3.89

11.82

7/10/62

WEATHER

EPPER LEVEL

HOT & CLEAR

DAVIS ROD

BM₁ - SRD BM ON BRIDGE OVER

WHITTIER BAYOU ELEV - 11.72

MP₁

W-5138 NE CORNER CONCRETE

MP₂ x x

GROUND

PUMP
HOUSE

W-5315

x
MP₄

PIPE

x
MP₄

GROUND

MP₃ xNW CORNER CONC.
SLAB

25.

TICK # 22

CITY OF VENICE WELLS

7/13/62

WHICH WERE DUG UP

EPPERT-LEVEL

AFTER LEVEL RUN BEFORE

WEATHER

DAVIS - ROD

BS HI FS ELEV.

HOT & CLEAR

BM₁

3.94

17.56

13.61

BM #1 - BM #69 CITY OF VENICE

3S

6.39

11.17

ELEV. 13.61

3N

6.25

11.31

3S

MP WHERE WATER LEVEL
MEASURED FROM

4N

6.35

11.21

5S

6.35

17.29

6.62

10.94

5N

3.33

13.96

3N

6

3.29

16.78

3.80

13.49

7N

6.78

10.00

4N

5.60

16.62

5.76

11.02

9S

8.38

8.24

10

3.82

12.80

5S

11N

5.68

10.94

11S

6.60

10.02

12N

5.82

10.80

5N

EDGE PIPE ABOUT 1.5' ABOVE

GROUND.

26.	BS	HI	FS	ELEV.
12S	6.80	17.40	6.02	10.60
13N			6.49	10.91
13S			7.04	10.36
14N			6.29	11.11
14S			7.17	10.23
	4.93	16.92	5.41	11.99
TEST #1			5.82	11.10
TEST #2			5.79	11.13
	3.38	15.01		11.63
9N			6.30	8.71

MP.
X 11N
L

11S
M
X
SAN. SEAL

MP
X 12N
L

MP
X 12S
L

MP
X 13N
L

MP
X 13S
L

MP
X 14N
L

M
X
14S

9N
X 17
L

TRA #23

#2

27

JACK WOODARD'S WELL - HARDEE CO.
HARDEE GROVES
#2 IN ORANGE GROVE.

8/3/62

WEATHER

EPPERT - LEVEL

NE 1/4 SW 1/4 SEC. 15 T 35S R 24E

HOT - CLOUDY - RAIN.

DAVIS - ROD

BS HI FS ELEV.

BM₁ 7.72 89.73 82.01BM₁ - USC & GS - OF STATE GEODETIC

5.16 89.93 4.96 89.77

SURVEY - NO MARKS ON IT - ELEV - 82.012

4.64 90.18 4.39 85.54

5.13 87.46 7.85 82.33

MP₁ - TOP CASING

4.55 88.68 3.33 84.13

MP₂ - GROUND

4.08 85.27 7.49 81.19

6.35 84.37 7.25 78.02

MP₁ 37.63 3.85 80.52MP₂ 4.17 80.20

39.12

Σ FS 39.12

Σ BS 37.63

1A 9. = 1.49 ch.

MP₁
|^x| MP₂

28

TRAV #24

JACK WOODARD'S WELL #1 HARDEE CO.
 ERVIN SHAPARIO
 CENTER OF SEC 21 R24E T35S

8/3/62

EPPERT-LEVEL

BS HI FS ELEV.

WEATHER

DAVIS - ROD

BM₁ 3.53 79.29 75.76

HOT - RAIN

5.49 80.23 4.55 74.74

5.14 81.68 3.69 76.54

BM₁ - USC&GS - STD. DISK

4.78 82.00 4.46 77.22

STAMPED "667 1934" ELEV - 75.764

6.82 85.36 3.46 78.54

5.89 89.23 2.02 83.34

MP₁ - CASING

5.41 90.43 4.21 85.02

MP₂ - GROUNDMP₁ 37.06 3.64 86.79MP₂ 3.95 86.48

26.03

MP₁
 1 x 1 x MP₂

Σ BS 37.06

Σ FS 26.03

10.03 = 10.03

29.

TRA #25

W-938 - JAY MORAN

SARASOTA CO.

SE/4 NE/4 SEC 3 R20E T36S

BS HI FS ELEV.

BM, 4.35 90.63 86.28

3.29 87.80 6.12 84.51

4.65 86.83 5.62 82.18

2.65 85.95 3.53 83.30

MP, 10.41 75.54 CASING

14.94 25.68

EFS 25.68

EBS 14.94

10.74 = 10.74 ck.

8/6/62

WEATHER

EPPERT-LEVEL

HOT & RAIN

DAVIS - ROD

BM, - USC & GS BM Y 76 1934

ELEV - 86.289

MP - CASING

30.

TIR 26

KENSINGTON PARK - SAR. CO.

WELL #25 - ELECTRIC LOG

8/7/62

HOT & RAIN.

EPPERT - LEVE

DAVIS - ROAD

BS HI FS ELEV.

BM₁ 3.27 31.70 28.43

4.95 32.51 4.14 27.56

4.88 31.29 6.10 26.41

MP₁ 4.54 26.75 GROUNDMP₂ 3.37 27.92 CASINGBM₁ - CHISEL CUT ON SIDEWALK

S.S. 27 PARKWAY BRIDE 6' W. OF

EAST END. ELEV. 28.43.

MP₂x MP₁

TIRA #27

31

KENSINGTON PARK

SAR. CO.

W-4146 & W-4776 & #12B

BS HI FS ELEV.

BM₁ 3.78 32.21 28.93

5.43 33.08 4.56 27.65

W-4146 7.15 25.93 GROUND

W-4146 5.20 27.88 CASING

W-4776 2.05 31.03 CASING

W-4776 4.41 34.57 2.92 30.16 GROUND

4.25 35.37 3.45 31.12

#12B 17.87 5.45 29.92 GROUND

#12B 4.08 31.29 CASING

16.38

EBS 17.87

SFS 16.38

1.49 -1.49 cb.

8/7/62

WEATHER - HOT

EPPERT-LEVEL

& RAIN


DAVIS - ROD

BM₁ - SAME AS BM₁ PAGE 30.

W-4146



W-4776



#12B



32.

TRA # 28

C.V. HOLLINGSWORTH DESOTO.

SE/4 NW/4 SEC. 11 T37S R23E

BS HI FS ELEV.

BM, 5.28 65.87 60.59

5.09 65.40 5.56 60.31

3.95 63.12 5.73 59.67

W MP, 13.82 3.78 59.34

W 15.07

W

W 2FS 15.07

2BS 13.82

1.25 = 1.25 ck.

8/8/62

WEATHER

EPPERT - LEVEL

HOT & RAIN

DAVIS - ROD

BM, - USGS TBM NAIL & WASHER IN

ROOT 12" PINE ELEV - 60.59

MP, - TOP CASING

GROUND

x

33.

TIRA #29

JOE'S POULTRY FARM - DESOTO CO.

8/9/62

JOE BURTSCHER

S¹/₄ NW¹/₄ SEC. 22 T37S

WEATHER

EPPERT - LEVEL

R24E

HOT & CLOUDY

DAVIS - ROD

BS

HI

FS

ELEV.

BM,

3.84

60.58

56.74

BM,

- 3RD

BM -

ELEV -

56.74

3.91

59.54

4.95

55.63

5.01

59.30

5.25

54.29

4.55

58.76

4.89

54.41

Σ BS

17.31

6.66

52.30

GROUND

CASING

5.64

53.32

CASING

GROUND x

x1 = 1

Σ FS 21.75

Σ BS 17.31

4.44 = 4.44 CL

TRA # 30

34.

W-4947

SAR. CO.

8/10/62

AUTOMATIC LAUNDRY

WEATHER

EPPERT-LEVEL

NE 1/4 SW 1/4 SEC 17 T 37 S R 18 E

HOT & CLEAR

DAVIS - ROD

BS HI FS ELEV.

BM₁ 3.63 23.98 20.35MP₁ 3.99 19.99MP₂ 2.24 21.74 $\Sigma F 3.99$ $\Sigma BS \frac{3.63}{.36} = .36 \text{ CK}$ BM₁ - SRD BM #33 ELEV. - 20.35

40 PENNY NAIL IN P.P. 175' RT STA

661 + 14

MP₂

X F L

MP₁ - GROUND

F F

MP₂ - TOP CASINGMP₁ x

35.

W-5553

SAR. CO.

BUCKINGHAM CLUB

NE/4 NE/4 SEC. 20 T37S R18E

BS HI FS ELEV.

BM₁ 3.21 19.29 16.08

4.96 17.87 6.38 12.91

8.17 6.17 11.70

ΣFS 12.55

ΣBS 8.17

4.38 = 4.38 ck.

8/13/62

WEATHER

EPPERT - LEVEL

HOT & CLEAR.

DAVIS - ROD

BM₁ - SRD BM #32 TBM 31B

3/8" SPIKE IN PINETREE ELEV - 16.08

MP₁ - GROUND

TRA #32

SAR. CO

36.

W.K. WHIPPLE APTS. - SUN N SAND

8/19/62

W-4739

WEATHER

EPPERT-LEVEL

MRS. LYNN MOREY - SARA SOTA -

HOT & CLEAR

DAVIS - ROD

BY THE SEA - W-3683

BM#1 - BM 108A - 6.33 - SAR. CO.

BS HI FS ELEV.

BM₁ 3.92 10.25 6.33MP₁ - GROUNDW MP₁ 4.35 5.90 W-4739MP₂ - GROUND

5.35 10.38 5.22 5.03

L MP₂ 6.13 4.25 W-3683

5.20 10.23 5.35 5.03

BM₁ 3.90 6.33

37. W-4145 & W-4488

SAR. CO.

8/15/62

KENSINGTON PARK

WEATHER

EPPERT-LEVEL

HOT & CLEAR

DAVIS-ROD

BS HI FS ELEV.

BM, 2.94 31.37 28.43

BM, - SAME AS BM, PAGE 30.

3.55 32.16 2.76 28.61

MP₁ 4.86 27.30#4145
GROUND
#4145MP₂ 5.10 33.26 4.00 28.16CASING
#4488MP₃ 11.59 4.61 28.65GROUND
#4488MP₄ 3.43 29.83

CASING

11.37



ΣBS 11.59

ΣFS 11.37

.22 = .22 OK

W-4145

W-4488



38. OLB BOBBY JONES G.C. WELL.

1/2 OLD RINGLING WINTER STRS WEL

NE 1/4 NW 1/4 SEC 22 T36S R18E

BS HI FS ELEV.

4.98 28.46 23.48

MP₁ 8.39 20.07 GR.MP₂ 7.44 21.02 CAS.

7.56 31.72 4.30 24.16

MP₃ 4.31 27.41 GR.MP₄ 3.08 28.69 CAS.

8/13/62

WEATHER - HOT & CLEAR EPPERT-LEVEL

DAVIS - ROD

BM[#] - NAIL IN P.P. - BM[#] 60

60' W AT CANAL EDGE 900'

SOUTH OF FENCE

BOBBY JONES



MP4 CIRCUS



TRA # 35

39. BOBBY JONES TEST WELL

NW/4 NW/4 SEC 23 R18E T36S

BS HI FS ELEV.

BM₁ 2.86 27.24 24.38

4.36 20.65 10.95 16.29

5.24 20.57 5.32 15.33

7.24 25.39 2.42 18.15

MP₁ 4.60 20.79 GROUNDMP₂ 2.40 22.99 CASING

2.46 20.61 7.24 18.15

3.90 20.88 3.63 16.98

9.13 26.62 3.39 17.49

BM₁ 2.42 24.20

8/16/62


WEATHER - CLEAR

EPPERT - LEVEL

GROUND ON GOLF C.

DAVIS - ROD

WAS SOGGY.

BM₁ - BM₁[#] 61 NAIL IN P.P. 36' N
OF BANK 100' ON EXT. OF FENCEMP₁ x

TRA #36

40.

W-5742 - L.N. DUNCAN

NE/4 NE/4 SEC 20 T375 R18E

BS HI FS ELEV.

BM, 1.75 17.83 16.08

MP, 4.33 13.50

8/16/62

EPPERT-LEVEL

WEATHER

DAVIS - ROD

HOT & CLEAR.

BM, - SAME AS B#32 PAGE 35

WELL UNDER COVER SO MP, IS
GROUND.

41.

NELLIE BROWN

DESOTO

8/9/62

NE 1/4 SE 1/4 SEC. 4 T38S R25E

WEATHER

GPPERT-LEVEL

BS HI FS ELEV.

RAINING

DAVIS - ROD

BM₁ 4.46 64.48 60.02

8.08 68.24 4.32 60.16

BM₁ - STD BM ON BRIDGE

4.99 68.07 5.16 63.08

3.05 65.37 5.75 62.32

MP₁ - GROUND

3.86 63.42 6.81 58.56

MP₂ - CASING

5.00 62.60 4.82 57.60

MP₁ 29.44 5.52 57.08MP₂ 4.45 58.15

32.38

 $\Sigma FS - 32.38$ $\Sigma BS - 29.44$ $2.94 = 2.94 \text{ ck.}$

42

W-4653 - SRD

TRA # 38

SE/4 NE/4 SEC. 6 R18E T36S

BS HI FS ELEV.

BM₁ 4.44 23.64 19.104.47 23.16 4.85 18.69MP₁ 8.91 4.32 18.84

9.17

8.91

.26 = .26 ch.

8/16/62

WEATHER

EPPERT-LEVEL

HOT & CLOUDY

DAVIS - ROD

BM₁ - SRD BM #20 - 19.10MP₁ - GROUND.

TRA # 39

43. W-5809 - MOBILIFE CORP.

SW/4 SE/4 SEC. 6 T 36 S R 18 E

BS HI FS ELEV.

BM₁ 5.39 22.89 17.50MP₁ 5.62 17.27

8/16/62

WEATHER

CLOUDY & RAIN

EPPERT-LEVEL

DAVIS - ROD

BM₁ - BRIDGE ELEV.MP₁ - GROUND

44. W-5884 E W-5885 - CHARLOTTE CO

J.B. WASHINGTON.

SW/4 SW/4 SEC. 23 T40S R24E

BS HI FS ELEV.

BM₁ 3.06 21.74 18.68

6.94 20.21 8.47 13.27

3.08 15.53 7.76 12.45

7.85 17.99 5.39 10.14

MP₁ 2.26 15.73

MP₂ +2.86 17.59

MP₃ +2.00 17.73

TBM₁ 2.33 19.92 17.59

MP₄ 0.83 19.09

GROUND

TBM₁

TOP TEE

+2.00

EL. LOG. DAT.

8/17/62

WEATHER

RAIN


EXPERT - LEVEL

DAVIS - ROD


BM₁ - 96 ERS II 1952 - 18.684

W-5884

MP₂ - TBM



W-5885



45.

TRA #41

CITY OF SARASOTA - SAR. CO.

8/20/62

27TH ST. WELL NEAR BRADENTON AVE.


WEATHER HOT & CLEAR

EPPERT - LEVEL

NW/4 NW/4 SEC 18 R18E T36S

DAVIS - ROD

BS HI FS ELEV.

BM₁ 2.95 12.71 9.76BM₁ - B-40 - 9.76MP₁ 3.40 9.31MP₂ 5.43 7.28
$$\frac{2.95}{2.48} = 2.48 \text{ ck.}$$


* WELL HAS BEEN LOGGED

TRA "42

46. CITY OF SARASOTA - SAR. CO.

HICKORY ST. WELL

NE/4 NE/4 SEC 13, R 17E T 36S

BS HI FS ELEV.

BM₁ 2.39 18.76 16.37

7.14 19.99 5.91 12.85

MP₁ 4.64 15.35MP₂ 5.39 14.60

ZBS 9.53 ZFS 11.30

ZBS 9.53

1.77 = 1.77 OK

* WELL HAS BEEN LOGGED


8/20/62

WEATHER

EXPERT-LEVEL

NOT CLEAR

DAVIS - ROD

BM₁ - BM₃₄ - 16.37

WEST SIDE

TRA # 43

AT. CITY OF SARASOTA? - SAR. CO.
EASTCHESTER ST. WEEL.

SW/4 SW/4 SEC. 1 T36S R17E

BS HI FS ELEV

BM₁ 5.32 27.93 22.61

2.66 22.99 7.60 20.33

2.80 17.86 7.93 15.06

MP₁ 2.21 15.65MP₂ 4.09 13.77

8.12 24.09 1.89 15.97

7.03 27.72 3.40 20.69


BM₁ 5.11 22.61

* HAS BEEN LOGGED

8/20/62

EPPERT - LEVEL

DAVIS - ROD

BM₁ - A-3 - 22.61

48.

TRA #44

PHILIPPI GARDENS

W-5006 & W-4960

SW/4 SE/4 SEC. 8 R18E T37S

BS HI FS ELEV.

BM₁ 6.15 20.53 14.38

6.19 21.34 5.38 15.15

MP₁ 3.35 21.44 3.25 18.09MP₂ EBS 12.34 3.51 17.83MP₃ 4.12 17.22MP₄ 5.42 15.92

4.25 17.19

EFS 8.63

EBS 12.34

EFS 8.63

3.71 = 3.71 cl.

8/21/62

WEATHER

HOT & CLEAR

EPPERT-LEVEL

DAVIS - ROD

BM₁ - BM IN SUBD. ELEV. - 14.38

W-5006

MP₁
MP₂ x

W-4960

MP₃
MP₄ x

TRA #45

49.

W-4707 - JT. DUGGER

CABANA INN

NW/4 NW/4 SEC. 32 T36S R18E

BO HI FS ELEV

BM₁ 5.36 24.51 19.15MP₁ 4.27 20.24 GROUND

4.27

1.09 - 1.09 ck.

8/21/62

WEATHER HOT & CLEAR

BM₁ - BRONZE DIS. IN EAST SIDE

HEADWALL BETWEEN GROVE &

SUNNYSIDE - ELEV. 19.15

50.

TRA #46

SAR. CO.

FRANK SMITH - FLYING S RANCH

8/22/60

NE/4 SW/4 SEC. 36 12 20E
T36S

CLOUDY & HOT

BS HI FS ELEV.

BM₁ 4.26 44.48 40.22BM₁ - SAR. CO. BM #576 - 40.22

0.29 33.99 10.78 33.70

4.04 28.98 9.05 24.94

5.83 30.23 4.58 24.40

MP₁ 3.90 26.33MP₂ 5.15 25.08


14.42

28.31

14.42

13.89 = 13.89 ck.

* - LOGGED WELL



TRA # 47

51. NEWTON PARK - W-4489 - SAR.CO

8/22/62

NE/4 SE/4 SEC. 7 R18E T36S

HOT & CLOUDY

EPPERT-LEVEL

BS HI FS ELEV.

DAVIS-ROD

BM₁ 4.14 29.00 29.86MP₁ 8.38 20.62 FLOORBM₁ - D-17 CITY OF SAR BM - 29.86MP₂ 3.95 25.05 GROUNDMP₁ - FLOOR ON LEVEL WITH PUMPMP₂ - GROUND, OUTSIDE PUMPHOUSE

TRA # 48

52. GARDEN CLUB STANDBY - SAIR CO.

CITY OF SARASOTA

8/22/62

WEATHER

HOT & CLEAR

EPPERT-LEVEL

DAVIS - ROD

BS HI FS ELEV

BM₁ 3.40 9.82 6.42

1.71 9.30 2.23 7.59

MP₁ 4.85 4.45MP₂ 6.43 2.87

ΣBS 5.11 ΣFS 7.08

ΣBS 5.11

1.97 = 1.97 < 12.

* WELL HAS BEEN LOGGED.

BM₁ - CITY BM[#] F-13 - 6.42MP₁MP₂X

TRA #49
 53. W-4740 - MASS BROTHERS
 NE 1/4 SE 1/4 SEC 19 R18E T36S
 BS HI FS ELEV.
 6.71 28.48 21.77
 5.56 29.50 4.54 23.94
 5.28 24.22 GROUND
 ZBS 12.27 9.82
 ZFS $\frac{9.82}{2.45} = 2.45$ cr.

SAR. CO.

8/19/62

WEATHER

HOT & CLEAR

EPPELT-LEVEL

DAVIS - ROD

BM, - F-46 - 21.77

TRA #50

SAR.CO.

54. W-2999 - MEDICAL ARTS BLDG.

SE/4 SE/4 SEC. 30 T 36S

RS

HI

FS

ELEV.

R18E

BM₁ 2.57 23.52

20.95

MP₁

4.32 19.20

8/23/62

WEATHER

EPPERT-LEVEL

HOT & CLOUDY

DAVIS - ROD

BM₁ - BM K-59 - CITY OF SAR. - 20.95MP₁ - GROUND ELEV. WELL BELOW
SURFACE

TRA #51

55. W-3561 - DON CRAWFORD SARCO

8/23/62

SW/4 NW/4 SEC. 20 T36S R18E

WEATHER

EPPERT - LEVEL

BS HI PS ELEV.

HOT & CLOUDY

DAVIS - ROD

BM₁ 4.78 27.26 22.48MP₁ 3.93 23.33 GROUNDBM₁ - CITY OF SAR. F-7 - 22.48

DIFF 2BS - 2FS = .85 = .85 ck.

WELL IN PUMP HOUSE BY POOL.

TIRA #52

SAR. CO.

56 W-4738 - FIELD CLUB INC.

SE/4 SW/4 SEC 6 T37S R18E

BS HI FS ELEV.

BM, 3.30 15.21 11.91

2.49 10.92 6.78 8.43

8.25 10.03 9.14 1.78

MP, 5.65 4.38

14.04 21.57

14.04

7.53 = 7.53 ck.

8/23/62

WEATHER

EPIPERT-LEVEL

HOT & PARTLY CLOUDY DAVIS-ROD

BM, - SAR. CO. BM 77 - 11.91

MP, - GROUND - WELL UNDER

GROUND.

TRA #53

57. SIESTA BEACH WELL SAR. CO.

8/24 /62

NE/4 NW/4 SEC. 13 T37S R17E

WEATHER

EPPERT - LEVEL

BS HI FS ELEV.

HOT & CLEAR

DAVIS - ROD

BM, 4.43 11.24 6.81

4.87 9.72 5.89 5.35

BM, - SAR CO. - ELEV - 6.81'

MP, 5.22 4.50 TOP CAS.

EBS 8.90

EFS 11.11

MP, - PT. LOG START FROM

8.80

2.31 = 2.31 C2

MP

X11

WATER

TRA #54

58. ISLAND PROPERTIES INC. SAR.

W-5806, 5807, 5808, 5811, 5385

NW/4 SE/4 SEC. 12 T37S R17E

BS HI FS ELEV.

BM₁ 4.25 10.74 6.49

4.88 10.97 4.65 6.09

5.54 11.37 5.14 5.83

W-5808 4.61 6.76 MP₁W-5808 5.96 5.41 MP₂W-5385 5.23 6.14 MP₃W-5385 5.85 5.52 MP₄

3.71 10.46 4.62 6.75

W-5807 4.72 5.74 MP₅W-5807 3.46 10.72 3.20 7.26 MP₆W-5806 3.38 7.34 MP₇W-5806 4.80 5.90 MP₈W-5811 2.75 7.97 MP₉W-5811 3.96 6.76 MP₁₀

8/24/62

WEATHER

EPPERT-LEVEL

HOT & CLEAR

DAVIS - RCD

BM₁ - SAR. CO. BM #105 - 6.49CAS. MP₁ x #4 (W-5808) #5 (W-5385)GR MP₂ x CAS. MP₃ x MP₄ GROUND

#3 (W-5807)

MP₆ x MP₅CAS. MP₇ x #2 (W-5806) x MP₈ GR.CAS. MP₉ x #1 (W-5811)GR. MP₁₀ x

TRA #55

59. RIEGELS BOAT YARD - SAR.

SW/4 SW/4 SEC. 7 R18E T37S

BS HI FS ELEV.

BM₁ 4.62 11.11 6.49

6.18 11.46 5.83 5.28

5.48 11.25 5.69 5.77

5.10 10.05 6.30 4.95

MP₁ 4.23 5.82MP₂ 5.74 4.31

EBS 21.38 SFS 22.05

21.38

.67 = .6702

* WELL WAS LOGGED

8/24/62

HOT & RAIN.

EPPERT - LEVEL

BM₁ - SAR CO. BM #105

DAVIS - RCD

MP₁ CASINGGROUND MP₂ X

TRA #56

60.

W-3631 E 3632

SAR. CO.

8/27/62

SUNSHINE SPRINGS & GARDEN INC.

HOT & CLEAR.

EAPERT - LEVEL

NE 1/4 NE 1/4 SEC 8 R19E T37S

DAVIS - ROD

BS HI FS ELEV.

BM₁ - SMALLEY, WELFORD, NALLIENBM₁ 6.24 41.64 35.40

5.22 41.00 5.86 35.78

5.87 41.82 5.05 35.95

5.87 41.85 5.84 35.98

5.19 36.66 TBM₁

4.80 41.45 5.20 36.65

W-3632 6.07 35.38 GROUND

BS 28.00 FS 28.02

28.00
1.02 ck

61.

SW/4 NE/4 SEC. 8 R19E T37S

BS HI FS ELEV.

TBM,

5.23 41.89 36.66

9.64 45.72 5.81 36.08

3.62 39.88 9.46 36.26

W-3631

5.39 34.49 GROUND

W-3631

4.87 35.01 FLOOR

W-3631

-3X
4.49 35.39 CASING

18.49

20.66

18.49

2.17

= 2.17 CR.

W-3631

CASING

FLOOR

X GROUND

TRA # 57

63. W-3560 & W-3562

SARCO.

8/28/62

KING AND SMITH INC.

HOT & CLEAR

EPPERT-LEVEL

SOUTHGATE WATER SYSTEM

DAVIS - ROD

SW/4 SE/4 SEC 32 R18E T36S

BS HI FS ELEV.

BM, - S.W.N. BM, BEHIND BOOKER

BM, 4.10 29.35 25.25

J.H.S.

5.37 28.90 5.82 23.53

TBM, - TOP 6" CONNECTION OF

W-3560 4.11 24.79

TOP T
TOP 6"
CONNECT.

W - 3560

W-3560 4.85 24.05

W-3560 5.95 22.95 GR.

ΣBS	9.47	ΣFS	9.93	
			9.47	
			.46	= .46 CR

TRA # 58

BS HI FS ELEV.


TBM, 2.55 26.60 24.05

7.60 26.56 7.64 18.96

W-3562 4.70 21.86 GROUND

ΣBS	10.15	ΣFS	12.34	
			10.15	
			2.19	= 2.19 CR

TOP CASING



GR. x

TRA # 59

64. W-5810, 5813, 5090, 5805 - SAR.

SOUTHGATE WATER SUPPLY

NW/4 SE/4 SEC 32 R18E T 36S

BS HI FS ELEV.

TBM, 3.46 27.51 24.05

4.18 25.04 6.65 20.86

GROUND 3.97 21.07 W-5805

GROUND 5.20 24.54 5.70 19.34 W-5810

GROUND 3.75 23.11 5.18 19.36 W-5090

GROUND 4.71 18.40 W-5813

GROUND 6.98 16.13 #8

16.59	22.24	
	16.59	
	5.65	= 5.65 cr.

8/28/62

HOT & CLEAR

EPPERT-LEUE

DAVIS ROD

TBM, - TOP 6" CONNECTION

W-3560 PAGE 63

TRA #60
65. W-4799 & W-4736

SOUTH GATE

SE/4 SW/4 SEC 32 R18E T36S

BS HI FS ELEV.

TBM, 4.16 28.21 24.05

W-4736 5.72 29.17 4.76 23.45 GROUND

W-4799 4.68 24.44 CASING

W-4799 6.11 23.06 GROUND

8/28/62

HOT & CLEAR

EPPERT-LEVEL

DAVIS-ROD

TBM, - TOP 6" CONNECTION

W-3560 - PAGE 63

W-4799

CASING



GROUND

TRA #61

66. W-5117, W-5116

SAR,

8/29/62

CLARKE'S APT.

HOT & CLEAR

EPPERT-LEVEL

NW/4 NE/4 SEC 19. T37S R18E

DAVIS - ROD

BS HI FS ELEV.

BM1, - SAR, CO. BM 108A - 6.33

BM1, 4.48 10.81 6.33

7.05 11.65 6.21 4.60

W-5116 4.85 6.80 GROUND

W-5117 4.80 6.85 GROUND

11.53 11.01

11.01
.52 = .52 c/2.

TRA. #62

67. W-4610 - JOHN MCMAHON SAR.

8/29/62

NW/4 NE/4 SEC 13 T37S R18E

HOT & CLEAR

EPPERT-LEVEL

BS HI FS ELEV.

DAVIS - ROD

BM₁ 4.13 40.72 36.59

3.60 38.92 5.40 35.32

MP₁ 3.61 35.31MP₂ 4.17 34.75

7.73


9.57

7.73

1.84 = 1.84 CR.

BM₁ - S.W.N. BM # AB 25

MP₁ x 0



MP₂ x
GROUND

MP₁ - EAST HOLE IN
PUMP PLATE

68.

FOSTER FARMIS

	BS	HI	FS	ELEV.
BM ₁	5.39	47.39		42
	5.86	48.43	4.82	42.57
	6.42	50.69	4.16	44.27
	6.78	53.42	4.05	46.64

5.56 47.86 GB

4.14 49.28 BOLT

+5.39 TOP CORR.

8/29/62

RAIN & HOT

EPPERT-LEVEL

DAVIS - ROD

BM₁, - USGS BM 1952 IDTTG3

ELEV - 42'

