

1965

COUNTY


DUVAL
JEFFERSON
MADISON
VOLUSIA

1
9
6
5

10

If found Return to.

Jon D. Tremper
Florida Geological Survey
P.O. Drawer No. 631
Tallahassee, Fla.



Cut or Fill	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	Cut or Fill
	Distance out from Side or Shoulder Stake										
0	0.0	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	0
1	1.5	1.7	1.8	2.0	2.1	2.3	2.4	2.6	2.7	2.9	1
2	3.0	3.2	3.3	3.5	3.6	3.8	3.9	4.1	4.2	4.4	2
3	4.5	4.7	4.8	5.0	5.1	5.3	5.4	5.6	5.7	5.9	3
4	6.0	6.2	6.3	6.5	6.6	6.8	6.9	7.1	7.2	7.4	4
5	7.5	7.7	7.8	8.0	8.1	8.3	8.4	8.6	8.7	8.9	5
6	9.0	9.2	9.3	9.5	9.6	9.8	9.9	10.1	10.2	10.4	6
7	10.5	10.7	10.8	11.0	11.1	11.3	11.4	11.6	11.7	11.9	7
8	12.0	12.2	12.3	12.5	12.6	12.8	12.9	13.1	13.2	13.4	8
9	13.5	13.7	13.8	14.0	14.1	14.3	14.4	14.6	14.7	14.9	9
10	15.0	15.2	15.3	15.5	15.6	15.8	15.9	16.1	16.2	16.4	10
11	16.5	16.7	16.8	17.0	17.1	17.3	17.4	17.6	17.7	17.9	11
12	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1	19.2	19.4	12
13	19.5	19.7	19.8	20.0	20.1	20.3	20.4	20.6	20.7	20.9	13
14	21.0	21.2	21.3	21.5	21.6	21.8	21.9	22.1	22.2	22.4	14
15	22.5	22.7	22.8	23.0	23.1	23.3	23.4	23.6	23.7	23.9	15
16	24.0	24.2	24.3	24.5	24.6	24.8	24.9	25.1	25.2	25.4	16
17	25.5	25.7	25.8	26.0	26.1	26.3	26.4	26.6	26.7	26.9	17
18	27.0	27.2	27.3	27.5	27.6	27.8	27.9	28.1	28.2	28.4	18
19	28.5	28.7	28.8	29.0	29.1	29.3	29.4	29.6	29.7	29.9	19
20	30.0	30.2	30.3	30.5	30.6	30.8	30.9	31.1	31.2	31.4	20
21	31.5	31.7	31.8	32.0	32.1	32.3	32.4	32.6	32.7	32.9	21
22	33.0	33.2	33.3	33.5	33.6	33.8	33.9	34.1	34.2	34.4	22
23	34.5	34.7	34.8	35.0	35.1	35.3	35.4	35.6	35.7	35.9	23
24	36.0	36.2	36.3	36.5	36.6	36.8	36.9	37.1	37.2	37.4	24
25	37.5	37.7	37.8	38.0	38.1	38.3	38.4	38.6	38.7	38.9	25
26	39.0	39.2	39.3	39.5	39.6	39.8	39.9	40.1	40.2	40.4	26
27	40.5	40.7	40.8	41.0	41.1	41.3	41.4	41.6	41.7	41.9	27
28	42.0	42.2	42.3	42.5	42.6	42.8	42.9	43.1	43.2	43.4	28
29	43.5	43.7	43.8	44.0	44.1	44.3	44.4	44.6	44.7	44.9	29
30	45.0	45.2	45.3	45.5	45.6	45.8	45.9	46.1	46.2	46.4	30
31	46.5	46.7	46.8	47.0	47.1	47.3	47.4	47.6	47.7	47.9	31
32	48.0	48.2	48.3	48.5	48.6	48.8	48.9	49.1	49.2	49.4	32
33	49.5	49.7	49.8	50.0	50.1	50.3	50.4	50.6	50.7	50.9	33
34	51.0	51.2	51.3	51.5	51.6	51.8	51.9	52.1	52.2	52.4	34
35	52.5	52.7	52.8	53.0	53.1	53.3	53.4	53.6	53.7	53.9	35
36	54.0	54.2	54.3	54.5	54.6	54.8	54.9	55.1	55.2	55.4	36
37	55.5	55.7	55.8	56.0	56.1	56.3	56.4	56.6	56.7	56.9	37
38	57.0	57.2	57.3	57.5	57.6	57.8	57.9	58.1	58.2	58.4	38
39	58.5	58.7	58.8	59.0	59.1	59.3	59.4	59.6	59.7	59.9	39
40	60.0	60.2	60.3	60.5	60.6	60.8	60.9	61.1	61.2	61.4	40

The paper in this book is made of 50% high grade rag stock with a WATER RESISTING surface sizing.

INDEX

Well #

page

6640

1

6607

3

6721

5

6601

7

6533

9

5827

11

6533

15

4696

17

3567

19

5259

21

2714

25

4710

29

3464

31

5261

33

5260

4225

35

4228

37

4223

39

4232	41
4230	43
4231	45
6423	47
6328	49
4229	51
5720	53
5784	55
5262	57
5783	59
5308	61
5309	63
6119	65
4613	67
3976	69
4620	71
4622	73

4619	75
4623	77
6137	79
4227	81
6351	83
6353	85
6364	87
6397	89
6111 5615	91
5607 5614	93
4224	95
5489	97
4862	99
5547	101
6110 5611	103
5758	105
5743	107

488

109

6891

111

6365

113

6021

115

6288

117

4164

119

4725

121

4587

123

4593

4579

125

4226

127

6421

129

6094

131

6893

6840

133

5889

135

5888

139

3789

141

5105

143

W-6640

BS

IH

FS

ELEV.

BM

FRANKLIN

6/21/65

EAST POINT
SCHOOL

CLEAR AND MILD AFTERNOON

TP₁

6.68

11.19

3.03

8.16

TP₂

3.21

11.37

3.65

7.72

TP₃

3.98

11.70

3.60

8.10

TP₄

4.47

12.57

4.16

8.41

TP₅

4.38

12.79

5.07

7.72

TP₆

4.15

11.87

4.50

7.37

TP₇

4.60

12.97

4.76

8.21

TP₈

4.45

12.66

4.75

8.91

TP₉

4.90

12.81

4.67

8.14

TP₁₀

4.52

12.66

4.30

7.36

TP₁₁

5.83

13.19

4.45

9.74

TP₁₂

7.01

15.75

.03

15.72

TP₁₃

5.79

21.51

4.63

18.88

TP₁₄

6.32

23.20

5.19

18.01


10.29

56.77

13.50

56.79

18.01



PUMP 65' UNDER GROUND

(ACCORDING TO CUSTODIAN)

W-6607 BS IH FS ELEV.

BM

TP₁ 3.3 4.86 239.86 3.2 6.18 233.68

TP₂ 4.27 237.95 10.55 227.40

TP₃ .96 228.36 9.81 218.55

TP₄ 1.35 219.90 11.66 208.24

TP₅ 2.35 210.59 5.80 204.79

TP₆ 3.14 207.93 9.00 198.93

TP₇ .82 199.75 11.02 188.73

TP₈ 3.10 191.83 6.24 185.59

20.85

70.26

20.85

49.41

diff
49.41

JEFFERSON COUNTY


6/22/65

MAHAN NURSERY

PARTLY CLOUDY AFTERNOON

SON - ROD JEFF - LEVEL

BM - USGS TT 7 RCD 1951
235 feet



W-6721 BS IH FS ELEV.

BM

TP₁ 6.57 136.70 1.97 134.73

TP₂ 11.44 146.17 .06 146.11

TP₃ 5.62 151.73 8.09 143.64

23.63

10.12

10.12

13.51

143.64

130.13

13.51

JEFFERSON

COUNTY

MRS. MARY

BLOW

6/22/65

95% CLEAR AFTERNOON

JON-ROD

JEFF-LEVEL

BM

SRD NAIL IN ROOT OF

30" PECAN TREE

ELEVATION 130.13 feet

TANK

143.64

GROUND

W-6601? BS IH FS ELEV.

BM 4.4 5.5

TP₁ 4.39 239.39 5.47 233.92

TP₂ 1.99 235.91 10.60 225.31

TP₃ .42 225.73 10.68 215.05

TP₄ .75 215.80 6.59 209.21

TP₅ .02 209.23 4.55 204.68

TP₆ .42 205.10 8.36 196.74

TP₇ 8.44 205.18 .75 204.43

TP₈ 8.70 213.13 .94 212.19

TP₉ 2.39 214.58 10.75 203.83

TP₁₀ 3.47 207.30 .26 207.04

30.99 58.95
30.99
27.96

235
207.04
27.96

JEFFERSON
COUNTY
COCA COLA
BOTT. CO.

6/22/65


CLEAR AFTERNOON

SON-ROD JEFF-INSTRUMENT

BM - USGS TT 7 RCD 1951

235 feet

check well number



W-6583

BS

IH

FS

ELEV.

MADISON
COUNTY
ALBERT
GOODY

6/23/65

CLEAR TO PARTLY CLOUDY

MORNING

SON-ROD

JEFF-INSTRUMENT

BM- 109'

BM

109.00

98.71

102.9

TP₁

5.25 113.25 6.09 107.16

TP₂

3.81 110.97 3.23 107.74

TP₃

6.52 114.26 .70 113.56

TP₄

5.91 119.47 6.75 112.72

TP₅

.73 113.45 10.54 102.91

TP₆

3.12 106.03 9.32 98.71

25.34

36.83

25.34

10.29

DRAINAGE WELL

98.71

SLURP

WATER
LEVEL

STREAM

BED

W-6 W-5827

B.S. I.H. F.S. EIV

BM B.M. 26.94

TP₁ TP₁ ^{7.5} 2.95 29.89 ^{5.9} 7.93 21.96TP₂ TP₂ 1.88 23.84 4.42 19.42 9.60TP₃ TP₃ 5.73 25.15 2.31 22.84TP₄ TP₄ 1.10 23.94 10.95 12.99TP₅ TP₅ 7.89 20.88 .34 20.54TP₆ TP₆ 5.89 25.43 13.07 12.36TP₇ TP₇ .54 12.90 .31 12.59TP₈ TP₈ 9.01 22.60 4.41 18.19TP₉ TP₉ 3.84 22.03 5.26 15.77TP₁₀ TP₁₀ 2.93 18.70 5.37 13.33TP₁₁ TP₁₁ 4.03 18.36 3.52 13.84TP₁₂ TP₁₂ 4.05 18.89 5.32 12.57TP₁₃ TP₁₃ 5.81 18.38 1.04 18.34TP₁₄ TP₁₄ 55.65 ^{62.25} -1.48 16.86

55.65

8.60

6/26

cloudy afternoon

Jeff - rod

Jon - level

Diwal Co. - Bayview school

B.M. - USC + GS & FGS

Sta. # AB 15

EIV. 26.944

To be tied in with
SRD B.M. over Cedar
Creek B.M. EIV

16.86

+37

17.23

Top of
Pipe

16.86

- 3.28

13.58

ground

00.00

4.00 4.00 .86 3.14

5.56 8.70 7.22 (-1.48)

18.34

- 1.48

16.86

SRD

B.M. Elev

W-6533

B.S.

I.H.

F.S.

Elv

26.61

26.05

Bm

12

TP₁ 5.49 31.54 4.55 26.99TP₂ 3.28 30.27 5.20 25.07TP₃ 4.66 29.73 3.13 26.60

13.43

12.88

12.88

.55

Duval Co

Nelio Chemical

6/26

partly cloudy aft.

Jeff - rod


Jon - level

Duval

B.M. - County

26.05

26.60



W-4696

B.S. I.H. F.S. Elv

6/28/65

B.M.

16

Duval Co.

Jeff road

TP, 4.27 22.27 4.05 18.22

Jax Prison Farm


Jon - level

cloudy morn.

B.M. Topo Road

Elv. 16

18.22



W-3567 B.S. I.H. F.S. Elev

B.M

100

TP₁ ³.56 100.56 ^{4 3}4.93 95.63

TP₂ 6.17 101.80 2.45 99.35

TP₃ 3.71 103.06 4.86 98.20

TP₄ 5.54 103.74 5.29 98.45

TP₅ 4.47 102.92 6.80 96.12

TP₆ 5.58 101.70 2.93 98.77

TP₇ 3.72 102.49 4.05 98.44

29.75

31.31

29.75

1.56

25.30

D.H.

1.56

6/28/65

Duval Co.

Setzer's Store

Jeff - rod
Jon - level

cloudy afternoon

B.M. at Ineson airport

U.S.C. + G.S.

S142

1954

~~No Elev~~

Elev. 26.86


B.M

Elev

26.86

-1.56

25.30



W-5259	BS	1H	FS	ELEV	15.51		6/29/65.
BM				9.02	DUVAL Co	partly cloudy morning	
TP ₁	7 7 3.66	12.68	7.5 3.22	9.46	(6.49)	HYDRO UTILITIES	son-level
TP ₂	5.96	15.42	6.64	8.78		Holiday Hill S/D	jeff-rod
TP ₃	2.35	11.13	4.49	6.64	✓		
TP ₄	7.45	14.09	1.53	12.56		B.M. AJ18	
TP ₅	7.32	19.88	2.81	17.07		U.S.C. & G.S. & F.G.S.	
TP ₆	6.62	23.69	4.10	19.59		Elev. 9.015	
TP ₇	5.55	25.14	3.44	21.70			
TP ₈	6.18	27.88	.98	26.90	<u>7.00</u>		
TP ₉	3.19	30.09	4.43	25.66			
TP ₁₀	2.28	27.94	9.61	18.33			
TP ₁₁	1.53	19.86	13.28	6.58			
TP ₁₂	5.81	12.39	.21	12.18			
TP ₁₃	10.25	22.43	2.82	19.61			
TP ₁₄	5.65	25.26	4.01	21.25			
TP ₁₅	4.93	26.18	3.86	22.32			
TP ₁₇	5.23	27.55	6.22	21.33			
21	83.96		71.65				22

B.S. I.H. F.S. Ely 21.33

TP₁₈ 1.84 23.17 3.16 20.01

TP₁₈ 2.88 22.89 7.38 15.51

4.72
83.96


88.68
32.19

6.49

10.54
71.65

82.19

Diff =
6.49



Ely

W-2714	B.S.	I.H.	F.S.	Elev.	42.48	6/29/65
B.M.					26.90	Duval Co. clear afternoon
TP ₁	^{6 6} .16	27.06	^{7 6} 5.77	21.29	13.58	Lawrence C. Jeff road
TP ₂	8.02	29.31	3.46	25.85		Pierce Co. Jon level
TP ₃	5.91	31.76	6.74	25.02		Arlington Manor S/D
TP ₄	6.25	31.97	.17	31.80		B.M. from USC+GS
TP ₅	6.95	38.75	6.51	32.24		F FGS AJ 18
TP ₆	2.53	34.77	8.42	26.35		<u>26.90</u>
TP ₇	2.37	28.72	11.96	16.76		
TP ₈	.10	16.86	11.98	4.88		
TP ₉	5.13	10.01	1.02	8.99		
TP ₁₀	13.00	21.99	.21	21.78		
TP ₁₁	8.36	30.14	1.37	28.77		
TP ₁₂	11.95	40.72	4.20	36.52	TBM	
TP ₁₃	6.06	42.58	4.25	38.33		
TP ₁₄	5.13	43.46	6.03	37.43		
TP ₁₅	1.76	39.19	1.79	37.40		
TP ₁₆	10.29	47.69	5.21	42.48		
25	94.67		79.08			26

B.S. I.H. F.S. E/V 42.48

42

5.85

48.33

32

6.22

42.11

TP₁₇

TP₁₈

2.40

44.51

5.25

39.26

TP₁₉

1.97

41.23

7.81

33.42

TP₂₀

.85

34.27

4.67

29.60

TP₂₁

1.99

31.59

4.57

27.02

TP₂₂

5.61

32.63

5.92

26.71

18.57

34.44

19

94.67

79.09

113.24

113.53

19

113.53

Diff = .19

42.48

26.71


15.77

3

34.44

18.57

15.87



26.71

CONCRETE FLOOR

W-4710 B.S. I.H. F.S. EIV

B.M

48

	I ²		I ²	
TP ₁	4.38	52.38	3.32	49.06

TP ₂	4.65	53.71	8.19	45.52
-----------------	------	-------	------	-------

TP ₃	2.19	47.71	6.05	41.66
-----------------	------	-------	------	-------

TP ₄	4.02	45.68	4.68	41.00
-----------------	------	-------	------	-------

15.24

22.24

Diff = 7.00

6/29/65

Duval Co.

clear afternoon

Thor Inc.


Jeff - level

University Park S/D

Jon - rod

B.M. Topo road

Elev. 48



CONCRETE FLOOR

w-3464

B.S.

I. H.

F.S.

ELEV.

B M

TP ₁	22	22.49	5.18	17.31
-----------------	----	-------	------	-------

TP ₂	4.15	21.46	5.00	16.46
-----------------	------	-------	------	-------

TP ₃	7.31	23.77	3.51	20.26
-----------------	------	-------	------	-------

TP ₄	3.75	24.01	4.66	19.35
-----------------	------	-------	------	-------

TP ₅	4.73	24.08	5.35	18.73
-----------------	------	-------	------	-------

23.23

23.70

23

.47

19.20

18.73

.47

DUVAL Co.

EMERY PRICE

MAN-DE-LOR S/D CLOUDY AFTERNOON

BM- COUNTY BM NAIL IN 48" OAK

ELEVATION 19.202

B.M. County est.
from U.S.G.S.
Elev. 19.202

REAR OF
PUMPHOUSE18.73
Elev.

GRD.

CASING

W-5261
5260

B.S. I.H. F.S. Elv

B.M.

TP₁ ^{3 4} 3.94 14.16 ^{3 5} 4.59 9.57

TP₂ 4.25 13.82 5.34 8.48

TP₃ 5.02 13.50 4.11 9.39

TP₄ 4.77 14.16 5.45 8.71

TP₅ 5.00 13.71 5.48 8.23

TP₆ 5.05 13.28 3.03 10.25

TP₇ 4.90 15.15 5.25 9.90

TP₈ 3.87 13.77 5.18 8.59

TP₉ 4.09 12.68 3.57 9.11

TP₁₀ 5.05 14.16 6.07 8.09

45.94

48.07

45.94

2.13

10.22

8.09

2.13

TBM

7/8/1965

Volusia Co.

Comm. College

cloudy morn

Jeff - road

Jon - level

B.M. USC+G


B 123

10.220

8.09

Elv.

(Outlet - W-5260)



Unable to find other casing (W-5261) underground at approx. same Elv in same area.

W-4225 B.S. I. H. F.S. Elv.

B.M.

TP₁ 7.48 38.32 4.23 34.09

TP₂ 3.13 37.22 5.30 31.92

TP₃ 4.97 36.89 4.31 32.58

TP₄ 5.13 37.71 3.90 33.81

20.71

17.74

2.97

17.74

33.31

3084

2.97

Vdusia Co.

Daytona

Well # 34

7/8/65

Rainy aft.

Jeff rod
Jon - level

B.M. USC+GS

D 123

A45

Elv. 30.837

WELL
HOUSE

CONCRETE FLOOR

GRD

ELV.

33.8

W-4228

B.S. I.H. F.S. EIV

B.M.

33.81

Volusia Co.

7/8/65

Daytona

cloudy aft.

Well #35

Jeff - Rod
Jan - level

	B.S.	I.H.	F.S.	EIV
TP ₁	4.18	37.99	5.17	32.82

32.29

1.52

TP ₂	4.34	37.16	4.90	32.26
-----------------	------	-------	------	-------

TP ₃	4.88	37.14	4.85	32.29
-----------------	------	-------	------	-------

13.40

14.92

13.40

1.52

B.M. from D 123

33.81WELL
HOUSE

CONCRETE FLOOR

ELV

32.29

W-4223

B.S. I.H. F.S. ELV

B.M

30.03
28.27TP₁ 3.50 33.53 4.57 28.96TP₂ 4.59 33.55 4.33 29.22 TBMTP₃ 8.09 5.28 28.27 Diff.

9.85

3.09

1.76

1.76

Volusia Co.

7/8/65

Daytona

Well #37

cloudy aft.


Jiff-rod

Jiff-level

B.M. USC + GS

C 123

ELV. 30.026



W-4232 B.S. I.H. F.S. ELV

B.M

29.22

28.31

Louise Co.

7/8/65

Daytone

cloudy aft

Well #38

Jeff - rod

Jon - level

TP₁ 3.48 32.70 4.29 28.41

TP₂ 5.13 33.54 6.15 27.39 TBM

8.61

5.28 28.31

91

9.52

8.61

91

B.M. from C 123

ELV. 29.22

WELL
HOUSE

CONCRETE
FLOOR

28.31 ELV. 42

W-4230 B.S. I.H. F.S. Elv. 28.63

B.M.

27.39

Volusia Co

7/8/65

Daytona

Cloudy aft

Well # 39

Jeff Rod

Jon - level

TP₁ 5.57 32.96 4.56 28.40 - 1.24TP₂ 4.29 32.69 4.70 27.99TP₃ 3.77 31.76 3.13 28.63

13.63

12.39

12.39

1.24

B.M. from C123

ELV. 27.39ELV.
28.63

GRD

W-4231

B.S. I.H. F.S. ELV.

B.M

TP₁ 3.13 31.76 3.69 28.07TP₂ 4.19 32.26 3.08 29.18TP₃ 7.32 6.77

6.77

5.5

29.18

28.63

54

Volusia Co.

Daytona

Well # 40

7/8/65

cloudy aft.

Jeff - rod

Jon - level

B.M. from

C 123 ELV. 28.63

WELL
HOUSECONCRETE
BASE

GRD

29.18

ELV

46

W-
6423 B.S. I.H. F.S. ELV

B.M

T.P. 2.85 33.16 4.37 28.79

2.85

1.52

30.31

28.79

1.52

Volusia Co.

Daytona

Well #41B

7/8/65

-raining aft.

Jeff - Rod
Jon - level

B.M. U.S.C & G.S.

TBM (ELV 30.31)

WELL
HOUSE

CONCRETE
FLOOR

GRD

28.79 (ELV

48

W-6328 B.S. I.H. F.S. ELV.

B.M.

TP₁ 2.85 33.16 4.93 28.23 $\frac{29.10}{1.21}$

TP₂ 5.02 33.25 4.15 (29.10)

7.87

9.08

7.87

1.21

Volusia Co.

Daytona

Well #41A

7/8/65

rainy aft.

Jeff - rod

Jon - level

B.M. USC & GS

TBM ELV 30.31

ELV. 29.10

CAPPED

GRD.

W-4229 B.S. I.H. F.S. ELV.

B.M.

30.03

TP, 4.57 34.60 4.78 29.82

29.82

.21

5.15

4.95

.20

Volusia Co.

Daytona

Well # 36

7/9/65

cloudy morn.

Jeff - rod

Jon - level

B.M. USC & GS

C 123

ELV. 30.026

WELL
HOUSE

CONCRETE
BASE

GRD

ELV 52

①-5720 B.S. I.H F.S. ELV 45.15 Volusia Co.
 B.M. 30.84 Halifax

7/9/65

cloudy morning

TP₁ 5.17 36.01 5.11 30.90 14.31 Hospital

TP₂ 5.73 36.63 1.82 34.81

TP₃ 12.97 47.78 .07 47.71

TP₄ 3.53 51.24 4.96 46.28

TP₅ 5.94 52.22 7.07 45.15

33.34 19.03

19.03


14.31

B.M. USCGS

D 123 1945

ELV. 30.837

ELV 45.15



SUBMERGED
PUMP

W 5784	B.S.	I.H.	F.S.	Elv	
B.M.					31.45
					30.84
TP ₁	2 1		2 1		
	5.53	36.37	5.48	30.89	.61
TP ₂	6.62	37.51	.32	37.19	
TP ₃	12.74	49.93	10.02	39.91	
TP ₄	.33	40.24	6.20	34.04	
TP ₅	4.13	38.17	5.92	32.25	
TP ₆	5.30	37.55	6.10	31.45	
	34.65		34.04		
	34.04				
	61				

Volusia Co.

Daytona Bch.

Jr. College

gym

7/9/65

cloudy aft.


Jeff - road

Jon - level

B.M. USCGS

D 123 1945

ELV. 30.837



W 5262 B.S. I.H F.S. Elv.

B.M

TP, 3.35 34.80 4.40 30.40

3.35

1.05

31.45

Volusia Co.

Daytona Beh

Jr. College

Science Bldg.

7/9/65

rainy aft

Jeff rod

for level


B.M from

D 123 1945

Elv. 31.45

30.40

Elv



W-5783 B.S. I.H. F.S. Elv 34.57
B.M. 30.40

T.P. 4.50 34.90 .33 34.57 4.17
33
4.17

Volusia Co

Daytona Bch.

Jr. College

Behind gym

7/9/65

rainy aft.

Jeff Road

Jon-level


B. 7m from

D 123 1945

Elv. 30.40

34.57

ELV.



W5308 B.S. I.H. F.S. Elev

B.M

TP, 4.50 34.90 3.93 30.97

3.93

5

30.97

30.40

57

Volusia Co.
Daytona Bch.
Jr. College

Behind Library

7/9/65

rainy aft.

Jeff - had
for level

B.M. from

D 123 1945

Elev. 3040

conc. Base Elev.

W 5309

B.S. I.H. F.S. Elv.

B.M.

T.P. 4.50 34.90 4.85 30.05

T.P₂ 4.88 34.93 4.60 30.33

9.38

9.45

.07

Volusia Co.

30.40 Daytona Bch.

Jr. College

Ad. Bldg.

7/9/65

cloudy aft.

Jeff - road

Jan - level

B.M. from

D 123 1945

Elv. 30.40

Elv. 30.33



W-619 B.S. I.H. F.S. Elv

B.M. 34.15
30.84

TP₁ 13.18 44.02 10.68 33.34 3.31

TP₂ 7.70 41.04 3.49 37.55

TP₃ 5.57 43.12 8.97 34.15

TP₄ 26.45 23.14

TP₅ 23.14
3.31

Volusia Co.

7/12/65

Mainland H.S.

cloudy morning


Jeff - rod

Jon - level

B.M. USC&GS

D 123 1945

Elv. 30.837



W-4613 B.S. I.H. F.S. EIV

B.M

TP₁ 2.29 11.44 4.74 6.70

TP₂ 4.03 10.73 4.26 6.47

6.32

9.00

6.32

2.68

9.15

6.47

2.68

Volusia Co.

Howard Johnson

Motel

7/12/65

cloudy morn

left - level

for rod

B.M. USC & GS (F.G.S.)

T 1

EIV. 9.146

ELEV 6.47

casing

GROUND

68

W3976 B.S. I.H. F.S. ELV. ASSUM.

B.M.

TP₁ 6.30 16.30 4.58 11.72

TP₂ 4.07 15.79 4.27 11.52

10.37

8.85

1.52

8.85

difference
1.52

Volusia Co

Ormond Bch

Well #6

7/12/65

cloudy aft.


Jeff - level

Jon - rod

B.M. USCGS

5226

1964



w-4620

BS

IH

FS

ELV.

BM

TP₁TP₂TP₃TP₄TP₅TP₆TP₇TP₈TP₉

4.4

4.44

3.58

8.13

4.89

4.10

4.57

4.90

4.80

4.56

43.97

42.9

1.06

104.44

103.09

107.47

106.04

106.02

105.97

105.71

105.15

105.73

4.93

3.75

6.32

4.12

4.62

5.16

5.36

3.98

4.67

42.91

99.51

99.34

101.15

101.92

101.40

100.81

100.35

101.17

101.06

101.06
100

1.06

difference
from
ASSUM 100'
1.06

Volusia Co.

ORMOND BEACH

WELL #8

7/12/65

PARTLY CLOUDY


AFTERNOON

BM USC+GS

S 226 1964

LEVEL - JEFF

ROD - SON



W-4622 BS 114 FS ELEV.

BM

TP₁ 4.56 105.73 4.45 101.28

TP₂ 3.36 104.64 3.49 101.15

7.92

7.94

7.92

.02

diff. .02

Udusia Co.

7/12/65

ORMOND BCH. MOSTLY CLEAR

WELL #7

AFTERNOON

SON-ROD


SCFF-LEVEL

BM FROM USC&GS

5226 1964

ESTABLISHED FROM PREVIOUS LINE

ELV.



CONCRETE BASE

W-4619 BS 171 FS ELEV

BM

TP₁ 4.30 105.36 5.91 99.45

TP₂ 4.87 104.32 3.21 101.11

9.17

9.12

9.12

.05

diff .05

Volusia Co.

7/12/65

ORMOND BCH

WELL #9

partly cloudy
afternoon

SON-ROD


JEFF-LEVEL

BM FROM USC&GS

5226 1964

ESTABLISHED FROM PREVIOUS LINE

ELEV.



CONCRETE BASE

W-4623 BS IH FS ELV

BM

TP₁ 3.21 104.32 4.50 99.82

TP₂ 5.05 104.87 2.91 101.96

8.26

7.41

.85

7.41

diff .85

Volusia Co

7/12/65

ORMOND BCH

PARTLY CLOUDY

WELL #10

AFTERNOON


SON-ROD

JEFF-LEVEL

BM FROM USC&GS S226 1964

ESTABLISHED FROM
PREVIOUS LINE

ELEV



CONCRETE BASE

W-6137 B.S. I.H. F.S. E.L.V.

B.M.

12.93

TP₁ 5.17 18.10 7.77 10.33

TP₂ 5.48 15.81 3.34 12.47

TP₃ 5.37 17.84 4.41 13.43

TP₄ 3.56 16.99 4.86 12.13

19.58

20.38

19.58

80

Volusia Co.

7/13/65


Seabreeze H.D. clear apt.

Jeff - road
for - level

B.M. SRD disc

3 E.L.V. 12.925

GRD 12.13
E.L.V.



CONCRETE BASE

W-4227 B.S. I.H. F.S. Elev.

B.M.

18.45

TP₁ 8.30 26.75 5.16 21.59 8.90

TP₂ 4.02 25.61 12.50 13.11 10.05

TP₃ 1.26 14.37 5.97 8.40

13.58

23.63

13.58

10.05

Volusia Co.

Sunshine

motel

7/13/65

cloudy aft.


Jeff - road

Jon - level

B.M. USCGS

Tidal 2

Elev. 18.445



W-6351 BS IH FS ELEV.

BM

62.02

TP₁ 7.82 69.84 6.94 62.90

3.01 66.83

Indusia Co.

7/15/65

STETSON UNIV. PARTLY CLOUDY MORNING

SUPPLY WELL SON-LEVEL DIFF-ROD

EMILY HALL

BM - US&GS AND STATE

K43-2


ELEV. 62.021

66.83

GRATING

SIDEWALK
GRD LEVEL

62.90



W-6353 B.S. I.H. F.S. EIV

B.M.

TP, 3.83 70.66 8.64 62.02

4.71 65.95

66.83

VALUSIA CO.

STETSON UNIV.

RECEIVE WELL

EMILY HALL

7/15/65


PARTLY CLOUDY MORN.

SON- LEVEL SEFF- ROD

RM USCTGS & STATE
SURVEY

K43-2

ELV. 60.021



W-6364 B.S. I.H. F.S. E.IV.

B.M

TP₁ 2.66 64.68 2.42 62.26

TP₂ .31 62.57 3.96 58.61

TP₃ 1.07 59.68 11.10 48.58

4.04

6.53 53.15

12.91

4.04

8.87

62.02

53.15

8.87

Volusia Co.

Stetson U.

Library Supply

7/15/65

cloudy morning

Jeff - road

Jon - level

B.M. USCGS and


state survey

K 43-2

E.IV. 62.021

53.15

48.58



W-6397 B.S. I.H. F.S. EIV.

B.M

1.07 59.68 6.85 52.83

58.61

Volusia Co.

Stetson U.

Library

Return well

7/15/65

cloudy morn.

Jeff - rod


Jon - level

B.M. from

USCEGS K43-2

EIV. 58.61

52.83



W-6111
-5615 B.S. I.H. F.S. EIV 45.73

B.M. 34 4 36.0

TP₁ 11.04 47.04 5.19 46.85 9.73

TP₂ 11.09 57.94 1.71 56.23

TP₃ 4.27 60.50 6.56 53.94

TP₄ 5.52 59.46 2.80 56.66

TP₅ 6.92 63.58 8.51 55.07

TP₆ .40 55.47 12.53 42.94

TP₇ .48 43.42 8.97 34.45

TP₈ 8.29 42.74 2.16 40.58

TP₉ 8.93 49.51 3.78 45.73

56.94 47.21

47.21

9.73

45.57 - red pipe

Volusia Co.

7/15/65

City of Deland

SE Well


cloudy rainy
afternoon

Jeff - rod

Jon - level

B.M. USC & GS TBM

EIV 36.0



W-5607
5614

B.S.

I.H.

F.S.

Elev.

83.76

Volusia Co.

7/16/65

B.M.

4.5

6.7

76.70

DeLand

rainy morn.

T.P.₁

1.56

78.26

5.57

72.69

7.06

NE Well #

Jeff - rod

T.P.₂

11.08

83.77

.21

83.56

Test well

Jon - level

T.P.₃

2.80

86.36

4.36

82.00

T.P.₄

4.48

86.48

9.05

77.43

T.P.₅

9.07

86.50

9.76

76.74

T.P.₆

4.37

81.11

1.99

79.12

T.P.₇

7.01

86.13

2.10

84.03

T.P.₈

7.42

91.45

12.88

78.57

T.P.₉

1.55

80.12

13.13

66.99

T.P.₁₀

12.31

79.29

.38

78.91

T.P.₁₁

10.58

89.49

6.89

82.60

T.P.₁₂

4.04

86.64

2.88

83.76

76.27

69.20

69.20

4.62

88.38

3.78

84.60

7.07

RED PIPE

WELL
HOUSE

DOOR

Floor

W-4224	B.S.	I.H.	F.S.	Elv.	
B.M.	8				7.52
TP ₁	4.80	11.11	4.17	6.94	6.31
TP ₂	5.36	12.30	4.11	8.19	1.21
TP ₃	5.84	14.03	4.97	9.06	
TP ₄	4.43	13.49	5.20	8.29	
TP ₅	5.26	13.55	4.48	9.07	
TP ₆	4.95	14.02	4.74	9.28	
TP ₇	5.03	14.31	4.45	9.86	
TP ₈	5.43	15.29	5.02	10.27	
TP ₉	4.48	14.75	4.50	10.25	
TP ₁₀	4.51	14.76	4.61	10.15	
TP ₁₁	4.57	14.72	4.70	10.02	
TP ₁₂	4.69	14.71	4.88	9.83	
TP ₁₃	4.03	13.86	4.61	9.25	
TP ₁₄	4.46	13.71	4.71	9.00	
TP ₁₅	5.59	14.59	6.85	7.74	
TP ₁₆	4.71	12.45	4.93	7.52	
95	78.14		76.93		

Volusia Co.

7/26/65

Culligan Man


cloudy aft.

Jeff - rod

Jon - level

B.M. USC&GS

T5 ELV 6.306



78.14

76.93

1.21

W-5489

B.S. I. H. F.S. Elv

Volusia Co.

7/27/65

B.M.

Fla. Power &

cloudy morn.

	7.7		7.5		9.15
TP ₁	3.18	12.33	4.42	7.91	5.70
					3.45

Light

 Jeff - rod
 Jon - level
TP₂ 8.18 16.09 5.00 11.09TP₃ 3.21 14.30 5.54 8.76TP₄ 6.29 15.05 6.19 8.86TP₅ 4.67 13.53 5.28 8.25TP₆ 5.83 14.08 4.47 9.61TP₇ 4.58 14.19 5.43 8.76TP₈ 4.86 13.62 5.66 7.96TP₉ 5.58 13.54 5.50 8.04TP₁₀ 4.60 12.64 4.70 7.94TP₁₁ 5.63 13.57 5.25 8.32TP₁₂ 5.54 13.86 4.83 9.03TP₁₃ 8.86 17.89 10.93 6.96TP₁₄ 2.64 9.60 3.90 5.70

73.65

77.10

73.65

3.45

B.M. USCFGS & FGS

T 1 Elv. 9.146

W-4862 B.S. I. H. F.S. Elv.

B.M.

TP₁ 5.49 11.80 4.17 7.63

TP₂ 7.34 14.97 4.17 10.80

TP₃ 6.27 17.07 4.63 12.44

19.10

12.97

6.13

12.97

6.13

Volusia Co

Holly Hill

City Well

7/29/65

rainy afternoon

Jeff - rod

Jon - level

B.M. USC & GS FGS

T.5 Elv 6.306

12.44

WELL
HOUSE

CONCRETE
BASE

GRD

W-5549	BS	1H	FS	ELV	6.94
BM					6.61
TP ₁	5.18	11.19	6.03	5.76	
TP ₂	5.04	10.80	4.29	6.51	
TP ₃	5.33	11.84	4.81	7.03	
TP ₄	4.76	11.79	4.87	6.92	BM
TP ₅	4.40	11.32	4.01	7.31	
TP ₆	4.94	12.25	4.61	7.64	
TP ₇	5.39	13.03	4.91	8.12	
TP ₈	5.04	13.16	4.68	8.48	
TP ₉	5.61	14.09	5.67	8.42	
TP ₁₀	4.70	13.12	4.49	8.63	
TP ₁₁	4.21	12.84	5.46	7.38	
TP ₁₂	5.23	12.61	5.67	<u>6.94</u>	

59.93
59.50

59.50

Volusia Co.

8/3/65


JAMES CAPEWELL CLOUDY MORNING

SON - ROD JEFF - LEVEL

BM - USC + GS + State Survey

T4

ELV. 6.612



W-6110
5611

B.S. I.H. F.S. Elv 74.90

B.M.

62.02

Volusia Co. 8/4/65

City of Deland cloudy-morn.

NW Well

Jeff - rod
Jon - levelTP₁ 6.5 8.97 70.99 3.26 67.73 12.38TP₂ 4.13 71.86 3.00 68.86TP₃ 4.69 73.55 11.33 62.22TP₄ .82 63.04 12.46 50.58TP₅ .13 50.71 5.95 44.76TP₆ 7.17 51.93 .27 51.66TP₇ 12.63 64.29 .40 63.89TP₈ 12.95 76.84 5.74 71.10TP₉ 7.98 79.08 5.67 73.41TP₁₀ 6.90 80.31 3.99 76.32TP₁₁ 3.34 79.66 4.81 74.85TP₁₂ 5.22 80.07 5.17 74.90

74.93

62.05


12.88

62.05

B.M. USC & GS & State

Survey K 43-2

1939 Elv 62.021



W-5759 B.S. I. H. F.S. EIV

B.M.

23
TP₁ 5.38 83.14 32 4.11 79.03

TP₂ 4.24 83.27 5.80 77.47

TP₃ 4.45 81.92 5.56 76.36

TP₄ 4.19 80.55 5.78 74.77

TP₅ 4.57 79.34 5.17 74.17

TP₆ 4.90 79.07 4.73 74.34

27.73

31.15

27.73

3.42

77.76

74.34

3.42

VOLUSIA

PEIRSON SCH.

8/4/65

cloudy aft.

Jeff - rod

Jon - level

B.M. USCEGS & State

Survey BT52 ELV. 77.75E

ELV 3.42



GRD

W5743

B.S. I. H. F.S. EIV

B.M

74.17

TP ₁	1.2	77.73	2.2	70.30	68.43
-----------------	-----	-------	-----	-------	-------

TP ₂	5.01	75.31	4.28	71.03	5.74
-----------------	------	-------	------	-------	------

TP ₃	3.38	74.41	3.48	70.93	
-----------------	------	-------	------	-------	--

TP ₄	2.35	73.28	7.23	66.05	grd
	14.30		4.85	68.43	Base

20.04
14.30
5.74

Volusia Co.
Dewitt Taylor
High
School

8/4/65


clear afternoon

Jeff - rod

Jon - level

B.M. from USC#65

BT52 EIV. 74.17



W-488 B.S. I. H. F.S. Elv

B.M.

4³

2²

TP₁ 2.74 22.54 8.75 13.79

TP₂ 2.55 16.34 5.40 10.94

TP₃ 4.92 15.86 5.02 10.84

TP₄ 5.89 16.73 2.00 14.73

TP₅ 10.89 25.62 4.27 21.35

TP₆ 7.04 28.39 4.66 23.73

34.03

30.10

30.10

3.93

23.73

19.80

3.93

Volusia Co.

Theo. Strawn

DeLeon Sprgs.

8/5/65

cloudy afternoon

Jeff - rod

Jon - level

B.M. - USCGS

Top of rail Elv. 19.8

23.73

ELV.

GROUND

APPROX AREA
OF WELL

W-6891	B.S.	I.H.	F.S.	Elv.
B.M.				88.26
				75.45
TP ₁	² 2.81	¹ 78.26	¹ 2.37	75.89
TP ₂	13.30	89.19	.65	88.54
TP ₃	4.93	93.47	5.21	88.26
	2.04		8.23	
	8.23			
	12.81			

Volusia Co.

8/6/65

DeHone G.C.

rainy aft.

clubhouse

Jeff Rod


Jon - level

B.M. Mauney Eng.

75.45

88.26

EW



W-6365 B.S. I.H. F.S. EIV

B.M.

TP₁ 5.53 81.42 12.90 68.52

TP₂ .80 69.32 7.52 61.80

TP₃ 7.20 69.00 3.56 65.44

13.53

23.98

13.53

10.45

75.89

65.44

10.45

Volusia Co. 8/6/65

Deltona G.C.

Irrigation

Rainy aft.

Jeff - rod


Jon - level

B.M. from Mauney
Est. EIV.

EIV. 75.89

65.44

EIV



W-6021 B.S. T.H. F.S. Elv

B.M.

TP ₁	5.57	28.08	5.44	22.64	22.51
					21.19
TP ₂	4.05	26.69	5.50	21.19	
	9.62		10.94		1.32
			9.62		
			1.32		

Volusia Co.

8/9/65

Earl Bowman

cloudy morn.

Jeff - rod

Jon - level

B.M. USCGS + S.S.

Elv. 22.509 K 117

21.19

ELV.

315 gal

PUMP

GRD

W-6288 B.S. I.H. F.S. ELV ASS.

B.M.

31

34

10

TP₁ 3.28 13.28 3.84 9.44

TP₂ 4.91 14.35 7.39 6.96

TP₃ 7.86 14.82 5.39 9.43

TP₄ 1.63 11.06 7.58 3.48

TP₅ 3.10 6.58 5.88 .70

TP₆ 8.61 9.31 4.16 5.15

29.39

34.24

29.39

4.85

4.85

ELV

68.62

B.M. ELV 73.47

4.85

ELV

68.62

Volusia Co.

8/9/65

Breezewood Park cloudy morn.

Jeff - red
Jon - level

B.M. USCEGS

C 196 - 1960 Orange City

No ELV corrected

WELL
HOUSE

0

GRD

W-4164 B.S. I.H. F.S. Elv.

B.M.	3 3		2 3	28.50
TP ₁	4.34	32.84	6.16	26.68
TP ₂	3.25	29.93	6.34	23.59
TP ₃	5.52	29.11	3.30	25.81
TP ₄	4.72	30.53	5.65	24.88
TP ₅	4.28	29.16	5.45	23.71
TP ₆	2.52	26.23	6.42	19.81
TP ₇	4.76	24.57	5.08	19.49
TP ₈	5.03	24.52	5.51	19.01
	34.42		43.91	
			34.42	
			9.49	

Volusia Co. 8/10/65

Olson - Finstad cloudy morn.

Wishing Well

Jeff - rod
Jon - level

B.M. - USGS

225K5

1960 28 ft.

19.01

Elv

WELL
HOUSE



W-4725 B.S. I.H. F.S. EIV.

B.M. 31

TP₁ 3.42 13.42 6.40 7.02

TP₂ 5.72 12.74 5.86 6.88

TP₃ 2.88 9.76 4.81 4.95

TP₄ 7.60 12.55 2.91 9.64

TP₅ 3.60 13.24 5.28 7.96

TP₆ 5.07 13.03 4.26 8.83

28.29

30.61

28.29

2.32

B.M. EIV 15.93

- 1.17

14.76

CS

10

7.68

2.32

CS.

GRD

Volusia Co.

Edgewater

1/2 block from

P.O.

8/11/65

cloudy morn.

Jeff - road

Jon - level

B.M. USCGS

Y 211-1963 NO EIV

corrected

14.76

13.61

GRD

W-4587 4587	B.S.	I.H.	F.S.	ELV
B.M.				7.96
TP ₁	^{6.8} 2.86		^{8.5} 9.15	1.57
TP ₂	4.03	5.40	5.37	33
TP ₃	8.03	8.36	6.51	1.85
TP ₄	4.69	6.54	4.71	1.83
TP ₅	4.58	6.41	4.35	2.06
TP ₆	4.09	5.45	4.40	1.75
TP ₇	4.73	6.48	4.66	1.82
TP ₈	4.54	6.36	3.83	2.53
TP ₉	4.74	7.27	4.96	2.31
TP ₁₀	5.13	7.44	3.71	3.53
TP ₁₁	4.43	8.16	4.66	3.50
TP ₁₂	5.23	8.73	4.83	3.90
TP ₁₃	3.59	7.49	5.04	2.45
TP ₁₄	4.58	7.03	3.90	3.43
TP ₁₅	5.19	8.32	5.03	3.29
	70.44		75.41	
123			70.44	
			4.67	


Volusia Co
City of
Edgewater

8/11/65

cloudy aft.
Jeff - Rod
Jon - level

B.M. from USCEGS
Y 211 1963 NO ELV.

B.M. ELV 15.93
- 6.71
9.22



Supply well & test
well drilled in approx
same location

W-4579 B.S. I.H. F.S. Elv.

B.M.

TP₁ 5.03 8.32 5.52 2.80

TP₂ 2.44 5.24 6.14 - .90

TP₃ 5.07 4.17 1.68 2.49

12.54

13.34

12.54

.80

3.29

.49

.80

B.M. Elv 15.93

- 7.51

8.42

Volusia Co.

8/11/65

Edgewater

city Well

rainy aft.

Jeff-Rod

Jan-level

B.M. from USC&GS

Y211 1963 ~~No. Elv.~~

corrected

8.42

Elv

WELL
HOUSE

CONC
BASE

W-
4226 B.S. I.H. F.S. EIV 18.61
B.M. 13.44
TP₁ 5.77 19.21 4.89 14.32 5.17
TP₂ 7.89 22.21 3.60 18.61
13.66 8.49
5.17

Volusia Co.
John Chalik


8/11/65

cloudy aft.

Jeff - and
Jan - level

B.M. SRD

EIV. 13.44



W-6421 B.S. I.H. F.S. ELV

B.M.

29.53

TP₁ 4.92 34.45 6.25 28.20

28.03

TP₂ 4.89 33.09 5.06 28.03

1.50

TP₃ 9.81

11.31

9.81

1.50

Volusia Co.

8/16/65

Deltona

cloudy - aft.


Well #3

Jeff - Rod

Jon - level

B.M. Mauney Eng.

ELV 29.53



W-6094
6893

B.S. I.H. F.S. ELV

42.41 Volusia Co.
29.53 Deltona

8/6/65

cloudy aft

Jeff - Wind

Jon - Cloud

TP₁ 2.2 4 13.11 42.64 3.18 42.46 12.88

TP₂ 8.02 50.42 4.38 46.10

TP₃ 5.28 51.32 4.56 46.82

TP₄ 5.64 52.46 2.97 49.49

TP₅ 3.00 52.49 2.52 49.97

TP₆ 2.52 52.49 7.48 45.01

TP₇ 4.93 49.94 7.53 42.41

42.50

29.62

29.62

12.88

B.M. Mounsey Eng.

ELV. 29.53

ELV. 49.97

#2

W-6093

#1

W-6094

42.41

WELL HOUSE


GRD

6840 B.S. I.H. F.S. Elv. 21.28
 B.M. 12.39
 TP₁ 4.87 17.26 .17 17.09 8.89
 TP₂ 8.46 25.55 4.27 21.28
 13.33 4.44
 4.44
 8.89

Volusia Co
 Deltona
 Community
 House

8/16/65
 cloudy aft.
 Jeff - rod
 Jon - level

B.M. Mauney Eng.
 12.39



W-5889 B.S. I.H. F.S. Elv.

B.M.

TP₁ 8.34⁷ 53.21 78 8.97 44.24TP₂ 2.62 46.86 7.49 39.37TP₃ .83 40.20 8.62 31.58TP₄ 3.79 35.37 4.54 28.83TP₅ 2.29 31.12 5.05 26.07TP₆ 5.00 31.07 4.00 27.07TP₇ 8.17 35.24 1.33 33.91TP₈ 12.14 46.05 .48 45.57TP₉ 10.63 56.20 .09 56.11TP₁₀ 11.76 67.87 .54 67.33TP₁₁ 11.89 79.22 .77 78.45TP₁₂ 9.38 87.83 3.03 84.80TP₁₃ 5.85 90.65 11.34 79.31TP₁₄ 3.77 83.08 4.98 78.10TP₁₅ 4.41 82.51 4.80 77.71TP₁₆ 8.31 86.02 47 85.55

135 1018 68.50

Valencia Co.

8/16/65

T. Perry

Happy Acres

partly cloudy aft.

Jeff rod

Joint level

B.M.

USC&GS Δ

Fibre

Elv. 52.873

B.S. I.H. F.S. E.V. 85.55

TP₁₇ 4.35 89.90 8.83 81.07

TP₁₈ 1.22 82.29 4.61 77.68

TP₁₉ 3.95 81.63 4.06 77.57

101.18

9.52

10.70

86.00

24.70

17.50

68.50

86.00

⁶
77.57

5287

24.70

W5888 B.S. I.H. F.S. ELV 77.57

B.M.

72.24

TP₁ 4.06 81.63 5.49 76.14

5.33

TP₂ 5.42 81.56 4.52 77.04

TP₃ 5.22 82.26 4.74 77.52

TP₄ 1.40 78.92 6.68 72.24

16.10

21.43

16.10

5.33

Volusia Co.

8/16/65

DeBary

Motel

partly cloudy

Jeff road

Jan level

B.M. from

USCGS Δ FIBRE

ELV 77.57



W-3789 B.S. I.H. F.S. EIV

B.M.

21

22

67.98

TP₁ 3.97 71.95 5.65 66.30

62.17

TP₂ 4.14 70.44 5.39 65.05

5.81

TP₃ 3.91 68.96 5.74 63.22

TP₄ 4.21 67.43 5.26 62.17

16.23

22.04

16.23

5.81

Volusia Co. 8/17/65

Daytona Park

Estates

partly cloudy

Jeff - rod

Jon - level

B.M. SRD RR spike

EIV. 67.977

62.17

HOUSE
LOCKED

CONC.
BASE

W-5105 B.S. I.H. F.S. EIV

B.M. 3.3 2.3 52.01

TP₁ 2.68 54.69 8.03 46.66 36.94

TP₂ 8.36 55.02 7.52 47.50 15.07

TP₃ 4.06 51.56 1.28 50.28

TP₄ 5.96 56.24 5.64 50.60

TP₅ 2.51 53.11 7.03 46.08

TP₆ 5.21 51.29 5.45 45.84

TP₇ 3.15 48.99 6.78 42.21

TP₈ 1.86 44.07 7.13 36.94

TP₉ 33.79 3.29 40.78

48.86

33.79

15.07

CS

GRD

Volusia Co.

Elmo Johnson

8/17/65


partly cloudy

Jeff - road

Jon - level

B.M. SRD $\neq$ EIV.

52.01



DESTROYED BM'S

MADISON L66 FGS + USC + GS

109.65 feet ELEVATION

South Jacksonville AJ 17 (F.G.S.)

U.S.C + GS + FGS 7.328