1965

COUNTY

ALACHUA
BRADFORD
CLAY
DUVAL
PUTNAM

DISTANCES FROM SIDE STAKES FOR CROSS-SECTIONING

Roadway of any Width. Side Slopes 1½ to 1.

In the figure below: opposite 7 under "Cut or Fill" and under .3 read 11.0, the distance out from the side stake at left. Also, opposite 11 under "Cut or Fill" and under .1 read 16.7, the distance out from the side stake at right.



Cut or Fill	0	.1	.2	.3	.4	.5	.6	.7	.8	.9	Cut or Fill
	Distance out from Side or Shoulder Stake										
0	0.0	0.2	0.3	0.5	0.6	0.8	0.9	1.1	1.2	1.4	0
1	1.5	1.7	1.8	2.0	2.1	2.3	2 4	2.6	2.7	2.9	1
2	3.0	3.2	3.3	3.5	3.6	3.8	3.9	4.1	4.2	4.4	2
3	4.5	4.7	4.8	5.0	5.1	5.3	5.4	5.6	5.7	5.9	3
4	6.0	6.2	6.3	6.5	6.6	6.8	6.9	7.1	7.2	7.4	4
5	7.5	7.7	7.8	8.0	8.1	8.3	8.4	8.6	8.7	8.9	5
6	9.0	9.2	9.3	9.5	9.6	9.8	9.9	10.1	10.2	10.4	6
7	10.5	10.7	10.8	11.0	11.1	11.3	11.4	11.6	11.7	11.9	7
8	12.0	12.2	12.3	12.5	12.6	12.8	12.9	13.1	13.2	13.4	8
9	13.5	13.7	13.8	14.0	14.1	14.3	14.4	14.6	14.7	14.9	9
10	15.0	15.2	15.3	15.5	15.6	15.8	15.9	16.1	16.2	16.4	10
11	16.5	16.7	16.8	17.0	17.1	17.3	17.4	17.6	17.7	17.9	11
12	18.0	18.2	18.3	18.5	18.6	18.8	18.9	19.1	19.2	19.4	12
13	19 5	19.7	19·8	20.0	20.1	20.3	20.4	20.6	20.7	20.9	13
14	21.0	21.2	21.3	21.5	21.6	21.8	21.9	22.1	22.2	22.4	14
15	22.5	22.7	22.8	23.0	23.1	23.3	23.4	23.6	23.7	23.9	15
16	24.0	24.2	24.3	24.5	24.6	24.8	24.9	25.1	25.2	25.4	16
17	25.5	25.7	25.8	26.0	26.1	26.3	26.4	26.6	26.7	26.9	17
18	27.0	27.2	27.3	27.5	27.6	27.8	27.9	28.1	28.2	28.4	18
19	28.5	28.7	28.8	29.0	29.1	29.3	29.4	29.6	29.7	29.9	19
20	30.0	30.2	30.3	30.5	30.6	30.8	30.9	31.1	31.2	31.4	20
21	31.5	31.7	31.8	32.0	32.1	32.3	32.4	32.6	32.7	32.9	21
22	33.0	33.2	33.3	33.5	33.6	33.8	33.9	34.1	34.2	34.4	22
23	34.5	34.7	34.8	35.0	35.1	35.3	35.4	35.6	35.7	35.9	23
24	36.0	36.2	36.3	36.5	36.6	36.8	36.9	37.1	37.2	37.4	24
25	37.5	37.7	37.8	38.0	38.1	38.3	38.4	38.6	38.7	38.9	25
26	39.0	39.2	39.3	39.5	39.6	39.8	39.9	40.1	40.2	40.4	26
27	40.5	40.7	40.8	41.0	41.1	41.3	41.4	41.6	41.7	41.9	27
28	42.0	42.2	42.3	42.5	42.6	42.8	42.9	43.1	43.2	43.4	28
29	43.5	43.7	43.8	44.0	44.1	44.3	44.4	44.6	44.7	44.9	29
30	45.0	45.2	45.3	45.5	45.6	45.8	45.9	46.1	46.2	46.4	30
31	46.5	46.7	46.8	47.0	47.1	47.3	47.4	47.6	47.7	47.9	31
32	48.0	48.2	48.3	48.5	48.6	48.8	48.9	49.1	49.2	49.4	32
33	49.5	49.7	49.8	50.0	50.1	50.3	50.4	50.6	50.7	50.9	33
34	51.0	51.2	51.3	51.5	51.6	51.8	51.9	52.1	52.2	52.4	34
35	52.5	52.7	52.8	53.0	53.1	53.3	53.4	53.6	53.7	53.9	35
36	54.0	54.2	54.3	54.5	54.6	54.8	54.9	55.1	55.2	55.4	36
37	55.5	55.7	55.8	56.0	56.1	56.3	56.4	56.6	56.7	56.9	37
38	57.0	57.2	57.3	57.5	57.6	57.8	57.9	58.1	58.2	58.4	38
39	58.5	58.7	58.8	59.0	59.1	59.3	59.4	59.6	59 7	59.9	39
40	60.0	60.2	60.3	60.5	60.6	60.8	60.9	61.1	61.2	61.4	40

KEUFFEL & ESSER CO.

Crockett

WELL # + PAGE INDEX IN BACK

The paper in this book is made of 50% high grade rag stock with a WATER RESISTING surface sizing.

Net #562	BS	H.I.	FS.	Ground ELEV
B.M	5.78	78.78		73.00
TP_1	1.76	74.79	5.75	73.03
TP_2	4.56	75.44	3.91	70.88
TP_3	4.25	74.32	5.37	70.07
TP_4	7.59	74.67	7.24	67.08
MP			9.50	65.17

ALACHUA CO. 6/22/65
Disk in concrete block
U.S.G.S BM. 212 CMP 1965

Clear to partly cloudy afternoon

Ryan-Level Brooks-Rod

4" well # 5621

Well #5628	B.S	H.I	F.S	ELEV.
B.M.	2.82	72.82		70.00
TP,	6.38	74.24	4.96	67.86
TP$_2$	5.35	76.22	3.37	70.87
TP$_3$	7.34	75.48	8.08	68.14
TP$_4$	8.00	82.11	1.37	74.11
TP$_5$	1.66	79.99	3.78	78.33
TP6	8.31	82.60	5.70	74.29
TP$_7$	8.86	90.34	1.12	81.48
TP$_8$	8.24	97.70	.88	89.46
TP9	.70	90.98	7.42	90.28
MP			9.48	81.50

6/22/65

MEACHAM Co. 2 concrete conduit

U.S.G.S. B.M. 2, CMP 1965

Clear to partly cloudy afternoon

Ryan-Level Brooks-Rod



Well #W-5626	BS	HI	FS	ELEV
BM	7.37	74.37		67.00
TP_1	3.49	73.42	4.44	69.93
TP_2	6.97	71.54	8.85	64.57
TP_3	5.04	70.40	6.18	65.36
TP_4	4.06	70.00	4.46	65.94
TP_5	6.62	69.80	6.82	63.18
TP_6	6.65	72.18	4.27	65.53
TP_7	6.90	73.60	5.48	66.70
TP_8	9.48	73.24	3.84	69.76
TP_9	10.40	85.52	4.12	75.12
TP_{10}	6.13	91.45	0.20	85.32
TP_{11}	5.89	89.84	7.50	83.95
TP_{12}	10.67	96.37	4.14	85.70
TP_{13}	4.78	95.45	5.70	90.67
TP_{14}	3.27	91.50	7.22	88.23
TP_{15}	1.50	82.24	10.76	80.74

6/23/65

ALACHUA Co. Disk on concrete post 2' above ground

115.05 BM 219 CMP 1965

Clear morning and afternoon

Ryan - Level Brooke - Rod



W-5626	BS	HI	FS		ELEV.
TP16	10.88	82.92	10.20		72.04
TP17	11.74	94.66	0.00		82.92
TP18	10.22	104.88	0.00		94.66
TP19	1.45	95.09	11.24		93.64
MP			10.58		84.51

ALACHUA Co. 6/23/65

Clear afternoon

Ryan - Level Brooks - Rod

Picture on Preceeding Page

W. 4929	BS	HI	FS	Cusino	FLEV.
BM	2.07	94.57			92.5
TP1	5.52		8.52		
TP2	2.12		5.68		
TP3	4.99		7.23		
TP4	11.45		12.24		
TP5	.49		12.14		
TP6	3.52		8.11		
TP7	9.07		9.15		
TP8	9.00		.15		
TP9	10.28		7.19		
TP10	7.72		.96		
MP	0.00		5.79		
			8.27	4.22	73.35 - ground. 77.35 - casing

Alachua 7/9/65

USCGS B.M. # H15 Standard bolt in concrete pole

Clear + Sunny Morning

Ryan - Land Bean - Rod



N-5564	BS	HI	FS	Casing	ELEV.
BM.	1.70				169.82
+ P1	2.96		8.72		
+ P2	1.67		10.52		
MP			1.82	1.22	161.09 - Ground
					161.69 - Casing

Alachua Co. 7/12/65

R.R. Spike - nailed into tel. pole set by S.R.D. from USGS

Clear to partly cloudy

Kya Sand - Bai - Red



W-4049	BS	H.I	F.S.	Casing	ELEV.
B.M.	4.52				167.992
MP			4.88	4.54	

167.632 ground
167.972 casing

Alachua County 7/12/65
Drill towards Lyd
U.S.C.G.S. B.M. S3 1932 Cut on Bell @ Rt

Outcrost

Ryan - Sand Bain - Hob

W-5675	B.S.	H.I.	F.S.	Cosine	ELEV.
					167.992
B.M.	5.74				
TP1	3.96		6.13		
TP2	6.66		5.54		
TP3	5.93		2.06		
MP			4.97	3.57	171.582
					172.982

ground cooling

15

Alachua County 7/12/65

USC&GS B.M. 53 1932 Disk in concrete step, 5 W of Denton Hall

Overcast

Ryan - land Bain - Kob



16

W-5176	BS	HI	FS	casing	ELEV.
BM	5.69				94.133
MP			5.24	3.53	94.583 - G
					96.293 - C

Clay County August 27, 1965

U.S.C+G.S. + State BM # BE 24

Sunny morning

Bge - Head Eagle - Rod

W-5175	B.S.	H.I.	F.S.	Casing	ELEV.
BM	4.98				89.258
MP			4.27	2.77	89.968 - G
					91.468 - C

Clay County August 27, 1965

U.S.C.&G.S. Stat. BM # BE 26

Clear Afternoon

Pyn-Level Deyle-Rod

W-5291	B.S.	H.I	F.S	casing	ELEV.	Clay County	August 25, 1965
B.M.	3.75				142.328	U.S.C.&G.S. Elev. BM = BE 38	
M.P.			5.07	3.52	141.008 - G		
					142.558 - C		



W-2888	B.S.	H.I.	F.S.	ELEV.
B M	5.84	30.84		25
TP1	2.37	26.51	6.70	24.14
TP2	9.02	24.17	11.36	15.15
TP3	3.97	24.22	3.93	20.24
TP4	4.84	22.22	6.84	17.38
MP			9.02	13.20

+.366

13.566 ground elev.

ACTUAL B.M. ELEV. 25.366

Duval Co. 6/26/65

U.S.C.&G.S. B.M. Disk in concrete AB16

Partly Cloudy afternoon

Rear Level Brooks-Rod



W-3492	65	HI	FS	ELEV	Duval Co. 6/26/65
BM	2.29	102.29		100	R.R. spike in Base of 16" Pine Tree. Not assumed S.R.D. Determined by Levels from U.S.C.&G.S. B.M.
TP1	7.92	102.36	7.85	94.44	
TP2	2.49	93.93	10.92	91.44	Partly Cloudy Afternoon
MP			4.84	89.09	
				76.32	
				12.77	Ryan Level Brooks Rod
				ground	
			total elevation	23.68	



W.3990	B.S.	H.I.	F.S.	CASING	ELEV.
B.M.	4.52	79.72			75.20
T.P.	4.87	75.50	4.22		80.37
MP			4.83	3.62	75.54 ground
					76.75 casing

Duval Co. 6/29/65

Road surface elevation determined by Cecil N.B. Surveyors run from U.S.C.&G.S. B.M. in 1957

Clear Sunny Morning



W-4913	B.S.	H.I.	F.S.	Casing	Elev.
B.M.	0.00	39.83			39.83
MP			6.83	5.74	33.00 - ground
					34.09 - casing

Dewitt County 6/29/65
Surveyors B.M. run from U.S.C.&S. B.M. stamped
by U.S. Corps of Engineers.

Clear & sunny afternoon

Ryan - level Brooks - Rod



W.5749	B.S.	H.I.	F.S.	Elev.
B.M.	4.18			29.56
TP1	4.78		5.64	
TP2	2.60		4.82	
TP3	6.08		6.04	
TP4	5.20		4.42	
MP			6.98	24.50 - ground

Duval County 6/29/65

U.S.C.S.S. B.M. FJ.7 1937 Disk in concrete post

Clear + sunny afternoon

Ryan Seed Brooks Rod

ARTESIAN well with water spurting from under cap.

W. 3692	B.S.	H.I.	F.S.		ELEV.
B.M.	2.42				25.366
TP1	1.17		12.60		
TP2	12.51		9.02		
TP3	5.38		1.07		
TP4	5.34		5.42		
MP			5.05		19.026 ground

Drexel County 6/28/65

USC+GS. B.M. AB 16 Drill in concrete

Partly Cloudy to Clear Afternoon

Ryan - Seed Brooks - Rod



W-6917	B.S.	H.I.	F.S.		ELEV.
B.M.	10.64				19.115
TP1	11.77		.28		
TP2	13.10		2.41		
TP3	11.73		2.31		
TP4	1.81		9.62		
TP5	1.45		12.82		
TP6	2.71		9.32		
TP7	4.98		5.07		
MP			5.52		30.955 ground

Duval County 6/28/65

County B.M. - X in concrete culvert on Old Middleburg Road 100 ft North of Harlong Road. South end of

Partly Cloudy to Clear afternoon

Ryan - Instrument Brooks - Rod



W.5963	B.S.	H.I	On concrete covering casing F.S.	ELEV.
B.M.	5.55			22.047
TP1	4.89		7.50	
TP2	6.54		6.20	
TP3	7.84		2.89	
TP4	6.88		3.42	
TP5	5.45		3.00	
TP6	7.06		6.16	
TP7	5.82		5.60	
MP			4.82	32.487

Putnam Co. 7/13/65

U.S.C.&G.S. F.S. BM Disk in concrete post V39

Partly Cloudy to Clear

Ryan - Leal - Bair Rod.

MP well under concrete

W-5959	B.S.	H.I	F.S.	Casing	ELEV.		Putnam County	7/14/65
B.M.	5.10				16.411	USC.G.S. B.M. E.31 Onsh.	concrete post	
TP1	6.24		4.08					
TP2	4.50		7.03				Cloudy & Clear	
TP3	5.45		5.75					
MP			4.48	3.16	16.361 — G	Ryan - Lund		Bain - Rod
					17.681 — C			



W-6914	B.S.	H.I.	F.S.		ELEV.
B.M.	4.01				16.41
T.P.	3.48		3.78		
M.P.			6.14	4.62	13.981 - G
					15.501 - C

Putnam County 7/14/65

U.S.C.&G.S. B.M. E 31 Disk in concrete post

Cloudy with showers

Ryan - Lead Bac. - Ref



W5023	B.S	H.I	F.S	Control Back		
B.M.	4.56				19.822	
TP1	5.60		4.38			
TP2	4.86		5.88			
TP3	6.18		5.64			
TP4	7.50		7.18			
TP5	10.40		1.98			
TP6	6.68		0.47			
MP			3.33	2.99	35.74	-B
					36.082	-C

Putnam County July 15, 1965

U.S.C.S. B.M. # 19 Cap inverted 6" iron pipe 1911

Cloudy with showers

Ryan - Sand Lake - Rod

W-5018	B.S. (from casing)	H.I.	F.S.	Casing	ELEV.
B.M.	3.22				16.361
T.P.	4.15		7.72		
MP			4.82	2.18	11.191 — b 13.831 — c

45

Patron County July 15, 1965

B.M. - well # 5959

Ouvert with Shaver

Keys Level Bar-Rod



46

W-5021	B.S.	H.I.	F.S.		Elev.		Put in Curb	July 29, 1965
B.M	5.33				24.437		P.T.S. K Spindle in	
TP1	8.09		6.26					
TP2	4.92		5.03					
MP			4.86	4.36	28.727 –	G		
					29.227 –	C		



W-4062	B.S	F.S	Comp	Elev
B.M.	6.60	12.54		65.94
TP1	3.16	65.697	7.94	63.25
TP2	5.81		11.23	
TP3	9.07		4.40	
MP			7.22	60.287 - G

Pittsville July 20, 1965

USGS & State Leveling B.M. BT 24 Disk on concrete post

Survey

Ryan - Lund Pump Test

W-5030	B.S.	H.I.	F.S.		ELEV.
B.M.	5.04				92.46
TP1	4.23		12.76		
TP2	5.17		5.38		
TP3	4.28		7.04		
TP4			6.26		

Transit from Putnam County July 21, 1965
(207)
S.P.O. B.M. #16 Spike in 11" oak tree
Sunny

Level Pencil - rain - cold

Owner referred to as Mr. ...
Property Utilities refused to allow ...
to land until ... had check ...
for land. Hope we are able to land
that particular ... soon.

W-4069	B.S.	H.I.	F.S.		ELEV.		Pulaski County	July 21, 1965
B.M.	2.82	70.84			68.020	FLD. GEOL. S.B.M.	B.T. 33a	Disk in concrete post
T.P.1	4.99	67.21	8.62		+7.43		Overcast with showers.	
T.P.2	4.02		7.08					
T.P.3	1.13		8.41				Area Geol. Base Rod.	
T.P.4	8.24		9.90					
T.P.5	8.96		0.00					
T.P.6	13.00		0.68					
T.P.7	6.33		1.55					
B.P.	49.49		5.82	- G	75.450	- G		
			42.06					

Well is under ground under a concrete slab down about 5'

W-4058	B.S.	H.I.	F.S.	Casing	ELEV.
B.M.	5.17				75.27
TP1	0.00		7.66		
TP2	2.88		7.99		
TP3	3.30		13.22		
TP4	5.57		8.04		
TP5	2.61		4.89		
TP6	8.06		6.41		
TP7	6.50		7.83		
MP	34.09		2.80	2.16	50.52 -6
			58.84		51.16 -C

Patron County. July 22, 1965

RMBC. TBM. #1 from well 4069. Established By Ryan & Gaines well 4069

Sunny morning

Ryan-Land Gaines-Lad



W-4063	B.S.	H.I	F.S.	Check	ELEV.		Putnam County July 28, 1965
B.M.	7.29				65.654	USC&GS STATE SURVEY BM	B.T. 26
TP1	4.06		5.62			Sunny afternoon	
TP2	6.31		5.53				
MP			7.50	6.50	64.664	-b	Ryan Level Bar-Rod
					65.664	-c	



W-5025	B.S.	A.I.	F.S.	Casing	FLEV.
B.M.	11.46				9.33
T.P.1	10.52		5.93		
T.P.2	6.43		3.84		
T.P.3	7.65		3.55		
T.P.4	4.06		7.09		
T.P.5	2.37		10.04		
T.P.6	8.84		1.46	.46	
T.P.7	3.10		5.82		
T.P.8	5.95		3.19		
T.P.9	7.00		7.30		
T.P.10	7.48		4.14		
T.P.11	11.50		2.70		
T.P.12	13.00		0.00		
T.P.13	13.00		.29		
T.P.14	11.30		.03		
M.P.			.90	.04	76.61 - G 77.45 - C.

59

Watson County July 23, 1965

Elev. 1254.66 ft. State Survey P31 disk in concrete post

Survey

Pyron - Lund Barr Rod



60

W 5026	BS	HI	FS	Casing	Elev	Putnam County July 26/1965
BM	5.82				56.215	USCE&S BM BO 71
TP1	7.72		4.42			Leveling + Clear
TP2	8.87		0.00			Rejon-Level Base Rod
TP3	4.84		4.10			
TP4	7.33		8.47			
TP5	3.50		5.71			
TP6	5.41		6.12			
TP7	8.81		1.93			
TP8	9.24		7.71			
TP9	5.38		5.41			
TP10	1.53		5.40			
TP11	5.04		7.74			
MP			4.08	3.04	68.56	-G.
					69.60	-C.

W-5022	B.S.	H.I.	F.S.	Elev.
BM	.12			140.359
TP1	4.54		12.26	
TP2	4.74		8.42	
MP			9.80	139.229 - 6

Putnam County Calf 27, 1965

+3.676 + State Survey B 58

Survey Near

Cap Lost Dam Lost



	B.S.	H.I.	F.S.	Casing	Elev.
W-4972			5.57		
B.M.	7.80				104.449
T.P.	4.90		3.99		
M.P.			5.20	4.80	107.959
					108.359

-6

65

WTE CC
Putnam County July 28, 1965

N.S.C. #65 B.M. J.14 bldg. conduit post
Clear to partly cloudy

Ryan - Sewd Bar Ltd



66

W-4064	B.S.	H.I.	F.S.	ELEV.
B.M.	1.36			100.00
TP1	4.63		1.48	
TP2	3.54		6.80	
TP3	.10		10.28	
TP4	2.36		13.00	
MP			10.44	103.178 - G

Pittsburgh, July 28, 1964

Established by U.S.C. & G.S. B.M. B. 14.84



W-5043	B.S.	H.I.	F.S.	H.E.	Putnam County July 28, 1965
B.M.	7.08			111.618	R.M. B.C.T.B.M. from former well from RH 84
TP1	5.41		4.32		
TP2	2.76		9.18		
TP3	8.34		10.45		
TP4	10.63		3.63		
TP5	8.11		10.54		
MP			4.23	111.598 — G.	

W-5746	B.S.	H.I.	F.S.	Corrs.	ELEV.
B.M.	.30				
T.P.1	1.64		13.24		
T.P.2	5.46		4.93		
T.P.3	5.04		5.38		
MP			4.92	4.12	

Putnam County July 29, 1965

S.R.D. BMs on OKLAHOMA RIVER BRIDGE (A) Disk in concrete Rail

No ELEVATION yet EST. FOR B.M.

Jimmy L. Polly (Rodman)

Byron Lund Basin Rod



W-3627	B.S	HI	F.S.	Casing		Putnam County reset 1959 July 29, 465
B.M.	6.74				118.314	USC&GS B.M. - B 54 Disk in concrete post
TP1	3.81		11.04			
MP			5.60			
				4.44	112.224 - C	
					113.84 - c	

W.4047	B.S.	H.I.	F.S.	Elev.		Putnam County	July 30, 1965
B.M.	1.93			103.838		U.S. 40 & State Hwy. 9 N.	S.D. 32
TP1	4.84		9.30				
TP2	0.46		10.65			Overcast - rain	
TP3	5.69		6.69				
TP4	6.02		5.61			from Sewell Bus. Rd	
TP5	6.07		5.65				
TP6	6.87		4.29				
TP7	6.44		4.62				
TP8	4.44		8.25				
TP9	12.38		5.75				
MP	4.59		4.73				
			4.99	93.038 - G.			
						Shallow well in background	
						with no visible casing	

W 4061	B.S	H.I.	Fs	Casing	ELEV
BM	4.72				
MP			5.60	4.25	

77

Putnam County July 30, 1965

115.65 B.M. T-212 1914 O.C. [illegible]

No elevation on cap

Direct + Leveling

Bain - Level Pipe - Rod



78

W. Spot	B.S.	H.I.	F.S.	Casing	Elevation
B.M.	4.74	14.74			10.00 ft
M.P.			5.77		
				4.86	8.97 (b.)
					9.88 (c.)

Putnam County July 30, 1965

Topographic road elevation - Riverdale quadrangle

Ducomet

Lyn Jewell Ben - Rod



MP.

		Casing M.S.L.
W-3857		No casing
W-6549		52.20
W-6643		56.91
W-3903		10.923
W-3856		3.702
W-3901		7.491
W-3902		8.140

Hudson Pulp & Paper 7/12/65

Putnam County

Elevations run by Hudson Survey Crew

W. 5328	B.S.	H.I	F.S.	Casing	ELEV.
B.M.	5.06				172.9
MP.			5.59	3.94	172.37 - G
					174.02 - C

Bradford Co. August 11, 1965

USGS 1966 Survey BM 3058.

Survey Readings

Ryan Land Boyle Rod



W.5178	B.S.	H.I.	F.S.		ELEV		Bradford Co.	August 11, 1965
B.M.	1.15				149.4	456+65 + Stake	Sunny	B.M. A053
TP1	1.24		10.84					
TP2	1.96		2.94				Sunny	
TP3	3.56		6.55					
TP4	10.06		6.47				Ryan - Level	Dayco - Rod
MP			2.60	1.31	137.97	-G		
					139.26	-C		



N-5239	B.S.	H.I.	F.S.	Corr	ELEV.
BM.	4.08				178.08
T.P.	5.23		6.16		
MP			7.00	4.72	174.23 - G.
					176.51 - C

Bradford Co. August 11, 1965

USC&GS Elev. Survey B.M. BD55

Sunny & partly Cloudy

Ryan - Level Doyle - Rod

W-5159	B.S.	H.I	F.S.	Casing	ELEV.
B.M	4.00				178.08
T.P.	5.06		7.63		
MP			6.74	4.84	172.77 - G
					174.67 - C

Bradford Co. August 11, 1965

ASC.365 + Stall Swing B.M. B.O. 55

Overcast

Ryan Level Pryde - Rod



W.5182	B.S.	H.I.	F.S.	ELEV.
B.M.	2.94			165.301
TP1	.62		12.83	
MP			13.56	142.471 - C

Bradford Co. August 12, 1965

U.S.C.&G.S. & State Survey B.M. = BD 64

Survey

Pipe - Level Datum Ref.

W-5160	B.S.	H.I.	F.S.	Casing	ELEV.
B.M.	2.94				165.301
TP.	.62		12.83		
TP2	7.60		13.56		
TP3	4.02		3.68		
TP4	2.94		7.74		
TP5	1.99		12.76		
MP			9.73	6.78	125.111 - 6
					128.061 - C

93

Bradford Co. August 12, 1965

U.S.C.&G.S. + State Survey B.M. = BD 64

Survey

Pyra-Sond Doyle-Rod

94

W-6261	B.S.	H.I.	F.S.	ELEV.
B.M.	3.50			166.82
TP1	3.54		6.88	
TP2	2.37		10.76	
MP			5.03	well house floor

153.56 - G

Bradford Co. August 12, 1965

USGS & State Survey B.M. BB66 rest 1954

Sunny

Ryan-Lord Doyle-Kolb



W-5177	B.S.	H.I.	F.S.	Casing	ELEV.
B.M.	3.00				150.36
T.P.	8.65		6.28		
T.P.	6.60		6.00		
MP			5.48	3.90	150.85 - C
					152.43 - C

97

Brickford Co. August 12, 1965

N.S. 6865 & Stahl Survey B.M. # AD 28

Survey

Ryan - Level Onyle - Rod

98

W. 5163	B.S.	H.I.	F.S.		ELEV.
B.M.	5.26				141.471
M.P.			6.48		140.251

Bradford Co. August 12, 1965

U.S. Corps. of Engrs. Lang & Mc B.R. 19

Overcast

Ryan-Lead Doyle-Rod



On mill floor - concrete

W-5300	B.S.	H.I.	F.S.	ELEV.
B.M.	6.14			166.82
TP1	5.44		4.95	
TP2	5.00		7.36	
TP3	4.79		6.12	
MP			4.36	165.40 = Floor

Bradford Co. August 13, 1965

U.S.C.+G.S. B.M. # BB66 reset 1954

Sunny Morning

Ryan - Level Ogle - Rod



W-5180	B.S.	H.I.	F.S.	Casing	ELEV.
B.M.	5.97				137.6
TP			3.72	1.61	139.85
					141.96

Bradford Co. August 13, 1965

U.S.C.G.S. Tablet Survey B.M. #BR 17

-G

-C

Sunny Morning

Ryan - Level Bain - Rod



W-5161	B.S	H.I	F.S.	Rodney	ELEV.
B.M.	5.86				137.00
MP			6.63	4.79	136.23 - G
					138.84 - C

Bradford Co. August 13, 1965

B.M. - Factory Topo sheet road elevation

Clear & partly cloudy

Dyke - Level Doyle - Rod

W-5187	B.S.	H.I.	F.S.	Corr.	ELEV.
B.M.	5.86				137.00
MP			6.52	4.66	136.34 - G
					138.86 - C

Bradford August 13, 1965

B.M. - Tawtey Inc. - project road elevation

Clear & partly Cloudy

Ryan Level - Dyke Rod

W-2600	B.S.	H.I	F.S.		ELEV.
B.M.	7.18				116.3
TP	3.35		3.55		
MP			4.93	Concrete floor	
					118.40

Bradford Co. August 16, 1965

U.S.C&GS + State Survey B.M. # BC 24

Sunny Money

Ryan Level Doyle-Rod



W.3719	B.S.	H.I.	F.S.	ELEV
B.M.	7.18			116.3
T.P.	3.35		3.50	
MP			5.06	

Corrected 3.60

118.27

Bradford County August 16, 1965

U.S.C.&G.S. B.M. # BC 24

Sunny Morning

Ryan Reed Doyle-Lab



W.5287	B.S.	H.I	F.S.	Casing	ELEV.
B.M.	5.14				149.52
T.P.	5.38		6.42		
MP			6.32	A	147.30
				4.09	149.53
				B	149.03
				4.14	

Clay County August 16, 1965

USC&GS B.M. # MD53

Partly Cloudy

Ryan-Lund Doyle-Ped



w-5411	B.S.	H.I.	F.S.	Casing	ELEV.
b.M.	.21				142.328
TP1	3.36		10.30		
MP			10.20	7.51	125.398-G 128.088-C

Clay County August 16, 1965

USC&GS + State Survey ≈ BE 38

Pacific County

Keyser - level Doyle - Rod



W-5292	B.S.	H.I.	F.S.	Casing	ELEV.		Clay Cloudy	August 16, 1965	
B.M.	.21				142.328	U.S.C.&G.S. & State Survey B.M. # BE 38			
T.P.	3.36		10.30						
MP			10.73	A	124.868	G	Partly Cloudy		
				8.51	127.088	CA			
				B.			Kyle Lund	Dayco-Ford	
				8.64	126.958	CB			

W-5286	B.S.	H.I	F.S.	Casing	ELEV.		Clay County	August 16, 1965
B.M	3.23				161.650	U.S.C.&G.S. & State Survey	#BE 37	
T.P.	.73		11.02					
MP			9.48	A	145.11	-G	Sunny & Partly Cloudy	
				6.90	147.69	-CA		
				B			Rye - Level	Doyle Rod
				7.18	147.41	CB		



W-5289
W-5171

	B.S.	H.I.	F.S.		ELEV.	
B.M.	0.00				145.769	U.S.C. & G.S. Bench Mark # BE 36
MP			11.92	A	133.849	-G
				9.68	136.089	-CA
				B		
				9.72	136.049	-CB
				C		
				9.82	135.949	-CC

Clay County August 16, 1965

Cloudy afternoon

Rye - Level Dog Leg



W-542	B.S.	H.I.	F.S.	Casing	ELEV.
B.M.	0.00				145.769
MP			12.30	10.18	133.469 - C
					135.589 - G

Clay County August 16, 1965

U.S. 17 & U.S. 41 Alt. Loop, B.M. + BF 36

Cloudy afternoon

Ryan-Level Doyle-Rod



W-5186	B.S.	H.I.	F.S.	Casing	ELEV.
B.M.	0.00				145.769
T.P.	11.94		1230		
T.P.	7.86		1.24		
MP			1.78	(2.74' above G.R.)	

150.249 - G
152.989 - C

Clay County August 16, 1965

U.S.C.+G.S. + State Survey D.M. + CE 36

Cloudy Afternoon

Ryan - Level Dog - Lab



W-5162	B.S.	H.I.	F.S.	Casing	ELEV.
B.M.	1.12				174.865
TP_1	12.52		12.78		
MP			6.19	4.58	169.535 - G
					171.145 - C

Clay County August 17, 1965

U.S.C.&G.S. & Steel Survey B.M. # BE 34

Lenny Manning

Ryan - Lead Doyle - Rod

W. 44 85	B.S.	H.I.	F.S.		ELEV.
B.M.	4.38				175.525
TP1	3.12		2.80		
TP2	5.34		4.44		
TP3	7.53		5.46		
TP4	8.02		8.08		
TP5	4.49		10.36		
MP			7.88		169.385 - Concrete floor

Clay County August 17, 1965

U.S.C.&G.S. & State Levy B.M. # BE 33

Levy Morris

Ryan - Lead Doyle Rod



W-5288	B.S.	H.I.	F.S.	casing	ELEV.	
B.M.	1.75				152.989	
TP.	0.00		11.82			
TP$_2$	2.56		10.90			
MP			5.92	4.84	128.65	- G
				B	129.73	- CH
				3.90	100.67	- CB

Clay County August 7, 1965

W-5186 from casing

Sunny afternoon

Level Dayle - Rod



Road

W.5330	B.S	H.I	F.S	Corrn	Elev		Clay County	August 20, 1965
B.M	3.59				161.650	USLHS	BM #	BL 37
TP1	.97		12.97					
TP2	1.08		12.86				Leveling Notes	
TP3	13.79		12.84					
TP4	4.77		.88				Ryan-Lead	Payco-Rod
MP	8.14		11.58					
			5.16	3.02	137.70	- G		
					139.84	- C		



W-5285 | B.S. | H.I. | F.S. | Casing | ELEV. | Clay County | August 29, 1965

B.M.	3.59				161.650	U.S.C.&G.S. BM =	BE. 37
TP	.97		12.97				
TP2	1.08		12.86			Sunny Morning	
TP3	13.79		12.84				
TP4	4.77		.88			Rain Cool	Foggy Cool
MP	8.14		11.58	D			
			4.32	2.47	138.54	-G	
				R.	140.39	-CA	
				2.58	140.30	-CB	



W 5268	B.S.	H.I.	F.S.	casing	ELEV.		Clay County	August 23, 1965
B.M.	5.30				152.989	W-5184	from casing	
TP1	.56		12.60					
TP2	10.90		9.36				Leung Fleming	
TP3	8.23		3.15					
TP4	2.59		.69				Ryan - Lund Dayton - Rod	
TP5	13.33		12.93					
TP6	8.88		5.45					
MP			5.92	4.08	152.739	-F		
					154.579	-C		



W-5331+7	B.S.	H.I.	F.S.	Casing	Elev.
B.M.	5.20				169.884
T.P.	5.96		0.83		
T.P.	13.27		10.50		
MP			3.00	0.00	175.989 - G
					178.989 - C

Clay County August 23, 1965

U.S.C. & G.S. + State Line = BO 67



V-5169	B.S.	H.I.	F.S.	Casing	ELEV.
B.M.	5.20				169.889
TP1	5.96		4.83		
TP2	13.27		10.50		
TP3	5.06		3.00		
MP			6.18	4.97	174.86 -C 176.079 -C

Clay County August 24, 1965

U.S.C.&G.S. + State LMH BD 67

Lumsy Ranch

Kyle Land Doyle Hall

W 5174	B.S.	H.I.	F.S.	Casing	Elev.		Use County	August 26	1965
B.M.	.98				226.883	USC&GS - State Dist	BF	30	
T.P.	4.44		8.41						
T.P.			13.24	10.98	210.653	-C	Clear Afternoon		
MP					212.913	-C			
							Iron Pipe	Dog Co. Rod	

W-5154	B.S.	H.I.	F.S.	casing	ELEV.
B.M.	2.02				225.105
MP			9.04	7.26	218.085 - G
					219.865 C

Clay County August 30, 1965

U.S.C.&G.S. & State B.M. # P 176

Sunny morning

Ryan Seed Doyle-Rod

WELL #	INDEX	Pgs.
5621	Alachua	1 + 2
5628	"	3 + 4
5626	"	5, 6, 7 + 8
4929	"	9 + 10
5564	"	11 + 12
4049	"	13 + 14
5675		15 + 16
5176	Clay	17 + 18
5175	Clay	19 + 20

Well #	INDEX	Pgs.
5291	Clay	21 + 22
2888	Duval	23 + 24
3492	"	25 + 26
3990	"	27 + 28
4913	"	29 + 30
5749	"	31 + 32
3692	"	33 + 34
6917	"	35 + 36
5963	Putnam	37 + 38

Well #	INDEX	Pgs.
5959	Putnam	39+40
6914	"	41+42
5023	"	43+44
5018	"	45+46
5021	"	47+48
4062	"	49+50
5030	"	51+52
4069	"	53 & 54
4058	"	55+56

Well #	INDEX	Pgs.
4063	Putnam	57+58
5025	"	59+60
5026	"	61+62
5022	"	63+64
4972	"	65+66
4064	"	67+68
5043	"	69+70
5746	"	71+72
5627	"	73+74

Well #	Index	Pgs.	Well	Index	Pgs.
4047	Putnam	75+76	5159	Bradford	89+90
4061	"	77+78	5182	"	91+92
5020	"	79+80	5160	"	93+94
3857	"				
6549	"	81+82	6261	"	95+96
6643	"				
3903	"	81+82			
3856	"		5177	"	97+98
3901	"	81+82			
3902	"				
			5163	"	99+100
5328	Bradford	83+84			
			5300	"	101+102
5178	"	85+86			
			5180	"	103+104
5239	"	87+88			
			5160		105+106

Well #	Index	Pgs
5187	Bradford	107+108
2600	"	109+110
3729	"	111+112
5287	Clay	113+114
5411	"	115+116
5292	"	117+118
5286	"	119+120
5289	"	121+122
5171	"	126+122

Well #	Index	Pgs.
5412	Clay	123+124
5186	"	125+126
5162	"	127+128
4485	"	129+130
5288	"	131+132
5336	"	133+134
5285	"	135+136
5268	"	137+138
5331 (?)	"	139+140

Well	Index	Pgs.
5169	Clay	141+142
5174	"	143+144
5154	"	145+146

TRIGONOMETRIC FORMULÆ



Solution of Right Triangles

For Angle A. $\sin = \frac{a}{c}$, $\cos = \frac{b}{c}$, $\tan = \frac{a}{b}$, $\cot = \frac{b}{a}$, $\sec = \frac{c}{b}$, $\operatorname{cosec} = \frac{c}{a}$

Given	Required	
a, b	A, B, c	$\tan A = \frac{a}{b} = \cot B, c = \sqrt{a^2 + b^2} = a\sqrt{1 + \frac{b^2}{a^2}}$
a, c	A, B, b	$\sin A = \frac{a}{c} = \cos B, b = \sqrt{(c+a)(c-a)} = c\sqrt{1 - \frac{a^2}{c^2}}$
A, a	B, b, c	$B = 90° - A, b = a \cot A, c = \frac{a}{\sin A}$
A, b	B, a, c	$B = 90° - A, a = b \tan A, c = \frac{b}{\cos A}$
A, c	B, a, b	$B = 90° - A, a = c \sin A, b = c \cos A,$

Solution of Oblique Triangles

Given	Required	
A, B, a	b, c, C	$b = \frac{a \sin B}{\sin A}, C = 180° - (A + B), c = \frac{a \sin C}{\sin A}$
A, a, b	B, c, C	$\sin B = \frac{b \sin A}{a}, C = 180° - (A + B), c = \frac{a \sin C}{\sin A}$
a, b, C	A, B, c	$A + B = 180° - C, \tan \frac{1}{2}(A - B) = \frac{(a-b)\tan \frac{1}{2}(A+B)}{a+b}, c = \frac{a \sin C}{\sin A}$
a, b, c	A, B, C	$s = \frac{a+b+c}{2}, \sin \frac{1}{2}A = \sqrt{\frac{(s-b)(s-c)}{bc}}, \sin \frac{1}{2}B = \sqrt{\frac{(s-a)(s-c)}{ac}}, C = 180° - (A+B)$
a, b, c	Area	$s = \frac{a+b+c}{2}$, area $= \sqrt{s(s-a)(s-b)(s-c)}$
A, b, c	Area	area $= \frac{b c \sin A}{2}$
A, B, C, a	Area	area $= \frac{a^2 \sin B \sin C}{2 \sin A}$

REDUCTION TO HORIZONTAL

Horizontal distance = Slope distance multiplied by the cosine of the vertical angle. Thus: slope distance = 319.4 ft. Vert. angle = 5° 10′. From Table, Page IX. cos 5° 10′ = .9959. Horizontal distance = 319.4 × .9959 = 318.09 ft.
Horizontal distance also = Slope distance minus slope distance times (1 − cosine of vertical angle). With the same figures as in the preceding example, the following result is obtained. Cosine 5° 10′ = .9959. 1 − .9959 = .0041. 319.4 × .0041 = 1.31. 319.4 − 1.31 = 318.09 ft.

When the rise is known, the horizontal distance is approximately:—the slope distance less the square of the rise divided by twice the slope distance. Thus: rise = 14 ft., slope distance = 302.6 ft. Horizontal distance = $302.6 - \frac{14 \times 14}{2 \times 302.6} = 302.6 - 0.32 = 302.28$ ft.

MADE IN U. S. A.